

# Aline Dugravot

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4571991/aline-dugravot-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77  
papers

4,158  
citations

34  
h-index

64  
g-index

77  
ext. papers

5,257  
ext. citations

8.2  
avg, IF

5.47  
L-index

#	Paper	IF	Citations
77	Association of APOE $\epsilon$ 4 with cerebral gray matter volumes in non-demented older adults: the MEMENTO cohort study.. <i>NeuroImage</i> , <b>2022</b> , 118966	7.9	1
76	Sex differences in functional limitations and the role of socioeconomic factors: a multi-cohort analysis.. <i>The Lancet Healthy Longevity</i> , <b>2021</b> , 2, e780-e790	9.5	2
75	Timeline of pain before dementia diagnosis: a 27-year follow-up study. <i>Pain</i> , <b>2021</b> , 162, 1578-1585	8	2
74	Association Between Age at Diabetes Onset and Subsequent Risk of Dementia. <i>JAMA - Journal of the American Medical Association</i> , <b>2021</b> , 325, 1640-1649	27.4	22
73	Association of sleep duration in middle and old age with incidence of dementia. <i>Nature Communications</i> , <b>2021</b> , 12, 2289	17.4	63
72	Sociodemographic determinants in the evolution of pain in inflammatory rheumatic diseases: results from ESPOIR and DESIR cohorts. <i>Rheumatology</i> , <b>2021</b> ,	3.9	1
71	Comparison of the predictive accuracy of multiple definitions of cognitive impairment for incident dementia: a 20-year follow-up of the Whitehall II cohort study. <i>The Lancet Healthy Longevity</i> , <b>2021</b> , 2, e407-e416	9.5	1
70	The association of APOE $\epsilon$ 4 with cognitive function over the adult life course and incidence of dementia: 20 years follow-up of the Whitehall II study. <i>Alzheimers Research and Therapy</i> , <b>2021</b> , 13, 5	9	9
69	Sex differences and the role of education in cognitive ageing: analysis of two UK-based prospective cohort studies. <i>Lancet Public Health</i> , <b>2021</b> , 6, e106-e115	22.4	20
68	Association of daily composition of physical activity and sedentary behaviour with incidence of cardiovascular disease in older adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2021</b> , 18, 83	8.4	5
67	Long-Term Evolution of Functional Limitations in Stroke Survivors Compared With Stroke-Free Controls: Findings From 15 Years of Follow-Up Across 3 International Surveys of Aging. <i>Stroke</i> , <b>2021</b> , STROKEAHA121034534	6.7	1
66	Risk prediction models for dementia: role of age and cardiometabolic risk factors. <i>BMC Medicine</i> , <b>2020</b> , 18, 107	11.4	10
65	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003147	11.6	16
64	Social inequalities in multimorbidity, frailty, disability, and transitions to mortality: a 24-year follow-up of the Whitehall II cohort study. <i>Lancet Public Health</i> , <b>2020</b> , 5, e42-e50	22.4	53
63	Association of moderate and vigorous physical activity with incidence of type 2 diabetes and subsequent mortality: 27-year follow-up of the Whitehall II study. <i>Diabetologia</i> , <b>2020</b> , 63, 537-548	10.3	9
62	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarker-based case-control study. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003289	11.6	15
61	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarker-based case-control study <b>2020</b> , 17, e1003289		

60	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarker-based case-control study <b>2020</b> , 17, e1003289		
59	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarker-based case-control study <b>2020</b> , 17, e1003289		
58	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarker-based case-control study <b>2020</b> , 17, e1003289		
57	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarker-based case-control study <b>2020</b> , 17, e1003289		
56	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarker-based case-control study <b>2020</b> , 17, e1003289		
55	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarker-based case-control study <b>2020</b> , 17, e1003289		
54	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study <b>2020</b> , 17, e1003147		
53	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study <b>2020</b> , 17, e1003147		
52	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study <b>2020</b> , 17, e1003147		
51	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study <b>2020</b> , 17, e1003147		
50	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study <b>2020</b> , 17, e1003147		
49	Biomarker profiles of Alzheimer's disease and dynamic of the association between cerebrospinal fluid levels of $\beta$ -amyloid peptide and tau. <i>PLoS ONE</i> , <b>2019</b> , 14, e0217026	3.7	12
48	CSF level of $\beta$ -amyloid peptide predicts mortality in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , <b>2019</b> , 11, 29	9	11
47	Change in Cardiovascular Health and Incident Type 2 Diabetes and Impaired Fasting Glucose: The Whitehall II Study. <i>Diabetes Care</i> , <b>2019</b> , 42, 1981-1987	14.6	6
46	Association of ideal cardiovascular health at age 50 with incidence of dementia: 25 year follow-up of Whitehall II cohort study. <i>BMJ, The</i> , <b>2019</b> , 366, l4414	5.9	56
45	The gait speed advantage of taller stature is lost with age. <i>Scientific Reports</i> , <b>2018</b> , 8, 1485	4.9	12
44	Obesity trajectories and risk of dementia: 28 years of follow-up in the Whitehall II Study. <i>Alzheimer's and Dementia</i> , <b>2018</b> , 14, 178-186	1.2	140
43	Alcohol consumption and risk of dementia: 23 year follow-up of Whitehall II cohort study. <i>BMJ, The</i> , <b>2018</b> , 362, k2927	5.9	74

42	Association between systolic blood pressure and dementia in the Whitehall II cohort study: role of age, duration, and threshold used to define hypertension. <i>European Heart Journal</i> , <b>2018</b> , 39, 3119-3125	9.5	95
41	Agricultural activities and the incidence of Parkinson's disease in the general French population. <i>European Journal of Epidemiology</i> , <b>2017</b> , 32, 203-216	12.1	20
40	Trajectories of Depressive Symptoms Before Diagnosis of Dementia: A 28-Year Follow-up Study. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 712-718	14.5	236
39	Atrial fibrillation as a risk factor for cognitive decline and dementia. <i>European Heart Journal</i> , <b>2017</b> , 38, 2612-2618	9.5	95
38	Association of UV radiation with Parkinson disease incidence: A nationwide French ecologic study. <i>Environmental Research</i> , <b>2017</b> , 154, 50-56	7.9	15
37	Contribution of cognitive performance and cognitive decline to associations between socioeconomic factors and dementia: A cohort study. <i>PLoS Medicine</i> , <b>2017</b> , 14, e1002334	11.6	40
36	Physical activity, cognitive decline, and risk of dementia: 28 year follow-up of Whitehall II cohort study. <i>BMJ, The</i> , <b>2017</b> , 357, j2709	5.9	152
35	Body mass index trajectories and functional decline in older adults: Three-City Dijon cohort study. <i>European Journal of Epidemiology</i> , <b>2016</b> , 31, 73-83	12.1	21
34	Powdery Mildew Decreases the Radial Growth of Oak Trees with Cumulative and Delayed Effects over Years. <i>PLoS ONE</i> , <b>2016</b> , 11, e0155344	3.7	26
33	Trajectories of Unhealthy Behaviors in Midlife and Risk of Disability at Older Ages in the Whitehall II Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2016</b> , 71, 1500-1506	6.4	28
32	Antidepressant medication use and trajectories of fasting plasma glucose, glycated haemoglobin, cell function and insulin sensitivity: a 9-year longitudinal study of the D.E.S.I.R. cohort. <i>International Journal of Epidemiology</i> , <b>2015</b> , 44, 1927-40	7.8	13
31	Metabolically healthy obesity and the risk of cardiovascular disease and type 2 diabetes: the Whitehall II cohort study. <i>European Heart Journal</i> , <b>2015</b> , 36, 551-9	9.5	218
30	Decline in Fast Gait Speed as a Predictor of Disability in Older Adults. <i>Journal of the American Geriatrics Society</i> , <b>2015</b> , 63, 1129-36	5.6	60
29	Detection of Outliers Due to Participants' Non-Adherence to Protocol in a Longitudinal Study of Cognitive Decline. <i>PLoS ONE</i> , <b>2015</b> , 10, e0132110	3.7	3
28	Subjective cognitive complaints and mortality: does the type of complaint matter?. <i>Journal of Psychiatric Research</i> , <b>2014</b> , 48, 73-8	5.2	52
27	No evidence of a longitudinal association between diurnal cortisol patterns and cognition. <i>Neurobiology of Aging</i> , <b>2014</b> , 35, 2239-45	5.6	31
26	Interleukin-6 and C-reactive protein as predictors of cognitive decline in late midlife. <i>Neurology</i> , <b>2014</b> , 83, 486-93	6.5	125
25	Alcohol consumption and cognitive decline in early old age. <i>Neurology</i> , <b>2014</b> , 82, 332-9	6.5	87

24	Midlife type 2 diabetes and poor glycaemic control as risk factors for cognitive decline in early old age: a post-hoc analysis of the Whitehall II cohort study. <i>Lancet Diabetes and Endocrinology</i> , <b>2014</b> , 2, 228-35	18.1	122
23	Midlife stroke risk and cognitive decline: a 10-year follow-up of the Whitehall II cohort study. <i>Alzheimers and Dementia</i> , <b>2013</b> , 9, 572-9	1.2	40
22	Metabolically healthy obesity and risk of mortality: does the definition of metabolic health matter?. <i>Diabetes Care</i> , <b>2013</b> , 36, 2294-300	14.6	202
21	Unhealthy behaviours and disability in older adults: three-City Dijon cohort study. <i>BMJ, The</i> , <b>2013</b> , 347, f4240	5.9	83
20	Informal caregiving and the risk for coronary heart disease: the Whitehall II study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2013</b> , 68, 1316-23	6.4	39
19	Predicting cognitive decline: a dementia risk score vs. the Framingham vascular risk scores. <i>Neurology</i> , <b>2013</b> , 80, 1300-6	6.5	147
18	Obesity phenotypes in midlife and cognition in early old age: the Whitehall II cohort study. <i>Neurology</i> , <b>2012</b> , 79, 755-62	6.5	73
17	Timing of onset of cognitive decline: results from Whitehall II prospective cohort study. <i>BMJ, The</i> , <b>2012</b> , 344, d7622	5.9	435
16	Impact of smoking on cognitive decline in early old age: the Whitehall II cohort study. <i>Archives of General Psychiatry</i> , <b>2012</b> , 69, 627-35		122
15	Socioeconomic status, structural and functional measures of social support, and mortality: The British Whitehall II Cohort Study, 1985-2009. <i>American Journal of Epidemiology</i> , <b>2012</b> , 175, 1275-83	3.8	137
14	Usefulness of a single-item measure of depression to predict mortality: the GAZEL prospective cohort study. <i>European Journal of Public Health</i> , <b>2012</b> , 22, 643-7	2.1	24
13	SABIA ET AL. RESPOND. <i>American Journal of Public Health</i> , <b>2012</b> , 102, S165-S166	5.1	78
12	Effect of intensity and type of physical activity on mortality: results from the Whitehall II cohort study. <i>American Journal of Public Health</i> , <b>2012</b> , 102, 698-704	5.1	86
11	Association of lung function with physical, mental and cognitive function in early old age. <i>Age</i> , <b>2011</b> , 33, 385-92		38
10	Does cognitive reserve shape cognitive decline?. <i>Annals of Neurology</i> , <b>2011</b> , 70, 296-304	9.4	97
9	Do different measures of early life socioeconomic circumstances predict adult mortality? Evidence from the British Whitehall II and French GAZEL studies. <i>Journal of Epidemiology and Community Health</i> , <b>2011</b> , 65, 1097-103	5.1	16
8	Predictive utility of the Framingham general cardiovascular disease risk profile for cognitive function: evidence from the Whitehall II study. <i>European Heart Journal</i> , <b>2011</b> , 32, 2326-32	9.5	73
7	Health behaviours, socioeconomic status, and mortality: further analyses of the British Whitehall II and the French GAZEL prospective cohorts. <i>PLoS Medicine</i> , <b>2011</b> , 8, e1000419	11.6	206

6	Trajectories of depressive episodes and hypertension over 24 years: the Whitehall II prospective cohort study. <i>Hypertension</i> , <b>2011</b> , 57, 710-6	8.5	61
5	Do socioeconomic factors shape weight and obesity trajectories over the transition from midlife to old age? Results from the French GAZEL cohort study. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 92, 16-23	7	22
4	Hostility and trajectories of body mass index over 19 years: the Whitehall II Study. <i>American Journal of Epidemiology</i> , <b>2009</b> , 169, 347-54	3.8	9
3	Adult education and child mortality in India: the influence of caste, household wealth, and urbanization. <i>Epidemiology</i> , <b>2008</b> , 19, 294-301	3.1	23
2	The role of conventional risk factors in explaining social inequalities in coronary heart disease: the relative and absolute approaches to risk. <i>Epidemiology</i> , <b>2008</b> , 19, 599-605	3.1	34
1	The association between self-rated health and mortality in different socioeconomic groups in the GAZEL cohort study. <i>International Journal of Epidemiology</i> , <b>2007</b> , 36, 1222-8	7.8	133