

Steven P Balk

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4572283/steven-p-balk-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers

10,263
citations

49
h-index

101
g-index

134
ext. papers

11,679
ext. citations

11.3
avg, IF

5.78
L-index

#	Paper	IF	Citations
118	A Case of Prostate Cancer Harboring Androgen Receptor T878A Progesterone-Responsive Mutant Emerging After Abiraterone Acetate Treatment Responding to Darolutamide.. <i>JCO Precision Oncology</i> , 2022 , 6, e2100091	3.6	1
117	Androgen receptor and MYC equilibration centralizes on developmental super-enhancer.. <i>Nature Communications</i> , 2021 , 12, 7308	17.4	4
116	Transcriptional mediators of treatment resistance in lethal prostate cancer. <i>Nature Medicine</i> , 2021 , 27, 426-433	50.5	25
115	EZH2 inhibition activates a dsRNA-STING-interferon stress axis that potentiates response to PD-1 checkpoint blockade in prostate cancer. <i>Nature Cancer</i> , 2021 , 2, 444-456	15.4	37
114	A Subset of Localized Prostate Cancer Displays an Immunogenic Phenotype Associated with Losses of Key Tumor Suppressor Genes. <i>Clinical Cancer Research</i> , 2021 , 27, 4836-4847	12.9	6
113	Modulating Androgen Receptor-Driven Transcription in Prostate Cancer with Selective CDK9 Inhibitors. <i>Cell Chemical Biology</i> , 2021 , 28, 134-147.e14	8.2	13
112	Comparative Genomics Reveals Distinct Immune-oncologic Pathways in African American Men with Prostate Cancer. <i>Clinical Cancer Research</i> , 2021 , 27, 320-329	12.9	19
111	Circulating and Intratumoral Adrenal Androgens Correlate with Response to Abiraterone in Men with Castration-Resistant Prostate Cancer. <i>Clinical Cancer Research</i> , 2021 , 27, 6001-6011	12.9	0
110	Metastatic Castration-Resistant Prostate Cancer Remains Dependent on Oncogenic Drivers Found in Primary Tumors. <i>JCO Precision Oncology</i> , 2021 , 5,	3.6	2
109	Molecular features of exceptional response to neoadjuvant anti-androgen therapy in high-risk localized prostate cancer. <i>Cell Reports</i> , 2021 , 36, 109665	10.6	4
108	Androgen receptor splice variant 7 functions independently of the full length receptor in prostate cancer cells. <i>Cancer Letters</i> , 2021 , 519, 172-184	9.9	2
107	Circulating-free DNA (cfDNA) as biomarker of taxane resistance in metastatic castration-resistant prostate cancer (mCRPC).. <i>Journal of Clinical Oncology</i> , 2020 , 38, 174-174	2.2	
106	MARCH5 mediates NOXA-dependent MCL1 degradation driven by kinase inhibitors and integrated stress response activation. <i>ELife</i> , 2020 , 9,	8.9	12
105	Tumor Microenvironment-Derived NRG1 Promotes Antiandrogen Resistance in Prostate Cancer. <i>Cancer Cell</i> , 2020 , 38, 279-296.e9	24.3	57
104	Chromatin binding of FOXA1 is promoted by LSD1-mediated demethylation in prostate cancer. <i>Nature Genetics</i> , 2020 , 52, 1011-1017	36.3	28
103	Loss Confers Greater Sensitivity to ATR Inhibition Than PARP Inhibition in Prostate Cancer. <i>Cancer Research</i> , 2020 , 80, 2094-2100	10.1	28
102	Low Abundance of Circulating Tumor DNA in Localized Prostate Cancer. <i>JCO Precision Oncology</i> , 2019 , 3,	3.6	14

101	ZBTB7A Mediates the Transcriptional Repression Activity of the Androgen Receptor in Prostate Cancer. <i>Cancer Research</i> , 2019 , 79, 5260-5271	10.1	5
100	Association of prostate cancer SLCO gene expression with Gleason grade and alterations following androgen deprivation therapy. <i>Prostate Cancer and Prostatic Diseases</i> , 2019 , 22, 560-568	6.2	7
99	Androgen Receptor Interaction with Mediator Complex Is Enhanced in Castration-Resistant Prostate Cancer by CDK7 Phosphorylation of MED1. <i>Cancer Discovery</i> , 2019 , 9, 1490-1492	24.4	9
98	Measurement science of the androgen receptor splice variant-7 protein in primary and castration-resistant prostate cancer tissue.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 151-151	2.2	
97	A phase II study of nivolumab in patients with high-risk biochemically recurrent (BCR) prostate cancer (PCa).. <i>Journal of Clinical Oncology</i> , 2019 , 37, TPS341-TPS341	2.2	
96	ARv7 Represses Tumor-Suppressor Genes in Castration-Resistant Prostate Cancer. <i>Cancer Cell</i> , 2019 , 35, 401-413.e6	24.3	74
95	Targeting the androgen receptor and overcoming resistance in prostate cancer. <i>Current Opinion in Oncology</i> , 2019 , 31, 175-182	4.2	16
94	Contribution of Adrenal Glands to Intratumor Androgens and Growth of Castration-Resistant Prostate Cancer. <i>Clinical Cancer Research</i> , 2019 , 25, 426-439	12.9	27
93	Characteristics of myeloproliferative neoplasms in patients exposed to ionizing radiation following the Chernobyl nuclear accident. <i>American Journal of Hematology</i> , 2019 , 94, 62-73	7.1	6
92	Androgen receptor splice variant-7 expression emerges with castration resistance in prostate cancer. <i>Journal of Clinical Investigation</i> , 2019 , 129, 192-208	15.9	157
91	Role of Androgen Receptor Variants in Prostate Cancer: Report from the 2017 Mission Androgen Receptor Variants Meeting. <i>European Urology</i> , 2018 , 73, 715-723	10.2	71
90	BMX-Mediated Regulation of Multiple Tyrosine Kinases Contributes to Castration Resistance in Prostate Cancer. <i>Cancer Research</i> , 2018 , 78, 5203-5215	10.1	13
89	Tyrosine Kinase Inhibitors Increase MCL1 Degradation and in Combination with BCLXL/BCL2 Inhibitors Drive Prostate Cancer Apoptosis. <i>Clinical Cancer Research</i> , 2018 , 24, 5458-5470	12.9	31
88	Calcium signaling: an underlying link between cardiac disease and carcinogenesis. <i>Cell and Bioscience</i> , 2018 , 8, 39	9.8	7
87	Neoadjuvant-Intensive Androgen Deprivation Therapy Selects for Prostate Tumor Foci with Diverse Subclonal Oncogenic Alterations. <i>Cancer Research</i> , 2018 , 78, 4716-4730	10.1	33
86	Initiation and Evolution of Early Onset Prostate Cancer. <i>Cancer Cell</i> , 2018 , 34, 874-876	24.3	7
85	Downregulation of Accelerates Progression to Castration-Resistant Prostate Cancer. <i>Cancer Research</i> , 2018 , 78, 6354-6362	10.1	25
84	Phosphorylation of androgen receptor serine 81 is associated with its reactivation in castration-resistant prostate cancer. <i>Cancer Letters</i> , 2018 , 438, 97-104	9.9	10

83	Reprogramming to resist. <i>Science</i> , 2017 , 355, 29-30	33.3	9
82	Gleason Score 7 Prostate Cancers Emerge through Branched Evolution of Clonal Gleason Pattern 3 and 4. <i>Clinical Cancer Research</i> , 2017 , 23, 3823-3833	12.9	30
81	Adoptive Transfer of Invariant NKT Cells as Immunotherapy for Advanced Melanoma: A Phase I Clinical Trial. <i>Clinical Cancer Research</i> , 2017 , 23, 3510-3519	12.9	86
80	Cabozantinib Eradicates Advanced Murine Prostate Cancer by Activating Antitumor Innate Immunity. <i>Cancer Discovery</i> , 2017 , 7, 750-765	24.4	77
79	Neoadjuvant Enzalutamide Prior to Prostatectomy. <i>Clinical Cancer Research</i> , 2017 , 23, 2169-2176	12.9	50
78	Association of Tissue Abiraterone Levels and Genotype with Intraprostatic Steroids and Pathologic Response in Men with High-Risk Localized Prostate Cancer. <i>Clinical Cancer Research</i> , 2017 , 23, 4592-4601	12.9	25
77	Isolation and Functional Use of Human NKT Cells. <i>Current Protocols in Immunology</i> , 2017 , 119, 14.11.1-14.11.20	11.20	7
76	Genomic Resistance Patterns to Second-Generation Androgen Blockade in Paired Tumor Biopsies of Metastatic Castration-Resistant Prostate Cancer. <i>JCO Precision Oncology</i> , 2017 , 1,	3.6	8
75	Expression of PD-L1 in Hormone-naïve and Treated Prostate Cancer Patients Receiving Neoadjuvant Abiraterone Acetate plus Prednisone and Leuprolide. <i>Clinical Cancer Research</i> , 2017 , 23, 6812-6822	12.9	58
74	A Phase II Trial of Abiraterone Combined with Dutasteride for Men with Metastatic Castration-Resistant Prostate Cancer. <i>Clinical Cancer Research</i> , 2017 , 23, 935-945	12.9	22
73	Positive feedback loop mediated by protein phosphatase 1 mobilization of P-TEFb and basal CDK1 drives androgen receptor in prostate cancer. <i>Nucleic Acids Research</i> , 2017 , 45, 3738-3751	20.1	21
72	Genomic mechanisms of resistance to neoadjuvant leuprolide plus abiraterone in locally advanced prostate cancer.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 98-98	2.2	58
71	Androgen Receptor Tumor Suppressor Function Is Mediated by Recruitment of Retinoblastoma Protein. <i>Cell Reports</i> , 2016 , 17, 966-976	10.6	40
70	ErbB2 Signaling Increases Androgen Receptor Expression in Abiraterone-Resistant Prostate Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 3672-82	12.9	28
69	SOX9 drives WNT pathway activation in prostate cancer. <i>Journal of Clinical Investigation</i> , 2016 , 126, 1745-1758	15.8	106
68	Protein phosphatase 1 suppresses androgen receptor ubiquitylation and degradation. <i>Oncotarget</i> , 2016 , 7, 1754-64	3.3	15
67	Fine tuning metabolism of biochemically active abiraterone metabolites to optimize anti-androgen therapy in prostate cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 5016-5016	2.2	58
66	Mutation Profiling Indicates High Grade Prostatic Intraepithelial Neoplasia as Distant Precursors of Adjacent Invasive Prostatic Adenocarcinoma. <i>Prostate</i> , 2016 , 76, 1227-36	4.2	7

65	Redirecting abiraterone metabolism to fine-tune prostate cancer anti-androgen therapy. <i>Nature</i> , 2016 , 533, 547-51	50.4	116
64	The cistrome and gene signature of androgen receptor splice variants in castration resistant prostate cancer cells. <i>Journal of Urology</i> , 2015 , 193, 690-8	2.5	48
63	The DHEA-sulfate depot following P450c17 inhibition supports the case for AKR1C3 inhibition in high risk localized and advanced castration resistant prostate cancer. <i>Chemico-Biological Interactions</i> , 2015 , 234, 332-8	5	49
62	Abiraterone treatment in castration-resistant prostate cancer selects for progesterone responsive mutant androgen receptors. <i>Clinical Cancer Research</i> , 2015 , 21, 1273-80	12.9	129
61	Taxane resistance in prostate cancer mediated by AR-independent GATA2 regulation of IGF2. <i>Cancer Cell</i> , 2015 , 27, 158-9	24.3	16
60	A phase Ib study of BKM120 combined with abiraterone acetate for castrate-resistant, metastatic prostate cancer.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 274-274	2.2	6
59	Loss of Wave1 gene defines a subtype of lethal prostate cancer. <i>Oncotarget</i> , 2015 , 6, 12383-91	3.3	8
58	Association of SLCO transport genes with intraprostatic abiraterone (ABI) levels and pathologic outcomes in men with high-risk localized prostate cancer (PCa).. <i>Journal of Clinical Oncology</i> , 2015 , 33, 5013-5013	2.2	1
57	Rapid induction of androgen receptor splice variants by androgen deprivation in prostate cancer. <i>Clinical Cancer Research</i> , 2014 , 20, 1590-600	12.9	132
56	PTEN-deficient tumors depend on AKT2 for maintenance and survival. <i>Cancer Discovery</i> , 2014 , 4, 942-55	24.4	62
55	Intense androgen-deprivation therapy with abiraterone acetate plus leuprolide acetate in patients with localized high-risk prostate cancer: results of a randomized phase II neoadjuvant study. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3705-15	2.2	169
54	Galeterone prevents androgen receptor binding to chromatin and enhances degradation of mutant androgen receptor. <i>Clinical Cancer Research</i> , 2014 , 20, 4075-85	12.9	69
53	Lysine-specific demethylase 1 has dual functions as a major regulator of androgen receptor transcriptional activity. <i>Cell Reports</i> , 2014 , 9, 1618-1627	10.6	82
52	A phase Ib study of BKM120 combined with abiraterone acetate for castrate-resistant, metastatic prostate cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, TPS2641-TPS2641	2.2	1
51	Androgen receptor functions in prostate cancer development and progression. <i>Asian Journal of Andrology</i> , 2014 , 16, 561-4	2.8	8
50	Association of serum (SR) and tissue (TX) abiraterone (ABI) levels with intraprostatic steroids and pathologic outcomes in men with high-risk localized prostate cancer (PCa).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 5015-5015	2.2	
49	Clonal progression of prostate cancers from Gleason grade 3 to grade 4. <i>Cancer Research</i> , 2013 , 73, 10501-10	5.1	70
48	Tyrosine kinase BMX phosphorylates phosphotyrosine-primed motif mediating the activation of multiple receptor tyrosine kinases. <i>Science Signaling</i> , 2013 , 6, ra40	8.8	18

47	Androgen receptor epigenetics. <i>Translational Andrology and Urology</i> , 2013 , 2, 148-157	2.3	14
46	Adipose tissue invariant NKT cells protect against diet-induced obesity and metabolic disorder through regulatory cytokine production. <i>Immunity</i> , 2012 , 37, 574-87	32.3	348
45	The altered expression of MiR-221/-222 and MiR-23b/-27b is associated with the development of human castration resistant prostate cancer. <i>Prostate</i> , 2012 , 72, 1093-103	4.2	65
44	Androgen receptor serine 81 phosphorylation mediates chromatin binding and transcriptional activation. <i>Journal of Biological Chemistry</i> , 2012 , 287, 8571-83	5.4	76
43	Neoadjuvant androgen pathway suppression prior to prostatectomy.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4520-4520	2.2	2
42	Effect of neoadjuvant abiraterone acetate (AA) plus leuprolide acetate (LHRHa) on PSA, pathological complete response (pCR), and near pCR in localized high-risk prostate cancer (LHRPC): Results of a randomized phase II study.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4521-4521	2.2	26
41	Doxycycline regulated induction of AKT in murine prostate drives proliferation independently of p27 cyclin dependent kinase inhibitor downregulation. <i>PLoS ONE</i> , 2012 , 7, e41330	3.7	9
40	Androgen receptor gene expression in prostate cancer is directly suppressed by the androgen receptor through recruitment of lysine-specific demethylase 1. <i>Cancer Cell</i> , 2011 , 20, 457-71	24.3	314
39	Developing understanding of the roles of CD1d-restricted T cell subsets in cancer: reversing tumor-induced defects. <i>Clinical Immunology</i> , 2011 , 140, 184-95	9	36
38	Intratumoral androgen biosynthesis in prostate cancer pathogenesis and response to therapy. <i>Endocrine-Related Cancer</i> , 2011 , 18, R175-82	5.7	112
37	Intratumoral de novo steroid synthesis activates androgen receptor in castration-resistant prostate cancer and is upregulated by treatment with CYP17A1 inhibitors. <i>Cancer Research</i> , 2011 , 71, 6503-13	10.1	326
36	Defective NKT cell activation by CD1d+ TRAMP prostate tumor cells is corrected by interleukin-12 with β -galactosylceramide. <i>PLoS ONE</i> , 2010 , 5, e11311	3.7	49
35	Phosphoinositide 3-kinase pathway activation in phosphate and tensin homolog (PTEN)-deficient prostate cancer cells is independent of receptor tyrosine kinases and mediated by the p110beta and p110delta catalytic subunits. <i>Journal of Biological Chemistry</i> , 2010 , 285, 14980-14989	5.4	71
34	Reactivation of androgen receptor-regulated TMPRSS2:ERG gene expression in castration-resistant prostate cancer. <i>Cancer Research</i> , 2009 , 69, 6027-32	10.1	116
33	Androgen receptor regulates a distinct transcription program in androgen-independent prostate cancer. <i>Cell</i> , 2009 , 138, 245-56	56.2	691
32	Peripheral blood progenitor cell product contains Th1-biased noninvariant CD1d-reactive natural killer T cells: implications for posttransplant survival. <i>Experimental Hematology</i> , 2008 , 36, 464-72	3.1	18
31	Circulating myeloid dendritic cells of advanced cancer patients result in reduced activation and a biased cytokine profile in invariant NKT cells. <i>Journal of Immunology</i> , 2008 , 180, 7287-93	5.3	31
30	AR, the cell cycle, and prostate cancer. <i>Nuclear Receptor Signaling</i> , 2008 , 6, e001	1	248

29	Increased PAK6 expression in prostate cancer and identification of PAK6 associated proteins. <i>Prostate</i> , 2008 , 68, 1510-6	4.2	61
28	Selective activation, expansion, and monitoring of human iNKT cells with a monoclonal antibody specific for the TCR alpha-chain CDR3 loop. <i>European Journal of Immunology</i> , 2008 , 38, 1756-66	6.1	77
27	Activation of nonreceptor tyrosine kinase Bmx/Etk mediated by phosphoinositide 3-kinase, epidermal growth factor receptor, and ErbB3 in prostate cancer cells. <i>Journal of Biological Chemistry</i> , 2007 , 282, 32689-98	5.4	30
26	Effects of the administration of high-dose interleukin-2 on immunoregulatory cell subsets in patients with advanced melanoma and renal cell cancer. <i>Clinical Cancer Research</i> , 2007 , 13, 2100-8	12.9	70
25	Androgens induce prostate cancer cell proliferation through mammalian target of rapamycin activation and post-transcriptional increases in cyclin D proteins. <i>Cancer Research</i> , 2006 , 66, 7783-92	10.1	227
24	Androgen receptor phosphorylation and stabilization in prostate cancer by cyclin-dependent kinase 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 15969-74	11.5	154
23	Activation of beta-catenin signaling in prostate cancer by peptidyl-prolyl isomerase Pin1-mediated abrogation of the androgen receptor-beta-catenin interaction. <i>Molecular and Cellular Biology</i> , 2006 , 26, 929-39	4.8	57
22	Increased expression of genes converting adrenal androgens to testosterone in androgen-independent prostate cancer. <i>Cancer Research</i> , 2006 , 66, 2815-25	10.1	830
21	In Vitro Generation of Highly Purified Functional Invariant NKT Cells in Multiple Myeloma: A Strategy for Immunotherapy.. <i>Blood</i> , 2006 , 108, 5104-5104	2.2	
20	Identification of hypoxia-inducible factor-1alpha (HIF-1alpha) polymorphism as a mutation in prostate cancer that prevents normoxia-induced degradation. <i>Prostate</i> , 2005 , 63, 215-21	4.2	87
19	Activation of p21-activated kinase 6 by MAP kinase kinase 6 and p38 MAP kinase. <i>Journal of Biological Chemistry</i> , 2005 , 280, 3323-30	5.4	40
18	In Vitro Generation of Highly-Purified Functional Invariant NKT Cells: A Strategy for Immunotherapy in Multiple Myeloma.. <i>Blood</i> , 2005 , 106, 5183-5183	2.2	
17	Recruitment of beta-catenin by wild-type or mutant androgen receptors correlates with ligand-stimulated growth of prostate cancer cells. <i>Molecular Endocrinology</i> , 2004 , 18, 2388-401		71
16	CD1d-restricted T cells regulate dendritic cell function and antitumor immunity in a granulocyte-macrophage colony-stimulating factor-dependent fashion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 8874-9	11.5	83
15	Biology of prostate-specific antigen. <i>Journal of Clinical Oncology</i> , 2003 , 21, 383-91	2.2	441
14	Bicalutamide functions as an androgen receptor antagonist by assembly of a transcriptionally inactive receptor. <i>Journal of Biological Chemistry</i> , 2002 , 277, 26321-6	5.4	176
13	AR and ER interaction with a p21-activated kinase (PAK6). <i>Molecular Endocrinology</i> , 2002 , 16, 85-99		111
12	Loss of IFN-gamma production by invariant NK T cells in advanced cancer. <i>Journal of Immunology</i> , 2001 , 167, 4046-50	5.3	305

11	Evidence of T cell receptor beta-chain patterns in inflammatory and noninflammatory bowel disease states. <i>American Journal of Physiology - Renal Physiology</i> , 1999 , 276, G613-21	5.1	18
10	Tumor susceptibility gene 101 protein represses androgen receptor transactivation and interacts with p300. <i>Cancer</i> , 1999 , 86, 689-96	6.4	64
9	Tyrosine kinases expressed in vivo by human prostate cancer bone marrow metastases and loss of the type 1 insulin-like growth factor receptor. <i>American Journal of Pathology</i> , 1999 , 155, 1271-9	5.8	152
8	Extreme Th1 bias of invariant Valpha24JalphaQ T cells in type 1 diabetes. <i>Nature</i> , 1998 , 391, 177-81	50.4	613
7	Requirements for CD1d recognition by human invariant Valpha24+ CD4-CD8- T cells. <i>Journal of Experimental Medicine</i> , 1997 , 186, 109-20	16.6	478
6	MHC evolution. <i>Nature</i> , 1995 , 374, 505-6	50.4	5
5	Mutation of the androgen-receptor gene in metastatic androgen-independent prostate cancer. <i>New England Journal of Medicine</i> , 1995 , 332, 1393-8	59.2	1002
4	Intraepithelial lymphocytes and their recognition of non-classical MHC molecules. <i>International Reviews of Immunology</i> , 1994 , 11, 15-30	4.6	28
3	Specific reversal of cytolytic T lymphocyte--target cell interaction. <i>Journal of Supramolecular Structure and Cellular Biochemistry</i> , 1981 , 16, 43-52		2
2	Actin-containing matrix associated with the plasma membrane of murine tumour and lymphoid cells. <i>Nature</i> , 1981 , 289, 139-44	50.4	181
1	Ubiquitin Ligase MARCH5 Regulates Apoptosis through Mediation of Stress-Induced and NOXA-Dependent MCL1 Degradation		1