
HamurÃ;bi AnÃ-zio Lins

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4573319/publications.pdf Version: 2024-02-01



4

#	Article	IF	CITATIONS
1	Effect of pyrolysis temperature on eucalyptus wood residues biochar on availability and transport of hexazinone in soil. International Journal of Environmental Science and Technology, 2022, 19, 499-514.	3.5	6
2	Understanding the behavior of sulfometuron-methyl in soils using multivariate analysis. International Journal of Environmental Science and Technology, 2022, 19, 95-106.	3.5	1
3	Adaptability and stability of soybean (Glycine max L.) genotypes in semiarid conditions. Euphytica, 2022, 218, 1.	1.2	3
4	Efficiency of Phosphorus Use in Sunflower. Agronomy, 2022, 12, 1558.	3.0	4
5	Can irrigation systems alter the critical period for weed control in onion cropping?. Crop Protection, 2021, 147, 105457.	2.1	8
6	Sorption kinetics of sulfometuron-methyl in different Brazilian soils. Environmental Monitoring and Assessment, 2021, 193, 194.	2.7	1
7	A new alternative to determine weed control in agricultural systems based on artificial neural networks (ANNs). Field Crops Research, 2021, 263, 108075.	5.1	22
8	WATER DEFICIT ON GROWTH AND PHYSIOLOGICAL INDICATORS OF Bidens pilosa L. AND Bidens subalternans DC Revista Caatinga, 2021, 34, 388-397.	0.7	4
9	Spatio-Temporal Distribution of Digitaria insularis: Risk Analysis of Areas with Potential for Selection of Clyphosate-Resistant Biotypes in Eucalyptus Crops in Brazil. Sustainability, 2021, 13, 10405.	3.2	7
10	WEED INTERFERENCE IN CARROT YIELD IN TWO LOCALIZED IRRIGATION SYSTEMS. Revista Caatinga, 2021, 34, 119-131.	0.7	7
11	Interaction between herbicides applied in mixtures alters the conception of its environmental impact. Environmental Science and Pollution Research, 2021, , 1.	5.3	3
12	ECONOMIC VIABILITY OF BEET CROPS USING Calotropis procera BIOMASS AS SOIL FERTILIZER IN TWO GROWING SEASONS1. Revista Caatinga, 2021, 34, 846-856.	0.7	2
13	Herbicide mixtures affect adsorption processes in soils under sugarcane cultivation. Geoderma, 2020, 379, 114626.	5.1	15
14	Seed germination of Bidens subalternansÂDC. exposed to different environmental factors. PLoS ONE, 2020, 15, e0233228.	2.5	7
15	Gaseous exchanges of corn and weeds under competition and water regimes. Revista Brasileira De Engenharia Agricola E Ambiental, 2020, 24, 465-473.	1.1	2
16	NITRATE ACCUMULATION IN LETTUCE AND ROCKET IN RESPONSE TO NITROGEN FERTILIZATION IN INTERCROPPING. Revista Caatinga, 2020, 33, 260-265.	0.7	4
17	Adsorption mechanisms of atrazine isolated and mixed with glyphosate formulations in soil. PLoS ONE, 2020, 15, e0242350.	2.5	5

18 Carryover of tembotrione and atrazine in sugar beet. , 2019, 46, 319-324.

2

#	Article	IF	CITATIONS
19	Agro-biological and economic efficiency in a beetroot (Beta vulgaris L.) production system fertilized with hairy woodrose (Merremia aegyptia (L.) Urb.) as green manure. Australian Journal of Crop Science, 2019, 13, 395-402.	0.3	4
20	Agro-economic profitability of sweet potato cultivars as a function of the harvest age and times of cultivation in the semi-arid. Bioscience Journal, 2019, 35, .	0.4	0
21	Extratos de espécies florestais como alternativa no controle de tiririca (Cyperus rotundus). Revista Verde De Agroecologia E Desenvolvimento Sustentável, 2019, 14, 349-353.	0.1	0
22	Agronomic performance and economic profitability of lettuce fertilized with Calotropis procera as a green manure in a single crop. Australian Journal of Crop Science, 2018, 12, 1573-1577.	0.3	3
23	Quality of sweet potato cultivars planted harvested at different times of two seasons. Australian Journal of Crop Science, 2018, 12, 898-904.	0.3	10
24	Production performance of sesame cultivars under different nitrogen rates in two crops in the Brazilian semi-arid region. Industrial Crops and Products, 2018, 124, 1-8.	5.2	6
25	Green manure and spatial arrangement in the sustainability improvement of lettuce-beet intercrops. Revista Brasileira De Engenharia Agricola E Ambiental, 2018, 22, 451-457.	1.1	8
26	Crescimento inicial do melão após aplicação de herbicidas em pós-emergência. Revista Brasileira De Herbicidas, 2018, 17, 611.	0.1	3
27	Agro-economic Feasibility of Intercropped Systems of Radish and Cowpea-Vegetable Manured With Roostertree Biomass. Journal of Agricultural Science, 2018, 10, 206.	0.2	2
28	Beetroot production using Calotropis procera as green manure in the Brazilian Northeast semiarid. Australian Journal of Crop Science, 2017, 11, 1268-1276.	0.3	0
29	Quality of three cowpea green-grains cultivars refrigerated. Amazonian Journal of Plant Research, 2017, 1, .	0.1	0
30	Agronomic response of arugula to green fertilization with rooster tree during two culture times. African Journal of Agricultural Research Vol Pp, 2016, 11, 4931-4938.	0.5	4
31	Sweet potato cultivars grown and harvested at different times in semiarid Brazil. African Journal of Agricultural Research Vol Pp, 2016, 11, 4810-4818.	0.5	3
32	Biomass accumulation, plant biometrics and fruit production of watermelon according to changes in source/drain relations. Comunicata Scientiae, 2016, 7, 272.	0.4	2
33	Análise Germinativa de Sementes Comerciais de Coentro (Coriandrum sativum L.) no municÃpio de Serra Talhada - PE. Revista Verde De Agroecologia E Desenvolvimento Sustentável, 2015, 10, 05-07.	0.1	1
34	Sunflower performance as a function of phosphate fertilization in semiarid conditions. Acta Scientiarum - Agronomy, 0, 42, e42960.	0.6	5
35	Efficiency of nitrogen use by sesame genotypes under brazilian semi-arid conditions. Bioscience Journal, 0, 37, e37013.	0.4	0
36	Weed interference periods in sesame crop. Ciencia E Agrotecnologia, 0, 43, .	1.5	6

#	Article	IF	CITATIONS
37	Weed control in melon with preemergence herbicides. Pesquisa Agropecuaria Brasileira, 0, 57, .	0.9	1
38	Addition of raw feedstocks and biochars to the soil on the sorption–desorption and biodegradation of 14C-saflufenacil. International Journal of Environmental Science and Technology, 0, , 1.	3.5	1