Leanne M Hides

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4574221/publications.pdf

Version: 2024-02-01

194 papers 8,690 citations

⁷⁶¹⁹⁶
40
h-index

81 g-index

209 all docs 209 docs citations

209 times ranked 10860 citing authors

#	Article	IF	CITATIONS
1	Mobile App Rating Scale: A New Tool for Assessing the Quality of Health Mobile Apps. JMIR MHealth and UHealth, 2015, 3, e27.	1.8	1,682
2	Gamification for health and wellbeing: A systematic review of the literature. Internet Interventions, 2016, 6, 89-106.	1.4	778
3	Development and Validation of the User Version of the Mobile Application Rating Scale (uMARS). JMIR MHealth and UHealth, 2016, 4, e72.	1.8	568
4	Review and Evaluation of Mindfulness-Based iPhone Apps. JMIR MHealth and UHealth, 2015, 3, e82.	1.8	393
5	The prevalence of psychotic symptoms among methamphetamine users. Addiction, 2006, 101, 1473-1478.	1.7	328
6	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. JAMA - Journal of the American Medical Association, 2020, 323, 2290.	3.8	242
7	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. Psychological Medicine, 2020, 50, 1368-1380.	2.7	175
8	Psychotic symptom and cannabis relapse in recent-onset psychosis. British Journal of Psychiatry, 2006, 189, 137-143.	1.7	145
9	What is the prevalence and risk of cannabis use disorders among people who use cannabis? a systematic review and meta-analysis. Addictive Behaviors, 2020, 109, 106479.	1.7	120
10	Psychological interventions for alcohol misuse among people with co-occurring depression or anxiety disorders: A systematic review. Journal of Affective Disorders, 2012, 139, 217-229.	2.0	116
11	Reliability and Validity of the Kessler 10 and Patient Health Questionnaire among Injecting Drug Users. Australian and New Zealand Journal of Psychiatry, 2007, 41, 166-168.	1.3	113
12	Telephone Counselling for Adolescent Suicide Prevention: Changes in Suicidality and Mental State from Beginning to End of a Counselling Session. Suicide and Life-Threatening Behavior, 2003, 33, 400-411.	0.9	107
13	The German Version of the Mobile App Rating Scale (MARS-G): Development and Validation Study. JMIR MHealth and UHealth, 2020, 8, e14479.	1.8	101
14	The psychometric properties of the Kessler Psychological Distress Scale (K6) in a general population sample of adolescents Psychological Assessment, 2016, 28, 1232-1242.	1.2	100
15	The prevalence and correlates of childhood trauma in patients with early psychosis. Australian and New Zealand Journal of Psychiatry, 2015, 49, 651-659.	1.3	93
16	Young people's uses of music for well-being. Journal of Youth Studies, 2015, 18, 1119-1134.	1.5	92
17	Effectiveness of school-based eHealth interventions to prevent multiple lifestyle risk behaviours among adolescents: a systematic review and meta-analysis. The Lancet Digital Health, 2019, 1, e206-e221.	5.9	91
18	Brief screening for psychosis-like experiences. Schizophrenia Research, 2013, 149, 104-107.	1.1	87

#	Article	IF	CITATIONS
19	Substance-Induced Psychosis. Journal of Clinical Psychiatry, 2008, 69, 358-367.	1.1	84
20	Development and validation of the Italian version of the Mobile Application Rating Scale and its generalisability to apps targeting primary prevention. BMC Medical Informatics and Decision Making, 2016, 16, 83.	1.5	73
21	Depressive symptoms in first episode schizophrenia spectrum disorder. Schizophrenia Research, 2012, 134, 20-26.	1.1	71
22	Treatment rates for alcohol use disorders: a systematic review and metaâ€analysis. Addiction, 2021, 116, 2617-2634.	1.7	70
23	Treatment of Cannabis Use Among People With Psychotic or Depressive Disorders. Journal of Clinical Psychiatry, 2010, 71, 247-254.	1.1	70
24	The effectiveness of residential treatment services for individuals with substance use disorders: A systematic review. Drug and Alcohol Dependence, 2019, 201, 227-235.	1.6	68
25	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. Psychotherapy and Psychosomatics, 2020, 89, 25-37.	4.0	67
26	Differences in Dietary Preferences, Personality and Mental Health in Australian Adults with and without Food Addiction. Nutrients, 2017, 9, 285.	1.7	65
27	Combined prevention for substance use, depression, and anxiety in adolescence: a cluster-randomised controlled trial of a digital online intervention. The Lancet Digital Health, 2020, 2, e74-e84.	5.9	65
28	The profile of psychiatric symptoms exacerbated by methamphetamine use. Drug and Alcohol Dependence, 2016, 161, 104-109.	1.6	64
29	Cognitive behaviour therapy (CBT) for the treatment of coâ€occurring depression and substance use: Current evidence and directions for future research. Drug and Alcohol Review, 2010, 29, 508-517.	1.1	62
30	Can emotion-focused coping help explain the link between posttraumatic stress disorder severity and triggers for substance use in young adults?. Journal of Substance Abuse Treatment, 2009, 36, 220-226.	1.5	59
31	The reliability and validity of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in first-episode psychosis. Addictive Behaviors, 2009, 34, 821-825.	1.7	59
32	The association between early cannabis use and psychotic-like experiences in a community adolescent sample. Schizophrenia Research, 2009, 112, 130-135.	1.1	59
33	Individual and interpersonal emotion regulation among adults with substance use disorders and matched controls. British Journal of Clinical Psychology, 2018, 57, 186-202.	1.7	59
34	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. British Journal of Psychiatry, 2018, 212, 377-385.	1.7	53
35	Intervening early to reduce developmentally harmful substance use among youth populations. Medical Journal of Australia, 2007, 187, S22-5.	0.8	52
36	Substance Use and Recidivism Outcomes for Prison-Based Drug and Alcohol Interventions. Epidemiologic Reviews, 2018, 40, 121-133.	1.3	50

#	Article	IF	Citations
37	Impact of Co-Occurring Substance use on 6 Month Outcomes for Young People Seeking Mental Health Treatment. Australian and New Zealand Journal of Psychiatry, 2007, 41, 896-902.	1.3	49
38	Outcomes of an integrated cognitive behaviour therapy (CBT) treatment program for co-occurring depression and substance misuse in young people. Journal of Affective Disorders, 2010, 121, 169-174.	2.0	49
39	Helping someone with problem drinking: Mental health first aid guidelines - a Delphi expert consensus study. BMC Psychiatry, 2009, 9, 79.	1.1	45
40	Current CAPEâ€15: a measure of recent psychoticâ€like experiences and associated distress. Microbial Biotechnology, 2017, 11, 411-417.	0.9	45
41	Differences in substance use between sexual orientations in a multi-country sample: findings from the Global Drug Survey 2015. Journal of Public Health, 2017, 39, 532-541.	1.0	44
42	The Health of the Nation Outcome Scales for Children and Adolescents in an Adolescent In-Patient Sample. Australian and New Zealand Journal of Psychiatry, 2005, 39, 129-135.	1.3	41
43	The CLIMATE schools combined study: a cluster randomised controlled trial of a universal Internet-based prevention program for youth substance misuse, depression and anxiety. BMC Psychiatry, 2014, 14, 32.	1.1	41
44	Primary and substance-induced psychotic disorders in methamphetamine users. Psychiatry Research, 2015, 226, 91-96.	1.7	40
45	Subtypes of psychotic-like experiences are differentially associated with suicidal ideation, plans and attempts in young adults. Psychiatry Research, 2015, 228, 894-898.	1.7	40
46	Effects of participation in and connectedness to the LGBT community on substance use involvement of sexual minority young people. Addictive Behaviors, 2018, 81, 167-174.	1.7	40
47	Efficacy and Outcomes of a Music-Based Emotion Regulation Mobile App in Distressed Young People: Randomized Controlled Trial. JMIR MHealth and UHealth, 2019, 7, e11482.	1.8	40
48	Differentiating first episode substance induced and primary psychotic disorders with concurrent substance use in young people. Schizophrenia Research, 2012, 136, 110-115.	1.1	39
49	The reliability and validity of the Severity of Dependence Scale for detecting cannabis dependence in psychosis. Addiction, 2007, 102, 35-40.	1.7	37
50	Efficacy and outcomes of a mobile app targeting alcohol use in young people. Addictive Behaviors, 2018, 77, 89-95.	1.7	37
51	A systematic review of psychological interventions for excessive alcohol consumption among people with psychotic disorders. Acta Psychiatrica Scandinavica, 2012, 126, 243-255.	2.2	35
52	Young Love: Romantic Concerns and Associated Mental Health Issues among Adolescent Help-Seekers. Behavioral Sciences (Basel, Switzerland), 2016, 6, 9.	1.0	35
53	New Australian guidelines for the treatment of alcohol problems: an overview of recommendations. Medical Journal of Australia, 2021, 215, S3-S32.	0.8	34
54	Is the mental wellbeing of young Australians best represented by a single, multidimensional or bifactor model?. Psychiatry Research, 2016, 241, 1-7.	1.7	31

#	Article	IF	Citations
55	Estimating the global treatment rates for depression: A systematic review and meta-analysis. Journal of Affective Disorders, 2021, 295, 1234-1242.	2.0	31
56	Inhalant misuse in youth: time for a coordinated response. Medical Journal of Australia, 2006, 185, 327-330.	0.8	30
57	Quik Fix: A Randomized Controlled Trial of an Enhanced Brief Motivational Interviewing Intervention for Alcohol/Cannabis and Psychological Distress in Young People. Psychotherapy and Psychosomatics, 2013, 82, 122-124.	4.0	30
58	Predictors of functional status at service entry and discharge among young people with first episode psychosis. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 575-585.	1.6	30
59	Social robots as treatment agents: Pilot randomized controlled trial to deliver a behavior change intervention. Internet Interventions, 2020, 21, 100320.	1.4	30
60	The need for a culturally-tailored gatekeeper training intervention program in preventing suicide among Indigenous peoples: a systematic review. BMC Psychiatry, 2016, 16, 357.	1.1	29
61	Study protocol of the Health4Life initiative: a cluster randomised controlled trial of an eHealth school-based program targeting multiple lifestyle risk behaviours among young Australians. BMJ Open, 2020, 10, e035662.	0.8	29
62	Hostility Among Methamphetamine Users Experiencing Psychotic Symptoms. American Journal on Addictions, 2008, 17, 235-240.	1.3	28
63	Health Professionals' Recognition of Co-Occurring Alcohol and Depressive Disorders in Youth: A Survey of Australian General Practitioners, Psychiatrists, Psychologists and Mental Health Nurses Using Case Vignettes. Australian and New Zealand Journal of Psychiatry, 2007, 41, 830-835.	1.3	26
64	Feasibility and acceptability of a mental health screening tool and training programme in the youth alcohol and other drug (AOD) sector. Drug and Alcohol Review, 2007, 26, 509-515.	1.1	26
65	Motives for substance use among young people seeking mental health treatment. Microbial Biotechnology, 2008, 2, 188-194.	0.9	26
66	Australia's Adonis: Understanding what motivates young men's lifestyle choices for enhancing their appearance. Australian Psychologist, 2020, 55, 156-168.	0.9	25
67	A Systematic Review of Trends in US Attitudes toward Cannabis Legalization. Substance Use and Misuse, 2022, 57, 1052-1061.	0.7	25
68	Does the addition of integrated cognitive behaviour therapy and motivational interviewing improve the outcomes of standard care for young people with comorbid depression and substance misuse?. Medical Journal of Australia, 2011, 195, S31-7.	0.8	23
69	Patterns of cannabis use, psychotic-like experiences and personality styles in young cannabis users. Schizophrenia Research, 2015, 165, 3-8.	1.1	21
70	Alcoholâ€related emergency department injury presentations in <scp>Q</scp> ueensland adolescents and young adults over a 13â€year period. Drug and Alcohol Review, 2015, 34, 177-184.	1.1	21
71	Coping style and ecstasy use motives as predictors of current mood symptoms in ecstasy users. Addictive Behaviors, 2013, 38, 2465-2472.	1.7	20
72	The effect of the ecstasy â€~come-down' on the diagnosis of ecstasy dependence. Drug and Alcohol Dependence, 2014, 139, 26-32.	1.6	20

#	Article	IF	Citations
73	Quality of life of individuals seeking treatment at specialist non-government alcohol and other drug treatment services: A latent class analysis. Journal of Substance Abuse Treatment, 2018, 94, 47-54.	1.5	20
74	Understanding harm reduction perspectives of performance and image enhancing drug consumers and health care providers. Performance Enhancement and Health, 2022, 10, 100223.	0.8	20
75	Associations between the group processes of bullying and adolescent substance use. Addictive Behaviors, 2016, 62, 6-13.	1.7	19
76	Differences between first episode schizophrenia and schizoaffective disorder. Schizophrenia Research, 2013, 147, 169-174.	1.1	18
77	Trend in alcohol use in Australia over 13Âyears: has there been a trend reversal?. BMC Public Health, 2016, 16, 1070.	1.2	18
78	Development and validation of the cannabis experiences questionnaire – Intoxication effects checklist (CEQ-I) short form. Schizophrenia Research, 2017, 189, 91-96.	1.1	18
79	A big night out getting bigger: Alcohol consumption, arrests and crowd numbers, before and after legislative change. PLoS ONE, 2019, 14, e0218161.	1.1	17
80	The feasibility of a personality targeted intervention for addictive overeating: FoodFix. Appetite, 2021, 156, 104974.	1.8	16
81	Depressive and anxiety symptomatology in ecstasy users: the relative contribution of genes, trauma, life stress and drug use. Psychopharmacology, 2010, 209, 25-36.	1.5	15
82	Intervention for cannabis use in young people at ultra high risk for psychosis and in early psychosis. Mental Health and Substance Use: Dual Diagnosis, 2010, 3, 66-73.	0.5	15
83	The Quik Fix study: a randomised controlled trial of brief interventions for young people with alcohol-related injuries and illnesses accessing emergency department and crisis support care. BMC Emergency Medicine, 2014, 14, 19.	0.7	15
84	The impact of social media on selfâ€evaluations of men striving for a muscular ideal. Journal of Community Psychology, 2021, 49, 725-736.	1.0	15
85	Exploring the harms arising from polysubstance use among performance and image enhancing drug users among young Australian men. Performance Enhancement and Health, 2021, 9, 100197.	0.8	15
86	Lifestyle risks for chronic disease among Australian adolescents: a crossâ€sectional survey. Medical Journal of Australia, 2022, 216, 156-157.	0.8	15
87	The relationship between psychosocial variables and drive for muscularity among male bodybuilding supplement users. Australian Psychologist, 2022, 57, 148-159.	0.9	15
88	Evaluating the effectiveness of a universal eHealth school-based prevention programme for depression and anxiety, and the moderating role of friendship network characteristics. Psychological Medicine, 2023, 53, 5042-5051.	2.7	15
89	Models of co-occurring substance misuse and psychosis: are personality traits the missing link?. Drug and Alcohol Review, 2004, 23, 425-432.	1.1	14
90	Beliefs of young people and their parents about the harmfulness of alcohol, cannabis and tobacco for mental disorders. Medical Journal of Australia, 2007, 187, 266-269.	0.8	14

#	Article	IF	Citations
91	An Australian Indigenous community-led suicide intervention skills training program: community consultation findings. BMC Psychiatry, 2017, 17, 219.	1.1	14
92	Measures of incentives and confidence in using a social robot. Science Robotics, 2018, 3, .	9.9	14
93	A qualitative exploration of SMART Recovery meetings in Australia and the role of a digital platform to support routine outcome monitoring. Addictive Behaviors, 2020, 101, 106144.	1.7	14
94	What is the short-term remission rate for people with untreated depression? A systematic review and meta-analysis. Journal of Affective Disorders, 2022, 296, 17-25.	2.0	14
95	A Web-Based Program for Cannabis Use and Psychotic Experiences in Young People (Keep It Real): Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e15803.	0.5	14
96	Do We Do What We Know Works, and if Not Why Not?. Australian and New Zealand Journal of Psychiatry, 2008, 42, 439-444.	1.3	13
97	The relationship between personality disorders and mental health, substance use severity and quality of life among injecting drug users. Medical Journal of Australia, 2011, 195, S16-21.	0.8	13
98	Treatment of Cannabis Use Among People with Psychotic Disorders: A Critical Review of Randomised Controlled Trials. Current Pharmaceutical Design, 2012, 18, 4923-4937.	0.9	13
99	Melanopsin-Driven Pupil Response and Light Exposure in Non-seasonal Major Depressive Disorder. Frontiers in Neurology, 2018, 9, 764.	1.1	13
100	Differential treatment effects of an integrated motivational interviewing and exercise intervention on depressive symptom profiles and associated factors: A randomised controlled cross-over trial among youth with major depression. Journal of Affective Disorders, 2019, 259, 413-423.	2.0	13
101	Testing the interrelationship between mental well-being and mental distress in young people. Journal of Positive Psychology, 2020, 15, 314-324.	2.6	13
102	Telephoneâ€based motivational interviewing enhanced with individualised personalityâ€specific coping skills training for young people with alcoholâ€related injuries and illnesses accessing emergency or rest/recovery services: a randomized controlled trial (QuikFix). Addiction, 2021, 116, 474-484.	1.7	13
103	Feasibility and outcomes of an innovative cognitiveâ€behavioural skill training programme for coâ€occurring disorders in the youth alcohol and other drug (AOD) sector. Drug and Alcohol Review, 2007, 26, 517-523.	1.1	12
104	MAKINGtheLINK: a school-based health promotion programme to increase help-seeking for cannabis and mental health issues among adolescents. Microbial Biotechnology, 2011, 5, 81-88.	0.9	12
105	Screening and intervention for mental health problems in alcohol and other drug settings: Can training change practitioner behaviour?. Drugs: Education, Prevention and Policy, 2011, 18, 157-160.	0.8	12
106	A comparison of methods to identify alcohol involvement in youth injuryâ€related emergency department presentation data. Drug and Alcohol Review, 2013, 32, 519-526.	1.1	12
107	Psychological interventions for co-occurring depression and substance use disorders. The Cochrane Library, 2019, 2019, .	1.5	12
108	The Health of the Nation Outcome Scales for Children and Adolescents in an Adolescent In-Patient Sample. , 0, .		12

#	Article	IF	CITATIONS
109	LGBT communities and substance use in Queensland, Australia: Perceptions of young people and community stakeholders. PLoS ONE, 2018, 13, e0204730.	1.1	11
110	How can mobile applications support suicide prevention gatekeepers in Australian Indigenous communities?. Social Science and Medicine, 2020, 258, 113015.	1.8	11
111	Emotion Regulation as a Risk Factor for Suicide Ideation among Adolescents and Young Adults: The Mediating Role of Belongingness. Journal of Youth and Adolescence, 2020, 49, 2265-2274.	1.9	11
112	Development of the Niggle App for Supporting Young People on Their Dynamic Journey to Well-being: Co-design and Qualitative Research Study. JMIR MHealth and UHealth, 2021, 9, e21085.	1.8	11
113	SMART Recovery International and COVID-19: Expanding the reach of mutual support through online groups. Journal of Substance Abuse Treatment, 2021, 131, 108568.	1.5	11
114	Developing Integrated Models of Care Within the Youth Alcohol and Other Drug Sector. Australasian Psychiatry, 2008, 16, 363-366.	0.4	10
115	Brief Interventions to Reduce Ecstasy Use: A Multi-Site Randomized Controlled Trial. Behavior Therapy, 2014, 45, 745-759.	1.3	10
116	The acceptability, usability and short-term outcomes of Get Real: A web-based program for psychotic-like experiences (PLEs). Internet Interventions, 2015, 2, 266-271.	1.4	10
117	Developing a mHealth Routine Outcome Monitoring and Feedback App ("SMART Trackâ€) to Support Self-Management of Addictive Behaviours. Frontiers in Psychiatry, 2021, 12, 677637.	1.3	10
118	Exercise as Treatment for Youth With Major Depression: The Healthy Body Healthy Mind Feasibility Study. Journal of Psychiatric Practice, 2020, 26, 444-460.	0.3	10
119	Implementing mental health screening within a youth alcohol and other drugs service. Mental Health and Substance Use: Dual Diagnosis, 2008, 1, 254-261.	0.5	9
120	The influence of cannabis use expectancies on cannabis use and psychotic symptoms in psychosis. Drug and Alcohol Review, 2009, 28, 250-256.	1.1	9
121	An Examination of Gender Differences in the Association of Adolescent Substance use with Eating and Weight Loss Attitudes. Substance Use and Misuse, 2018, 53, 2125-2131.	0.7	9
122	Personal Correlates of Support for Medical and Recreational Cannabis Legalization in Australia. Frontiers in Psychiatry, 2021, 12, 551661.	1.3	9
123	Youth Mental Health Peer Support Work: A Qualitative Study Exploring the Impacts and Challenges of Operating in a Peer Support Role. Adolescents, 2021, 1, 400-411.	0.3	9
124	A Social Robot to Deliver an 8-Week Intervention for Diabetes Management: Initial Test of Feasibility in a Hospital Clinic. Lecture Notes in Computer Science, 2020, , 628-639.	1.0	9
125	Investigating the Efficacy and Cost-Effectiveness of Technology-Delivered Personalized Feedback on Dietary Patterns in Young Australian Adults in the Advice, Ideas, and Motivation for My Eating (Aim4Me) Study: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e15999.	0.5	9
126	Integrated Cognitive Behaviour Therapy for Co-Occurring Substance Misuse and Major Depression: Lessons from a Youth Mental Health Service. Australasian Psychiatry, 2009, 17, 365-370.	0.4	8

#	Article	IF	CITATIONS
127	Subacute effects of ecstasy on mood: an exploration of associated risk factors. Journal of Psychopharmacology, 2013, 27, 53-61.	2.0	8
128	Natural Recovery From Cannabis Use in People With Psychosis: A Qualitative Study. Journal of Dual Diagnosis, 2015, 11, 179-183.	0.7	8
129	Initial prototype testing of Ray's Night Out: A new mobile app targeting risky drinking in young people. Computers in Human Behavior, 2016, 54, 207-214.	5.1	8
130	Pilot Study of an Exercise Intervention for Depressive Symptoms and Associated Cognitive-Behavioral Factors in Young Adults With Major Depression. Journal of Nervous and Mental Disease, 2017, 205, 647-655.	0.5	8
131	Alcohol advertisers may be using social media to encourage parents to drink during <scp>COVID</scp> â€19. Medical Journal of Australia, 2020, 213, 188.	0.8	8
132	Clinicians' perceptions of PTSD Coach Australia. Internet Interventions, 2020, 21, 100333.	1.4	8
133	Feasibility of a Mobile Health App for Routine Outcome Monitoring and Feedback in Mutual Support Groups Coordinated by SMART Recovery Australia: Protocol for a Pilot Study. JMIR Research Protocols, 2020, 9, e15113.	0.5	8
134	Experiences of Serving and Ex-Serving Members With the PTSD Coach Australia App: Mixed Methods Study. Journal of Medical Internet Research, 2020, 22, e18447.	2.1	8
135	Feasibility of a Mobile Health App for Routine Outcome Monitoring and Feedback in SMART Recovery Mutual Support Groups: Stage 1 Mixed Methods Pilot Study. Journal of Medical Internet Research, 2021, 23, e25217.	2.1	8
136	The Baby Steps Web Program for the Well-Being of New Parents: Randomized Controlled Trial. Journal of Medical Internet Research, 2021, 23, e23659.	2.1	8
137	Does gender moderate the relationship between polydrug use and sexual riskâ€ŧaking among Australian secondary school students under 16 years of age?. Drug and Alcohol Review, 2016, 35, 750-754.	1.1	7
138	The interactive effects of perceived peer drinking and personality profiles on adolescent drinking: a prospective cohort study. Addiction, 2019, 114, 450-461.	1.7	7
139	The interactive effects of personality profiles and perceived peer drinking on early adolescent drinking Psychology of Addictive Behaviors, 2018, 32, 230-236.	1.4	7
140	Baby Steps - An Online Program Promoting the Well-Being of New Mothers and Fathers: A Study Protocol. JMIR Research Protocols, 2016, 5, e140.	0.5	7
141	Cannabis-induced dysphoria/paranoia mediates the link between childhood trauma and psychotic-like experiences in young cannabis users. Schizophrenia Research, 2021, 238, 178-184.	1.1	7
142	Predictors of substance use reduction in an epidemiological firstâ€episode psychosis cohort. Microbial Biotechnology, 2014, 8, 358-365.	0.9	6
143	Can exploring natural recovery from substance misuse in psychosis assist with treatment? A review of current research. Addictive Behaviors, 2015, 46, 106-112.	1.7	6
144	QuikFix: enhanced motivational interviewing interventions for youth substance use. Advances in Dual Diagnosis, 2016, 9, .	0.3	6

#	Article	IF	CITATIONS
145	First psychotic episode risk markers for primary psychosis amongst people who use methamphetamine. Schizophrenia Research, 2018, 199, 456-457.	1.1	6
146	A national effectiveness trial of an eHealth program to prevent alcohol and cannabis misuse: responding to the replication crisis. Psychological Medicine, 2022, 52, 274-282.	2.7	6
147	Direction of the relationship between methamphetamine use and positive psychotic symptoms in regular methamphetamine users: evidence from a prospective cohort study. British Journal of Psychiatry, 2021, 219, 361-367.	1.7	6
148	Evaluating the Long-Term Effectiveness of School-Based Depression, Anxiety, and Substance Use Prevention Into Young Adulthood: Protocol for the Climate School Combined Study. JMIR Research Protocols, 2018, 7, e11372.	0.5	6
149	Changes in Substance Use Among People Seeking Alcohol and Other Drug Treatment During the COVID-19 Pandemic: Evaluating Mental Health Outcomes and Resilience. Substance Abuse: Research and Treatment, 2021, 15, 117822182110617.	0.5	6
150	Australian Indigenous model of mental healthcare based on transdiagnostic cognitive–behavioural therapy co-designed with the Indigenous community: protocol for a randomised controlled trial. BJPsych Open, 2020, 6, e33.	0.3	5
151	A communityâ€ed design for an Indigenous Model of Mental Health Care for Indigenous people with depressive disorders. Australian and New Zealand Journal of Public Health, 2021, 45, 330-337.	0.8	5
152	Changes in cannabis use among psychotic clients without specialised substance use treatment. Schizophrenia Research, 2016, 175, 136-141.	1.1	4
153	Alcohol-related harms and street service care in entertainment districts. Journal of Criminological Research, Policy and Practice, 2017, 3, 142-152.	0.2	4
154	Evaluating the efficacy of an integrated motivational interviewing and multi-modal exercise intervention for youth with major depression: Healthy Body, Healthy Mind randomised controlled trial protocol. Contemporary Clinical Trials Communications, 2018, 9, 13-22.	0.5	4
155	Bidirectional relationships in the development of internalising symptoms and alcohol use in adolescence. Drug and Alcohol Review, 2020, 39, 950-959.	1.1	4
156	The use of Australian SMART Recovery groups by people who use methamphetamine: Analysis of routinely-collected nationwide data. Drug and Alcohol Dependence, 2021, 225, 108814.	1.6	4
157	What Do People Want in a Smoking Cessation App? An Analysis of User Reviews and App Quality. Nicotine and Tobacco Research, 2022, 24, 169-177.	1.4	4
158	Utilising data linkage to describe and explore mortality among a retrospective cohort of individuals admitted to residential substance use treatment. Drug and Alcohol Review, 2021, 40, 1202-1206.	1.1	4
159	Does self-efficacy moderate the effect of gambling advertising on problem gambling behaviors?. Psychology of Addictive Behaviors, 2019, 33, 503-509.	1.4	4
160	Eating Behaviors and Diet Quality: A National Survey of Australian Young Adults. Journal of Nutrition Education and Behavior, 2022, 54, 397-405.	0.3	4
161	The impact of poster advertising in buses on young people's awareness and knowledge of a telephone counselling service. Health Promotion Journal of Australia, 2005, 16, 74-77.	0.6	3
162	An investigation of schizotypy in injecting amphetamine users. Personality and Individual Differences, 2013, 55, 508-514.	1.6	3

#	Article	IF	CITATIONS
163	A prospective study of natural recovery from cannabis use in early psychosis. European Journal of Psychiatry, 2014, 28, 218-229.	0.7	3
164	Prospective recovery of cannabis use in a psychotic population: A qualitative analysis. Addictive Behaviors Reports, 2016, 4, 31-36.	1.0	3
165	Impact of a brief psychoeducational intervention for reducing alcohol use and related harm in school leavers. Drug and Alcohol Review, 2019, 38, 339-348.	1.1	3
166	The comorbidity between alcohol use and internalising psychopathology in early adolescence. Mental Health and Prevention, 2020, 17, 200176.	0.7	3
167	The impact of street service care on frontline service utilisation during highâ€elcohol use hours in one nightâ€time entertainment precinct in Australia. Drug and Alcohol Review, 2020, 39, 21-28.	1.1	3
168	Young people's perceptions of substance use norms and attitudes in the LGBT community. Australian and New Zealand Journal of Public Health, 2021, 45, 20-25.	0.8	3
169	Reinforcer pathology of internet-related behaviors among college students: Data from six countries Experimental and Clinical Psychopharmacology, 2022, 30, 725-739.	1.3	3
170	A protocol for the first episode psychosis outcome study (<scp>FEPOS</scp>): ≥15 year followâ€up after treatment at the <scp>Early Psychosis Prevention and Intervention Centre, Melbourne, Australia</scp> . Microbial Biotechnology, 2022, 16, 715-723.	0.9	3
171	A two-stage social network intervention for reducing alcohol and other drug use in residential colleges: Protocol for a feasibility trial. Contemporary Clinical Trials, 2022, 118, 106779.	0.8	3
172	Mental health screening among injecting drug users outside treatment settings – implications for research and health services. Mental Health and Substance Use: Dual Diagnosis, 2008, 1, 99-103.	0.5	2
173	Understanding cannabis use in schizophrenia., 0,, 218-224.		2
174	Engaging youth with major depression in an exercise intervention with motivational interviewing. Mental Health and Physical Activity, 2019, 17, 100295.	0.9	2
175	Study protocol: a randomised controlled trial of a telephone delivered social wellbeing and engaged living (SWEL) psychological intervention for disengaged youth. BMC Psychiatry, 2019, 19, 136.	1.1	2
176	Do disparities exist between national food group recommendations and the dietary intakes of contemporary young adults?. Nutrition and Dietetics, 2021, 78, 524-534.	0.9	2
177	Brief Online Negative Affect Focused Functional Imagery Training Improves 2-Week Drinking Outcomes in Hazardous Student Drinkers: a Pilot Randomised Controlled Trial. International Journal of Behavioral Medicine, 2022, 29, 346-356.	0.8	2
178	Substance misuse in first-episode psychosis., 0,, 243-256.		1
179	Psychological interventions for co-occurring depression and substance misuse. The Cochrane Library, $0, , .$	1.5	1
180	Systematic analysis of changes in cannabis use among participants in control conditions of randomised controlled trials. Addictive Behaviors Reports, 2015, 1, 76-80.	1.0	1

#	Article	IF	CITATIONS
181	An exploratory study of the relationship between neuroticism and problematic drinking in emerging adulthood, and the moderating effect of social anxiety. Personality and Individual Differences, 2019, 145, 132-144.	1.6	1
182	Pain and Psychotic-Like Experiences in Young People Using Cannabis. , 0, , .		1
183	Treatment trajectories for alcohol use disorder: Where is the gap?. Alcoholism: Clinical and Experimental Research, 2021, 45, 1560-1562.	1.4	1
184	FullFix: a randomised controlled trial of a telephone delivered transdiagnostic intervention for comorbid substance and mental health problems in young people. BMJ Open, 2021, 11, e045607.	0.8	1
185	Barriers and facilitators to accessing effective clinical supervision and the implementation of a clinical supervision exchange model in the Australian alcohol and other drugs sector. Drug and Alcohol Review, 2022, , .	1.1	1
186	Translating research into action: The design and development of an Indigenous specific suicide intervention skills training program (<scp> â€ASIST</scp>). Australian Journal of Rural Health, 0, , .	0.7	1
187	Cognitive-Behavioral Therapies for Trauma (2nd Edition) Edited by V.M. Follette and J.I. Ruzek (2006) Guilford, 472 pp, A\$82, ISBN 1593852479 - Assessment of Addictive Behaviors (2nd Edition) Edited by Dennis M. Donovan and G. Alan Marlatt (2005) New York: The Guilford Press. Behaviour Change, 2006, 23, 221-223.	0.6	0
188	Delusional-like experiences are more common in those with cannabis dependence disorder, very early-onset alcohol use or dependence disorders, and daily smokers. Evidence-Based Mental Health, 2012, 15, 67-67.	2.2	0
189	What predicts the severity of alcohol use and related problems among young people presenting to emergency department or crisis support care?. Addiction Science & Elinical Practice, 2015, 10, .	1.2	0
190	SA58. The First-Episode Psychosis Outcome Study: Preliminary Data on the Long-Term Follow-Up of First-Episode Psychosis Patients Who Were Treated at the Early Psychosis Prevention and Intervention Centre Between 1998 and 2000. Schizophrenia Bulletin, 2017, 43, S134-S134.	2.3	0
191	Social Cognitive Moderators of the Relationship Between Social Anxiety and Alcohol Outcomes in Young People. Journal of Studies on Alcohol and Drugs, 2020, 81, 95-103.	0.6	0
192	195The Health4Life Initiative: An eHealth intervention targeting multiple lifestyle risk behaviours among Australian adolescents. International Journal of Epidemiology, 2021, 50, .	0.9	0
193	Diagnostic Dilemmas in Comorbidity. , 2013, , 309-315.		0
194	Social Cognitive Moderators of the Relationship Between Social Anxiety and Alcohol Outcomes in Young People. Journal of Studies on Alcohol and Drugs, 2020, 81, 95-103.	0.6	0