

Eiko Saito

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4574285/publications.pdf>

Version: 2024-02-01

83
papers

1,717
citations

361413

20
h-index

330143

37
g-index

86
all docs

86
docs citations

86
times ranked

3297
citing authors

#	ARTICLE	IF	CITATIONS
1	Population health and regional variations of disease burden in Japan, 1990–2015: a systematic subnational analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2017, 390, 1521-1538.	13.7	158
2	Association between type 2 diabetes and risk of cancer mortality: a pooled analysis of over 771,000 individuals in the Asia Cohort Consortium. <i>Diabetologia</i> , 2017, 60, 1022-1032.	6.3	132
3	Association of Diabetes With All-Cause and Cause-Specific Mortality in Asia. <i>JAMA Network Open</i> , 2019, 2, e192696.	5.9	103
4	Tobacco Smoking and Mortality in Asia. <i>JAMA Network Open</i> , 2019, 2, e191474.	5.9	102
5	Catastrophic household expenditure on health in Nepal: a cross-sectional survey. <i>Bulletin of the World Health Organization</i> , 2014, 92, 760-767.	3.3	89
6	Updated Trends in Cancer in Japan: Incidence in 1985–2015 and Mortality in 1958–2018—A Sign of Decrease in Cancer Incidence. <i>Journal of Epidemiology</i> , 2021, 31, 426-450.	2.4	73
7	Association of green tea consumption with mortality due to all causes and major causes of death in a Japanese population: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>Annals of Epidemiology</i> , 2015, 25, 512-518.e3.	1.9	66
8	Association of coffee intake with total and cause-specific mortality in a Japanese population: the Japan Public Health Center–based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 1029-1037.	4.7	58
9	Association of Sleep Duration With All- and Major-Cause Mortality Among Adults in Japan, China, Singapore, and Korea. <i>JAMA Network Open</i> , 2021, 4, e2122837.	5.9	58
10	Inequality and inequity in healthcare utilization in urban Nepal: a cross-sectional observational study. <i>Health Policy and Planning</i> , 2016, 31, 817-824.	2.7	49
11	Fish, <i>n</i> polyunsaturated fatty acids and <i>n</i> polyunsaturated fatty acids intake and breast cancer risk: The <sc>J</sc>apan <sc>P</sc>ublic <sc>H</sc>ealth <sc>C</sc>enter–based prospective study. <i>International Journal of Cancer</i> , 2015, 137, 2915-2926.	5.1	48
12	Impact of Alcohol Intake and Drinking Patterns on Mortality From All Causes and Major Causes of Death in a Japanese Population. <i>Journal of Epidemiology</i> , 2018, 28, 140-148.	2.4	39
13	Effect and cost-effectiveness of national gastric cancer screening in Japan: a microsimulation modeling study. <i>BMC Medicine</i> , 2020, 18, 257.	5.5	37
14	Coffee and tea consumption and mortality from all causes, cardiovascular disease and cancer: a pooled analysis of prospective studies from the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 626-640.	1.9	37
15	Dietary pattern and breast cancer risk in Japanese women: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>British Journal of Nutrition</i> , 2016, 115, 1769-1779.	2.3	34
16	Perceived stress level and risk of cancer incidence in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. <i>Scientific Reports</i> , 2017, 7, 12964.	3.3	34
17	Hepatitis B and C Virus Infection and Risk of Pancreatic Cancer: A Population-Based Cohort Study (JPHC) Tj ETQq1 1.0.784314 rgBT /Ov 2.5 32	2.5	32
18	Association of leisure-time physical activity with total and cause-specific mortality: a pooled analysis of nearly a half million adults in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2018, 47, 771-779.	1.9	32

#	ARTICLE	IF	CITATIONS
19	Green tea consumption and mortality in Japanese men and women: a pooled analysis of eight population-based cohort studies in Japan. <i>European Journal of Epidemiology</i> , 2019, 34, 917-926.	5.7	31
20	Dietary consumption of antioxidant vitamins and subsequent lung cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2018, 142, 2441-2460.	5.1	28
21	Dietary patterns and prostate cancer risk in Japanese: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>Cancer Causes and Control</i> , 2018, 29, 589-600.	1.8	23
22	<i>Helicobacter pylori</i> infection, atrophic gastritis, and risk of pancreatic cancer: A population-based cohort study in a large Japanese population: the JPHC Study. <i>Scientific Reports</i> , 2019, 9, 6099.	3.3	21
23	Cancer incidence attributable to tuberculosis in 2015: global, regional, and national estimates. <i>BMC Cancer</i> , 2020, 20, 412.	2.6	21
24	Smoking cessation and subsequent risk of cancer: A pooled analysis of eight population-based cohort studies in Japan. <i>Cancer Epidemiology</i> , 2017, 51, 98-108.	1.9	20
25	Dietary patterns and colorectal cancer risk in middle-aged adults: A large population-based prospective cohort study. <i>Clinical Nutrition</i> , 2018, 37, 1019-1026.	5.0	20
26	Dietary fiber intake and risk of breast cancer defined by estrogen and progesterone receptor status: the Japan Public Health Center-based Prospective Study. <i>Cancer Causes and Control</i> , 2017, 28, 569-578.	1.8	18
27	Cost and economic burden of illness over 15 years in Nepal: A comparative analysis. <i>PLoS ONE</i> , 2018, 13, e0194564.	2.5	17
28	Effect of body-mass index on the risk of gastric cancer: A population-based cohort study in a Japanese population. <i>Cancer Epidemiology</i> , 2019, 63, 101622.	1.9	17
29	Body Mass Index and Thyroid Cancer Risk: A Pooled Analysis of Half a Million Men and Women in the Asia Cohort Consortium. <i>Thyroid</i> , 2022, 32, 306-314.	4.5	17
30	Burden of cancer associated with type 2 diabetes mellitus in Japan, 2010–2030. <i>Cancer Science</i> , 2016, 107, 521-527.	3.9	16
31	Female reproductive factors and risk of all-cause and cause-specific mortality among women: The Japan Public Health Center-based Prospective Study (JPHC study). <i>Annals of Epidemiology</i> , 2018, 28, 597-604.e6.	1.9	16
32	Coffee consumption and mortality in Japanese men and women: A pooled analysis of eight population-based cohort studies in Japan (Japan Cohort Consortium). <i>Preventive Medicine</i> , 2019, 123, 270-277.	3.4	16
33	Burden of cancer attributable to modifiable factors in Japan in 2015. <i>Global Health & Medicine</i> , 2022, 4, 26-36.	1.4	15
34	Body mass index change during adulthood and risk of oesophageal squamous-cell carcinoma in a Japanese population: the Japan Public Health (JPHC)-based prospective study. <i>British Journal of Cancer</i> , 2017, 117, 1715-1722.	6.4	14
35	Fermented and nonfermented soy foods and the risk of breast cancer in a Japanese population-based cohort study. <i>Cancer Medicine</i> , 2021, 10, 757-771.	2.8	14
36	Long-term Trends in Prostate Cancer Incidence by Stage at Diagnosis in Japan Using the Multiple Imputation Approach, 1993–2014. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1222-1228.	2.5	13

#	ARTICLE	IF	CITATIONS
37	New algorithm for constructing area-based index with geographical heterogeneities and variable selection: An application to gastric cancer screening. <i>Scientific Reports</i> , 2016, 6, 26582.	3.3	12
38	Menstrual and reproductive factors in the risk of thyroid cancer in Japanese women: the Japan Public Health Center-Based Prospective Study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 361-369.	1.3	11
39	Association of BMI, Smoking, and Alcohol with Multiple Myeloma Mortality in Asians: A Pooled Analysis of More than 800,000 Participants in the Asia Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1861-1867.	2.5	11
40	Association between educational level and total and cause-specific mortality: a pooled analysis of over 694 000 individuals in the Asia Cohort Consortium. <i>BMJ Open</i> , 2019, 9, e026225.	1.9	11
41	Reduction in total and major cause-specific mortality from tobacco smoking cessation: a pooled analysis of 16 population-based cohort studies in Asia. <i>International Journal of Epidemiology</i> , 2022, 50, 2070-2081.	1.9	11
42	Coffee Consumption and Lung Cancer Risk: The Japan Public Health Center-Based Prospective Study. <i>Journal of Epidemiology</i> , 2018, 28, 207-213.	2.4	10
43	Association between meat intake and mortality due to all-cause and major causes of death in a Japanese population. <i>PLoS ONE</i> , 2020, 15, e0244007.	2.5	10
44	The Association Between Habitual Sleep Duration and Mortality According to Sex and Age: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2021, 31, 109-118.	2.4	9
45	Trends in lung cancer incidence by gender, histological type and stage at diagnosis in Japan, 1993 to 2015: A multiple imputation approach. <i>International Journal of Cancer</i> , 2022, 151, 20-32.	5.1	9
46	International comparison of Hodgkin and non-Hodgkin lymphoma incidence. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 96-97.	1.3	8
47	Association between body mass index and oesophageal cancer mortality: a pooled analysis of prospective cohort studies with >800,000 individuals in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 1190-1203.	1.9	8
48	Quantifying the association of low-intensity and late initiation of tobacco smoking with total and cause-specific mortality in Asia. <i>Tobacco Control</i> , 2021, 30, 328-335.	3.2	7
49	Burden of cancer attributable to tobacco smoke in Japan in 2015. <i>GHM Open</i> , 2021, 1, 43-50.	0.6	6
50	Melanoma skin cancer incidence rates in the world from the Cancer Incidence in Five Continents XI. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 1113-1114.	1.3	5
51	Study protocol for NCCH1908 (UPFRONT-trial): a prospective clinical trial to evaluate the feasibility and utility of comprehensive genomic profiling prior to the initial systemic treatment in advanced solid tumour patients. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1757-1760.	1.3	5
52	Reliability of self-reported questionnaire for epidemiological investigation of <i>Helicobacter pylori</i> eradication in a population-based cohort study. <i>Scientific Reports</i> , 2021, 11, 15605.	3.3	5
53	Burden of cancer attributable to consumption of alcohol in Japan in 2015. <i>GHM Open</i> , 2021, 1, 51-55.	0.6	5
54	Is young-onset esophageal adenocarcinoma increasing in Japan? An analysis of population-based cancer registries. <i>Cancer Medicine</i> , 2022, , .	2.8	5

#	ARTICLE	IF	CITATIONS
55	Gallbladder cancer incidence rates in the world from the Cancer Incidence in Five Continents XI. Japanese Journal of Clinical Oncology, 2018, 48, 866-867.	1.3	4
56	Estimation of lifetime cumulative mortality risk of lung cancer by smoking status in Japan. Japanese Journal of Clinical Oncology, 2020, 50, 1218-1224.	1.3	4
57	Prevalence of diabetes in Japanese patients with cancer. Journal of Diabetes Investigation, 2020, 11, 1159-1162.	2.4	4
58	Body Mass Index, Height, Weight Change, and Subsequent Lung Cancer Risk: The Japan Public Health Center-based Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1708-1716.	2.5	4
59	Burden of cancer attributable to infection in Japan in 2015. GHM Open, 2021, 1, 63-69.	0.6	4
60	Age-specific incidence rates of ovarian cancer worldwide. Japanese Journal of Clinical Oncology, 2020, 50, 1086-1087.	1.3	3
61	Impact of alcohol drinking on cancer risk with consideration of flushing response: The Japan Public Health Center-based Prospective Study Cohort (JPHC study). Preventive Medicine, 2020, 133, 106026.	3.4	3
62	Burden of cancer attributable to excess bodyweight and physical inactivity in Japan in 2015. GHM Open, 2021, 1, 56-62.	0.6	3
63	Burden of cancer attributable to insufficient vegetable, fruit and dietary fiber consumption in Japan in 2015. GHM Open, 2021, 1, 70-75.	0.6	3
64	Risk of stroke in cancer survivors using a propensity score-matched cohort analysis. Scientific Reports, 2021, 11, 5599.	3.3	2
65	National genotype prevalence and age distribution of human papillomavirus from infection to cervical cancer in Japanese women: a systematic review and meta-analysis protocol. Systematic Reviews, 2021, 10, 135.	5.3	2
66	Burden of cancer attributable to exogenous hormone use in Japan in 2015. GHM Open, 2021, 1, 97-101.	0.6	2
67	Burden of cancer attributable to consumption of highly salted food in Japan in 2015. GHM Open, 2021, 1, 85-90.	0.6	2
68	Burden of cancer attributable to excess red and processed meat consumption in Japan in 2015. GHM Open, 2021, 1, 91-96.	0.6	2
69	Burden of cancer attributable to never breastfeeding in Japan in 2015. GHM Open, 2021, 1, 102-105.	0.6	2
70	Burden of cancer attributable to air pollution in Japan in 2015. GHM Open, 2021, 1, 76-84.	0.6	2
71	Ovarian cancer incidence rates in the world from the Cancer Incidence in Five Continents XI. Japanese Journal of Clinical Oncology, 2018, 48, 501-502.	1.3	1
72	Age-specific incidence rates of gallbladder cancer in the world. Japanese Journal of Clinical Oncology, 2021, 51, 312-313.	1.3	1

#	ARTICLE	IF	CITATIONS
73	Age-specific larynx cancer incidence rate in the world. Japanese Journal of Clinical Oncology, 2021, 51, 1181-1182.	1.3	1
74	Age-specific lip, oral cavity and pharynx cancer incidence rate in the world. Japanese Journal of Clinical Oncology, 2021, 51, 1346-1347.	1.3	1
75	The Establishment of the Household Air Pollution Consortium (HAPCO). Atmosphere, 2019, 10, 422.	2.3	0
76	Laryngeal cancer incidence rates in the world from the Cancer Incidence in Five Continents XI. Japanese Journal of Clinical Oncology, 2019, 49, 100-101.	1.3	0
77	Age-specific cervical cancer incidence rate in the world. Japanese Journal of Clinical Oncology, 2020, 50, 1229-1230.	1.3	0
78	Response to Dr Shikata's letter: "Secondhand smoke exposure and risk of lung cancer in Japan: a systematic review and meta-analysis of epidemiologic studies". Japanese Journal of Clinical Oncology, 2021, 51, 661-661.	1.3	0
79	Title is missing!. , 2020, 15, e0244007.		0
80	Title is missing!. , 2020, 15, e0244007.		0
81	Title is missing!. , 2020, 15, e0244007.		0
82	Title is missing!. , 2020, 15, e0244007.		0
83	Association between diabetes and adjuvant chemotherapy implementation in patients with stage III colorectal cancer. Journal of Diabetes Investigation, 2022, , .	2.4	0