

Massimo D Del Sette

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4574338/massimo-d-del-sette-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

2,759
citations

29
h-index

48
g-index

133
ext. papers

3,125
ext. citations

4.5
avg, IF

4.25
L-index

#	Paper	IF	Citations
128	Practical "1-2-3-4-Day" Rule for Starting Direct Oral Anticoagulants After Ischemic Stroke With Atrial Fibrillation: Combined Hospital-Based Cohort Study.. <i>Stroke</i> , 2022 , STROKEAHA121036695	6.7	2
127	Subclinical Vascular Brain Lesions in Young Adults With Acute Ischemic Stroke. <i>Stroke</i> , 2021 , STROKEAHA121036038	6.7	3
126	Oral Anticoagulants in the Oldest Old with Recent Stroke and Atrial Fibrillation. <i>Annals of Neurology</i> , 2021 ,	9.4	3
125	Clinical Features of Patients With Cervical Artery Dissection and Fibromuscular Dysplasia. <i>Stroke</i> , 2021 , 52, 821-829	6.7	3
124	Age-dependent effect of susceptibility factors on the risk of intracerebral haemorrhage: Multicenter Study on Cerebral Hemorrhage in Italy (MUCH-Italy). <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021 , 92, 1068-1071	5.5	
123	Migraine and Cryptogenic Ischemic Stroke. <i>Annals of Neurology</i> , 2021 , 89, 627-629	9.4	3
122	The importance of thinking about Guillain-Barré syndrome during the COVID-19 pandemic: a case with pure dysautonomic presentation. <i>Journal of NeuroVirology</i> , 2021 , 27, 662-665	3.9	9
121	Long-term outcome of cervical artery dissection : IPSYS CeAD: study protocol, rationale, and baseline data of an Italian multicenter research collaboration. <i>Neurological Sciences</i> , 2020 , 41, 3265-3272	3.5	1
120	New clinical manifestation of COVID-19 related Guillain-Barré syndrome highly responsive to intravenous immunoglobulins: two Italian cases. <i>Neurological Sciences</i> , 2020 , 41, 1657-1658	3.5	54
119	Safety of Anticoagulation in Patients Treated With Urgent Reperfusion for Ischemic Stroke Related to Atrial Fibrillation. <i>Stroke</i> , 2020 , 51, 2347-2354	6.7	5
118	Transcranial Doppler sonography for detecting stenosis or occlusion of intracranial arteries in people with acute ischaemic stroke. <i>The Cochrane Library</i> , 2020 , 2, CD010722	5.2	11
117	Results of an educational campaign on stroke awareness in the 2032 Rotary District in Northern-Western Italy. <i>Neurological Sciences</i> , 2020 , 41, 411-416	3.5	0
116	Timing of initiation of oral anticoagulants in patients with acute ischemic stroke and atrial fibrillation comparing posterior and anterior circulation strokes. <i>European Stroke Journal</i> , 2020 , 5, 374-383	5.6	1
115	COVID-19-related and not related Guillain-Barré syndromes share the same management pitfalls during lock down: The experience of Liguria region in Italy. <i>Journal of the Neurological Sciences</i> , 2020 , 418, 117114	3.2	19
114	Anticoagulation After Stroke in Patients With Atrial Fibrillation. <i>Stroke</i> , 2019 , 50, 2093-2100	6.7	17
113	The clinical spectrum of reversible cerebral vasoconstriction syndrome: The Italian Project on Stroke at Young Age (IPSYS). <i>Cephalgia</i> , 2019 , 39, 1267-1276	6.1	13
112	Early recurrence in paroxysmal versus sustained atrial fibrillation in patients with acute ischaemic stroke. <i>European Stroke Journal</i> , 2019 , 4, 55-64	5.6	2

111	History of Migraine and Volume of Brain Infarcts: The Italian Project on Stroke at Young Age (IPSYs). <i>Journal of Stroke</i> , 2019 , 21, 324-331	5.6	5
110	Stroke or Stramonium? A novel stroke mimic. <i>Neurological Sciences</i> , 2019 , 40, 631-632	3.5	0
109	Epistaxis as unusual presentation of carotid siphon aneurysms, evolved in subacute carotid thrombosis. <i>Neurological Sciences</i> , 2019 , 40, 203-205	3.5	
108	Stroke chameleon (cortical hand syndrome) in a patient with moderate carotid stenosis: a neurological double-trouble. <i>Neurological Sciences</i> , 2018 , 39, 1125-1127	3.5	
107	Alcohol intake and the risk of intracerebral hemorrhage in the elderly: The MUCH-Italy. <i>Neurology</i> , 2018 , 91, e227-e235	6.5	17
106	Hemorrhagic Transformation in Patients With Acute Ischemic Stroke and Atrial Fibrillation: Time to Initiation of Oral Anticoagulant Therapy and Outcomes. <i>Journal of the American Heart Association</i> , 2018 , 7, e010133	6	35
105	Screening for Fabry disease in patients with ischaemic stroke at young age: the Italian Project on Stroke in Young Adults. <i>European Journal of Neurology</i> , 2017 , 24, e12-e14	6	6
104	Prestroke CHADS-VASc Score and Severity of Acute Stroke in Patients with Atrial Fibrillation: Findings from RAF Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017 , 26, 1363-1368	2.8	5
103	Prediction of Early Recurrent Thromboembolic Event and Major Bleeding in Patients With Acute Stroke and Atrial Fibrillation by a Risk Stratification Schema: The ALESSA Score Study. <i>Stroke</i> , 2017 , 48, 726-732	6.7	28
102	Association Between Migraine and Cervical Artery Dissection: The Italian Project on Stroke in Young Adults. <i>JAMA Neurology</i> , 2017 , 74, 512-518	17.2	46
101	Sex-related differences in risk factors, type of treatment received and outcomes in patients with atrial fibrillation and acute stroke: Results from the RAF-study (Early Recurrence and Cerebral Bleeding in Patients with Acute Ischemic Stroke and Atrial Fibrillation). <i>European Stroke Journal</i> , 2017 , 2, 46-53	5.6	2
100	Is CT perfusion helpful in the treatment allocation of patients with acute ischemic stroke? An expert-opinion analysis. <i>Neurological Sciences</i> , 2017 , 38, 1771-1777	3.5	1
99	Prognostic value of trans-thoracic echocardiography in patients with acute stroke and atrial fibrillation: findings from the RAF study. <i>Journal of Neurology</i> , 2016 , 263, 231-237	5.5	27
98	Italian symptomatic intracranial atherosclerosis study (ISIDE) : A multicenter transcranial ultrasound evaluation. <i>Neurological Sciences</i> , 2016 , 37, 1645-51	3.5	11
97	Serum cholesterol levels, HMG-CoA reductase inhibitors and the risk of intracerebral haemorrhage. The Multicenter Study on Cerebral Haemorrhage in Italy (MUCH-Italy). <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 924-9	5.5	22
96	White matter involvement in a family with a novel PDGFB mutation. <i>Neurology: Genetics</i> , 2016 , 2, e77	3.8	13
95	Propensity Score-Based Analysis of Percutaneous Closure Versus Medical Therapy in Patients With Cryptogenic Stroke and Patent Foramen Ovale: The IPSYS Registry (Italian Project on Stroke in Young Adults). <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	13
94	Prevalence of Patent Foramen Ovale in Ischaemic Stroke in Italy: Results of SISIFO Study. <i>Cerebrovascular Diseases</i> , 2015 , 39, 162-9	3.2	17

93	Post-therapy normalization of brain FDG-PET in Morvan's syndrome. <i>Journal of the Neurological Sciences</i> , 2015 , 353, 175-6	3.2	3
92	Early Recurrence and Cerebral Bleeding in Patients With Acute Ischemic Stroke and Atrial Fibrillation: Effect of Anticoagulation and Its Timing: The RAF Study. <i>Stroke</i> , 2015 , 46, 2175-82	6.7	157
91	Migraine with aura and patent foramen ovale: myth or reality?. <i>Neurological Sciences</i> , 2015 , 36 Suppl 1, 61-6	3.5	19
90	Intravenous thrombolysis or endovascular therapy for acute ischemic stroke associated with cervical internal carotid artery occlusion: the ICARO-3 study. <i>Journal of Neurology</i> , 2015 , 262, 459-68	5.5	33
89	Transcranial Direct Current Stimulation and Cerebral Vasomotor Reserve: A Study in Healthy Subjects. <i>Journal of Neuroimaging</i> , 2015 , 25, 571-4	2.8	12
88	Determinants of premature familial arterial thrombosis in patients with juvenile ischaemic stroke. The Italian Project on Stroke in Young Adults (IPSYS). <i>Thrombosis and Haemostasis</i> , 2015 , 113, 641-8	7	5
87	Ataxia with Parkinsonism and dystonia after intentional inhalation of liquefied petroleum gas. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 1157-9	3.1	3
86	FDG-PET in the Evaluation of Brain Metabolic Changes Induced by Cognitive Stimulation in aMCI Subjects. <i>Current Radiopharmaceuticals</i> , 2015 , 8, 69-75	1.8	11
85	Prevalence of patent foramen ovale in ischemic stroke in Italy: the SISIFO study. <i>Neurological Sciences</i> , 2014 , 35, 867-73	3.5	2
84	Predictors of long-term recurrent vascular events after ischemic stroke at young age: the Italian Project on Stroke in Young Adults. <i>Circulation</i> , 2014 , 129, 1668-76	16.7	75
83	Low apolipoprotein A-1 plasma level in older adults with spontaneous cerebral lobar hemorrhage: a cross-sectional study. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 2437-8	5.6	
82	White matter lesions progression in migraine with aura: a clinical and MRI longitudinal study. <i>Journal of Neuroimaging</i> , 2013 , 23, 47-52	2.8	27
81	NK cells and their receptors in naive and rituximab-treated patients with anti-MAG polyneuropathy. <i>Journal of the Neurological Sciences</i> , 2013 , 331, 86-9	3.2	3
80	Italian multicentre observational study of the prevalence of CCSVI in multiple sclerosis (CoSMo study): rationale, design, and methodology. <i>Neurological Sciences</i> , 2013 , 34, 1297-307	3.5	14
79	Multiagent imaging of the brain. <i>Clinical and Translational Imaging</i> , 2013 , 1, 365-376	2	2
78	Safe and effective outcome of intravenous thrombolysis for acute ischemic stroke in patients aged 90 years or older. <i>European Neurology</i> , 2013 , 70, 84-7	2.1	4
77	Ramsay Hunt syndrome with trochlear nerve involvement and EEG abnormalities: multicranial neuritis or encephalitis?. <i>Journal of Clinical Virology</i> , 2013 , 56, 277-9	14.5	2
76	Observational case-control study of the prevalence of chronic cerebrospinal venous insufficiency in multiple sclerosis: results from the CoSMo study. <i>Multiple Sclerosis Journal</i> , 2013 , 19, 1508-17	5	35

75	The THRombolysis and SStatins (THRaST) study. <i>Neurology</i> , 2013 , 80, 655-61	6.5	50
74	Weighted registration of 123I-FP-CIT SPECT images improves accuracy of binding potential estimates in pathologically low striatal uptake. <i>Journal of Cellular Physiology</i> , 2013 , 228, 2086-94	7	6
73	Sonothrombolysis for Acute Ischemic Stroke. <i>Stroke</i> , 2013 , 44,	6.7	3
72	CCSVI and MS: a statement from the European Society of neurosonology and cerebral hemodynamics. <i>Journal of Neurology</i> , 2012 , 259, 2585-9	5.5	32
71	Italian multicenter study on venous hemodynamics in multiple sclerosis: Advanced Sonological Protocol. <i>Perspectives in Medicine</i> , 2012 , 1, 399-403		1
70	Intravenous thrombolysis for acute ischemic stroke associated to extracranial internal carotid artery occlusion: the ICARO-2 study. <i>Cerebrovascular Diseases</i> , 2012 , 34, 430-5	3.2	20
69	Efficacy and safety of venous angioplasty of the extracranial veins for multiple sclerosis. Brave dreams study (brain venous drainage exploited against multiple sclerosis): study protocol for a randomized controlled trial. <i>Trials</i> , 2012 , 13, 183	2.8	13
68	Interaction between proatherosclerotic factors and right-to-left shunt on the risk of cryptogenic stroke: the Italian Project on Stroke in Young Adults. <i>Heart</i> , 2012 , 98, 485-9	5.1	9
67	Auditory hallucinations as the only presenting symptom of right-parietal spontaneous hemorrhage: FDG-PET evidence of corpus callosum hyperactivity. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2012 , 24, E28-9	2.7	3
66	Systemic thrombolysis in patients with acute ischemic stroke and Internal Carotid ARtery Occlusion: the ICARO study. <i>Stroke</i> , 2012 , 43, 125-30	6.7	74
65	Apolipoprotein A-1 deficiency in older adults with spontaneous cerebral lobar hemorrhage. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 2372-3	5.6	
64	Cortical subarachnoid hemorrhage associated with reversible cerebral vasoconstriction syndrome after elective triplet cesarean delivery. <i>Neurological Sciences</i> , 2011 , 32, 497-501	3.5	5
63	Predictors of migraine subtypes in young adults with ischemic stroke: the italian project on stroke in young adults. <i>Stroke</i> , 2011 , 42, 17-21	6.7	45
62	Cerebral distribution of white matter lesions in migraine with aura patients. <i>Cephalalgia</i> , 2010 , 30, 855-96.1		15
61	Coma with Vertical Gaze Palsy: Relevance of Angio-CT in Acute Percheron Artery Syndrome. <i>Case Reports in Neurology</i> , 2010 , 2, 74-79	1	16
60	Post-coital intra-cerebral venous hemorrhage in a 78-year-old man with jugular valve incompetence: a case report. <i>Journal of Medical Case Reports</i> , 2010 , 4, 225	1.2	4
59	Transient basilar artery occlusion monitored by transcranial color Doppler presenting with a spectacular shrinking deficit: a case report. <i>Journal of Medical Case Reports</i> , 2010 , 4, 13	1.2	1
58	Migraine and cerebrovascular risk. <i>Neurological Sciences</i> , 2010 , 31 Suppl 1, S127-8	3.5	5

57	Fabry disease in patients with migraine with aura. <i>Neurological Sciences</i> , 2010 , 31 Suppl 1, S167-9	3.5	7
56	Microembolic air load during contrast-transcranial Doppler: a trigger for migraine with aura?. <i>Headache</i> , 2010 , 50, 1320-7	4.2	24
55	Reperfusion after stroke sonothrombolysis with microbubbles may predict intracranial bleeding. <i>Neurology</i> , 2009 , 73, 775-80	6.5	19
54	Is migraine associated with right-to-left shunt a separate disease? Results of the SAM study. <i>Cephalalgia</i> , 2008 , 28, 360-6	6.1	30
53	White matter lesions in migraine and right-to-left shunt: a conventional and diffusion MRI study. <i>Cephalalgia</i> , 2008 , 28, 376-82	6.1	27
52	Percutaneous closure of patent foramen ovale in patients with presumed paradoxical embolism: periprocedural results and midterm risk of recurrent neurologic events. <i>American Heart Journal</i> , 2008 , 156, 356-60	4.9	21
51	Neurological complication of infective endocarditis mimicking temporal arteritis. <i>European Neurology</i> , 2008 , 59, 198-9	2.1	7
50	Right-to-left shunt does not increase white matter lesion load in migraine with aura patients. <i>Neurology</i> , 2008 , 71, 101-7	6.5	40
49	Stroke due to atrial fibrillation and the attitude to prescribing anticoagulant prevention in Italy. A prospective study of a consecutive stroke population admitted to a comprehensive stroke unit. <i>Journal of Neurology</i> , 2008 , 255, 796-802	5.5	15
48	Diffusion MRI during migraine with aura attack associated with diagnostic microbubbles injection in subjects with large PFO. <i>Headache</i> , 2007 , 47, 1455-6	4.2	15
47	Diagnosis of right-to-left shunt with transcranial Doppler and vertebrbasilar recording. <i>Stroke</i> , 2007 , 38, 2254-6	6.7	39
46	Brain-to-brain paradoxical embolism through patent foramen ovale after cerebral vein thrombosis. <i>European Neurology</i> , 2007 , 57, 176-7	2.1	3
45	Dramatic reduction of microemboli after heparin infusion in progressing stroke due to aortic arch atheroma. <i>European Neurology</i> , 2007 , 57, 172-5	2.1	
44	Atherosclerosis in women with endometriosis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007 , 132, 226-31	2.4	23
43	Disappearance of microembolic signals after heparin in acute cerebral ischemia due to cyanotic heart disease with polyglobulia. <i>Cerebrovascular Diseases</i> , 2006 , 21, 294-5	3.2	2
42	Hyperechoic plaque: an ultrasound marker for osteoporosis in acute stroke patients with carotid disease. <i>European Neurology</i> , 2006 , 55, 31-6	2.1	6
41	Transcranial Doppler in Systemic Conditions and Stroke. <i>Seminars in Cerebrovascular Diseases and Stroke</i> , 2005 , 5, 55-60		1
40	Serum uric acid and target organ damage in primary hypertension. <i>Hypertension</i> , 2005 , 45, 991-6	8.5	131

39	Increased frequency of migraine among women with endometriosis. <i>Human Reproduction</i> , 2004 , 19, 2927-32	4.8	48
38	Magnitude of right-to-left shunt as the only determinant of stroke in a pair of identical twins. <i>Neurological Sciences</i> , 2004 , 25, 148-50	3.5	8
37	Optimizing global risk evaluation in primary hypertension: the role of microalbuminuria and cardiovascular ultrasonography. <i>Journal of Hypertension</i> , 2004 , 22, 907-13	1.9	32
36	Cluster headache and right-to-left shunt on contrast transcranial Doppler: a case-control study. <i>Neurology</i> , 2004 , 63, 1309-10	6.5	15
35	Diagnosi differenziale dell'emorragia subaracnoidea. <i>The Neuroradiology Journal</i> , 2003 , 16, 65-71		
34	Sildenafil and transient global amnesia. <i>Neurological Sciences</i> , 2003 , 24, 145-6	3.5	15
33	Tilt-table test during transcranial Doppler monitoring in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2003 , 10, 41-6	3.6	17
32	Prevalence of patent foramen ovale in subjects with obstructive sleep apnea: a transcranial Doppler ultrasound study. <i>Sleep Medicine</i> , 2003 , 4, 219-23	4.6	71
31	Mild renal dysfunction and subclinical cardiovascular damage in primary hypertension. <i>Hypertension</i> , 2003 , 42, 14-8	8.5	59
30	Pulse pressure and subclinical cardiovascular damage in primary hypertension. <i>Nephrology Dialysis Transplantation</i> , 2002 , 17, 1779-85	4.3	21
29	Microalbuminuria is an integrated marker of subclinical organ damage in primary hypertension. <i>Journal of Human Hypertension</i> , 2002 , 16, 399-404	2.6	55
28	Obstructive Sleep Apnea can be Provocative for Right-to-Left Shunting Through a Patent Foramen Ovale. <i>Sleep</i> , 2002 , 25, 21-27	1.1	67
27	Evaluation of the secretory pattern of plasma arginine vasopressin in stroke patients. <i>Cerebrovascular Diseases</i> , 2001 , 11, 113-8	3.2	51
26	Transcranial Doppler in the diagnosis of cardiac patent foramen ovale. <i>Neurological Sciences</i> , 2001 , 22, 353-6	3.5	30
25	Very high prevalence of right-to-left shunt on transcranial Doppler in an Italian family with cerebral autosomal dominant angiopathy with subcortical infarcts and leukoencephalopathy. <i>European Neurology</i> , 2001 , 46, 198-201	2.1	26
24	Twenty-four-hour endothelin-1 secretory pattern in stroke patients. <i>Biomedicine and Pharmacotherapy</i> , 2001 , 55, 272-6	7.5	14
23	Pulse pressure (PP) and early signs of target organ damage (TOD) in essential hypertension (EH). <i>American Journal of Hypertension</i> , 2001 , 14, A161	2.3	
22	Internal borderzone infarction: a marker for severe stenosis in patients with symptomatic internal carotid artery disease. For the North American Symptomatic Carotid Endarterectomy (NASCET) Group. <i>Stroke</i> , 2000 , 31, 631-6	6.7	86

21	The migraine-PFO connection is independent of sex. <i>Cerebrovascular Diseases</i> , 2000 , 10, 163	3.2	6
20	Absence of hemispheric dominance for mental rotation ability: a transcranial Doppler study. <i>Cortex</i> , 2000 , 36, 415-25	3.8	11
19	Transcranial Doppler detection of microembolic signals: a review. <i>Italian Journal of Neurological Sciences</i> , 1999 , 20, 155-9		1
18	Left ventricular geometry and function in patients with essential hypertension and microalbuminuria. <i>Journal of Hypertension</i> , 1999 , 17, 993-1000	1.9	81
17	Prevalence of microembolic signals in patients with different types of mono-leaflet and bi-leaflet prosthetic heart valves. <i>Italian Journal of Neurological Sciences</i> , 1998 , 19, 311-4		1
16	Microalbuminuria is an early marker of target organ damage in essential hypertension. <i>American Journal of Hypertension</i> , 1998 , 11, 430-8	2.3	55
15	Migraine with aura and right-to-left shunt on transcranial Doppler: a case-control study. <i>Cerebrovascular Diseases</i> , 1998 , 8, 327-30	3.2	283
14	Warfarin, aspirin and microembolic signals in the acute phase of stroke in a patient with mechanical heart valves. <i>Cerebrovascular Diseases</i> , 1998 , 8, 182-3	3.2	3
13	Ischemic Stroke Due to Left Internal Carotid Occlusion in a Patient with Thrombocytosis following Splenectomy. <i>Cerebrovascular Diseases</i> , 1997 , 7, 180-181	3.2	2
12	Role of transcranial Doppler and stump pressure during carotid endarterectomy. <i>Stroke</i> , 1997 , 28, 2448-52		18
11	Microembolic signals with serial transcranial Doppler monitoring in acute focal ischemic deficit. A local phenomenon?. <i>Stroke</i> , 1997 , 28, 1311-3	6.7	22
10	Asymptomatic cerebral infarctions in patients with ischemic stroke. <i>European Neurology</i> , 1996 , 36, 343-7	2.1	3
9	Microalbuminuria is associated with a worse cardiovascular risk profile and target organ damage in essential hypertension. <i>Contributions To Nephrology</i> , 1996 , 119, 115-20	1.6	3
8	Transcranial Doppler Detection of Microemboli in a Stroke Patient with Polycythemia rubra vera. <i>Cerebrovascular Diseases</i> , 1995 , 5, 208-211	3.2	5
7	Twenty-four-hour beta-endorphin secretory pattern in stroke patients. <i>Stroke</i> , 1994 , 25, 2142-5	6.7	22
6	Cardiovascular investigation in elderly patients with transient unresponsiveness. <i>Archives of Neurology</i> , 1992 , 49, 1112		
5	Prognosis of transient global amnesia: a long-term follow-up study. <i>European Neurology</i> , 1992 , 32, 52-7	2.1	45
4	Prevention of ischemic stroke: the role of carotid endarterectomy in symptomatic patients. <i>Italian Journal of Neurological Sciences</i> , 1992 , 13, 469-73		

- | | | | |
|---|---|-----|----|
| 3 | A prospective study of acute idiopathic neuropathy II antecedent events. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1989 , 52, 424-5 | 5.5 | 4 |
| 2 | Unusual neurological manifestations of Lyme disease: a case report. <i>Italian Journal of Neurological Sciences</i> , 1989 , 10, 455-6 | | 1 |
| 1 | Risk factors in lacunar syndromes: a case-control study. <i>Acta Neurologica Scandinavica</i> , 1988 , 77, 22-6 | 3.8 | 60 |