## Raphael Orelis-Ribeiro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/457473/publications.pdf

Version: 2024-02-01

24 papers

431 citations

687363 13 h-index 713466 21 g-index

24 all docs

24 docs citations

times ranked

24

568 citing authors

| #  | Article   | IF                             | CITATIONS            |
|----|---|--------------------------------|----------------------|
| 1  | Weighted Gene Co-Expression Analyses Point to Long Non-Coding RNA Hub Genes at Different Schistosoma mansoni Life-Cycle Stages. Frontiers in Genetics, 2019, 10, 823.   | 2.3                            | 22                   |
| 2  | The influence of paleoclimate on the distribution of genetic variability and demography of fishes in a large and highly fragmented neotropical river. Hydrobiologia, 2018, 805, 97-112.   | 2.0                            | 13                   |
| 3  | Lethargic Crab Disease: Now You See, Now You Don't. , 2018, , 233-247.  |                                | 1                    |
| 4  | Two new species of Elopicola (Digenea: Aporocotylidae) from Hawaiian ladyfish, Elops hawaiensis (Eastern Sea) and Atlantic tarpon, Megalops atlanticus (Gulf of Mexico) with a comment on monophyly of elopomorph blood flukes. Parasitology International, 2017, 66, 305-318.  | 1.3                            | 24                   |
| 5  | Endocarditis associated with blood fluke infections (Digenea: Aporocotylidae: Psettarium cf.) Tj ETQq1 1 0.78431 Aquaculture, 2017, 468, 549-557.   | 14 rgBT /O <sup>,</sup><br>3.5 | Overlock 10 Tf<br>23 |
| 6  | Is Marine Dispersion of the Lethargic Crab Disease Possible? Assessing the Tolerance of Exophiala cancerae to a Broad Combination of Salinities, Temperatures, and Exposure Times. Mycopathologia, 2017, 182, 997-1004.   | 3.1                            | 5                    |
| 7  | Morphological and molecular confirmation of Myxobolus cerebralis myxospores infecting wildâ€'caught and cultured trout in North Carolina (SE USA). Diseases of Aquatic Organisms, 2017, 126, 185-198.   | 1.0                            | 6                    |
| 8  | Identifying Nile tilapia strains and their hybrids farmed in Brazil using microsatellite markers.<br>Pesquisa Agropecuaria Brasileira, 2016, 51, 1744-1750.   | 0.9                            | 11                   |
| 9  | New Genus of Blood Fluke (Digenea: Schistosomatoidea) from Malaysian Freshwater Turtles<br>(Geoemydidae) and its Phylogenetic Position Within Schistosomatoidea. Journal of Parasitology, 2016,<br>102, 451-462.  | 0.7                            | 21                   |
| 10 | Two New Genera of Fish Blood Flukes (Digenea: Aporocotylidae) from Catfishes in the Peruvian Amazon. Journal of Parasitology, 2016, 102, 357-368.   | 0.7                            | 13                   |
| 11 | New species of Proterometra (Digenea: Azygiidae) and its life cycle in the Chickasawhay River,<br>Mississippi, USA, with supplemental observations of Proterometra autraini. Parasitology<br>International, 2016, 65, 31-43.  | 1.3                            | 9                    |
| 12 | Blood flukes of Asiatic softshell turtles: revision of Coeuritrema Mehra, 1933 (Digenea:) Tj ETQq0 0 0 rgBT /Overlo (Trionychidae), from Vietnam. Folia Parasitologica, 2016, 63, .   | ock 10 Tf 5<br>1.3             | 50 307 Td (So        |
| 13 | A new species of Spirorchis MacCallum, 1918 (Digenea: Schistosomatoidea) and Spirorchis cf. scripta from chicken turtle, Deirochelys reticularia (Emydidae), with an emendation and molecular phylogeny of Spirorchis. Folia Parasitologica, 2016, 63, .  | 1.3                            | 15                   |
| 14 | Skin lesions on yellowfin tuna Thunnus albacares from Gulf of Mexico outer continental shelf:<br>Morphological, molecular, and histological diagnosis of infection by a capsalid monogenoid.<br>Parasitology International, 2015, 64, 609-621.  | 1.3                            | 5                    |
| 15 | Proterometra epholkos sp. n. (Digenea: Azygiidae) from Terrapin Creek, Alabama, USA: Molecular characterization of life cycle, redescription of Proterometra albacauda, and updated lists of host and geographic locality records for Proterometra spp. in North America. Parasitology International, 2015, 64, 50-69.  | 1.3                            | 6                    |
| 16 | Blood flukes (Digenea: Aporocotylidae) infecting body cavity of South American catfishes (Siluriformes: Pimelodidae): two new species from rivers in Bolivia, Guyana and Peru with a re-assessment of Plehniella Szidat, 1951. Folia Parasitologica, 2015, 62, .  | 1.3                            | 22                   |
| 17 | Diversity and Ancestry of Flatworms Infecting Blood of Nontetrapod Craniates "Fishes― Advances in Parasitology, 2014, 85, 1-64.   | 3.2                            | 54                   |
| 18 | Blood Flukes (Digenea: Aporocotylidae) of Epipelagic Lamniforms: Redescription of <i>Hyperandrotrema cetorhini </i> from Basking Shark ( <i>Cetorhinus maximus </i> ) and Description of a New Congener from Shortfin Mako Shark ( <i>Isurus oxyrinchus </i> ) off Alabama. Journal of Parasitology, 2013, 99, 835-846. | 0.7                            | 18                   |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Black Yeast Biota in the Mangrove, in Search of the Origin of the Lethargic Crab Disease (LCD).<br>Mycopathologia, 2013, 175, 421-430.   | 3.1 | 19        |
| 20 | Viability of the etiologic agent of the Lethargic Crab Disease, Exophiala cancerae, during cooking of the mangrove-land crab: Does this traditional dish represent a risk to humans?. Food Control, 2012, 25, 591-593. | 5.5 | 2         |
| 21 | Black yeast-like fungi associated with Lethargic Crab Disease (LCD) in the mangrove-land crab, Ucides cordatus (Ocypodidae). Veterinary Microbiology, 2012, 158, 109-122.  | 1.9 | 71        |
| 22 | Fulfilling Koch's postulates confirms the mycotic origin of Lethargic Crab Disease. Antonie Van Leeuwenhoek, 2011, 99, 601-608.  | 1.7 | 19        |
| 23 | Specific primers for the detection of the black-yeast fungus associated with lethargic crab disease (LCD). Diseases of Aquatic Organisms, 2011, 94, 73-75.   | 1.0 | 8         |

A simple PCR-RFLP method for the discrimination of native and introduced oyster species (Crassostrea) Tj ETQq0 0 0 rgBT /Overlock 10 1.8 33 Research, 2006, 37, 1598-1600.