

Pawel K Kunicki

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4574805/pawel-k-kunicki-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22
papers

515
citations

11
h-index

22
g-index

29
ext. papers

762
ext. citations

2.7
avg, IF

3.24
L-index

#	Paper	IF	Citations
22	Personalized Therapy for Mycophenolate: Consensus Report by the International Association of Therapeutic Drug Monitoring and Clinical Toxicology. <i>Therapeutic Drug Monitoring</i> , 2021 , 43, 150-200	3.2	17
21	Prediction of Free Mycophenolic Acid Concentrations and Free Fraction in Adult Lupus Nephritis Patients. <i>Therapeutic Drug Monitoring</i> , 2019 , 41, 406-408	3.2	0
20	Therapeutic Drug Monitoring of Tacrolimus-Personalized Therapy: Second Consensus Report. <i>Therapeutic Drug Monitoring</i> , 2019 , 41, 261-307	3.2	163
19	Pharmacokinetics of free and total mycophenolic acid in adult lupus nephritis patients-implications for therapeutic drug monitoring. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 371-379	2.8	8
18	Isotope-labeled versus analog internal standard in LC-MS/MS method for tacrolimus determination in human whole blood samples - A compensation of matrix effects. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1104, 220-227	3.2	3
17	Free mycophenolic acid determination in human plasma ultrafiltrate by a validated liquid chromatography-tandem mass spectrometry method. <i>Biomedical Chromatography</i> , 2017 , 31, e3976	1.7	7
16	Platelet aggregation and the risk of stent thrombosis or bleeding in elective percutaneous coronary intervention patients. <i>Blood Coagulation and Fibrinolysis</i> , 2017 , 28, 383-388	1	1
15	Platelet aggregation and risk of stent thrombosis or bleeding in interventional treated diabetic patients with acute coronary syndrome. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 252	2.3	7
14	Therapeutic Drug Monitoring of Everolimus: A Consensus Report. <i>Therapeutic Drug Monitoring</i> , 2016 , 38, 143-69	3.2	71
13	Assuring the Proper Analytical Performance of Measurement Procedures for Immunosuppressive Drug Concentrations in Clinical Practice: Recommendations of the International Association of Therapeutic Drug Monitoring and Clinical Toxicology Immunosuppressive Drug Scientific Committee. <i>Therapeutic Drug Monitoring</i> , 2016 , 38, 170-89	3.2	65
12	Validation of an assay for quantification of free normetanephrine, metanephrine and methoxytyramine in plasma by high performance liquid chromatography with coulometric detection: Comparison of peak-area vs. peak-height measurements. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1008, 42-50	3.2	7
11	A Comparison of the Immunochemical Methods, PETINIA and EMIT, With That of HPLC-UV for the Routine Monitoring of Mycophenolic Acid in Heart Transplant Patients. <i>Therapeutic Drug Monitoring</i> , 2015 , 37, 311-8	3.2	19
10	Patency of infarct-related artery and platelet reactivity in patients with ST-segment elevation myocardial infarction. <i>Cor Et Vasa</i> , 2013 , 55, e126-e130	0.3	0
9	Simple HPLC method for cefazolin determination in human serum - validation and stability testing. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 911, 133-9	3.2	15
8	A limited sampling strategy for estimating mycophenolic acid area under the curve in adult heart transplant patients treated with concomitant cyclosporine. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2009 , 34, 89-101	2.2	12
7	Pharmacokinetic Interaction Between Tacrolimus and Clarithromycin in a Heart Transplant Patient. <i>Therapeutic Drug Monitoring</i> , 2005 , 27, 107-108	3.2	23
6	Plasma antioxidant activity and vascular dementia. <i>Journal of the Neurological Sciences</i> , 2002 , 203-204, 195-7	3.2	35

5	Simple and sensitive high-performance liquid chromatographic method for the determination of 1,5-benzodiazepine clobazam and its active metabolite N-desmethylclobazam in human serum and urine with application to 1,4-benzodiazepines analysis. <i>Biomedical Applications</i> , 2001 , 750, 41-9		16
4	Determination of loratadine in human plasma by high-performance liquid chromatographic method with ultraviolet detection. <i>Biomedical Applications</i> , 2001 , 755, 331-5		29
3	N-acetylation and hydroxylation polymorphisms in type II diabetics with microvascular disturbances. <i>European Journal of Clinical Pharmacology</i> , 1997 , 51, 431-5	2.8	7
2	High Performance Liquid Chromatographic Analysis of Some Antiarrhythmic Drugs in Human Serum Using Cyanopropyl Derivatized Silica Phase. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1996 , 19, 1169-1181	1.3	4
1	Debrisoquine hydroxylation in a Polish population. <i>European Journal of Clinical Pharmacology</i> , 1995 , 47, 503-5	2.8	6