

Luis Augusto Rohde

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4575009/luis-augusto-rohde-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

305
papers

15,324
citations

50
h-index

116
g-index

342
ext. papers

18,535
ext. citations

5
avg, IF

6.45
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 305 | Investigation of possible associations of the and genes with the neurocognitive measures: and genes might be involved in attention domain, gene in executive function.. <i>Nordic Journal of Psychiatry</i> , 2022 , 1-6 | 2.3 | 0 |
| 304 | ADHD in Children and Adults: Diagnosis and Prognosis.. <i>Current Topics in Behavioral Neurosciences</i> , 2022 , 1 | 3.4 | 0 |
| 303 | Emerging findings of glutamate-glutamine imbalance in the medial prefrontal cortex in attention deficit/hyperactivity disorder: systematic review and meta-analysis of spectroscopy studies.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1 | 5.1 | 0 |
| 302 | Dissecting the cross-trait effects of the FOXP2 GWAS hit on clinical and brain phenotypes in adults with ADHD.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1 | 5.1 | |
| 301 | Stress-related genetic components in attention-deficit/hyperactivity disorder (ADHD): Effects of the SERPINA6 and SERPINA1 genetic markers in a family-based brazilian sample.. <i>Journal of Psychiatric Research</i> , 2022 , 149, 1-9 | 5.2 | 0 |
| 300 | Youth depression and inflammation: Cross-sectional network analyses of C-Reactive protein, interleukin-6 and symptoms in a population-based sample.. <i>Journal of Psychiatric Research</i> , 2022 , 150, 197-201 | 5.2 | 0 |
| 299 | Transcutaneous electrical acupoint stimulation for children with attention-deficit/hyperactivity disorder: a randomized clinical trial.. <i>Translational Psychiatry</i> , 2022 , 12, 165 | 8.6 | 0 |
| 298 | Reliability and validity of bifactor models of dimensional psychopathology in youth. 2022 , 131, 407-421 | | 1 |
| 297 | Meta-analysis and systematic review of ADGRL3 (LPHN3) polymorphisms in ADHD susceptibility. <i>Molecular Psychiatry</i> , 2021 , 26, 2277-2285 | 15.1 | 12 |
| 296 | The neurodevelopmental nature of attention-deficit hyperactivity disorder in adults. <i>British Journal of Psychiatry</i> , 2021 , 218, 43-50 | 5.4 | 7 |
| 295 | Caffeine-related genes influence anxiety disorders in children and adults with ADHD. <i>Journal of Psychiatric Research</i> , 2021 , 145, 353-353 | 5.2 | |
| 294 | Testing the Stability and Validity of an Executive Dysfunction Classification Using Task-Based Assessment in Children and Adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021 , 60, 1501-1512 | 7.2 | 0 |
| 293 | Neuroimaging Association Scores: reliability and validity of aggregate measures of brain structural features linked to mental disorders in youth. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 1895-1906 | 5.5 | 0 |
| 292 | Sleep-related traits and attention-deficit/hyperactivity disorder comorbidity: Shared genetic risk factors, molecular mechanisms, and causal effects. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 778-791 | 7.8 | 6 |
| 291 | Do inflammation and adiposity mediate the association of diet quality with depression and anxiety in young adults?. <i>Clinical Nutrition</i> , 2021 , 40, 2800-2808 | 5.9 | 2 |
| 290 | Obsessive-Compulsive Symptoms, Polygenic Risk Score, and Thalamic Development in Children From the Brazilian High-Risk Cohort for Mental Conditions (BHRCS). <i>Frontiers in Psychiatry</i> , 2021 , 12, 673595 | 5 | 0 |
| 289 | The Identifying Depression Early in Adolescence Risk Stratified Cohort (IDEA-RiSCo): Rationale, Methods, and Baseline Characteristics. <i>Frontiers in Psychiatry</i> , 2021 , 12, 697144 | 5 | 7 |

| | | | |
|-----|---|------|----|
| 288 | Association between Polygenic Risk Scores for ADHD and Asthma: A Birth Cohort Investigation. <i>Journal of Attention Disorders</i> , 2021 , 10870547211020111 | 3.7 | 1 |
| 287 | Disruptive Mood Dysregulation Disorder: Symptomatic and Syndromic Thresholds and Diagnostic Operationalization. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021 , 60, 286-295 | 7.2 | 7 |
| 286 | Identifying Adolescents at Risk for Depression: A Prediction Score Performance in Cohorts Based in 3 Different Continents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021 , 60, 262-273 | 7.2 | 25 |
| 285 | Risk factors for obsessive-compulsive symptoms. Follow-up of a community-based youth cohort. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 89-104 | 5.5 | 4 |
| 284 | Host genetics influences the relationship between the gut microbiome and psychiatric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 106, 110153 | 5.5 | 6 |
| 283 | Obesity and ADHD: Exploring the role of body composition, BMI polygenic risk score, and reward system genes. <i>Journal of Psychiatric Research</i> , 2021 , 136, 529-536 | 5.2 | 4 |
| 282 | Helping Clinicians to Detect ODD in Children with ADHD in Clinical Settings. <i>Psychiatric Quarterly</i> , 2021 , 92, 821-832 | 4.1 | |
| 281 | Combined Intervention of Working Memory and Arithmetic Reasoning in Students with ADHD. <i>International Journal of Disability Development and Education</i> , 2021 , 68, 566-582 | 0.8 | 1 |
| 280 | Attention-deficit/hyperactivity disorder and brain metabolites from proton magnetic resonance spectroscopy: a systematic review and meta-analysis protocol. <i>Trends in Psychiatry and Psychotherapy</i> , 2021 , 43, 1-8 | 2.3 | 1 |
| 279 | Disability in children and adolescents: the extent of the impact on psychiatric disorders and educational deficits. <i>Trends in Psychiatry and Psychotherapy</i> , 2021 , 43, 235-239 | 2.3 | 0 |
| 278 | Depression in a youth population-based sample from Brazil: Prevalence and symptom structure. <i>Journal of Affective Disorders</i> , 2021 , 292, 633-641 | 6.6 | 1 |
| 277 | Assessing undertreatment and overtreatment/misuse of ADHD medications in children and adolescents across continents: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 128, 64-73 | 9 | 4 |
| 276 | Long-term stability of the cortical volumetric profile and the functional human connectome throughout childhood and adolescence. <i>European Journal of Neuroscience</i> , 2021 , 54, 6187-6201 | 3.5 | 4 |
| 275 | The World Federation of ADHD International Consensus Statement: 208 Evidence-based conclusions about the disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 128, 789-818 | 9 | 92 |
| 274 | Attention-deficit/hyperactivity disorder has a state-dependent association with asthma: The role of systemic inflammation in a population-based birth cohort followed from childhood to adulthood. <i>Brain, Behavior, and Immunity</i> , 2021 , 97, 239-249 | 16.6 | 2 |
| 273 | The influence of comorbidities on the trajectories of ADHD throughout development. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 130, 31-32 | 9 | 0 |
| 272 | Effects of the dopamine transporter gene on neuroimaging findings in different attention deficit hyperactivity disorder presentations. <i>Brain Imaging and Behavior</i> , 2021 , 15, 1103-1114 | 4.1 | 0 |
| 271 | Gene expression changes associated with trajectories of psychopathology in a longitudinal cohort of children and adolescents. <i>Translational Psychiatry</i> , 2020 , 10, 99 | 8.6 | 0 |

| | | | |
|-----|---|------|----|
| 270 | Shared genetic background between children and adults with attention deficit/hyperactivity disorder. <i>Neuropsychopharmacology</i> , 2020 , 45, 1617-1626 | 8.7 | 35 |
| 269 | Population neuroscience: challenges and opportunities for psychiatric research in low- and middle-income countries. <i>Revista Brasileira De Psiquiatria</i> , 2020 , 42, 442-448 | 2.6 | 2 |
| 268 | Independent and interactive associations of temperament dimensions with educational outcomes in young adolescents. <i>Learning and Individual Differences</i> , 2020 , 78, 101817 | 3.1 | 1 |
| 267 | Suggestive diagnosis of attention-deficit/hyperactivity disorder in indigenous children and adolescents from the Brazilian Amazon. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 373-384 | 5.5 | 1 |
| 266 | Revisiting ADHD age-of-onset in adults: to what extent should we rely on the recall of childhood symptoms?. <i>Psychological Medicine</i> , 2020 , 50, 857-866 | 6.9 | 13 |
| 265 | Socioeconomic status in children is associated with spontaneous activity in right superior temporal gyrus. <i>Brain Imaging and Behavior</i> , 2020 , 14, 961-970 | 4.1 | 4 |
| 264 | Relationships between childhood maltreatment, impairment in executive functions and disruptive behavior disorders in a community sample of children. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 969-978 | 5.5 | 2 |
| 263 | The Role of Sleep Duration and Sleep Problems During Childhood in the Development of ADHD in Adolescence: Findings From a Population-Based Birth Cohort. <i>Journal of Attention Disorders</i> , 2020 , 24, 590-600 | 3.7 | 6 |
| 262 | Relative Age and Attention-Deficit/Hyperactivity Disorder: Data From Three Epidemiological Cohorts and a Meta-analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020 , 59, 990-997 | 7.2 | 10 |
| 261 | Polymorphisms in Attention-Deficit/Hyperactivity Disorder (ADHD): Further Evidence Linking Sleep and Circadian Disturbances and ADHD. <i>Genes</i> , 2019 , 10, | 4.2 | 10 |
| 260 | Effects of the interaction between genetic factors and maltreatment on child and adolescent psychiatric disorders. <i>Psychiatry Research</i> , 2019 , 273, 575-577 | 9.9 | |
| 259 | Use of Mental Health Services by Children With Mental Disorders in Two Major Cities in Brazil. <i>Psychiatric Services</i> , 2019 , 70, 337-341 | 3.3 | 9 |
| 258 | Assessing causality in the association between attention-deficit/hyperactivity disorder and obesity: a Mendelian randomization study. <i>International Journal of Obesity</i> , 2019 , 43, 2500-2508 | 5.5 | 29 |
| 257 | Association Between Fractional Amplitude of Low-Frequency Spontaneous Fluctuation and Degree Centrality in Children and Adolescents. <i>Brain Connectivity</i> , 2019 , 9, 379-387 | 2.7 | 3 |
| 256 | Comparisons between sluggish cognitive tempo and ADHD-restrictive inattentive presentation phenotypes in a clinical ADHD sample. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2019 , 11, 363-372 | 3.7 | 6 |
| 255 | Reaction time variability and attention-deficit/hyperactivity disorder: is increased reaction time variability specific to attention-deficit/hyperactivity disorder? Testing predictions from the default-mode interference hypothesis. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2019 , 11, 47-58 | 3.1 | 8 |
| 254 | Synergistic effects between ADORA2A and DRD2 genes on anxiety disorders in children with ADHD. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 93, 214-220 | 5.5 | 12 |
| 253 | Treatment strategies for ADHD: an evidence-based guide to select optimal treatment. <i>Molecular Psychiatry</i> , 2019 , 24, 390-408 | 15.1 | 59 |

| | | | |
|-----|---|------|-----|
| 252 | Genetic risk for Alzheimer's disease and functional brain connectivity in children and adolescents. <i>Neurobiology of Aging</i> , 2019 , 82, 10-17 | 5.6 | 7 |
| 251 | Parental Reasons for School Choice in Elementary School: A Systematic Review. <i>Journal of School Choice</i> , 2019 , 13, 287-304 | 0.5 | 3 |
| 250 | ADHD diagnoses: are 116 200 permutations enough?. <i>The Lancet Child and Adolescent Health</i> , 2019 , 3, 844-845 | 14.5 | |
| 249 | Differences Between Self-Reported Psychotic Experiences, Clinically Relevant Psychotic Experiences, and Attenuated Psychotic Symptoms in the General Population. <i>Frontiers in Psychiatry</i> , 2019 , 10, 782 | 5 | 12 |
| 248 | Association between spontaneous activity of the default mode network hubs and leukocyte telomere length in late childhood and early adolescence. <i>Journal of Psychosomatic Research</i> , 2019 , 127, 109864 | 4.1 | 1 |
| 247 | Mental disorders and suicide risk in emerging adulthood: the 1993 Pelotas birth cohort. <i>Revista De Saude Publica</i> , 2019 , 53, 96 | 2.4 | 15 |
| 246 | Sugar consumption and attention-deficit/hyperactivity disorder (ADHD): A birth cohort study. <i>Journal of Affective Disorders</i> , 2019 , 243, 290-296 | 6.6 | 20 |
| 245 | Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , 2019 , 51, 63-75 | 36.3 | 826 |
| 244 | Associations between children's family environment, spontaneous brain oscillations, and emotional and behavioral problems. <i>European Child and Adolescent Psychiatry</i> , 2019 , 28, 835-845 | 5.5 | 4 |
| 243 | Heterotypic trajectories of dimensional psychopathology across the lifespan: the case of youth-onset attention deficit/hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 533-544 | 7.9 | 15 |
| 242 | Cross-Sectional and Longitudinal Associations of Temperament and Mental Disorders in Youth. <i>Child Psychiatry and Human Development</i> , 2019 , 50, 374-383 | 3.3 | 1 |
| 241 | Comparability of an ADHD Latent Trait Between Groups: Disentangling True Between-Group Differences From Measurement Problems. <i>Journal of Attention Disorders</i> , 2019 , 23, 712-720 | 3.7 | 1 |
| 240 | A risk calculator to predict adult attention-deficit/hyperactivity disorder: generation and external validation in three birth cohorts and one clinical sample. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e37 | 5.1 | 11 |
| 239 | Early vulnerabilities for psychiatric disorders in elementary schoolchildren from four Brazilian regions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 477-486 | 4.5 | 2 |
| 238 | Genetic imaging study with [¹²³ I] TRODAT-1 SPECT in adolescents with ADHD using OROS-methylphenidate. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 86, 294-300 | 5.5 | 3 |
| 237 | Transcranial direct current stimulation improves long-term memory deficits in an animal model of attention-deficit/hyperactivity disorder and modulates oxidative and inflammatory parameters. <i>Brain Stimulation</i> , 2018 , 11, 743-751 | 5.1 | 22 |
| 236 | Metacognitive interventions in text production and working memory in students with ADHD. <i>Psicologia: Reflexao E Critica</i> , 2018 , 31, 5 | 1.1 | 1 |
| 235 | Integrative genomic analysis of methylphenidate response in attention-deficit/hyperactivity disorder. <i>Scientific Reports</i> , 2018 , 8, 1881 | 4.9 | 9 |

| | | | |
|-----|---|------|----|
| 234 | Effects of the brain-derived neurotropic factor variant Val66Met on cortical structure in late childhood and early adolescence. <i>Journal of Psychiatric Research</i> , 2018 , 98, 51-58 | 5.2 | 8 |
| 233 | Attention-Deficit/Hyperactivity Disorder and Very Preterm/Very Low Birth Weight: A Meta-analysis. <i>Pediatrics</i> , 2018 , 141, | 7.4 | 99 |
| 232 | The association between psychotic experiences and traumatic life events: the role of the intention to harm. <i>Psychological Medicine</i> , 2018 , 48, 2235-2246 | 6.9 | 7 |
| 231 | Social inequalities in mental disorders and substance misuse in young adults : A birth cohort study in Southern Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 717-726 | 4.5 | 8 |
| 230 | The economic impact of subthreshold and clinical childhood mental disorders. <i>Journal of Mental Health</i> , 2018 , 27, 588-594 | 2.7 | 15 |
| 229 | Exocytosis-related genes and response to methylphenidate treatment in adults with ADHD. <i>Molecular Psychiatry</i> , 2018 , 23, 1446-1452 | 15.1 | 9 |
| 228 | Association between abnormal brain functional connectivity in children and psychopathology: A study based on graph theory and machine learning. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 119-129 | 3.8 | 10 |
| 227 | A Review on the Role of Inflammation in Attention-Deficit/Hyperactivity Disorder. <i>NeuroImmunoModulation</i> , 2018 , 25, 328-333 | 2.5 | 49 |
| 226 | Are ADHD medications under or over prescribed worldwide?: Protocol for a systematic review and meta-analysis. <i>Medicine (United States)</i> , 2018 , 97, e10923 | 1.8 | 6 |
| 225 | Diagnostic operationalization and phenomenological heterogeneity in psychiatry: the case of attention deficit hyperactivity disorder. <i>Salud Mental</i> , 2018 , 41, 249-259 | 0.5 | 3 |
| 224 | Fine motor ability and psychiatric disorders in youth. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 605-613 | 5.5 | 3 |
| 223 | Behavioural effects of methylphenidate in the spontaneously hypertensive rat model of attention-deficit/hyperactivity disorder: a systematic review and meta-analysis protocol.. <i>BMJ Open Science</i> , 2018 , 2, e000001 | 4.6 | 3 |
| 222 | Is intrauterine exposure to acetaminophen associated with emotional and hyperactivity problems during childhood? Findings from the 2004 Pelotas birth cohort. <i>BMC Psychiatry</i> , 2018 , 18, 368 | 4.2 | 19 |
| 221 | Socioeconomic diversities and infant development at 6 to 9 months in a poverty area of São Paulo, Brazil. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 232-240 | 2.3 | 4 |
| 220 | Coordinated brain development: exploring the synchrony between changes in grey and white matter during childhood maturation. <i>Brain Imaging and Behavior</i> , 2017 , 11, 808-817 | 4.1 | 13 |
| 219 | Replicated association of Synaptotagmin (SYT1) with ADHD and its broader influence in externalizing behaviors. <i>European Neuropsychopharmacology</i> , 2017 , 27, 239-247 | 1.2 | 10 |
| 218 | Child vs Adult Onset of Attention-Deficit/Hyperactivity Disorder-Reply. <i>JAMA Psychiatry</i> , 2017 , 74, 421-425 | 4.5 | 1 |
| 217 | Psychopathology and friendship in children and adolescents: disentangling the role of co-occurring symptom domains with serial mediation models. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 1377-1386 | 5.5 | 1 |

| | | | |
|-----|--|------|-----|
| 216 | Differences in biomarkers of crack-cocaine adolescent users before/after abstinence. <i>Drug and Alcohol Dependence</i> , 2017 , 177, 207-213 | 4.9 | 11 |
| 215 | Trajectories of attention-deficit/hyperactivity disorder dimensions in adults. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 210-219 | 6.5 | 10 |
| 214 | The Social Aptitudes Scale: looking at both "ends" of the social functioning dimension. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1031-1040 | 4.5 | 2 |
| 213 | Gene expression in blood of children and adolescents: Mediation between childhood maltreatment and major depressive disorder. <i>Journal of Psychiatric Research</i> , 2017 , 92, 24-30 | 5.2 | 17 |
| 212 | Poor stimulus discriminability as a common neuropsychological deficit between ADHD and reading ability in young children: a moderated mediation model. <i>Psychological Medicine</i> , 2017 , 47, 255-266 | 6.9 | 5 |
| 211 | The specific and combined role of domestic violence and mental health disorders during pregnancy on new-born health. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 257 | 3.2 | 16 |
| 210 | Late-Onset ADHD: Understanding the Evidence and Building Theoretical Frameworks. <i>Current Psychiatry Reports</i> , 2017 , 19, 106 | 9.1 | 27 |
| 209 | Efficacy of Stimulants Beyond Treatment of Core Symptoms of Attention-Deficit/Hyperactivity Disorder. <i>JAMA Psychiatry</i> , 2017 , 74, 822-823 | 14.5 | |
| 208 | Increased Oxidative Parameters and Decreased Cytokine Levels in an Animal Model of Attention-Deficit/Hyperactivity Disorder. <i>Neurochemical Research</i> , 2017 , 42, 3084-3092 | 4.6 | 19 |
| 207 | Positive effects of transcranial direct current stimulation in adult patients with attention-deficit/hyperactivity disorder - A pilot randomized controlled study. <i>Psychiatry Research</i> , 2017 , 247, 28-32 | 9.9 | 40 |
| 206 | Exploring DSM-5 ADHD criteria beyond young adulthood: phenomenology, psychometric properties and prevalence in a large three-decade birth cohort. <i>Psychological Medicine</i> , 2017 , 47, 744-754 | 6.9 | 47 |
| 205 | A cross-sectional study to assess the prevalence of DSM-5 specific learning disorders in representative school samples from the second to sixth grade in Brazil. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 195-207 | 5.5 | 47 |
| 204 | Association Between ADHD and Obesity: A Systematic Review and Meta-Analysis. <i>American Journal of Psychiatry</i> , 2016 , 173, 34-43 | 11.9 | 262 |
| 203 | Decreasing ADHD phenotypic heterogeneity: searching for neurobiological underpinnings of the restrictive inattentive phenotype. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 273-82 | 5.5 | 15 |
| 202 | Attention-deficit/hyperactivity disorder dimensionality: the reliable β and the elusive β dimensions. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 83-90 | 5.5 | 31 |
| 201 | Children with Poor Reading Skills at the Word Level Show Reduced Fractional Anisotropy in White Matter Tracts of Both Hemispheres. <i>Brain Connectivity</i> , 2016 , 6, 519-23 | 2.7 | 5 |
| 200 | Life Span Studies of ADHD-Conceptual Challenges and Predictors of Persistence and Outcome. <i>Current Psychiatry Reports</i> , 2016 , 18, 111 | 9.1 | 50 |
| 199 | An integrative approach to investigate the respective roles of single-nucleotide variants and copy-number variants in Attention-Deficit/Hyperactivity Disorder. <i>Scientific Reports</i> , 2016 , 6, 22851 | 4.9 | 10 |

| | | | |
|-----|--|------|-----|
| 198 | Does collateral retrospective information about childhood attention-deficit/hyperactivity disorder symptoms assist in the diagnosis of attention-deficit/hyperactivity disorder in adults? Findings from a large clinical sample. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 557-65 | 2.6 | 12 |
| 197 | Validity of proposed DSM-5 ADHD impulsivity symptoms in children. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 1121-32 | 5.5 | 3 |
| 196 | Commentary: Transdiagnostic neuroscience of child and adolescent mental disorders--differentiating decision-making in attention-deficit/hyperactivity disorder, conduct disorder, depression and anxiety. A commentary on Sonuga-Barke et al. (2016). <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016 , 57, 350-2 | 7.9 | 0 |
| 195 | Response to Plakun: Addressing Differential Susceptibility With Regard to Gene-Environment Interaction in Youth Depression. <i>American Journal of Psychiatry</i> , 2016 , 173, 299-300 | 11.9 | |
| 194 | Genetics of attention-deficit/hyperactivity disorder: an update. <i>Expert Review of Neurotherapeutics</i> , 2016 , 16, 145-56 | 4.3 | 50 |
| 193 | Age-effects in white matter using associated diffusion tensor imaging and magnetization transfer ratio during late childhood and early adolescence. <i>Magnetic Resonance Imaging</i> , 2016 , 34, 529-34 | 3.3 | 18 |
| 192 | Positive Attributes Buffer the Negative Associations Between Low Intelligence and High Psychopathology With Educational Outcomes. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016 , 55, 47-53 | 7.2 | 11 |
| 191 | Crack Cocaine Use in Adolescents: Clinical Characteristics and Predictors of Early Initiation. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e1205-e1210 | 4.6 | 7 |
| 190 | IL-6 and IL-10 levels in the umbilical cord blood of newborns with a history of crack/cocaine exposure in utero: a comparative study. <i>Trends in Psychiatry and Psychotherapy</i> , 2016 , 38, 40-9 | 2.3 | 4 |
| 189 | BDNF Val66Met polymorphism and peripheral protein levels in pediatric bipolar disorder and attention-deficit/hyperactivity disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 268-74 | 6.5 | 14 |
| 188 | COMT and prenatal maternal smoking in associations with conduct problems and crime: the Pelotas 1993 birth cohort study. <i>Scientific Reports</i> , 2016 , 6, 29900 | 4.9 | 7 |
| 187 | Intrinsic Brain Connectivity Following Long-Term Treatment with Methylphenidate in Children with Attention-Deficit/Hyperactivity Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016 , 26, 555-61 | 2.9 | 10 |
| 186 | Connectome hubs at resting state in children and adolescents: Reproducibility and psychopathological correlation. <i>Developmental Cognitive Neuroscience</i> , 2016 , 20, 2-11 | 5.5 | 6 |
| 185 | Attention-Deficit/Hyperactivity Disorder Trajectories From Childhood to Young Adulthood: Evidence From a Birth Cohort Supporting a Late-Onset Syndrome. <i>JAMA Psychiatry</i> , 2016 , 73, 705-12 | 14.5 | 197 |
| 184 | Altered structural connectivity is related to attention deficit/hyperactivity subtypes: A DTI study. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 256, 57-64 | 2.9 | 19 |
| 183 | Default mode network maturation and psychopathology in children and adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016 , 57, 55-64 | 7.9 | 23 |
| 182 | Cadherin-13 gene is associated with hyperactive/impulsive symptoms in attention/deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168B, 162-9 | 3.5 | 27 |
| 181 | High risk cohort study for psychiatric disorders in childhood: rationale, design, methods and preliminary results. <i>International Journal of Methods in Psychiatric Research</i> , 2015 , 24, 58-73 | 4.3 | 100 |

| | | | |
|-----|---|------|-----|
| 180 | Persistence and remission of ADHD during adulthood: a 7-year clinical follow-up study. <i>Psychological Medicine</i> , 2015 , 45, 2045-56 | 6.9 | 54 |
| 179 | Reliability and Validity of Proposed DSM-5 ADHD Symptoms in a Clinical Sample of Adults. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2015 , 27, 228-36 | 2.7 | 20 |
| 178 | Is the prevalence of ADHD in Turkish elementary school children really high?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1145-52 | 4.5 | 23 |
| 177 | ADHD in DSM-5: a field trial in a large, representative sample of 18- to 19-year-old adults. <i>Psychological Medicine</i> , 2015 , 45, 361-73 | 6.9 | 66 |
| 176 | Gene-Environment Interaction in Youth Depression: Replication of the 5-HTTLPR Moderation in a Diverse Setting. <i>American Journal of Psychiatry</i> , 2015 , 172, 978-85 | 11.9 | 18 |
| 175 | Decreased centrality of subcortical regions during the transition to adolescence: a functional connectivity study. <i>NeuroImage</i> , 2015 , 104, 44-51 | 7.9 | 34 |
| 174 | Attention-deficit/hyperactivity disorder. <i>Nature Reviews Disease Primers</i> , 2015 , 1, 15020 | 51.1 | 618 |
| 173 | Provision of mental healthcare for children and adolescents: a worldwide view. <i>Current Opinion in Psychiatry</i> , 2015 , 28, 330-5 | 4.9 | 28 |
| 172 | LPHN3 and attention-deficit/hyperactivity disorder: a susceptibility and pharmacogenetic study. <i>Genes, Brain and Behavior</i> , 2015 , 14, 419-27 | 3.6 | 45 |
| 171 | Temporal stability of network centrality in control and default mode networks: Specific associations with externalizing psychopathology in children and adolescents. <i>Human Brain Mapping</i> , 2015 , 36, 4926-37 | 5.9 | 19 |
| 170 | Is Adult ADHD a Childhood-Onset Neurodevelopmental Disorder? Evidence From a Four-Decade Longitudinal Cohort Study. <i>American Journal of Psychiatry</i> , 2015 , 172, 967-77 | 11.9 | 337 |
| 169 | Attention network functioning in children with anxiety disorders, attention-deficit/hyperactivity disorder and non-clinical anxiety. <i>Psychological Medicine</i> , 2015 , 45, 2633-46 | 6.9 | 29 |
| 168 | Further evidence for the association between a polymorphism in the promoter region of SLC6A3/DAT1 and ADHD: findings from a sample of adults. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 401-8 | 5.1 | 20 |
| 167 | ADHD prevalence estimates across three decades: an updated systematic review and meta-regression analysis. <i>International Journal of Epidemiology</i> , 2014 , 43, 434-42 | 7.8 | 844 |
| 166 | Increasing teachers' knowledge about ADHD and learning disorders: an investigation on the role of a psychoeducational intervention. <i>Journal of Attention Disorders</i> , 2014 , 18, 691-8 | 3.7 | 19 |
| 165 | Glutamatergic copy number variants and their role in attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 502-9 | 3.5 | 24 |
| 164 | Age effects on the default mode and control networks in typically developing children. <i>Journal of Psychiatric Research</i> , 2014 , 58, 89-95 | 5.2 | 59 |
| 163 | Functional characterization of G-protein-coupled receptors: a bioinformatics approach. <i>Neuroscience</i> , 2014 , 277, 764-79 | 3.9 | 24 |

| | | | |
|-----|--|-----|----|
| 162 | Searching for the best approach to assess teachers' perception of inattention and hyperactivity problems at school. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 451-9 | 5.5 | 4 |
| 161 | Attention-deficit/hyperactivity disorder and solar irradiance: a cloudy perspective. <i>Biological Psychiatry</i> , 2014 , 76, e19-20 | 7.9 | 2 |
| 160 | ADHD pharmacogenetics across the life cycle: New findings and perspectives. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 263-82 | 3.5 | 34 |
| 159 | Manic symptoms in youth: dimensions, latent classes, and associations with parental psychopathology. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014 , 53, 625-634. e2 | 7.2 | 14 |
| 158 | The mental health care gap among children and adolescents: data from an epidemiological survey from four Brazilian regions. <i>PLoS ONE</i> , 2014 , 9, e88241 | 3.7 | 46 |
| 157 | First- and last-year medical students: is there a difference in the prevalence and intensity of anxiety and depressive symptoms?. <i>Revista Brasileira De Psiquiatria</i> , 2014 , 36, 233-40 | 2.6 | 49 |
| 156 | Does comorbid bipolar disorder increase neuropsychological impairment in children and adolescents with ADHD?. <i>Revista Brasileira De Psiquiatria</i> , 2014 , 36, 53-9 | 2.6 | 9 |
| 155 | Avoiding stimulants may not prevent manic switch: a case report with atomoxetine. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2014 , 26, E30-1 | 2.7 | 3 |
| 154 | Abnormal functional resting-state networks in ADHD: graph theory and pattern recognition analysis of fMRI data. <i>BioMed Research International</i> , 2014 , 2014, 380531 | 3 | 60 |
| 153 | Prevalence of obesity in attention-deficit/hyperactivity disorder: study protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2014 , 4, e004541 | 3 | 9 |
| 152 | Could comorbid bipolar disorder account for a significant share of executive function deficits in adults with attention-deficit hyperactivity disorder?. <i>Bipolar Disorders</i> , 2014 , 16, 270-6 | 3.8 | 12 |
| 151 | Lack of association between the GRM7 gene and attention deficit hyperactivity disorder. <i>Psychiatric Genetics</i> , 2014 , 24, 281-2 | 2.9 | 6 |
| 150 | Searching for a neurobiological basis for self-medication theory in ADHD comorbid with substance use disorders: an in vivo study of dopamine transporters using (99m)Tc-TRODAT-1 SPECT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e129-34 | 1.7 | 22 |
| 149 | Severity but not comorbidities predicts response to methylphenidate in adults with attention-deficit/hyperactivity disorder: results from a naturalistic study. <i>Journal of Clinical Psychopharmacology</i> , 2014 , 34, 212-7 | 1.7 | 13 |
| 148 | ADHD diagnosis may influence the association between polymorphisms in nicotinic acetylcholine receptor genes and tobacco smoking. <i>NeuroMolecular Medicine</i> , 2014 , 16, 389-97 | 4.6 | 16 |
| 147 | Developmental disability in schoolchildren from four Brazilian regions. <i>Revista Brasileira De Psiquiatria</i> , 2014 , 36, 273-4 | 2.6 | 2 |
| 146 | Association of a carboxylesterase 1 polymorphism with appetite reduction in children and adolescents with attention-deficit/hyperactivity disorder treated with methylphenidate. <i>Pharmacogenomics Journal</i> , 2013 , 13, 476-80 | 3.5 | 32 |
| 145 | Prevalence and diagnostic stability of ADHD and ODD in Turkish children: a 4-year longitudinal study. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2013 , 7, 30 | 6.8 | 24 |

| | | | |
|-----|--|------|----|
| 144 | A meta-analysis of the consistency of atomoxetine treatment effects in pediatric patients with attention-deficit/hyperactivity disorder from 15 clinical trials across four geographic regions. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2013 , 23, 262-70 | 2.9 | 22 |
| 143 | Gene-environment interaction in externalizing problems among adolescents: evidence from the Pelotas 1993 Birth Cohort Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2013 , 54, 298-304 | 7.9 | 29 |
| 142 | Pharmacogenetics of response to methylphenidate in adult patients with Attention-Deficit/Hyperactivity Disorder (ADHD): a systematic review. <i>European Neuropsychopharmacology</i> , 2013 , 23, 555-60 | 1.2 | 27 |
| 141 | The Val66Met polymorphism at the BDNF gene does not influence Wisconsin Card Sorting Test results in children and adolescents with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 44-50 | 2.6 | 8 |
| 140 | The role of a mineralocorticoid receptor gene functional polymorphism in the symptom dimensions of persistent ADHD. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 181-8 | 5.1 | 15 |
| 139 | Genetics of attention-deficit/hyperactivity disorder: current findings and future directions. <i>Expert Review of Neurotherapeutics</i> , 2013 , 13, 435-45 | 4.3 | 45 |
| 138 | Dimensions of oppositionality in a Brazilian community sample: testing the DSM-5 proposal and etiological links. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013 , 52, 389-400.e1 | 7.2 | 60 |
| 137 | Developments and challenges in the diagnosis and treatment of ADHD. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35 Suppl 1, S40-50 | 2.6 | 23 |
| 136 | Pharmacotherapy of bipolar disorder in children and adolescents: an update. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 393-405 | 2.6 | 20 |
| 135 | Is ADHD a risk factor independent of conduct disorder for illicit substance use? A meta-analysis and metaregression investigation. <i>Journal of Attention Disorders</i> , 2013 , 17, 459-69 | 3.7 | 27 |
| 134 | Psychopharmacology and psychotherapy for the treatment of adults with ADHD-a systematic review of available meta-analyses. <i>CNS Spectrums</i> , 2013 , 18, 296-306 | 1.8 | 40 |
| 133 | Threat bias in attention orienting: evidence of specificity in a large community-based study. <i>Psychological Medicine</i> , 2013 , 43, 733-45 | 6.9 | 97 |
| 132 | Do we face the same dilemma on pediatric psychopharmacology in low and middle income countries?. <i>World Psychiatry</i> , 2013 , 12, 132-3 | 14.4 | |
| 131 | Cognitive deficits in adults with ADHD go beyond comorbidity effects. <i>Journal of Attention Disorders</i> , 2013 , 17, 483-8 | 3.7 | 22 |
| 130 | Latent class analysis of reading, decoding, and writing performance using the Academic Performance Test: concurrent and discriminating validity. <i>Neuropsychiatric Disease and Treatment</i> , 2013 , 9, 1175-85 | 3.1 | 6 |
| 129 | DRD4 rare variants in Attention-Deficit/Hyperactivity Disorder (ADHD): further evidence from a birth cohort study. <i>PLoS ONE</i> , 2013 , 8, e85164 | 3.7 | 19 |
| 128 | Association study of GIT1 gene with attention-deficit hyperactivity disorder in Brazilian children and adolescents. <i>Genes, Brain and Behavior</i> , 2012 , 11, 864-8 | 3.6 | 14 |
| 127 | The burdened life of adults with ADHD: impairment beyond comorbidity. <i>European Psychiatry</i> , 2012 , 27, 309-13 | 6 | 43 |

| | | | |
|-----|---|------|------|
| 126 | Does age of onset of impairment impact on neuropsychological and personality features of adult ADHD?. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1307-11 | 5.2 | 10 |
| 125 | Evidence-based information on the clinical use of neurofeedback for ADHD. <i>Neurotherapeutics</i> , 2012 , 9, 588-98 | 6.4 | 72 |
| 124 | ADHD is undertreated in Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 513-6 | 2.6 | 11 |
| 123 | Is there an association between perinatal complications and attention-deficit/hyperactivity disorder-inattentive type in children and adolescents?. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 321-8 | 2.6 | 25 |
| 122 | Child and adolescent mental health research across the globe. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012 , 51, 945-7 | 7.2 | 17 |
| 121 | Evaluation of pattern recognition and feature extraction methods in ADHD prediction. <i>Frontiers in Systems Neuroscience</i> , 2012 , 6, 68 | 3.5 | 49 |
| 120 | The Brazilian contribution to Attention-Deficit/Hyperactivity Disorder molecular genetics in children and adolescents. <i>Genetics and Molecular Biology</i> , 2012 , 35, 932-8 | 2 | 5 |
| 119 | Catechol-O-methyltransferase Val(158)Met polymorphism is associated with disruptive behavior disorders among children and adolescents with ADHD. <i>Journal of Neural Transmission</i> , 2012 , 119, 729-33 ^{4,3} | 4.3 | 13 |
| 118 | ADHD in adults: a concept in evolution. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2012 , 4, 53-63.1 | 3.1 | 31 |
| 117 | Is there a role for rare variants in DRD4 gene in the susceptibility for ADHD? Searching for an effect of allelic heterogeneity. <i>Molecular Psychiatry</i> , 2012 , 17, 520-6 | 15.1 | 23 |
| 116 | Validity of DSM-IV attention deficit/hyperactivity disorder symptom dimensions and subtypes. <i>Journal of Abnormal Psychology</i> , 2012 , 121, 991-1010 | 7 | 548 |
| 115 | No significant association between genetic variants in 7 candidate genes and response to methylphenidate treatment in adult patients with ADHD. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 820-3 | 1.7 | 28 |
| 114 | Abnormal brain connectivity patterns in adults with ADHD: a coherence study. <i>PLoS ONE</i> , 2012 , 7, e45673.7 | 3.7 | 58 |
| 113 | The role of a lifetime history of oppositional defiant and conduct disorders in adults with ADHD: implications for clinical practice. <i>CNS Spectrums</i> , 2012 , 17, 94-9 | 1.8 | 5 |
| 112 | Catechol-O-methyltransferase valine158methionine polymorphism moderates methylphenidate effects on oppositional symptoms in boys with attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2011 , 70, 216-21 | 7.9 | 27 |
| 111 | Evidence of association between Val66Met polymorphism at BDNF gene and anxiety disorders in a community sample of children and adolescents. <i>Neuroscience Letters</i> , 2011 , 502, 197-200 | 3.3 | 19 |
| 110 | Mental disorders and delivery motorcycle drivers (motoboy): a dangerous association. <i>European Psychiatry</i> , 2011 , 26, 23-7 | 6 | 25 |
| 109 | Child and adolescent mental health worldwide: evidence for action. <i>Lancet, The</i> , 2011 , 378, 1515-25 | 40 | 1113 |

| | | | |
|-----|---|------|-----|
| 108 | Do phenotypic characteristics, parental psychopathology, family functioning, and environmental stressors have a role in the response to methylphenidate in children with attention-deficit/hyperactivity disorder? A naturalistic study from a developing country. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 309-17 | 1.7 | 22 |
| 107 | Attention deficit/hyperactivity disorder: is there a correlation between dopamine transporter density and cerebral blood flow?. <i>Clinical Nuclear Medicine</i> , 2011 , 36, 656-60 | 1.7 | 16 |
| 106 | Commentary: Do potential modifications in classificatory systems impact on child mental health in developing countries? Reflections on Rutter (2011). <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2011 , 52, 669-70; discussion 673-5 | 7.9 | 3 |
| 105 | Smoking and ADHD: an evaluation of self medication and behavioral disinhibition models based on comorbidity and personality patterns. <i>Journal of Psychiatric Research</i> , 2011 , 45, 829-34 | 5.2 | 25 |
| 104 | Prevalence and correlates of gambling problems among a nationally representative sample of Brazilian adolescents. <i>Journal of Gambling Studies</i> , 2011 , 27, 649-61 | 3 | 22 |
| 103 | Are family variables associated with ADHD, inattentive type? A case-control study in schools. <i>European Child and Adolescent Psychiatry</i> , 2011 , 20, 137-45 | 5.5 | 34 |
| 102 | The need of epidemiological data on child mental disorders from low-middle income countries. <i>European Child and Adolescent Psychiatry</i> , 2011 , 20, 497-8 | 5.5 | 4 |
| 101 | Molecular imaging genetics of methylphenidate response in ADHD and substance use comorbidity. <i>Synapse</i> , 2011 , 65, 154-9 | 2.4 | 20 |
| 100 | An open-label trial of risperidone in children and adolescents with severe mood dysregulation. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2011 , 21, 237-43 | 2.9 | 35 |
| 99 | Food intake and serum levels of iron in children and adolescents with attention-deficit/hyperactivity disorder. <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 132-8 | 2.6 | 36 |
| 98 | Do hyperactive symptoms matter in ADHD-I restricted phenotype?. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2010 , 39, 741-8 | 5.4 | 17 |
| 97 | A current update on ADHD pharmacogenomics. <i>Pharmacogenomics</i> , 2010 , 11, 407-19 | 2.6 | 53 |
| 96 | The age at onset of attention deficit hyperactivity disorder. <i>American Journal of Psychiatry</i> , 2010 , 167, 14-6 | 11.9 | 114 |
| 95 | Pharmacogenetic approach for a better drug treatment in children. <i>Current Pharmaceutical Design</i> , 2010 , 16, 2462-73 | 3.3 | 25 |
| 94 | Implications of Extending the ADHD Age-of-Onset Criterion to Age 12: Results from a Prospectively Studied Birth Cohort. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 210-216 | 7.2 | 57 |
| 93 | Attention-deficit/hyperactivity disorder and the dopaminergic hypotheses. <i>Expert Review of Neurotherapeutics</i> , 2010 , 10, 587-601 | 4.3 | 83 |
| 92 | ADHD across cultures: is there evidence for a bidimensional organization of symptoms?. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2010 , 39, 362-72 | 5.4 | 43 |
| 91 | What is to be the fate of ADHD subtypes? An introduction to the special section on research on the ADHD subtypes and implications for the DSM-V. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2010 , 39, 723-5 | 5.4 | 46 |

| | | | |
|----|---|-----|-----|
| 90 | Drs. Christian Kieling, Renata Kieling, and Rohde Reply. <i>American Journal of Psychiatry</i> , 2010 , 167, 718-719. | 1.9 | 1 |
| 89 | Effects of childhood development on late-life mental disorders. <i>Current Opinion in Psychiatry</i> , 2010 , 23, 498-503 | 4.9 | 20 |
| 88 | Implications of Extending the ADHD Age-of-Onset Criterion to Age 12. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 210-216 | 7.2 | 4 |
| 87 | Prevalence of psychiatric disorders in a Brazilian birth cohort of 11-year-olds. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 135-42 | 4.5 | 61 |
| 86 | Does the prevalence of CD and ODD vary across cultures?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 695-704 | 4.5 | 103 |
| 85 | Phenotypic and measurement influences on heritability estimates in childhood ADHD. <i>European Child and Adolescent Psychiatry</i> , 2010 , 19, 311-23 | 5.5 | 71 |
| 84 | ADHD in a representative sample of the Brazilian population: estimated prevalence and comparative adequacy of criteria between adolescents and adults according to the item response theory. <i>International Journal of Methods in Psychiatric Research</i> , 2010 , 19, 177-84 | 4.3 | 29 |
| 83 | Implications of extending the ADHD age-of-onset criterion to age 12: results from a prospectively studied birth cohort. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 210-6 | 7.2 | 55 |
| 82 | Do sluggish cognitive tempo symptoms predict response to methylphenidate in patients with attention-deficit/hyperactivity disorder-inattentive type?. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2009 , 19, 461-5 | 2.9 | 22 |
| 81 | Late-onset ADHD in adults: milder, but still dysfunctional. <i>Journal of Psychiatric Research</i> , 2009 , 43, 697-701 | 5.0 | 38 |
| 80 | Full syndrome and subthreshold attention-deficit/hyperactivity disorder in a Korean community sample: comorbidity and temperament findings. <i>European Child and Adolescent Psychiatry</i> , 2009 , 18, 447-57 | 5.5 | 54 |
| 79 | Differentiating attention-deficit/hyperactivity disorder inattentive and combined types: a (1)H-magnetic resonance spectroscopy study of fronto-striato-thalamic regions. <i>Journal of Neural Transmission</i> , 2009 , 116, 623-9 | 4.3 | 31 |
| 78 | Response to methylphenidate in children and adolescents with ADHD: does comorbid anxiety disorders matters?. <i>Journal of Neural Transmission</i> , 2009 , 116, 631-6 | 4.3 | 12 |
| 77 | Further evidence for the association between attention deficit/hyperactivity disorder and the serotonin receptor 1B gene. <i>Journal of Neural Transmission</i> , 2009 , 116, 1675-80 | 4.3 | 18 |
| 76 | The evaluation of scientific productivity in Brazil: An assessment of the mental health field. <i>Scientometrics</i> , 2009 , 80, 529-537 | 3 | 7 |
| 75 | Methylphenidate combined with aripiprazole in children and adolescents with bipolar disorder and attention-deficit/hyperactivity disorder: a randomized crossover trial. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2009 , 19, 553-61 | 2.9 | 52 |
| 74 | MAOA is associated with methylphenidate improvement of oppositional symptoms in boys with attention deficit hyperactivity disorder. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 709-14 | 5.8 | 18 |
| 73 | Aripiprazole in children and adolescents with bipolar disorder comorbid with attention-deficit/hyperactivity disorder: a pilot randomized clinical trial. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 756-64 | 4.6 | 70 |

| | | | |
|----|--|-----|----|
| 72 | Diffusion of efficacious interventions for children and adolescents with mental health problems. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2008 , 49, 335-52 | 7.9 | 43 |
| 71 | Continuity of behavioral and emotional problems from pre-school years to pre-adolescence in a developing country. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2008 , 49, 499-507 | 7.9 | 31 |
| 70 | ADHD treatment in Latin America and the Caribbean. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008 , 47, 721-722 | 7.2 | 13 |
| 69 | Methylphenidate DAT binding in adolescents with Attention-Deficit/ Hyperactivity Disorder comorbid with Substance Use Disorder--a single photon emission computed tomography with [Tc(99m)]TRODAT-1 study. <i>NeuroImage</i> , 2008 , 40, 1195-201 | 7.9 | 26 |
| 68 | Attention deficit hyperactivity disorder. Preface. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2008 , 17, xvii-xix | 3.3 | 1 |
| 67 | Is there a need to reformulate attention deficit hyperactivity disorder criteria in future nosologic classifications?. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2008 , 17, 405-20, x | 3.3 | 31 |
| 66 | Worldwide child and adolescent mental health begins with awareness: a preliminary assessment in nine countries. <i>International Review of Psychiatry</i> , 2008 , 20, 261-70 | 3.6 | 41 |
| 65 | A randomized crossover clinical study showing that methylphenidate-SODAS improves attention-deficit/hyperactivity disorder symptoms in adolescents with substance use disorder. <i>Brazilian Journal of Medical and Biological Research</i> , 2008 , 41, 250-7 | 2.8 | 32 |
| 64 | Switching from methylphenidate immediate release to MPH-SODAS in attention-deficit/hyperactivity disorder. <i>European Child and Adolescent Psychiatry</i> , 2008 , 17, 133-42 | 5.5 | 7 |
| 63 | Adrenergic alpha2A receptor gene and response to methylphenidate in attention-deficit/hyperactivity disorder-predominantly inattentive type. <i>Journal of Neural Transmission</i> , 2008 , 115, 341-5 | 4.3 | 46 |
| 62 | The -1021 C/T DBH polymorphism is associated with neuropsychological performance among children and adolescents with ADHD. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 485-90 | 3.5 | 49 |
| 61 | The impact of individual and methodological factors in the variability of response to methylphenidate in ADHD pharmacogenetic studies from four different continents. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1419-24 | 3.5 | 20 |
| 60 | A common haplotype at the dopamine transporter gene 5Pregion is associated with attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1568-75 | 3.5 | 49 |
| 59 | Conhecimento sobre o transtorno do dficite de atençõ/hiperatividade no Brasil. <i>Jornal Brasileiro De Psiquiatria</i> , 2007 , 56, 94-101 | 0.5 | 11 |
| 58 | Serotonin genes and attention deficit/hyperactivity disorder in a Brazilian sample: preferential transmission of the HTR2A 452His allele to affected boys. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 69-73 | 3.5 | 33 |
| 57 | A promoter polymorphism (-839 C > T) at the dopamine transporter gene is associated with attention deficit/hyperactivity disorder in Brazilian children. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 215-9 | 3.5 | 31 |
| 56 | No significant association between response to methylphenidate and genes of the dopaminergic and serotonergic systems in a sample of Brazilian children with attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 391-4 | 3.5 | 51 |
| 55 | Is attention-deficit/hyperactivity disorder associated with illicit substance use disorders in male adolescents? A community-based case-control study. <i>Addiction</i> , 2007 , 102, 1122-30 | 4.6 | 71 |

| | | | |
|----|---|------|------|
| 54 | A cross-cultural comparison between samples of Brazilian and German children with ADHD/HD using the Child Behavior Checklist. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 352-9 | 5.1 | 22 |
| 53 | Exposure to HIV in Brazilian adolescents: the impact of psychiatric symptomatology. <i>European Child and Adolescent Psychiatry</i> , 2007 , 16, 236-42 | 5.5 | 7 |
| 52 | An open-label trial of escitalopram in children and adolescents with social anxiety disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2007 , 17, 751-60 | 2.9 | 36 |
| 51 | Drs. Polanczyk and Rohde Reply. <i>American Journal of Psychiatry</i> , 2007 , 164, 1612-1613 | 11.9 | 9 |
| 50 | The worldwide prevalence of ADHD: a systematic review and metaregression analysis. <i>American Journal of Psychiatry</i> , 2007 , 164, 942-8 | 11.9 | 3233 |
| 49 | Topiramate in adolescents with juvenile bipolar disorder presenting weight gain due to atypical antipsychotics or mood stabilizers: an open clinical trial. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2007 , 17, 129-34 | 2.9 | 28 |
| 48 | Aripiprazole in juvenile bipolar disorder comorbid with attention-deficit/hyperactivity disorder: an open clinical trial. <i>CNS Spectrums</i> , 2007 , 12, 758-62 | 1.8 | 28 |
| 47 | Epidemiology of attention-deficit/hyperactivity disorder across the lifespan. <i>Current Opinion in Psychiatry</i> , 2007 , 20, 386-92 | 4.9 | 288 |
| 46 | Psicofarmacos para o tratamento de transtornos de ansiedade em crianças e adolescentes: uma revisão sistemática. <i>Revista Brasileira De Psiquiatria</i> , 2007 , 29, 72-79 | 2.6 | 0 |
| 45 | Smoking during pregnancy and attention-deficit/hyperactivity disorder, predominantly inattentive type: a case-control study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006 , 45, 1338-1345 | 7.2 | 93 |
| 44 | Association between alpha-2a-adrenergic receptor gene and ADHD inattentive type. <i>Biological Psychiatry</i> , 2006 , 60, 1028-33 | 7.9 | 60 |
| 43 | Association between DRD4 gene and performance of children with ADHD in a test of sustained attention. <i>Biological Psychiatry</i> , 2006 , 60, 1163-5 | 7.9 | 51 |
| 42 | Adult mood disorders and childhood psychological trauma. <i>Revista Brasileira De Psiquiatria</i> , 2006 , 28, 184-90 | 2.6 | 14 |
| 41 | Apresentação de uma versão em português para uso no Brasil do instrumento MTA-SNAP-IV de avaliação de sintomas de transtorno do déficit de atenção/hiperatividade e sintomas de transtorno desafiador e de oposição. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2006 , 28, 290-297 | | 80 |
| 40 | Further evidence of the involvement of alpha-2A-adrenergic receptor gene (ADRA2A) in inattentive dimensional scores of attention-deficit/hyperactivity disorder. <i>Molecular Psychiatry</i> , 2006 , 11, 8-10 | 15.1 | 37 |
| 39 | No association between dopaminergic polymorphisms and intelligence variability in attention-deficit/hyperactivity disorder. <i>Molecular Psychiatry</i> , 2006 , 11, 1066-7 | 15.1 | 13 |
| 38 | Lack of gender effects on subtype outcomes in adults with attention-deficit/hyperactivity disorder: support for the validity of subtypes. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006 , 256, 311-9 | 5.1 | 54 |
| 37 | A package of interventions to reduce school dropout in public schools in a developing country. A feasibility study. <i>European Child and Adolescent Psychiatry</i> , 2006 , 15, 442-9 | 5.5 | 22 |

| | | | |
|----|---|-----|----|
| 36 | Attention-deficit/hyperactivity disorder: advancing on pharmacogenomics. <i>Pharmacogenomics</i> , 2005 , 6, 225-34 | 2.6 | 30 |
| 35 | Comparison of risperidone and methylphenidate for reducing ADHD symptoms in children and adolescents with moderate mental retardation. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2005 , 44, 748-55 | 7.2 | 66 |
| 34 | Attention-deficit/hyperactivity disorder in a diverse culture: do research and clinical findings support the notion of a cultural construct for the disorder?. <i>Biological Psychiatry</i> , 2005 , 57, 1436-41 | 7.9 | 96 |
| 33 | Brain perfusion and dopaminergic genes in boys with attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 132B, 53-8 | 3.5 | 26 |
| 32 | O tratamento farmacológico do transtorno bipolar na infância e adolescência. <i>Revista De Psiquiatria Clinica</i> , 2005 , 32, 117-127 | 0.8 | 2 |
| 31 | Child and adolescent mental health in Latin America and the Caribbean: problems, progress, and policy research. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2005 , 18, 359-65 | 4.1 | 25 |
| 30 | Is avoidant disorder part of the social phobia spectrum in a referred sample of Brazilian children and adolescents?. <i>Brazilian Journal of Medical and Biological Research</i> , 2004 , 37, 863-7 | 2.8 | 2 |
| 29 | Transtorno de déficit de atenção/hiperatividade na infância e na adolescência: considerações clínicas e terapêuticas. <i>Revista De Psiquiatria Clinica</i> , 2004 , 31, 124-131 | 0.8 | 13 |
| 28 | Diagnostic performance of the CBCL-Attention Problem Scale as a screening measure in a sample of Brazilian children with ADHD. <i>Journal of Attention Disorders</i> , 2004 , 8, 63-71 | 3.7 | 38 |
| 27 | The acute effect of methylphenidate in Brazilian male children and adolescents with ADHD: a randomized clinical trial. <i>Journal of Attention Disorders</i> , 2004 , 8, 37-43 | 3.7 | 18 |
| 26 | Attention-deficit/hyperactivity disorder and comorbidity in Brazil: comparisons between two referred samples. <i>European Child and Adolescent Psychiatry</i> , 2004 , 13, 243-8 | 5.5 | 36 |
| 25 | New insights on attention-deficit/hyperactivity disorder pharmacogenomics. <i>Drug Development Research</i> , 2004 , 62, 172-179 | 5.1 | 1 |
| 24 | Polymorphisms of the dopamine transporter gene: influence on response to methylphenidate in attention deficit-hyperactivity disorder. <i>Molecular Diagnosis and Therapy</i> , 2004 , 4, 83-92 | | 41 |
| 23 | Interrater agreement for the schedule for affective disorders and schizophrenia epidemiological version for school-age children (K-SADS-E). <i>Revista Brasileira De Psiquiatria</i> , 2003 , 25, 87-90 | 2.6 | 38 |
| 22 | The acute effect of methylphenidate on cerebral blood flow in boys with attention-deficit/hyperactivity disorder. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003 , 30, 423-6 | 8.8 | 47 |
| 21 | Is the alpha-2A adrenergic receptor gene (ADRA2A) associated with attention-deficit/hyperactivity disorder?. <i>American Journal of Medical Genetics Part A</i> , 2003 , 120B, 116-20 | | 73 |
| 20 | Dopamine transporter gene, response to methylphenidate and cerebral blood flow in attention-deficit/hyperactivity disorder: a pilot study. <i>Synapse</i> , 2003 , 48, 87-9 | 2.4 | 85 |
| 19 | Attention-deficit/hyperactivity disorder: current aspects on pharmacogenetics. <i>Pharmacogenomics Journal</i> , 2003 , 3, 11-3 | 3.5 | 9 |

| | | |
|----|---|---------|
| 18 | Juvenile bipolar disorder in Brazil: clinical and treatment findings. <i>Biological Psychiatry</i> , 2003 , 53, 1043-97.9 | 40 |
| 17 | Further evidence for the association between attention-deficit/hyperactivity disorder and the dopamine-beta-hydroxylase gene. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 154-8 | 96 |
| 16 | ADHD in Brazil: the DSM-IV criteria in a culturally different population. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2002 , 41, 1131-3 | 7.2 61 |
| 15 | School dropout and conduct disorder in Brazilian elementary school students. <i>Canadian Journal of Psychiatry</i> , 2001 , 46, 941-7 | 4.8 27 |
| 14 | Attention-deficit hyperactivity disorder: a study of association with both the dopamine transporter gene and the dopamine D4 receptor gene. <i>American Journal of Medical Genetics Part A</i> , 2001 , 105, 471-8 | 140 |
| 13 | Factor and latent class analysis of DSM-IVADHD symptoms in a school sample of Brazilian adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2001 , 40, 711-8 | 7.2 64 |
| 12 | Exploring ADHD age-of-onset criterion in Brazilian adolescents. <i>European Child and Adolescent Psychiatry</i> , 2000 , 9, 212-8 | 5.5 44 |
| 11 | Exploring different information sources for DSM-1V ADHD diagnoses in Brazilian adolescents. <i>Journal of Attention Disorders</i> , 1999 , 3, 91-96 | 3.7 10 |
| 10 | ADHD in a school sample of Brazilian adolescents: a study of prevalence, comorbid conditions, and impairments. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999 , 38, 716-22 | 7.2 184 |
| 9 | Lithium in bipolar adolescents with secondary substance dependency. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999 , 38, 4 | 7.2 1 |
| 8 | The impact of living on the streets on latency children's friendships. <i>Revista De Saude Publica</i> , 1998 , 32, 273-80 | 2.4 3 |
| 7 | Maternity blues in Brazilian women. <i>Acta Psychiatrica Scandinavica</i> , 1997 , 95, 231-5 | 6.5 14 |
| 6 | Preventive Interventions in School Dropout: Three Field Studies193-228 | |
| 5 | Prevention of Mental Health Disorders in Children and Adolescents51-191 | |
| 4 | Disseminating Child and Adolescent Mental Health Treatment Methods: An International Feasibility Study43-50 | |
| 3 | Association of a carboxylesterase 1 polymorphism with appetite reduction in children and adolescents with attention-deficit/hyperactivity disorder treated with methylphenidate | 2 |
| 2 | Cross-sectional and longitudinal associations of threat and deprivation on cognition, emotional processing and psychopathology in children and adolescents | 1 |
| 1 | Shared genetic background between children and adults with attention deficit/hyperactivity disorder | 4 |

