

# Jorge Casseb

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4575418/publications.pdf>

Version: 2024-02-01

136  
papers

1,979  
citations

304743

22  
h-index

377865

34  
g-index

140  
all docs

140  
docs citations

140  
times ranked

2031  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of cognitive impairment in HIV patients: vertical and horizontal transmission. <i>Dementia E Neuropsychologia</i> , 2022, 16, 45-51.	0.8	1
2	Cancer Incidence, Risk Factors, and Survival in a 31 Years-Old Brazilian HIV Cohort. <i>Re:GEN Open</i> , 2022, 2, 37-44.	0.2	0
3	T-lymphocyte activation markers in patients with HIV-1-associated neurocognitive disorder. <i>Journal of NeuroVirology</i> , 2022, 28, 404-409.	2.1	2
4	SARS-CoV-2/COVID-19: Clinical course among subjects HIV-1-infected in Sao Paulo. <i>Current HIV Research</i> , 2022, 20, .	0.5	0
5	Reflection About the Ancient Emergence of HTLV-2 Infection. <i>AIDS Research and Human Retroviruses</i> , 2022, 38, 933-938.	1.1	5
6	Human T Lymphotropic Virus 1-Associated Myelopathy: Overview of Human T Cell Lymphotropic Virus-1/2 Tests and Potential Biomarkers. <i>AIDS Research and Human Retroviruses</i> , 2022, 38, 924-932.	1.1	3
7	Management of HAM/TSP. <i>Neurology: Clinical Practice</i> , 2021, 11, 49-56.	1.6	45
8	Prognosis Markers for Monitoring HTLV-1 Neurologic Disease. <i>Neurology: Clinical Practice</i> , 2021, 11, 134-140.	1.6	3
9	Global expression of noncoding RNome reveals dysregulation of small RNAs in patients with HTLV-1-associated adult T-cell leukemia: a pilot study. <i>Infectious Agents and Cancer</i> , 2021, 16, 4.	2.6	9
10	Brazilian Protocol for Sexually Transmitted Infections 2020: human T-cell lymphotropic virus (HTLV) infection. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2021, 54, e2020605.	0.9	14
11	Small cells lung epidermoid carcinoma in a HTLV1-infected patient: case report and literature review. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2021, 63, e35.	1.1	2
12	Human T-cell leukemia virus type 1 infection among Japanese immigrants and their descendants living in Southeast Brazil: A call for preventive and control responses. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009066.	3.0	10
13	Human T-Cell Lymphotropic Virus/Human Immunodeficiency Virus, and Hepatitis C Virus Coinfection: Clinical Outcomes After 22 Years of Follow-up in São Paulo City. <i>Clinical Infectious Diseases</i> , 2021, 72, 1865-1866.	5.8	0
14	Efficacy of vitamin D supplementation among persons living with HIV/AIDS in São Paulo city, Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2021, 25, 101598.	0.6	0
15	Prevalence of infection by human T Cell lymphotropic viruses (HTLV-1/2) in adult population in Vitória-ES. <i>Brazilian Journal of Infectious Diseases</i> , 2021, 25, 101631.	0.6	4
16	Global Variability of V3 Loop Tetrapeptide Motif: a Concern for HIV-1 Neutralizing Antibodies-based Vaccine Design and Antiretroviral Therapy. <i>Journal of Medical Microbiology and Infectious Diseases</i> , 2021, 9, 108-115.	0.1	0
17	AIDS incidence and survival in a hospital-based cohort of HIV-positive patients from São Paulo, Brazil: The role of IFN-γ polymorphisms. <i>Journal of Medical Virology</i> , 2021, 93, 3601-3606.	5.0	1
18	Immunoprofiling of fresh HAM/TSP blood samples shows altered innate cell responsiveness. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009940.	3.0	2

#	ARTICLE	IF	CITATIONS
19	Interferon- $\beta$ Secretion Enzyme-Linked Immunospot Assay Determined Among Human T Cell Lymphotropic Virus Type 1-Infected Subjects: A Potential Laboratory Marker for Early HTLV-1-Associated Myelopathy/Tropical Spastic Paraparesis Diagnosis. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 6-7.	1.1	4
20	Prevalence of Antiretroviral Drug Resistance Mutations in HIV Seropositive Patients from an Outpatient Clinic of a Large University Hospital from SĂo Paulo, Brazil. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 200-204.	1.1	0
21	Adult T-cell leukaemia/lymphoma in Brazil: A rare disease or rarely diagnosed?. <i>British Journal of Haematology</i> , 2020, 188, e46-e49.	2.5	18
22	IL6 and FAS/FASL gene polymorphisms may be associated with disease progression in HIV-1-positive ethnically mixed patients. <i>Journal of Medical Virology</i> , 2020, 92, 1148-1157.	5.0	3
23	Non-cytotoxic 1,2,3-triazole tethered fused heterocyclic ring derivatives display Tax protein inhibition and impair HTLV-1 infected cells. <i>Bioorganic and Medicinal Chemistry</i> , 2020, 28, 115746.	3.0	2
24	Is the human T-cell lymphotropic virus type 2 in the process of endogenization into the human genome?. <i>Journal of Virus Eradication</i> , 2020, 6, 100009.	0.5	2
25	Creation and validation of a bladder dysfunction symptom score for HTLV-1-associated myelopathy/tropical spastic paraparesis. <i>Orphanet Journal of Rare Diseases</i> , 2020, 15, 175.	2.7	4
26	Dichotomy in Fatal Outcomes in a Large Cohort of People Living with HTLV-1 in SĂo Paulo, Brazil. <i>Pathogens</i> , 2020, 9, 25.	2.8	15
27	Molecular targeting of PD-1 signaling pathway as a novel therapeutic approach in HTLV-1 infection. <i>Microbial Pathogenesis</i> , 2020, 144, 104198.	2.9	7
28	What is the role of the thioredoxin antioxidant complex in relation to HAM/TSP?. <i>Access Microbiology</i> , 2020, 2, acmi000090.	0.5	2
29	Health state utility values in people living with HTLV-1 and in patients with HAM/TSP: The impact of a neglected disease on the quality of life. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008761.	3.0	20
30	Small RNA profiles of HTLV-1 asymptomatic carriers with monoclonal and polyclonal rearrangement of the T-cell antigen receptor $\beta$ -chain using massively parallel sequencing: A pilot study. <i>Oncology Letters</i> , 2020, 20, 2311-2321.	1.8	11
31	Fighting HIV/AIDS in a developing country: lessons from a small cohort from the largest Brazilian city. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2020, 62, e58.	1.1	3
32	Association between changes in body fat distribution, biochemical profile, time of HIV diagnosis, and antiretroviral treatment in adults living with and without virus infection. <i>Revista Da AssociaĂo MĂdica Brasileira</i> , 2020, 66, 67-73.	0.7	1
33	Memory impairment: an intermediate clinical syndrome symptom in HTLV-1-infected patients?. <i>Arquivos De Neuro-Psiquiatria</i> , 2019, 77, 429-435.	0.8	3
34	Detection of clinical and neurological signs in apparently asymptomatic HTLV-1 infected carriers: Association with high proviral load. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0006967.	3.0	30
35	Increasing awareness of human T-lymphotropic virus type-1 infection: a serious, invisible, and neglected health problem in Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2019, 52, e20190343.	0.9	10
36	In vitro basal T-cell proliferation among asymptomatic Human T cell Leukemia Virus type 1 patients co-infected with hepatitis C and/or Human Immunodeficiency Virus type 1. <i>Brazilian Journal of Infectious Diseases</i> , 2018, 22, 106-112.	0.6	2

#	ARTICLE	IF	CITATIONS
37	Short Communication: Is It Possible to Control HIV Infection in a Middle-Income Country Through a Multidisciplinary Approach?. <i>AIDS Research and Human Retroviruses</i> , 2018, 34, 165-167.	1.1	7
38	Polymorphisms in HLA-C and KIR alleles are not associated with HAM/TSP risk in HTLV-1-infected subjects. <i>Virus Research</i> , 2018, 244, 71-74.	2.2	8
39	Cytokine Networks Dysregulation during HTLV-1 Infection and Associated Diseases. <i>Viruses</i> , 2018, 10, 691.	3.3	58
40	Is the telomere length associated with neurocognitive disabilities in HIV-1-infected subjects?. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2018, 60, e16.	1.1	6
41	Morphological alterations in minor salivary glands of HTLV 1+ patients: A pilot study. <i>Journal of Oral Pathology and Medicine</i> , 2018, 47, 985-990.	2.7	0
42	Risk factors associated with HTLV-1 vertical transmission in Brazil: longer breastfeeding, higher maternal proviral load and previous HTLV-1-infected offspring. <i>Scientific Reports</i> , 2018, 8, 7742.	3.3	57
43	The impact of urinary incontinence on the quality of life and on the sexuality of patients with HAM/TSP. <i>Brazilian Journal of Infectious Diseases</i> , 2018, 22, 288-293.	0.6	13
44	Cognitive impairment is frequent among symptomatic carriers of human T-cell lymphotropic virus type 1 (HTLV-1), regardless of their clinical status. <i>Journal of the Neurological Sciences</i> , 2017, 377, 185-189.	0.6	19
45	High risk of heterosexual transmission of human T-cell lymphotropic virus type 1 infection in Brazil. <i>Journal of Medical Virology</i> , 2017, 89, 1287-1294.	5.0	19
46	Prevalence of Sjögren's syndrome in Brazilian patients infected with human T-cell lymphotropic virus. <i>Journal of Oral Pathology and Medicine</i> , 2017, 46, 543-548.	2.7	8
47	Human parvovirus 4 prevalence among HTLV-1/2 infected individuals in Brazil. <i>Journal of Medical Virology</i> , 2017, 89, 748-752.	5.0	3
48	Low bone mineral density among HIV-infected patients in Brazil. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2017, 59, e89.	1.1	9
49	Depression and adherence to antiretroviral treatment in HIV-positive men in São Paulo, the largest city in South America: Social and psychological implications. <i>Clinics</i> , 2017, 72, 743-749.	1.5	20
50	Genetic Markers of the Host in Persons Living with HTLV-1, HIV and HCV Infections. <i>Viruses</i> , 2016, 8, 38.	3.3	16
51	High specific immune response to a bivalent anti-HPV vaccine in HIV-1-infected men in São Paulo, Brazil. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2016, 2, 17-20.	4.5	9
52	Increased frequency of circulating Tc22/Th22 cells and polyfunctional CD38 <sup>+</sup> T cells in HIV-exposed uninfected subjects. <i>Scientific Reports</i> , 2015, 5, 13883.	3.3	13
53	ORIGIN AND PREVALENCE OF HUMAN T-LYMPHOTROPIC VIRUS TYPE 1 (HTLV-1) AND TYPE 2 (HTLV-2) AMONG INDIGENOUS POPULATIONS IN THE AMERICAS. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2015, 57, 01-14.	1.1	56
54	In vitro basal T-cell proliferation and HTLV-1 proviral load among HTLV-1 subjects co-infected with Hepatitis C and/or HIV-1. <i>Retrovirology</i> , 2015, 12, .	2.0	0

#	ARTICLE	IF	CITATIONS
55	Human T-cell lymphotropic virus type 1 (HTLV-1) infection among couples of a cohort followed up in São Paulo, Brazil. <i>Retrovirology</i> , 2015, 12, .	2.0	1
56	Nutritional status and behavioral factors of individuals with HTLV-1 and tropical spastic paraparesis (HAM / TSP). <i>Retrovirology</i> , 2015, 12, .	2.0	2
57	DISCORDANCE BETWEEN BODY MASS INDEX AND ANTHROPOMETRIC MEASUREMENTS AMONG HIV-1-INFECTED PATIENTS ON ANTIRETROVIRAL THERAPY AND WITH LIPOATROPHY/LIPOHYPERTROPHY SYNDROME. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2015, 57, 105-110.	1.1	14
58	High frequency of deficient consumption and low blood levels of 25-hydroxyvitamin D in HIV-1-infected adults from São Paulo city, Brazil. <i>Scientific Reports</i> , 2015, 5, 12990.	3.3	8
59	DETERMINATION OF VIRAL TROPISM BY GENOTYPING AND PHENOTYPING ASSAYS IN BRAZILIAN HIV-1-INFECTED PATIENTS. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2014, 56, 287-290.	1.1	1
60	IL28B Gene Polymorphism SNP rs8099917 Genotype GG Is Associated with HTLV-1-Associated Myelopathy/Tropical Spastic Paraparesis (HAM/TSP) in HTLV-1 Carriers. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e3199.	3.0	24
61	Sexual transmission of human T-cell lymphotropic virus type 1. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2014, 47, 265-274.	0.9	52
62	Human papillomavirus infection in oral fluids of HIV-1-positive men: prevalence and risk factors. <i>Scientific Reports</i> , 2014, 4, 6592.	3.3	18
63	Coincidence of human T-cell lymphotropic virus type 1 (HTLV-1)-associated myelopathy/tropical spastic paraparesis and adult-onset infective dermatitis associated with HTLV-1 infection. <i>International Journal of Dermatology</i> , 2013, 52, 63-68.	1.0	12
64	Handgrip Force Offers a Measure of Physical Function in Individuals Living With HIV/AIDS. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, e30-e32.	2.1	13
65	High Prevalence of Skin Disorders among HTLV-1 Infected Individuals Independent of Clinical Status. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2546.	3.0	29
66	Is the Rate of CD4 Cell Decline Changing Over Time in Antiretroviral-Naïve Patients?. <i>AIDS Patient Care and STDs</i> , 2013, 27, 69-70.	2.5	2
67	Association between muscle strength and the cardiopulmonary status of individuals living with HIV/AIDS. <i>Clinics</i> , 2013, 68, 359-364.	1.5	23
68	Genomic analysis of ERVWE2 locus in patients with multiple sclerosis: absence of genetic association but potential role of human endogenous retrovirus type W elements in molecular mimicry with myelin antigen. <i>Frontiers in Microbiology</i> , 2013, 4, 172.	3.5	24
69	Living Invisible: HTLV-1-Infected Persons and the Lack of Care in Public Health. <i>PLoS Neglected Tropical Diseases</i> , 2012, 6, e1705.	3.0	45
70	The Influence of Coinfection on Mood States in HTLV-1-Infected Patients. , 2012, 2012, 1-5.		2
71	Detection of human T-cell lymphotropic virus type 1 in plasma samples. <i>Virus Research</i> , 2012, 163, 87-90.	2.2	21
72	Clinical, epidemiological and molecular features of the HIV-1 subtype C and recombinant forms that are circulating in the city of São Paulo, Brazil. <i>Virology Journal</i> , 2012, 9, 156.	3.4	9

#	ARTICLE	IF	CITATIONS
73	Aquaporin-4 Antibodies Are Not Related to HTLV-1 Associated Myelopathy. PLoS ONE, 2012, 7, e39372.	2.5	13
74	Relaxation of Adaptive Evolution during the HIV-1 Infection Owing to Reduction of CD4+ T Cell Counts. PLoS ONE, 2012, 7, e39776.	2.5	3
75	Tuberculosis among HIV-1-infected subjects in a tertiary out-patient service in São Paulo city, Brazil. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2012, 54, 257-259.	1.1	5
76	Prevalence of anxiety, depression and quality of life in HTLV-1 infected patients. Brazilian Journal of Infectious Diseases, 2011, 15, 578-582.	0.6	10
77	Persistence and clearance of HPV from the penis of men infected and non-infected with HIV. Journal of Medical Virology, 2011, 83, 127-131.	5.0	21
78	Prevalence of anxiety, depression and quality of life in HTLV-1 infected patients. Brazilian Journal of Infectious Diseases, 2011, 15, 578-582.	0.6	26
79	HTLV-1-Associated Myelopathy/Tropical Spastic Paraparesis (HAM/TSP): Still an Obscure Disease. Central Nervous System Agents in Medicinal Chemistry, 2011, 11, 239-245.	1.1	6
80	Neither molecular diversity of the envelope, immunosuppression status, nor proviral load causes indeterminate HTLV western blot profiles in samples from human T-cell lymphotropic virus type 2 (HTLV-2)-infected individuals. Journal of Medical Virology, 2010, 82, 837-842.	5.0	15
81	Oral manifestations of human T-cell lymphotropic virus infection in adult patients from Brazil. Oral Diseases, 2010, 16, 167-171.	3.0	16
82	Genetic Diversity on the Integrase Region of the <i>pol</i> Gene among HIV Type 1-Infected Patients Naive for Integrase Inhibitors in São Paulo City, Brazil. AIDS Research and Human Retroviruses, 2010, 26, 105-107.	1.1	11
83	Prevalence of <i>Mycoplasma genitalium</i> among HIV-infected men in São Paulo city detected by realtime polymerase chain reaction. International Journal of STD and AIDS, 2010, 21, 23-25.	1.1	11
84	Prevalence and distribution of the GBV-C/HGV among HIV-1-infected patients under anti-retroviral therapy. Virus Research, 2010, 151, 148-152.	2.2	32
85	Is Human T Cell Lymphotropic Type 1 (HTLV-1)-Associated Myelopathy/Tropical Spastic Paraparesis (HAM/TSP) Syndrome a Neglected Disease?. PLoS Neglected Tropical Diseases, 2009, 3, e487.	3.0	21
86	Prevalence of human papillomaviruses in urine samples of male patients infected with HIV-1 in Sao Paulo, Brazil. Journal of Medical Virology, 2009, 81, 2007-2011.	5.0	6
87	The Elevated Interferon Gamma Production is an Important Immunological Marker in HAM/TSP Pathogenesis. Scandinavian Journal of Immunology, 2009, 70, 403-407.	2.7	38
88	Human T-cell lymphotropic virus type 1 infective dermatitis emerging in adulthood. International Journal of Dermatology, 2009, 48, 723-730.	1.0	30
89	Influence of human t-cell lymphotropic virus type 1 (HTLV-1) Infection on laboratory parameters of patients with chronic hepatitis C virus. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2009, 51, 325-329.	1.1	14
90	Distribution of hepatitis B virus genotypes and viral load levels in Brazilian chronically infected patients in São Paulo city. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2009, 51, 269-272.	1.1	12

#	ARTICLE	IF	CITATIONS
91	Presence of tropical spastic paraparesis/human T-cell lymphotropic virus type 1-associated myelopathy (TSP/HAM) like among HIV-infected patients. <i>Journal of Medical Virology</i> , 2008, 80, 392-398.	5.0	22
92	Corticosteroid therapy in TSP/HAM patients: The results from a 10 years open cohort. <i>Journal of the Neurological Sciences</i> , 2008, 269, 133-137.	0.6	55
93	Low DNA HTLV-2 proviral load among women in São Paulo City. <i>Virus Research</i> , 2008, 135, 22-25.	2.2	21
94	Low Risk of Tropical Spastic Paraparesis/Human T Lymphotropic Virus Type 1-Associated Myelopathy Development among Persons Aged >50 Years. <i>Clinical Infectious Diseases</i> , 2008, 47, 728-729.	5.8	8
95	Better CD4+ T Cell Recovery in Brazilian HIV-Infected Individuals Under HAART Due to Cumulative Carriage of SDF-1-3A, CCR2-V64I, CCR5- D32 and CCR5-Promoter 59029A/G Polymorphisms. <i>Current HIV Research</i> , 2008, 6, 466-473.	0.5	16
96	Chemokine Receptors Expression on T Cells and Response to HAART Among Chronic HIV-1-Infected Subjects. <i>Current HIV Research</i> , 2008, 6, 539-543.	0.5	3
97	Successful HAART Is Associated with High B-Chemokine Levels in Chronic HIV Type 1-Infected Patients. <i>AIDS Research and Human Retroviruses</i> , 2007, 23, 906-912.	1.1	9
98	Drug resistance among chronic HIV-1-infected patients naïve for use of anti-retroviral therapy in Sao Paulo city. <i>Virus Research</i> , 2007, 129, 87-90.	2.2	33
99	T CD4+ cells count among patients co-infected with human immunodeficiency virus type 1 (HIV-1) and human T-cell leukemia virus type 1 (HTLV-1): high prevalence of tropical spastic paraparesis/HTLV-1-associated myelopathy (TSP/HAM). <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2007, 49, 231-233.	1.1	18
100	Molecular characterization of human T-cell lymphotropic virus type 2 (HTLV-II) from people living in urban areas of Sao Paulo city: Evidence of multiple subtypes circulation. <i>Journal of Medical Virology</i> , 2007, 79, 182-187.	5.0	25
101	Patterns of In vitro Lymphoproliferative Responses Among HTLV-1-infected Subjects: Upregulation by HTLV-1 During HIV-1 Co-infection. <i>Scandinavian Journal of Immunology</i> , 2007, 65, 577-580.	2.7	11
102	Unusual Finding of HTLV-I Infection among Amazonian Amerindians. <i>Archives of Medical Research</i> , 2007, 38, 897-900.	3.3	9
103	High production of RANTES and MIP-1 $\alpha$ in the tropical spastic paraparesis/HTLV-1-associated myelopathy (TSP/HAM). <i>Journal of Neuroimmunology</i> , 2007, 188, 138-142.	2.3	19
104	Techniques used to identify the Brazilian variant of HIV-1 subtype B. <i>Brazilian Journal of Medical and Biological Research</i> , 2007, 40, 301-304.	1.5	3
105	Humoral response to hepatitis B vaccination and its relationship with T CD45RA+ (naïve) and CD45RO+ (memory) subsets in HIV-1-infected subjects. <i>Vaccine</i> , 2006, 24, 7124-7128.	3.8	55
106	Lack of tax diversity for tropical spastic paraparesis/human T-cell lymphotropic virus type 1 (HTLV-I) associated myelopathy development in HTLV-I-infected subjects in São Paulo, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2006, 101, 273-276.	1.6	9
107	Women Infected with HIV Type 1 Brazilian Variant, Subtype B (B'-GWGR Motif) Have Slower Progression to AIDS, Compared with Patients Infected with Subtype B (B-GPCR Motif). <i>Clinical Infectious Diseases</i> , 2006, 43, 1476-1481.	5.8	20
108	Clinical and epidemiological aspects of HTLV-II infection in São Paulo, Brazil: presence of Tropical Spastic Paraparesis/HTLV-Associated Myelopathy (TSP/HAM) simile diagnosis in HIV-1-co-infected subjects. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2006, 48, 207-210.	1.1	14

#	ARTICLE	IF	CITATIONS
109	Immunological Parameters According to the Physical Activity Level in HIV-1 Infected Individuals. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, S410.	0.4	0
110	Habitual Physical Activity in HIV-1 Infected Individuals. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, S410.	0.4	0
111	Structured Intermittent Therapy with Seven-Day Cycles of HAART for Chronic HIV Infection: A Pilot Study in São Paulo, Brazil. <i>AIDS Patient Care and STDs</i> , 2005, 19, 425-428.	2.5	5
112	Human immunodeficiency virus type 1 Brazilian subtype B variant showed an increasing avidity of the anti-V3 antibodies over time compared to the subtype B US/European strain in São Paulo, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2004, 99, 69-71.	1.6	9
113	CD4+ T-Cell Recovery and Clinical Outcome in HIV-1-Infected Patients Exposed to Multiple Antiretroviral Regimens: Partial Control of Viremia Is Associated with Favorable Outcome. <i>AIDS Patient Care and STDs</i> , 2004, 18, 189-198.	2.5	20
114	AIDS Incidence and Mortality in a Hospital-Based Cohort of HIV-1-Seropositive Patients Receiving Highly Active Antiretroviral Therapy in São Paulo, Brazil. <i>AIDS Patient Care and STDs</i> , 2003, 17, 447-452.	2.5	23
115	Maternal HIV-1 Antibody and Vertical Transmission in Subtype C Virus Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2002, 29, 435-440.	2.1	19
116	Maternal HIV-1 Antibody and Vertical Transmission in Subtype C Virus Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2002, 29, 435-440.	2.1	30
117	HIV disease progression: is the Brazilian variant subtype B' (GWGR motif) less pathogenic than US/European subtype B (GPGR)? <i>International Journal of Infectious Diseases</i> , 2002, 6, 164-169.	3.3	23
118	Human immunodeficiency virus type 1 (HIV-1) disease progression may be due to defects in the expression of the TCR/CD3 complex as well as to a T CD4+ cell deficit. <i>Medical Hypotheses</i> , 2002, 58, 519-520.	1.5	1
119	Lack of Prior Antiretroviral Therapy Is Associated with Increased Mortality Among Hospitalized Patients with AIDS in São Paulo, Brazil. <i>AIDS Patient Care and STDs</i> , 2001, 15, 271-275.	2.5	7
120	Impact of Adherence to Antiretroviral Therapy in HIV-1-Infected Patients at a University Public Service in Brazil. <i>AIDS Patient Care and STDs</i> , 2001, 15, 587-593.	2.5	63
121	Viral Diversity in Some Immunodominant Epitopes: Possible Implications for Retroviral Immunopathogenesis. <i>Journal of Infectious Diseases</i> , 2001, 183, 1305-1306.	4.0	4
122	Possible Mechanism for Positive Interaction of Human T Cell Leukemia Type I on Liver Disease in a Hepatitis C Virus-Infected Japanese Cohort. <i>Journal of Infectious Diseases</i> , 2000, 182, 379-379.	4.0	5
123	AIDS incidence and survival in a hospital-based cohort of asymptomatic HIV seropositive patients in Sao Paulo, Brazil. <i>International Journal of Epidemiology</i> , 1999, 28, 1156-1160.	1.9	29
124	Use of V3 loop peptide-specific antibody evaluation for subtyping HIV-1: results of a vertical transmission study from Sao Paulo, Brazil. <i>Journal of Tropical Pediatrics</i> , 1999, 45, 265-270.	1.5	6
125	Decreasing Mortality and Morbidity in Adult AIDS Patients from 1995 to 1997 in São Paulo, Brazil. <i>AIDS Patient Care and STDs</i> , 1999, 13, 213-214.	2.5	20
126	Is Human T-Cell Lymphotropic Virus Type I More Clever than Human Immunodeficiency Virus Type 1?. <i>Clinical Infectious Diseases</i> , 1998, 27, 1309-1309.	5.8	14



#	ARTICLE	IF	CITATIONS
127	A Possible Case of Human T-Cell Lymphotropic Virus Type I Transmission Through Sexual Assault. Sexually Transmitted Diseases, 1998, 25, 327-328.	1.7	1
128	Use of doxycycline for leptospirosis after high-risk exposure in São Paulo, Brazil. Revista Do Instituto De Medicina Tropical De Sao Paulo, 1998, 40, 59-61.	1.1	59
129	IL-2 AND IFN- $\gamma$ , BUT NOT IL-4 SECRETION BY PERIPHERAL BLOOD MONONUCLEAR CELLS (PBMC) ARE RELATED TO CD4+ T CELLS AND CLINICAL STATUS IN BRAZILIAN HIV-1-INFECTED SUBJECTS. Revista Do Instituto De Medicina Tropical De Sao Paulo, 1998, 40, 351-354.	1.1	9
130	Coinfection with Human Immunodeficiency Virus and Human T-Cell Lymphotropic Virus Type I: Reciprocal Activation with Clinical and Immunologic Consequences. Clinical Infectious Diseases, 1997, 25, 1259-1260.	5.8	11
131	Testing Problems in Diagnosing HTLV Infection among Intravenous Drug Users with AIDS in São Paulo City, Brazil. AIDS Research and Human Retroviruses, 1997, 13, 1639-1641.	1.1	13
132	Prevalence of HTLV-I and HTLV-II infections among HIV-1-infected asymptomatic individuals in São Paulo, Brazil. Revista Do Instituto De Medicina Tropical De Sao Paulo, 1997, 39, 213-216.	1.1	16
133	Immunoreactivity of brazilian HIV isolates with different V3 motifs. Memorias Do Instituto Oswaldo Cruz, 1996, 91, 346-348.	1.6	5
134	HTLV-I and HTLV-II infections among HIV-1 seropositive patients in Sao Paulo, Brazil. European Journal of Epidemiology, 1994, 10, 165-171.	5.7	53
135	Prevalence of human T cell leukemia virus-I (HTLV-I) antibody among populations living in the Amazon region of Brazil (preliminary report). Memorias Do Instituto Oswaldo Cruz, 1990, 85, 29-33.	1.6	23
136	Rapid and Sensitive Qualitative Duoplex Real-Time PCR Method for Discriminatory and Confirmatory Diagnosis of HTLV-1 and HTLV-2 Infections: Brazilian Multicentric Study. Frontiers in Medicine, 0, 9, .	2.6	3