

Qiquan Qiao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4576614/publications.pdf>

Version: 2024-02-01

248
papers

12,535
citations

22099

59
h-index

33814

99
g-index

251
all docs

251
docs citations

251
times ranked

14298
citing authors

#	ARTICLE	IF	CITATIONS
1	Microstructure controlled synthesis of Ni, N-codoped CoP/carbon fiber hybrids with improving reaction kinetics for superior sodium storage. <i>Journal of Materials Science and Technology</i> , 2022, 99, 184-192.	5.6	29
2	Highly efficient electron transport based on double-layered PC61BM in inverted perovskite solar cells. <i>Organic Electronics</i> , 2022, 100, 106391.	1.4	4
3	Mitigating Interfacial Mismatch between Lithium Metal and Garnet-Type Solid Electrolyte by Depositing Metal Nitride Lithiophilic Interlayer. <i>ACS Applied Energy Materials</i> , 2022, 5, 648-657.	2.5	16
4	Inorganic CsSn ₃ Perovskite Solar Cells: The Progress and Future Prospects. <i>Solar Rrl</i> , 2022, 6, 2100841.	3.1	25
5	Interface Engineering of Pb-Sn Low-Bandgap Perovskite Solar Cells for Improved Efficiency and Stability. <i>Solar Rrl</i> , 2022, 6, .	3.1	8
6	Synergistic Approach toward Erbium-Passivated Triple-Anion Organic-Free Perovskite Solar Cells with Excellent Performance for Agrivoltaics Application. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 6894-6905.	4.0	8
7	Strategies for high-performance perovskite solar cells from materials, film engineering to carrier dynamics and photon management. <i>Informa-Materials</i> , 2022, 4, .	8.5	27
8	Van der Waals Epitaxial Growth for High Performance Organic-Free Perovskite Solar Cell: Experimental and Theoretical Insights. <i>Advanced Materials Interfaces</i> , 2022, 9, .	1.9	4
9	Roles of Organic Ligands in Ambient Stability of Layered Halide Perovskites. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 33085-33093.	4.0	2
10	Current advancements on charge selective contact interfacial layers and electrodes in flexible hybrid perovskite photovoltaics. <i>Journal of Energy Chemistry</i> , 2021, 54, 151-173.	7.1	51
11	Carbon quantum dot additive engineering for efficient and stable carbon-based perovskite solar cells. <i>Journal of Alloys and Compounds</i> , 2021, 859, 157784.	2.8	29
12	Synergetic effect of spatially separated dual co-catalyst for accelerating multiple conversion reaction in advanced lithium sulfur batteries. <i>Nano Energy</i> , 2021, 81, 105621.	8.2	123
13	Two-dimensional transition metal dichalcogenides and their composites for lab-based sensing applications: Recent progress and future outlook. <i>Sensors and Actuators A: Physical</i> , 2021, 318, 112517.	2.0	21
14	Understanding the modulation effect and surface chemistry in a heteroatom incorporated graphene-like matrix toward high-rate lithium-sulfur batteries. <i>Nanoscale</i> , 2021, 13, 14777-14784.	2.8	18
15	Kinetic Monte Carlo Simulation of Perovskite Solar Cells to Probe Film Coverage and Thickness. <i>Advanced Energy and Sustainability Research</i> , 2021, 2, 2000068.	2.8	3
16	Mitigating Open-Circuit Voltage Loss in Pb-Sn Low-Bandgap Perovskite Solar Cells via Additive Engineering. <i>ACS Applied Energy Materials</i> , 2021, 4, 1731-1742.	2.5	43
17	Grain Boundary Defect Passivation in Quadruple Cation Wide-Bandgap Perovskite Solar Cells. <i>Solar Rrl</i> , 2021, 5, 2000740.	3.1	19
18	Perovskite solar cells with embedded homojunction via nonuniform metal ion doping. <i>Cell Reports Physical Science</i> , 2021, 2, 100415.	2.8	10

#	ARTICLE	IF	CITATIONS
19	Development and characterization of a novel activated biochar-based polymer composite for biosensors. <i>International Journal of Polymer Analysis and Characterization</i> , 2021, 26, 544-560.	0.9	15
20	Origin and alleviation of J-V hysteresis in perovskite solar cells: A short review. <i>Catalysis Today</i> , 2021, 374, 86-101.	2.2	42
21	Enhancing efficiency and stability of inverted structure perovskite solar cells with fullerene C60 doped PC61BM electron transport layer. <i>Carbon</i> , 2021, 180, 226-236.	5.4	19
22	Solution-Processed Compact Sb ₂ S ₃ Thin Films by a Facile One-Step Deposition Method for Efficient Solar Cells. <i>Solar Rrl</i> , 2021, 5, 2100666.	3.1	16
23	Photoelectrochemical Application and Charge Transport Dynamics of a Water-Stable Organic-Inorganic Halide (C ₆ H ₄ NH ₂ CuCl ₂) Film in Aqueous Solution. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 44274-44283.	4.0	3
24	Advanced strategies for the development of porous carbon as a Li host/current collector for lithium metal batteries. <i>Energy Storage Materials</i> , 2021, 41, 448-465.	9.5	60
25	The Role of Ex Situ Solid Electrolyte Interphase in Lithium Metal Batteries. , 2021, , 479-511.		0
26	Engineering Cu ₂ ZnSnS ₄ grain boundaries for enhanced photovoltage generation at the Cu ₂ ZnSnS ₄ /TiO ₂ heterojunction: A nanoscale investigation using Kelvin probe force microscopy. <i>Journal of Applied Physics</i> , 2021, 130, .	1.1	6
27	Tailored PEDOT:PSS hole transport layer for higher performance in perovskite solar cells: Enhancement of electrical and optical properties with improved morphology. <i>Journal of Energy Chemistry</i> , 2020, 44, 41-50.	7.1	105
28	A copper-clad lithiophilic current collector for dendrite-free lithium metal anodes. <i>Journal of Materials Chemistry A</i> , 2020, 8, 1911-1919.	5.2	49
29	High efficiency perovskite solar cells using nitrogen-doped graphene/ZnO nanorod composite as an electron transport layer. <i>Solar Energy</i> , 2020, 197, 78-83.	2.9	73
30	Improved Performance of Carbon Electrode Perovskite Solar Cells Using Urea Treatment in Two-Step Processing. <i>ChemNanoMat</i> , 2020, 6, 806-815.	1.5	9
31	Unraveling urea pre-treatment correlated to activate Er ₂ (WO ₄) ₃ as an efficient and stable counter electrode for dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2020, 333, 135540.	2.6	13
32	Fine-Tuning Semiconducting Polymer Self-Aggregation and Crystallinity Enables Optimal Morphology and High-Performance Printed All-Polymer Solar Cells. <i>Journal of the American Chemical Society</i> , 2020, 142, 392-406.	6.6	143
33	Nanoscale control of grain boundary potential barrier, dopant density and filled trap state density for higher efficiency perovskite solar cells. <i>Informa-Materi</i> , 2020, 2, 409-423.	8.5	25
34	The donor-dependent methoxy effects on the performance of hole-transporting materials for perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2020, 47, 10-17.	7.1	28
35	Synergistic engineering of hole transport materials in perovskite solar cells. <i>Informa-Materi</i> , 2020, 2, 928-941.	8.5	29
36	Fluorinated hybrid solid-electrolyte-interphase for dendrite-free lithium deposition. <i>Nature Communications</i> , 2020, 11, 93.	5.8	312

#	ARTICLE	IF	CITATIONS
37	Sulfiphilic FeP/rGO as a highly efficient sulfur host for propelling redox kinetics toward stable lithium-sulfur battery. <i>Electrochimica Acta</i> , 2020, 364, 137117.	2.6	58
38	High-energy plasma activation of renewable carbon for enhanced capacitive performance of supercapacitor electrode. <i>Electrochimica Acta</i> , 2020, 362, 137148.	2.6	31
39	Effects of polymer crystallinity on non-fullerene acceptor based organic solar cell photostability. <i>Journal of Materials Chemistry C</i> , 2020, 8, 16092-16099.	2.7	13
40	Thermally Driven High-Rate Intercalated Pseudocapacitance of Flower-like Architecture of Ultrathin Few Layered δ -MnO ₂ Nanosheets on Carbon Nano-Onions. <i>ACS Applied Energy Materials</i> , 2020, 3, 11398-11409.	2.5	16
41	Tailoring the Grain Boundaries of Wide-Bandgap Perovskite Solar Cells by Molecular Engineering. <i>Solar Rrl</i> , 2020, 4, 2000384.	3.1	15
42	Grain Boundary Defect Passivation of Triple Cation Mixed Halide Perovskite with Hydrazine-Based Aromatic Iodide for Efficiency Improvement. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 41312-41322.	4.0	45
43	Gamma-radiated biochar carbon for improved supercapacitor performance. <i>RSC Advances</i> , 2020, 10, 29910-29917.	1.7	30
44	High-Performance Lead-Free Solar Cells Based on Tin-Halide Perovskite Thin Films Functionalized by a Divalent Organic Cation. <i>ACS Energy Letters</i> , 2020, 5, 2223-2230.	8.8	96
45	Enhanced catalytic property of transparent PEDOT counter electrodes for bifacial dye sensitized solar cells. <i>Materials Today Communications</i> , 2020, 25, 101313.	0.9	8
46	Metallic 1T Phase Tungsten Disulfide Microflowers for Trace Level Detection of Hg ²⁺ ions. <i>Advanced Sustainable Systems</i> , 2020, 4, 2000068.	2.7	12
47	Rear-Illuminated Perovskite Photorechargeable Lithium Battery. <i>Advanced Functional Materials</i> , 2020, 30, 2001865.	7.8	31
48	Effect of antisolvent treatment on Pbl ₂ films for high performance carbon-based perovskite solar cells. <i>Materials Letters</i> , 2020, 275, 128157.	1.3	7
49	Recent Advances in Lithiophilic Porous Framework toward Dendrite-Free Lithium Metal Anode. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 4185.	1.3	33
50	Origin of enhanced carrier mobility and electrical conductivity in seed-layer assisted sputtered grown Al doped ZnO thin films. <i>Thin Solid Films</i> , 2020, 700, 137916.	0.8	32
51	Efficient tandem solar cells with solution-processed perovskite on textured crystalline silicon. <i>Science</i> , 2020, 367, 1135-1140.	6.0	525
52	Reduced hysteresis in perovskite solar cells using metal oxide/organic hybrid hole transport layer with generated interfacial dipoles. <i>Electrochimica Acta</i> , 2020, 354, 136660.	2.6	11
53	Temperature driven high-performance pseudocapacitor of carbon nano-onions supported urchin like structures of δ -MnO ₂ nanorods. <i>Electrochimica Acta</i> , 2020, 354, 136626.	2.6	30
54	Real time detection of Hg ²⁺ ions using MoS ₂ functionalized AlGaN/GaN high electron mobility transistor for water quality monitoring. <i>Sensors and Actuators B: Chemical</i> , 2020, 309, 127832.	4.0	40

#	ARTICLE	IF	CITATIONS
55	Modifying Mesoporous TiO ₂ by Ammonium Sulfonate Boosts Performance of Perovskite Solar Cells. ACS Applied Materials & Interfaces, 2020, 12, 12696-12705.	4.0	32
56	Thermal Stability and Performance Enhancement of Perovskite Solar Cells Through Oxalic Acid-Induced Perovskite Formation. ACS Applied Energy Materials, 2020, 3, 2432-2439.	2.5	55
57	Enhancing Charge Carrier Delocalization in Perovskite Quantum Dot Solids with Energetically Aligned Conjugated Capping Ligands. ACS Energy Letters, 2020, 5, 817-825.	8.8	58
58	Nanoscale spatial mapping of charge carrier dynamics in perovskite solar cells. Nano Today, 2020, 33, 100874.	6.2	21
59	Phenylhydrazinium Iodide for Surface Passivation and Defects Suppression in Perovskite Solar Cells. Advanced Functional Materials, 2020, 30, 2000778.	7.8	103
60	Transparent MoS ₂ /PEDOT Composite Counter Electrodes for Bifacial Dye-Sensitized Solar Cells. ACS Omega, 2020, 5, 8687-8696.	1.6	60
61	High-Efficiency Perovskite Solar Cells Enabled by Anatase TiO ₂ Nanopyramid Arrays with an Oriented Electric Field. Angewandte Chemie - International Edition, 2020, 59, 11969-11976.	7.2	76
62	High-Efficiency Perovskite Solar Cells Enabled by Anatase TiO ₂ Nanopyramid Arrays with an Oriented Electric Field. Angewandte Chemie, 2020, 132, 12067-12074.	1.6	15
63	Ultrathin Bilayer of Graphite/SiO ₂ as Solid Interface for Reviving Li Metal Anode. Advanced Energy Materials, 2019, 9, 1901486.	10.2	128
64	Graphene Oxide-Silver Nanowire Nanocomposites for Enhanced Sensing of Hg ²⁺ . ACS Applied Nano Materials, 2019, 2, 4842-4851.	2.4	62
65	High-performance carbon electrode-based CsPbI ₂ Br inorganic perovskite solar cell based on poly(3-hexylthiophene)-carbon nanotubes composite hole-transporting layer. Journal of Colloid and Interface Science, 2019, 555, 180-186.	5.0	58
66	Improving Performance of Nonfullerene Organic Solar Cells over 13% by Employing Silver Nanowires-Doped PEDOT:PSS Composite Interface. ACS Applied Materials & Interfaces, 2019, 11, 42447-42454.	4.0	30
67	Capacity Revival of Tungsten trioxide Anode Material in Lithium-Ion Battery. , 2019, , .		0
68	PCM and the thermal model in battery design. , 2019, , .		0
69	Employing PCBDPP as an Efficient Donor Polymer for High Performance Ternary Polymer Solar Cells. Polymers, 2019, 11, 1423.	2.0	9
70	A review on strategies addressing interface incompatibilities in inorganic all-solid-state lithium batteries. Sustainable Energy and Fuels, 2019, 3, 3279-3309.	2.5	83
71	SnO ₂ Nanoparticles Embedded Biochar as Anode Material in Lithium Ion Batteries. , 2019, , .		1
72	Internet of Things Based Weather-Soil Sensor Station for Precision Agriculture. , 2019, , .		13

#	ARTICLE	IF	CITATIONS
73	Improving photovoltaic performance of carbon-based CsPbBr ₃ perovskite solar cells by interfacial engineering using P3HT interlayer. <i>Journal of Power Sources</i> , 2019, 432, 48-54.	4.0	94
74	Electrochemical stability of lithium halide electrolyte with antiperovskite crystal structure. <i>Electrochimica Acta</i> , 2019, 306, 498-505.	2.6	28
75	Beyond Metal Oxides: Introducing Low-Temperature Solution-Processed Ultrathin Layered Double Hydroxide Nanosheets into Polymer Solar Cells Toward Improved Electron Transport (Solar RRL) <i>Tj ETQq1 1 0.784334 rgBT /Overlock</i>		
76	Energy level alignment and nanoscale investigation of a-TiO ₂ /Cu-Zn-Sn-S interface for alternative electron transport layer in earth abundant Cu-Zn-Sn-S solar cells. <i>Journal of Applied Physics</i> , 2019, 126, .	1.1	28
77	Modeling of Charge Transfer in Mesoscopic Perovskite Solar Cells by Considering a Trapassisted Interface. , 2019, , .		1
78	Tuning Hole Transport Layer Using Urea for High-Performance Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2019, 29, 1806740.	7.8	101
79	Beyond Metal Oxides: Introducing Low-Temperature Solution-Processed Ultrathin Layered Double Hydroxide Nanosheets into Polymer Solar Cells Toward Improved Electron Transport. <i>Solar Rrl</i> , 2019, 3, 1800299.	3.1	5
80	Nanoscale charge transport and local surface potential distribution to probe defect passivation in Ag doped Cu ₂ ZnSnS ₄ absorbing layer. <i>Nanotechnology</i> , 2019, 30, 065706.	1.3	26
81	Photovoltaic Counter Electrodes: An Alternative Approach to Extend Light Absorption Spectra and Enhance Performance of Dye-Sensitized Solar Cells. <i>ChemPlusChem</i> , 2019, 84, 241-246.	1.3	7
82	Flower-shaped lithium nitride as a protective layer via facile plasma activation for stable lithium metal anodes. <i>Energy Storage Materials</i> , 2019, 18, 389-396.	9.5	149
83	Sb ₂ S ₃ Thickness-Related Photocurrent and Optoelectronic Processes in TiO ₂ /Sb ₂ S ₃ /P3HT Planar Hybrid Solar Cells. <i>Nanoscale Research Letters</i> , 2019, 14, 325.	3.1	10
84	Advanced Coupling of Energy Storage and Photovoltaics. , 2019, , 317-350.		0
85	Electrochemical Phosphate Sensors Using Silver Nanowires Treated Screen Printed Electrodes. <i>IEEE Sensors Journal</i> , 2018, 18, 3480-3485.	2.4	43
86	Solar Charging Batteries: Advances, Challenges, and Opportunities. <i>Joule</i> , 2018, 2, 1217-1230.	11.7	229
87	Efficient CsF interlayer for high and low bandgap polymer solar cell. <i>AIP Advances</i> , 2018, 8, 025018.	0.6	7
88	Fabrication of PANI-coated ZnFe ₂ O ₄ nanofibers with enhanced electrochemical performance for energy storage. <i>Electrochimica Acta</i> , 2018, 273, 282-288.	2.6	36
89	Aromatic Alkylammonium Spacer Cations for Efficient Two-Dimensional Perovskite Solar Cells with Enhanced Moisture and Thermal Stability. <i>Solar Rrl</i> , 2018, 2, 1700215.	3.1	55
90	Hierarchical CuInS ₂ synthesized with the induction of histidine for polymer/CuInS ₂ solar cells. <i>Materials Science in Semiconductor Processing</i> , 2018, 76, 14-24.	1.9	16

#	ARTICLE	IF	CITATIONS
91	A strategic review on processing routes towards highly efficient perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 2406-2431.	5.2	179
92	Dithieno[3,2- <i>b</i> :2,3- <i>d'</i>]pyrrole-based hole transport materials for perovskite solar cells with efficiencies over 18%. <i>Journal of Materials Chemistry A</i> , 2018, 6, 7950-7958.	5.2	122
93	Additive assisted morphological optimization of photoactive layer in polymer solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2018, 182, 246-254.	3.0	39
94	Solution-processed all-oxide bulk heterojunction solar cells based on CuO nanorod array and TiO ₂ nanocrystals. <i>Nanotechnology</i> , 2018, 29, 215403.	1.3	7
95	Origin of high carrier mobility and low residual stress in RF superimposed DC sputtered Al doped ZnO thin film for next generation flexible devices. <i>Applied Surface Science</i> , 2018, 436, 477-485.	3.1	30
96	Synthesis, Photophysical and Computational Study of Novel Coumarin-based Organic Dyes. <i>Photochemistry and Photobiology</i> , 2018, 94, 261-276.	1.3	14
97	Creation of oxygen vacancies to activate WO ₃ for higher efficiency dye-sensitized solar cells. <i>Sustainable Energy and Fuels</i> , 2018, 2, 403-412.	2.5	45
98	Improving Charge Carrier Delocalization in Perovskite Quantum Dots by Surface Passivation with Conductive Aromatic Ligands. <i>ACS Energy Letters</i> , 2018, 3, 2931-2939.	8.8	116
99	Hierarchical Nanosheet-Based MS ₂ (M = Re, Mo, W) Nanotubes Prepared by Templating Sacrificial Te Nanowires with Superior Lithium and Sodium Storage Capacity. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 37445-37452.	4.0	43
100	Few-layered ReS ₂ nanosheets vertically aligned on reduced graphene oxide for superior lithium and sodium storage. <i>Journal of Materials Chemistry A</i> , 2018, 6, 20267-20276.	5.2	61
101	Rapid and Low-Temperature Processing of Mesoporous and Nanocrystalline TiO ₂ Film Using Microwave Irradiation. <i>ACS Applied Energy Materials</i> , 2018, 1, 6288-6294.	2.5	9
102	Functionalized carboxylate deposition of triphenylamine-based organic dyes for efficient dye-sensitized solar cells. <i>RSC Advances</i> , 2018, 8, 31943-31949.	1.7	6
103	Inverted Current-Voltage Hysteresis in Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2018, 3, 2457-2460.	8.8	84
104	Step-by-Step Heating of Dye Solution for Efficient Solar Energy Harvesting in Dye-Sensitized Solar Cells. <i>Journal of Electronic Materials</i> , 2018, 47, 4737-4741.	1.0	6
105	Self-recovery in Li-metal hybrid lithium-ion batteries via WO ₃ reduction. <i>Nanoscale</i> , 2018, 10, 15956-15966.	2.8	87
106	Higher efficiency perovskite solar cells using 2 core-shell nanoparticles. <i>Sustainable Energy and Fuels</i> , 2018, 2, 2260-2267.	2.5	21
107	Bias-Dependent Normal and Inverted J-V Hysteresis in Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 25604-25613.	4.0	77
108	Improving Photovoltaic Properties of P3HT:IC60BA through the Incorporation of Small Molecules. <i>Polymers</i> , 2018, 10, 121.	2.0	20

#	ARTICLE	IF	CITATIONS
109	Noncovalent phosphorylation of graphene oxide with improved hole transport in high-efficiency polymer solar cells. <i>Nanoscale</i> , 2018, 10, 14840-14846.	2.8	14
110	Influence of Nonfused Cores on the Photovoltaic Performance of Linear Triphenylamine-Based Hole-Transporting Materials for Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 17883-17895.	4.0	83
111	Fe _{1-x} Co _x S ₂ Solid Solutions with Tunable Energy Structures to Enhance the Performance of Triiodide Reduction in Dye-Sensitized Solar Cells. <i>ChemNanoMat</i> , 2018, 4, 1043-1047.	1.5	12
112	Comparison of performance and optoelectronic processes in ZnO and TiO ₂ nanorod array-based hybrid solar cells. <i>Applied Surface Science</i> , 2018, 456, 124-132.	3.1	18
113	Highly Efficient Perovskite Solar Cell Photocharging of Lithium Ion Battery Using DC-DC Booster. <i>Advanced Energy Materials</i> , 2017, 7, 1602105.	10.2	128
114	Photovoltaic performance and impedance spectroscopy of a purely organic dye and most common metallic dye based dye-sensitized solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 6552-6559.	1.1	16
115	4 <i>H</i> -cyclopenta[2,3,4-dithiophene (CPDTo) homopolymer with side chains on every other CPDTo. <i>Journal of Polymer Science Part A</i> , 2017, 55, 1077-1085.	2.5	2
116	Alternative benzodithiophene (BDT) based polymeric hole transport layer for efficient perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2017, 168, 8-13.	3.0	37
117	Kirkendall Growth of Hollow Mn ₃ O ₄ Nanoparticles upon Galvanic Reaction of MnO with Cu ²⁺ and Evaluation as Anode for Lithium-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2017, 121, 11089-11099.	1.5	34
118	Tailoring Nanoscale Morphology of Polymer:Fullerene Blends Using Electrostatic Field. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 2678-2685.	4.0	14
119	Binder Free Hierarchical Mesoporous Carbon Foam for High Performance Lithium Ion Battery. <i>Scientific Reports</i> , 2017, 7, 1440.	1.6	56
120	Kinetic Monte Carlo modeling on organic solar cells: Domain size, donor-acceptor ratio and thickness. <i>Nano Energy</i> , 2017, 35, 128-137.	8.2	30
121	Sonochemical synthesis and high lithium storage properties of ordered Co/CMK-3 nanocomposites. <i>Applied Surface Science</i> , 2017, 400, 492-497.	3.1	17
122	Higher efficiency perovskite solar cells using additives of LiI, LiTFSI and BMImI in the PbI ₂ precursor. <i>Sustainable Energy and Fuels</i> , 2017, 1, 2162-2171.	2.5	53
123	Urea-Treated Electrolytes for Higher Efficiency Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2017, 121, 21225-21230.	1.5	15
124	Environmentally Friendly Plasma-Treated PEDOT:PSS as Electrodes for ITO-Free Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 35861-35870.	4.0	71
125	Effect of TiO ₂ nanoparticles on newly synthesized phenothiazine derivative-CPTA dye and its applications as dye sensitized solar cell. <i>Journal of Molecular Liquids</i> , 2017, 244, 97-102.	2.3	21
126	Nonconjugated Polymer Poly(vinylpyrrolidone) as an Efficient Interlayer Promoting Electron Transport for Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 32957-32964.	4.0	73

#	ARTICLE	IF	CITATIONS
127	Activation of Passive Nanofillers in Composite Polymer Electrolyte for Higher Performance Lithium-ion Batteries. <i>Advanced Sustainable Systems</i> , 2017, 1, 1700043.	2.7	26
128	Plasmonic silver nanowires for higher efficiency dye-sensitized solar cells. <i>Materials Today Energy</i> , 2017, 5, 237-242.	2.5	13
129	Cysteine assisted-synthesis of 3D In_2S_3 for 3D CuInS_2 and its application in hybrid solar cells. <i>RSC Advances</i> , 2017, 7, 37578-37587.	1.7	27
130	Synergistically Enhanced Electrochemical Performance of Ni_3S_4 -PtX (X = Fe, Ni) Heteronanorods as Heterogeneous Catalysts in Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 27607-27617.	4.0	32
131	Review on dye-sensitized solar cells (DSSCs): Advanced techniques and research trends. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 68, 234-246.	8.2	882
132	Modeling of interfacial and bulk charge transfer in dye-sensitized solar cells. <i>Cogent Engineering</i> , 2017, 4, 1287231.	1.1	12
133	Tin Selenide @ Multi-Walled Carbon Nanotubes Hybrid Anodes for High Performance Lithium-Ion Batteries. <i>Electrochimica Acta</i> , 2016, 211, 720-725.	2.6	105

134

#	ARTICLE	IF	CITATIONS
145	Solution-Processable Ionic Liquid as an Independent or Modifying Electron Transport Layer for High-Efficiency Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 34464-34473.	4.0	111
146	Effect of Synthesis Temperature, UV-Ozone Treatment, and Nanowire Diameter on the Failure of Silver Nanowire Electrodes. <i>IEEE Journal of Photovoltaics</i> , 2016, 6, 1549-1553.	1.5	7
147	An oligothiophene chromophore with a macrocyclic side chain: synthesis, morphology, charge transport, and photovoltaic performance. <i>RSC Advances</i> , 2016, 6, 102043-102056.	1.7	3
148	Biofuel production using Pd/Zn synergistically catalyzed hydrodeoxygenation applied at bio oil extracted in biomass pyrolysis process. <i>International Journal of Energy Research</i> , 2016, 40, 1724-1730.	2.2	11
149	A Simple Cost-Effective Approach to Enhance Performance of Bifacial Dye-Sensitized Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2016, 6, 912-917.	1.5	16
150	Room temperature, air crystallized perovskite film for high performance solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 10231-10240.	5.2	60
151	Functionalized Carboxylate Deposition for rapid sensitization of dye-sensitized solar cells. <i>Solar Energy</i> , 2016, 126, 128-136.	2.9	1
152	Electrospun carbon nano-felt derived from alkali lignin for cost-effective counter electrodes of dye-sensitized solar cells. <i>RSC Advances</i> , 2016, 6, 11481-11487.	1.7	45
153	Synthesis, modeling and photovoltaic properties of a benzothiadiazole based molecule for dye-sensitized solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 4501-4507.	1.1	16
154	Solution processed pristine PDPP3T polymer as hole transport layer for efficient perovskite solar cells with slower degradation. <i>Solar Energy Materials and Solar Cells</i> , 2016, 145, 193-199.	3.0	96
155	Graphene-beaded carbon nanofibers with incorporated Ni nanoparticles as efficient counter-electrode for dye-sensitized solar cells. <i>Nano Energy</i> , 2016, 22, 558-563.	8.2	66
156	Crystallization of a perovskite film for higher performance solar cells by controlling water concentration in methyl ammonium iodide precursor solution. <i>Nanoscale</i> , 2016, 8, 2693-2703.	2.8	100
157	Incorporation of plasmonic Au nanostars into photoanodes for high efficiency dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 545-551.	5.2	47
158	Managing Charge and Exciton Transporting Behavior in White Organic Light-Emitting Devices for High Power Efficiency and Superior Color Stability. <i>Advanced Electronic Materials</i> , 2015, 1, 1400040.	2.6	6
159	Investigation of novel anthracene-bridged carbazoles as sensitizers and Co-sensitizers for dye-sensitized solar cells. <i>International Journal of Energy Research</i> , 2015, 39, 1335-1344.	2.2	12
160	Efficient Counter Electrode Manufactured from Ag ₂ S Nanocrystal Ink for Dye-Sensitized Solar Cells. <i>Chemistry - A European Journal</i> , 2015, 21, 15153-15157.	1.7	36
161	Vanadium oxide as new charge recombination blocking layer for high efficiency dye-sensitized solar cells. <i>Nano Energy</i> , 2015, 13, 368-375.	8.2	39
162	Strategic review of secondary phases, defects and defect-complexes in kesterite CZTS-Se solar cells. <i>Energy and Environmental Science</i> , 2015, 8, 3134-3159.	15.6	451

#	ARTICLE	IF	CITATIONS
163	An efficient dual-emissive-layer white organic light emitting-diode: Insight into device working mechanism and origin of color-shift. <i>Organic Electronics</i> , 2015, 19, 157-162.	1.4	10
164	Critical role of domain crystallinity, domain purity and domain interface sharpness for reduced bimolecular recombination in polymer solar cells. <i>Nano Energy</i> , 2015, 12, 457-467.	8.2	41
165	Ultrathin FeSe ₂ Nanosheets: Controlled Synthesis and Application as a Heterogeneous Catalyst in Dye-Sensitized Solar Cells. <i>Chemistry - A European Journal</i> , 2015, 21, 4085-4091.	1.7	108
166	Catalytic cracking of non-edible sunflower oil over ZSM-5 for hydrocarbon bio-jet fuel. <i>New Biotechnology</i> , 2015, 32, 300-312.	2.4	77
167	The Role of Mott-Schottky Heterojunctions in Ag ₈ SnS ₆ as Counter Electrodes in Dye-Sensitized Solar Cells. <i>ChemSusChem</i> , 2015, 8, 817-820.	3.6	64
168	From binary to multicomponent photoactive layer: A promising complementary strategy to efficient hybrid solar cells. <i>Nano Energy</i> , 2015, 12, 686-697.	8.2	28
169	Improved Performance for Inverted Organic Photovoltaics via Spacer between Benzodithiophene and Benzothiazole in Polymers. <i>Journal of Physical Chemistry C</i> , 2015, 119, 18992-19000.	1.5	16
170	Enhanced Lifetime of Polymer Solar Cells by Surface Passivation of Metal Oxide Buffer Layers. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 16093-16100.	4.0	57
171	Characteristics of SnO ₂ nanofiber/TiO ₂ nanoparticle composite for dye-sensitized solar cells. <i>AIP Advances</i> , 2015, 5, .	0.6	34
172	Graphene-embedded carbon nanofibers decorated with Pt nanoneedles for high efficiency dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 17721-17727.	5.2	47
173	A futuristic strategy to influence the solar cell performance using fixed and mobile dopants incorporated sulfonated polyaniline based buffer layer. <i>Solar Energy Materials and Solar Cells</i> , 2015, 141, 275-290.	3.0	32
174	Improved performance by morphology control via fullerenes in PBBDT-TBT-alkoBT based organic solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 15307-15313.	5.2	20
175	Dye-Sensitized Solar Cells Based on Porous Hollow Tin Oxide Nanofibers. <i>IEEE Transactions on Electron Devices</i> , 2015, 62, 2027-2032.	1.6	29
176	3D hierarchical FeSe ₂ microspheres: Controlled synthesis and applications in dye-sensitized solar cells. <i>Nano Energy</i> , 2015, 15, 205-215.	8.2	140
177	Device and morphological engineering of organic solar cells for enhanced charge transport and photovoltaic performance. <i>Journal of Photonics for Energy</i> , 2015, 5, 057207.	0.8	21
178	Morphological Evolution and Its Impacts on Performance of Polymer Solar Cells. <i>IEEE Transactions on Electron Devices</i> , 2015, 62, 1284-1290.	1.6	13
179	Origin of photogenerated carrier recombination at the metal-active layer interface in polymer solar cells. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 27690-27697.	1.3	17
180	Interface Modification of Inverted Structure PSBTBT:PC ₇₀ BM Solar Cells for Improved Performance. <i>IEEE Journal of Photovoltaics</i> , 2015, 5, 1659-1664.	1.5	8

#	ARTICLE	IF	CITATIONS
181	Efficient Perovskite Solar Cells by Temperature Control in Single and Mixed Halide Precursor Solutions and Films. <i>Journal of Physical Chemistry C</i> , 2015, 119, 25747-25753.	1.5	55
182	Optimization of Interconnecting Layers for Double- and Triple-Junction Polymer Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2015, 5, 1674-1679.	1.5	8
183	Versatile Role of Solvent Additive for Tailoring Morphology in Polymer Solar Cells for Efficient Charge Transport. <i>Journal of Nanoscience and Nanotechnology</i> , 2015, 15, 7040-7044.	0.9	8
184	Efficient Ag ₈ /GeS ₆ counter electrode prepared from nanocrystal ink for dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 20359-20365.	5.2	35
185	Influence of Nanoscale Morphology on Performance of Inverted Structure Metallated Conjugated Polymer Solar Cells. <i>IEEE Transactions on Electron Devices</i> , 2015, 62, 3029-3033.	1.6	3
186	Hierarchical Cu ₇ S ₄ nanotubes assembled by hexagonal nanoplates with high catalytic performance for quantum dot-sensitized solar cells. <i>Journal of Power Sources</i> , 2015, 299, 212-220.	4.0	31
187	Interfacial Study To Suppress Charge Carrier Recombination for High Efficiency Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 26445-26454.	4.0	90
188	Electrospun carbon nanofibers with surface-attached platinum nanoparticles as cost-effective and efficient counter electrode for dye-sensitized solar cells. <i>Nano Energy</i> , 2015, 11, 550-556.	8.2	88
189	Low temperature efficient interconnecting layer for tandem polymer solar cells. <i>Nano Energy</i> , 2015, 11, 56-63.	8.2	40
190	Polymer Solar Cells Processed Using Anisole as a Relatively Nontoxic Solvent. <i>Energy Technology</i> , 2014, 2, 269-274.	1.8	38
191	A Non-Doped Phosphorescent Organic Light-Emitting Device with Above 31% External Quantum Efficiency. <i>Advanced Materials</i> , 2014, 26, 8107-8113.	11.1	146
192	Organic Electronics: Doping-Free Organic Light-Emitting Diodes with Very High Power Efficiency, Simple Device Structure, and Superior Spectral Performance (<i>Adv. Funct. Mater.</i> 30/2014). <i>Advanced Functional Materials</i> , 2014, 24, 4722-4722.	7.8	1
193	Incorporation of TiO_2 Nanoparticles Into SnO_2 Nanofibers for Higher Efficiency Dye-Sensitized Solar Cells. <i>IEEE Electron Device Letters</i> , 2014, 35, 578-580.	2.2	21
194	Efficient yellow-green light-emitting cationic iridium complexes based on 1,10-phenanthroline derivatives containing oxadiazole-triphenylamine unit. <i>Dyes and Pigments</i> , 2014, 100, 79-86.	2.0	38
195	Transparent platinum counter electrode for efficient semi-transparent dye-sensitized solar cells. <i>Thin Solid Films</i> , 2014, 562, 578-584.	0.8	25
196	Improved performance of dye solar cells using nanocarbon as support for platinum nanoparticles in counter electrode. <i>Nano Energy</i> , 2014, 5, 116-121.	8.2	35
197	Benzothiadiazole-based polymer for single and double junction solar cells with high open circuit voltage. <i>Nanoscale</i> , 2014, 6, 7093.	2.8	30
198	Doping-Free Organic Light-Emitting Diodes with Very High Power Efficiency, Simple Device Structure, and Superior Spectral Performance. <i>Advanced Functional Materials</i> , 2014, 24, 4746-4752.	7.8	70

#	ARTICLE	IF	CITATIONS
199	Carbon nanostructure counter electrodes for low cost and stable dye-sensitized solar cells. <i>Nano Energy</i> , 2014, 4, 157-175.	8.2	109
200	Interplay of nanoscale domain purity and size on charge transport and recombination dynamics in polymer solar cells. <i>Nanoscale</i> , 2014, 6, 1011-1019.	2.8	69
201	Experimental and computational studies of 4H-cyclopenta[2,1-b:3,4-b [€] 2]dithiophen-4-one (CPDTP)-oligomers. <i>Polymer</i> , 2014, 55, 4677-4683.	1.8	2
202	Double junction polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 10331-10349.	5.2	18
203	Using interlayer step-wise triplet transfer to achieve an efficient white organic light-emitting diode with high color-stability. <i>Applied Physics Letters</i> , 2014, 104, 193303.	1.5	10
204	TiO ₂ coated urchin-like SnO ₂ microspheres for efficient dye-sensitized solar cells. <i>Nano Research</i> , 2014, 7, 1154-1163.	5.8	66
205	Polymer Photovoltaics With Top Metal Electrode Deposited by Solution-Processing. <i>IEEE Transactions on Electron Devices</i> , 2014, 61, 2957-2962.	1.6	6
206	Dye-sensitized solar cells based on spray-coated carbon nanofiber/TiO ₂ nanoparticle composite counter electrodes. <i>Journal of Materials Chemistry A</i> , 2014, 2, 11448.	5.2	61
207	Triple junction polymer solar cells. <i>Energy and Environmental Science</i> , 2013, 6, 3150.	15.6	77
208	Model compounds based on poly(p-phenylenevinyleneborane) and terthiophene: Investigating the p [€] n junction in diblock copolymers. <i>Polymer</i> , 2013, 54, 3510-3520.	1.8	16
209	Evaluation of Counter Electrodes Composed by Carbon Nanofibers and Nanoparticles in Dye-Sensitized Solar Cells. <i>IEEE Transactions on Electron Devices</i> , 2013, 60, 3883-3887.	1.6	10
210	Enhanced charge transport and photovoltaic performance of PBDTTT-C-T/PC70BM solar cells via UV [€] ozone treatment. <i>Nanoscale</i> , 2013, 5, 10007.	2.8	49
211	Photovoltaic devices and characterization of a dodecyloxybenzothiadiazole-based copolymer. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 6856.	1.3	28
212	Electrospun TiC/C nano-felt surface-decorated with Pt nanoparticles as highly efficient and cost-effective counter electrode for dye-sensitized solar cells. <i>Nanoscale</i> , 2013, 5, 11742.	2.8	34
213	Seed-mediated direct growth of CdSe nanoclusters on substrates. <i>Journal of Nanoparticle Research</i> , 2013, 15, 1.	0.8	6
214	Synthesis and structure study of copolymers from thiadiazole fused indolocarbazole and dithienosilole. <i>Polymer</i> , 2013, 54, 223-229.	1.8	17
215	Polymer Photovoltaic Performance and Degradation on Spray and Spin Coated Electron Transport Layer and Active Layer. <i>IEEE Transactions on Electron Devices</i> , 2013, 60, 2372-2378.	1.6	12
216	Enhanced Performance of PDPP3T/ _m PC ₆₀ / _m BM Solar Cells Using High Boiling Solvent and UV - Ozone Treatment. <i>IEEE Transactions on Electron Devices</i> , 2013, 60, 1763-1768.	1.6	12

#	ARTICLE	IF	CITATIONS
217	Kelvin Probe Force Microscopic Imaging of the Energy Barrier and Energetically Favorable Offset of Interfaces in Double-Junction Organic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 1279-1286.	4.0	27
218	Ring-protected small molecules for organic photovoltaics. <i>Proceedings of SPIE</i> , 2013, , .	0.8	5
219	Oleamide as a self-assembled cathode buffer layer for polymer solar cells: the role of the terminal group on the function of the surfactant. <i>Journal of Materials Chemistry</i> , 2012, 22, 24067.	6.7	40
220	Direct growth of CdSe nanorods on ITO substrates by co-anchoring of ZnO nanoparticles and ethylenediamine. <i>Journal of Nanoparticle Research</i> , 2012, 14, 1.	0.8	4
221	Nb ₂ O ₅ as a new electron transport layer for double junction polymer solar cells. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 4682.	1.3	37
222	Enhanced performance in dye-sensitized solar cells via carbon nanofibersâ€“platinum composite counter electrodes. <i>Nanoscale</i> , 2012, 4, 4726.	2.8	67
223	Nickel incorporated carbon nanotube/nanofiber composites as counter electrodes for dye-sensitized solar cells. <i>Nanoscale</i> , 2012, 4, 5659.	2.8	69
224	One dimensional nanostructure/nanoparticle composites as photoanodes for dye-sensitized solar cells. <i>Nanoscale</i> , 2012, 4, 2826.	2.8	82
225	Exciton migration and charge transfer in chemically linked P3HTâ€“TiO ₂ nanorod composite. <i>RSC Advances</i> , 2012, 2, 854-862.	1.7	25
226	Understanding of morphology evolution in local aggregates and neighboring regions for organic photovoltaics. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 10168.	1.3	26
227	Regioregularity and solar cell device performance of poly(3â€“dodecylthienylenevinylene). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2012, 50, 917-922.	2.4	3
228	Linker effects on optoelectronic properties of alternate donorâ€“acceptor conjugated polymers. <i>Energy and Environmental Science</i> , 2011, 4, 4276.	15.6	27
229	Conjugated polymerâ€“inorganic semiconductor hybrid solar cells. <i>Energy and Environmental Science</i> , 2011, 4, 2700.	15.6	278
230	Transient photocurrent and photovoltage studies on charge transport in dye sensitized solar cells made from the composites of TiO ₂ nanofibers and nanoparticles. <i>Applied Physics Letters</i> , 2011, 98, 082114.	1.5	48
231	New pyran dyes for dye-sensitized solar cells. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011, 224, 116-122.	2.0	45
232	In-situ polymerized poly(3-hexylthiophene) and TiO ₂ nanocomposites for organic solar cells. , 2010, , .		0
233	Electrospun Carbon Nanofibers as Low-Cost Counter Electrode for Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2010, 2, 3572-3577.	4.0	295
234	Femtosecond Time-Resolved Fluorescence Study of P3HT/PCBM Blend Films. <i>Journal of Physical Chemistry C</i> , 2010, 114, 14590-14600.	1.5	103

#	ARTICLE	IF	CITATIONS
235	Electrolyte Effects on Electron Transport and Recombination at ZnO Nanorods for Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2010, 114, 17880-17888.	1.5	78
236	A review of polymer multijunction solar cells. <i>Energy and Environmental Science</i> , 2010, 3, 867.	15.6	127
237	Composite of TiO ₂ nanofibers and nanoparticles for dye-sensitized solar cells with significantly improved efficiency. <i>Energy and Environmental Science</i> , 2010, 3, 1507.	15.6	191
238	Energy transfer processes in new conjugated polymer/6,6-phenyl-C ₆₁ -butyric acid methyl ester systems for photovoltaic applications. , 2009, , .		0
239	PbS quantum dots embedded TiO ₂ nanofibers for dye-sensitized solar cells. , 2009, , .		0
240	Structural effects of core-modified porphyrins in dye-sensitized solar cells. <i>Journal of Porphyrins and Phthalocyanines</i> , 2009, 13, 903-909.	0.4	26
241	Dye-sensitized solar cells based on low cost nanoscale carbon/TiO ₂ composite counter electrode. <i>Energy and Environmental Science</i> , 2009, 2, 426.	15.6	190
242	Organic/Inorganic Polymer Solar Cells Using a Buffer Layer from All-Water-Solution Processing. <i>Journal of Physical Chemistry C</i> , 2008, 112, 9912-9916.	1.5	59
243	Carbon Nanoparticles for Counter Electrode Catalyst in Dye-Sensitized Solar Cells. <i>Materials Research Society Symposia Proceedings</i> , 2008, 1102, 1.	0.1	1
244	Hyperbranched Conjugated Polyelectrolyte Bilayers for Solar-Cell Applications. <i>Journal of the American Chemical Society</i> , 2007, 129, 8958-8959.	6.6	135
245	A comparison of fluorine tin oxide and indium tin oxide as the transparent electrode for P3OT/TiO ₂ solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2006, 90, 1034-1040.	3.0	52
246	Water-soluble polythiophene nanocrystalline TiO ₂ solar cells. <i>Applied Physics Letters</i> , 2005, 86, 153501.	1.5	120
247	Influence of the UV-induced fiber loss on the distributed feedback fiber lasers. <i>Optics and Laser Technology</i> , 2003, 35, 309-313.	2.2	2
248	A Review on Tailoring PEDOT:PSS Layer for Improved Performance of Perovskite Solar Cells. <i>Proceedings of the Nature Research Society</i> , 0, 2, .	0.0	70