

Francisco Vega

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/457670/publications.pdf>

Version: 2024-02-01

166
papers

6,088
citations

81900

39
h-index

85541

71
g-index

173
all docs

173
docs citations

173
times ranked

6362
citing authors

#	ARTICLE	IF	CITATIONS
1	The 5th edition of the World Health Organization Classification of Haematolymphoid Tumours: Lymphoid Neoplasms. <i>Leukemia</i> , 2022, 36, 1720-1748.	7.2	1,023
2	Plasmablastic lymphomas and plasmablastic plasma cell myelomas have nearly identical immunophenotypic profiles. <i>Modern Pathology</i> , 2005, 18, 806-815.	5.5	322
3	Leukemia Cutis. <i>American Journal of Clinical Pathology</i> , 2008, 129, 130-142.	0.7	259
4	Activation of Mammalian Target of Rapamycin Signaling Pathway Contributes to Tumor Cell Survival in Anaplastic Lymphoma Kinase-Positive Anaplastic Large Cell Lymphoma. <i>Cancer Research</i> , 2006, 66, 6589-6597.	0.9	187
5	Extranodal NK/T-cell Lymphoma, Nasal Type. <i>American Journal of Surgical Pathology</i> , 2013, 37, 14-23.	3.7	176
6	Extranodal lymphomas of the head and neck. <i>Annals of Diagnostic Pathology</i> , 2005, 9, 340-350.	1.3	150
7	PI3K inhibitor, GS-1101 (CAL-101), attenuates pathway signaling, induces apoptosis, and overcomes signals from the microenvironment in cellular models of Hodgkin lymphoma. <i>Blood</i> , 2012, 119, 1897-1900.	1.4	143
8	Clonal heterogeneity in mycosis fungoides and its relationship to clinical course. <i>Blood</i> , 2002, 100, 3369-3373.	1.4	133
9	Hepatosplenic gamma/delta T-Cell Lymphoma in Bone Marrow. <i>American Journal of Clinical Pathology</i> , 2001, 116, 410-419.	0.7	107
10	Epstein-Barr Virus-Positive B-Cell Lymphoproliferative Disorders Arising in Immunodeficient Patients Previously Treated With Fludarabine for Low-Grade B-Cell Neoplasms. <i>American Journal of Surgical Pathology</i> , 2002, 26, 630-636.	3.7	91
11	Sonic hedgehog signaling proteins and ATP-binding cassette G2 are aberrantly expressed in diffuse large B-Cell lymphoma. <i>Modern Pathology</i> , 2009, 22, 1312-1320.	5.5	88
12	Sonic Hedgehog Signaling Pathway Is Activated in ALK-Positive Anaplastic Large Cell Lymphoma. <i>Cancer Research</i> , 2009, 69, 2550-2558.	0.9	84
13	CD19 target evasion as a mechanism of relapse in large B-cell lymphoma treated with axicabtagene ciloleucel. <i>Blood</i> , 2021, 138, 1081-1085.	1.4	84
14	A Novel Four-Color PCR Assay to Assess T-Cell Receptor Gamma Gene Rearrangements in Lymphoproliferative Lesions. <i>American Journal of Clinical Pathology</i> , 2001, 116, 17-24.	0.7	83
15	<i>MYC</i> translocation in chronic lymphocytic leukaemia is associated with increased polyclonal B-cells and a poor prognosis. <i>British Journal of Haematology</i> , 2008, 142, 36-44.	2.5	78
16	Cross Talk between Follicular Th Cells and Tumor Cells in Human Follicular Lymphoma Promotes Immune Evasion in the Tumor Microenvironment. <i>Journal of Immunology</i> , 2013, 190, 6681-6693.	0.8	77
17	Chromosomal Translocations Involved in Non-Hodgkin Lymphomas. <i>Archives of Pathology and Laboratory Medicine</i> , 2003, 127, 1148-1160.	2.5	71
18	Aberrant Activation of the Hedgehog Signaling Pathway in Malignant Hematological Neoplasms. <i>American Journal of Pathology</i> , 2012, 180, 2-11.	3.8	67

#	ARTICLE	IF	CITATIONS
19	Prognostic Factors of Hepatosplenic T-cell Lymphoma. American Journal of Surgical Pathology, 2016, 40, 676-688.	3.7	65
20	Extracavitary/solid variant of primary effusion lymphoma. Annals of Diagnostic Pathology, 2012, 16, 441-446.	1.3	64
21	CD4 ⁺ CD8 ⁻ 'Double-Negative' Cutaneous T-Cell Lymphomas Share Common Histologic Features and an Aggressive Clinical Course. American Journal of Surgical Pathology, 2002, 26, 225-231.	3.7	63
22	Constitutive BR3 receptor signaling in diffuse, large B-cell lymphomas stabilizes nuclear factor- κ B ⁺ inducing kinase while activating both canonical and alternative nuclear factor- κ B pathways. Blood, 2011, 117, 200-210.	1.4	63
23	Long-term course of patients with primary ocular adnexal MALT lymphoma: a large single-institution cohort study. Blood, 2017, 129, 324-332.	1.4	60
24	Immunohistochemical markers for tumor associated macrophages and survival in advanced classical Hodgkin's lymphoma. Haematologica, 2012, 97, 1080-1084.	3.5	56
25	Hematolymphoid Neoplasms Associated With Rearrangements of PDGFRA, PDGFRB, and FGFR1. American Journal of Clinical Pathology, 2015, 144, 377-392.	0.7	55
26	Essential role of TAK1 in regulating mantle cell lymphoma survival. Blood, 2012, 120, 347-355.	1.4	54
27	Efficacy of venetoclax in high risk relapsed mantle cell lymphoma (<sc>MCL</sc>) outcomes and mutation profile from venetoclax resistant <sc>MCL</sc> patients. American Journal of Hematology, 2020, 95, 623-629.	4.1	54
28	N-terminal PAX8 polyclonal antibody shows cross-reactivity with N-terminal region of PAX5 and is responsible for reports of PAX8 positivity in malignant lymphomas. Modern Pathology, 2012, 25, 231-236.	5.5	52
29	Jun-regulated genes promote interaction of diffuse large B-cell lymphoma with the microenvironment. Blood, 2015, 125, 981-991.	1.4	52
30	LMO2 Confers Synthetic Lethality to PARP Inhibition in DLBCL. Cancer Cell, 2019, 36, 237-249.e6.	16.8	50
31	Phenotypic Modulation of the Stromal Reticular Network in Normal and Neoplastic Lymph Nodes. American Journal of Pathology, 2003, 163, 165-174.	3.8	49
32	t(8;13)-positive Bilineal Lymphomas. American Journal of Surgical Pathology, 2008, 32, 14-20.	3.7	48
33	PRMT5 interacts with the BCL6 oncoprotein and is required for germinal center formation and lymphoma cell survival. Blood, 2018, 132, 2026-2039.	1.4	48
34	CARM1 Is Essential for Myeloid Leukemogenesis but Dispensable for Normal Hematopoiesis. Cancer Cell, 2018, 33, 1111-1127.e5.	16.8	48
35	High-grade B cell lymphoma, unclassifiable, with blastoid features: an unusual morphological subgroup associated frequently with <i>BCL2</i> and/or <i>MYC</i> gene rearrangements and a poor prognosis. Histopathology, 2012, 61, 945-954.	2.9	44
36	Epstein-Barr virus-positive follicular lymphoma. Modern Pathology, 2017, 30, 519-529.	5.5	44

#	ARTICLE	IF	CITATIONS
37	Risk Factors for Transformation to Higher-Grade Lymphoma and Its Impact on Survival in a Large Cohort of Patients With Marginal Zone Lymphoma From a Single Institution. <i>Journal of Clinical Oncology</i> , 2018, 36, 3370-3380.	1.6	44
38	Epstein-Barr virus-associated B-cell lymphoproliferative disorders and lymphomas: a review. <i>Pathology</i> , 2020, 52, 40-52.	0.6	44
39	Shaping of the tumor microenvironment: Stromal cells and vessels. <i>Seminars in Cancer Biology</i> , 2015, 34, 3-13.	9.6	41
40	Ex-vivo sensitivity profiling to guide clinical decision making in acute myeloid leukemia: A pilot study. <i>Leukemia Research</i> , 2018, 64, 34-41.	0.8	41
41	Target-Based Screening against eIF4A1 Reveals the Marine Natural Product Elatol as a Novel Inhibitor of Translation Initiation with <i>In Vivo</i> Antitumor Activity. <i>Clinical Cancer Research</i> , 2018, 24, 4256-4270.	7.0	41
42	Atypical NK-cell Proliferation of the Gastrointestinal Tract in a Patient With Antigliadin Antibodies but not Celiac Disease. <i>American Journal of Surgical Pathology</i> , 2006, 30, 539-544.	3.7	39
43	MicroRNA signatures and treatment response in patients with advanced classical Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2013, 162, 336-347.	2.5	39
44	KSHV/HHV8-positive large B-cell lymphomas and associated diseases: a heterogeneous group of lymphoproliferative processes with significant clinicopathological overlap. <i>Modern Pathology</i> , 2020, 33, 18-28.	5.5	39
45	The stromal composition of malignant lymphoid aggregates in bone marrow: variations in architecture and phenotype in different B-cell tumours. <i>British Journal of Haematology</i> , 2002, 117, 569-576.	2.5	38
46	Transcriptional Regulation of Serine/Threonine Protein Kinase (AKT) Genes by Glioma-associated Oncogene Homolog 1. <i>Journal of Biological Chemistry</i> , 2013, 288, 15390-15401.	3.4	37
47	Indolent peripheral T-cell lymphoma involving the gastrointestinal tract. <i>Human Pathology</i> , 2014, 45, 421-426.	2.0	37
48	Deregulated expression of HDAC9 in B-cells promotes development of lymphoproliferative disease and lymphoma. <i>DMM Disease Models and Mechanisms</i> , 2016, 9, 1483-1495.	2.4	37
49	miR-181a negatively regulates NF- κ B signaling and affects activated B-cell-like diffuse large B-cell lymphoma pathogenesis. <i>Blood</i> , 2016, 127, 2856-2866.	1.4	37
50	Splenic marginal zone lymphomas are characterized by loss of interstitial regions of chromosome 7q, 7q31.32 and 7q36.2 that include the protection of telomere 1 (<i>POT1</i>) and sonic hedgehog (<i>SHH</i>) genes. <i>British Journal of Haematology</i> , 2008, 142, 216-226.	2.5	36
51	Chronic Lymphocytic Leukemia With t(14;19)(q32;q13) Is Characterized by Atypical Morphologic and Immunophenotypic Features and Distinctive Genetic Features. <i>American Journal of Clinical Pathology</i> , 2011, 135, 686-696.	0.7	36
52	Mechanisms of Lymphoma Clearance Induced by High-Dose Alkylating Agents. <i>Cancer Discovery</i> , 2019, 9, 944-961.	9.4	36
53	Marginal zone dural lymphoma: the Memorial Sloan Kettering Cancer Center and University of Miami experiences. <i>Leukemia and Lymphoma</i> , 2017, 58, 882-888.	1.3	34
54	Ibrutinib With Rituximab in First-Line Treatment of Older Patients With Mantle Cell Lymphoma. <i>Journal of Clinical Oncology</i> , 2022, 40, 202-212.	1.6	34

#	ARTICLE	IF	CITATIONS
55	Trimeric G protein-CARMA1 axis links smoothened, the hedgehog receptor transducer, to NF- κ B activation in diffuse large B-cell lymphoma. <i>Blood</i> , 2013, 121, 4718-4728.	1.4	33
56	Angioimmunoblastic T-cell lymphoma in bone marrow: a morphologic and immunophenotypic study. <i>Human Pathology</i> , 2010, 41, 79-87.	2.0	30
57	Molecular profiling reveals a hypoxia signature in breast implant-associated anaplastic large cell lymphoma. <i>Haematologica</i> , 2021, 106, 1714-1724.	3.5	30
58	Early-stage mycosis fungoides variants: case-based review. <i>Annals of Diagnostic Pathology</i> , 2010, 14, 369-385.	1.3	28
59	Detection of ABCC1 expression in classical Hodgkin lymphoma is associated with increased risk of treatment failure using standard chemotherapy protocols. <i>Journal of Hematology and Oncology</i> , 2012, 5, 47.	17.0	27
60	UNG protects B cells from AID-induced telomere loss. <i>Journal of Experimental Medicine</i> , 2016, 213, 2459-2472.	8.5	27
61	Peripheral T-Cell Lymphoma Arising in the Liver. <i>American Journal of Clinical Pathology</i> , 2002, 118, 574-581.	0.7	25
62	Expression and effects of inhibition of type I insulin-like growth factor receptor tyrosine kinase in mantle cell lymphoma. <i>Haematologica</i> , 2011, 96, 871-880.	3.5	25
63	Short survival and frequent transformation in extranodal marginal zone lymphoma with multiple mucosal sites presentation. <i>American Journal of Hematology</i> , 2019, 94, 585-596.	4.1	25
64	Epstein-Barr-virus-positive large B-cell lymphoma associated with breast implants: an analysis of eight patients suggesting a possible pathogenetic relationship. <i>Modern Pathology</i> , 2021, 34, 2154-2167.	5.5	25
65	Tissue-Specific Function of Lymph Node Fibroblastic Reticulum Cells. <i>Pathobiology</i> , 2006, 73, 71-81.	3.8	23
66	Prospective phase II study of rituximab with alternating cycles of hyper-CVAD and high-dose methotrexate with cytarabine for young patients with high-risk diffuse large B-cell lymphoma. <i>British Journal of Haematology</i> , 2013, 163, 611-620.	2.5	23
67	Anti-CD20-interleukin-21 fusokine targets malignant B cells via direct apoptosis and NK-cell-dependent cytotoxicity. <i>Blood</i> , 2017, 129, 2246-2256.	1.4	23
68	Marginal-Zone B-Cell Lymphoma of Extranodal Mucosa-Associated Lymphoid Tissue Type: Molecular Genetics Provides New Insights into Pathogenesis. <i>Advances in Anatomic Pathology</i> , 2001, 8, 313-326.	4.3	22
69	Adult T-cell leukemia/lymphoma can be indistinguishable from other more common T-cell lymphomas. The University of Miami experience with a large cohort of cases. <i>Modern Pathology</i> , 2018, 31, 1046-1063.	5.5	22
70	Ibrutinib-rituximab followed by R-HCVAD as frontline treatment for young patients (≥ 65 years) with mantle cell lymphoma (WINDOW-1): a single-arm, phase 2 trial. <i>Lancet Oncology</i> , The, 2022, 23, 406-415.	10.7	22
71	Side population of a murine mantle cell lymphoma model contains tumour-initiating cells responsible for lymphoma maintenance and dissemination. <i>Journal of Cellular and Molecular Medicine</i> , 2010, 14, 1532-1545.	3.6	19
72	Expression of dicarbonyl-xylulose reductase (DCXR) in human skin and melanocytic lesions: morphological studies supporting cell adhesion function of DCXR. <i>Journal of Cutaneous Pathology</i> , 2007, 34, 535-542.	1.3	18

#	ARTICLE	IF	CITATIONS
73	Glioma-associated oncogene homologue 3, a hedgehog transcription factor, is highly expressed in Hodgkin and Reed-Sternberg cells of classical Hodgkin lymphoma. <i>Human Pathology</i> , 2011, 42, 1643-1652.	2.0	18
74	Rapid complete response to blinatumomab as a successful bridge to allogeneic stem cell transplantation in a case of refractory Richter syndrome. <i>Leukemia and Lymphoma</i> , 2019, 60, 230-233.	1.3	18
75	Functional inhibition of BCL2 is needed to increase the susceptibility to apoptosis to SMO inhibitors in diffuse large B-cell lymphoma of germinal center subtype. <i>Annals of Hematology</i> , 2013, 92, 777-787.	1.8	17
76	Myeloid neoplasms with features intermediate between primary myelofibrosis and chronic myelomonocytic leukemia. <i>Modern Pathology</i> , 2018, 31, 429-441.	5.5	17
77	Precursor T-Cell Acute Lymphoblastic Leukemia in Adults. <i>American Journal of Clinical Pathology</i> , 2002, 117, 252-258.	0.7	16
78	Real-Time t(14;18)(q32;q21) PCR Assay Combined with High-Resolution Capillary Electrophoresis: A Novel and Rapid Approach that Allows Accurate Quantitation and Size Determination of bcl-2/JH Fusion Sequences. <i>Modern Pathology</i> , 2002, 15, 448-453.	5.5	16
79	Follicular Dendritic Cell Sarcoma and Associated Myasthenia Gravis: True, True, Related?. <i>Journal of Clinical Oncology</i> , 2011, 29, e369-e371.	1.6	16
80	Active IKK β promotes the stability of GLI1 oncogene in diffuse large B-cell lymphoma. <i>Blood</i> , 2016, 127, 605-615.	1.4	16
81	Genetic profiling and biomarkers in peripheral T-cell lymphomas: current role in the diagnostic work-up. <i>Modern Pathology</i> , 2022, 35, 306-318.	5.5	16
82	Progressive leukemic non-nodal mantle cell lymphoma associated with deletions of TP53, ATM, and/or 13q14. <i>Annals of Diagnostic Pathology</i> , 2014, 18, 214-219.	1.3	15
83	Prevalence, clinical characteristics and prognosis of EBV-positive follicular lymphoma. <i>American Journal of Hematology</i> , 2019, 94, E62-E64.	4.1	15
84	Evolving insights into the genomic complexity and immune landscape of diffuse large B-cell lymphoma: opportunities for novel biomarkers. <i>Modern Pathology</i> , 2020, 33, 2422-2436.	5.5	15
85	Determination of immunophenotypic aberrancies provides better assessment of peripheral blood involvement by mycosis fungoides/SÅ©zary syndrome than quantification of <sc>CD26</sc> or <sc>CD7</sc> <sc>CD4</sc>+ T cells. <i>Cytometry Part B - Clinical Cytometry</i> , 2021, 100, 183-191.	1.5	15
86	A Phase II Study of Pembrolizumab in Combination with Romidepsin Demonstrates Durable Responses in Relapsed or Refractory T-Cell Lymphoma (TCL). <i>Blood</i> , 2020, 136, 40-41.	1.4	15
87	Optimized Doxorubicin Chemotherapy for Diffuse Large B-cell Lymphoma Exploits Nanocarrier Delivery to Transferrin Receptors. <i>Cancer Research</i> , 2021, 81, 763-775.	0.9	13
88	Expression of serine 194-phosphorylated Fas-associated death domain protein correlates with proliferation in B-cell non-Hodgkin lymphomas. <i>Human Pathology</i> , 2011, 42, 1117-1124.	2.0	12
89	Blastic Plasmacytoid Dendritic Cell Neoplasm. <i>American Journal of Dermatopathology</i> , 2014, 36, 244-251.	0.6	12
90	CD30-Negative Lymphomatoid Papulosis Type D in an Elderly Man. <i>American Journal of Dermatopathology</i> , 2014, 36, 190-192.	0.6	12

#	ARTICLE	IF	CITATIONS
91	Primary cutaneous Rosai-Dorfman disease; a case-based review of a diagnostically and therapeutically challenging rare variant. <i>Annals of Diagnostic Pathology</i> , 2020, 45, 151446.	1.3	12
92	Pediatric subcutaneous panniculitis-like T-cell lymphoma with features of hemophagocytic syndrome. <i>Pediatric Blood and Cancer</i> , 2013, 60, 1916-1917.	1.5	11
93	Epstein-Barr Virus-Positive Extranodal Marginal Zone Lymphoma of Bronchial-Associated Lymphoid Tissue in the Posttransplant Setting. <i>American Journal of Clinical Pathology</i> , 2018, 149, 42-49.	0.7	11
94	Unusual Variants of Follicular Lymphoma. <i>American Journal of Surgical Pathology</i> , 2020, 44, 329-339.	3.7	11
95	A suggested immunohistochemical algorithm for the classification of T-cell lymphomas involving lymph nodes. <i>Human Pathology</i> , 2020, 102, 104-116.	2.0	11
96	Nodular Lymphocyte Predominant Hodgkin Lymphoma With Clusters of LP Cells, Acute Inflammation, and Fibrosis. <i>American Journal of Surgical Pathology</i> , 2009, 33, 1725-1731.	3.7	10
97	A Case of AML Characterized by a Novel t(4;15)(q31;q22) Translocation That Confers a Growth-Stimulatory Response to Retinoid-Based Therapy. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1492.	4.1	10
98	Smoothed stabilizes and protects TRAF6 from degradation: A novel non-canonical role of smoothed with implications in lymphoma biology. <i>Cancer Letters</i> , 2018, 436, 149-158.	7.2	10
99	Recent BCR stimulation induces a negative autoregulatory loop via FBXO10 mediated degradation of HGAL. <i>Leukemia</i> , 2020, 34, 553-566.	7.2	10
100	The uracil-DNA glycosylase UNG protects the fitness of normal and cancer B cells expressing AID. <i>NAR Cancer</i> , 2021, 2, zcaa019.	3.1	10
101	Statins enhance the chemosensitivity of R-CHOP in diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2022, 63, 1302-1313.	1.3	9
102	Defining causative factors contributing in the activation of hedgehog signaling in diffuse large B-cell lymphoma. <i>Leukemia Research</i> , 2012, 36, 1267-1273.	0.8	8
103	Routine interim disease assessment in patients undergoing induction chemotherapy for acute myeloid leukemia: Can we do better?. <i>American Journal of Hematology</i> , 2016, 91, 277-282.	4.1	8
104	American Registry of Pathology Expert Opinions: Recommendations for the diagnostic workup of mature T cell neoplasms. <i>Annals of Diagnostic Pathology</i> , 2020, 49, 151623.	1.3	8
105	Diagnostic bone marrow biopsy in patients with stage I EMZL treated with radiation therapy: needed or not?. <i>Blood</i> , 2020, 135, 1299-1302.	1.4	8
106	Ibrutinib Plus Rituximab and Venetoclax (IRV) Followed By Risk-Stratified Observation or Short Course R-Hypercvad/MTX in Young Patients with Previously Untreated Mantle Cell Lymphoma - Phase-II Window-2 Clinical Trial. <i>Blood</i> , 2021, 138, 3525-3525.	1.4	8
107	Chromosomal translocations and their role in the pathogenesis of non-Hodgkin's lymphomas. <i>Pathology</i> , 2002, 34, 397-409.	0.6	7
108	CD4/CD8 double-negative early-stage mycosis fungoides associated with primary cutaneous follicular center lymphoma. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 884-886.	1.2	7

#	ARTICLE	IF	CITATIONS
109	Long-term overall and progression-free survival after pentostatin, cyclophosphamide and rituximab therapy for indolent non-Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2019, 185, 670-678.	2.5	7
110	Classic Hodgkin lymphoma and Castleman disease: an entity appears to be emerging. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 437-444.	2.8	7
111	EZH2 expression is associated with inferior overall survival in mantle cell lymphoma. <i>Modern Pathology</i> , 2021, 34, 2183-2191.	5.5	7
112	The Genetic Landscape of Ocular Adnexa MALT Lymphoma Reveals Frequent Aberrations in NFAT and MEF2B Signaling Pathways. <i>Cancer Research Communications</i> , 2021, 1, 1-16.	1.7	7
113	Relapsed classic Hodgkin lymphoma with decreased CD30 expression after brentuximab and anti-CD30 CAR-T therapies. <i>Blood</i> , 2022, 139, 951-951.	1.4	7
114	Clinical and radiological characteristics of patients with pulmonary marginal zone lymphoma: A single center analysis. <i>Cancer Medicine</i> , 2020, 9, 5051-5064.	2.8	6
115	MYC expression is associated with older age, common morphology, increased MYC copy number, and poorer prognosis in patients with ALK+ anaplastic large cell lymphoma. <i>Human Pathology</i> , 2021, 108, 22-31.	2.0	6
116	Expression of BCL2 alternative proteins and association with outcome in CLL patients treated with venetoclax. <i>Leukemia and Lymphoma</i> , 2021, 62, 1129-1135.	1.3	6
117	Smoothed (SMO) regulates insulin-like growth factor 1 receptor (IGF1R) levels and protein kinase B (AKT) localization and signaling. <i>Laboratory Investigation</i> , 2022, 102, 401-410.	3.7	6
118	De novo acute myeloid leukemia with monocytoid blasts and erythrophagocytosis. <i>Clinical Case Reports (discontinued)</i> , 2014, 2, 333-335.	0.5	5
119	Unusual immunophenotypic variant of large B-cell lymphoma associated with HHV-8 and EBV in an HIV positive patient. <i>Human Pathology: Case Reports</i> , 2015, 2, 49-54.	0.2	5
120	Primary Mediastinal Large B-Cell Lymphoma With Translocations Involving <i>BCL6</i> and <i>MYC</i> (Double-Hit Lymphoma). <i>American Journal of Clinical Pathology</i> , 2016, 145, 710-716.	0.7	5
121	Incidental brown adipose tissue in bone marrow biopsy. <i>Blood</i> , 2017, 130, 952-952.	1.4	5
122	A case of EBV-associated blastic lymphoplasmacytic proliferation in an oesophageal ulcer with a self-limiting course: overlapping lesion between EBV mucocutaneous ulcer and polymorphic lymphoplasmacytic disorder. <i>Histopathology</i> , 2019, 74, 964-966.	2.9	5
123	CRISPR genome editing of murine hematopoietic stem cells to create Npm1-Alk causes ALK+ lymphoma after transplantation. <i>Blood Advances</i> , 2019, 3, 1788-1794.	5.2	5
124	CD4+/CD8+ immunophenotype switching as a marker for intraocular and CNS involvement in mycosis fungoides. <i>Leukemia and Lymphoma</i> , 2019, 60, 1308-1311.	1.3	5
125	Targeted based therapy in nodal T-cell lymphomas. <i>Leukemia</i> , 2021, 35, 956-967.	7.2	5
126	An Attractive Therapeutic Target, mTOR Pathway, in ALK+ Anaplastic Large Cell Lymphoma. <i>Advances in Anatomic Pathology</i> , 2008, 15, 105-112.	4.3	4

#	ARTICLE	IF	CITATIONS
127	Primary Intramedullary Spinal Cord Lymphoma Presenting as a Cervical Ring-Enhancing Lesion in an AIDS Patient. <i>Open Forum Infectious Diseases</i> , 2018, 5, ofy128.	0.9	4
128	Comparison Between Integrated Genomic DNA/RNA Profiling and Fluorescence In Situ Hybridization in the Detection of MYC, BCL-2, and BCL-6 Gene Rearrangements in Large B-Cell Lymphomas. <i>American Journal of Clinical Pathology</i> , 2020, 153, 353-359.	0.7	4
129	Small cell/lymphohistiocytic morphology is associated with peripheral blood involvement, CD8 positivity and retained T-cell antigens, but not outcome in adults with ALK+ anaplastic large cell lymphoma. <i>Modern Pathology</i> , 2022, 35, 412-418.	5.5	4
130	Mantle cell lymphoma involving tonsils: a clinicopathologic study of 83 cases. <i>Human Pathology</i> , 2021, 118, 60-68.	2.0	4
131	LMO2 expression is frequent in T-lymphoblastic leukemia and correlates with survival, regardless of T-cell stage. <i>Modern Pathology</i> , 2022, 35, 1220-1226.	5.5	4
132	Time to look for CD30 expression in diffuse large B-cell lymphomas, along the way to immunotherapy. <i>Leukemia and Lymphoma</i> , 2013, 54, 2341-2342.	1.3	3
133	Acquired B cell immunophenotype of follicular dendritic cells in a B cell-depleted lymph node after treatment with rituximab. <i>Annals of Hematology</i> , 2014, 93, 1947-1948.	1.8	3
134	Indolent ALK-negative anaplastic large cell lymphoma, DUSP22 rearranged, with an unusual immunophenotype in a human immunodeficiency virus patient. <i>Histopathology</i> , 2017, 70, 1173-1175.	2.9	3
135	Disseminated cutaneous immunoglobulin M macroglobulinosis associated with cryoglobulinemia and minimal residual disease of Waldenström macroglobulinemia. <i>JAAD Case Reports</i> , 2019, 5, 918-922.	0.8	3
136	Pathology and Pathogenesis of T-Cell Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, S89-S93.	0.4	3
137	SIRP α macrophages are increased in patients with FL who progress or relapse after frontline lenalidomide and rituximab. <i>Blood Advances</i> , 2022, 6, 3286-3293.	5.2	3
138	CD70 is a potential target biomarker in peripheral T-cell lymphomas. <i>Histopathology</i> , 2022, 81, 272-275.	2.9	3
139	V(D)J recombination and staggered DNA breaks: guilty again. <i>Blood</i> , 2010, 115, 2121-2122.	1.4	2
140	Anaphylactic reaction to platelet transfusion as the initial symptom of an undiagnosed systemic mastocytosis: a case report and review of the literature. <i>Journal of Medical Case Reports</i> , 2014, 8, 389.	0.8	2
141	Bone Marrow-Liver-Spleen Type of Large B-Cell Lymphoma Associated with Hemophagocytic Syndrome: A Rare Aggressive Extranodal Lymphoma. <i>Case Reports in Hematology</i> , 2017, 2017, 1-8.	0.4	2
142	Splenic B-Cell Lymphomas with Diffuse Cyclin D1 Protein Expression and Increased Polymorphocytic Cells: A Previously Unrecognized Diagnostic Pitfall. <i>Case Reports in Hematology</i> , 2018, 2018, 1-9.	0.4	2
143	Complex Karyotype Is a Significant Predictor for Worst Outcomes in Patients with Mantle Cell Lymphoma (MCL) Treated with BTK Inhibitors - Comprehensive Analysis of 396 Patients. <i>Blood</i> , 2020, 136, 32-33.	1.4	2
144	CD2-negative lymphoma-associated T-cells: a potential mechanism of immune-evasion in diffuse large B-cell lymphoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 481, 659-663.	2.8	2

#	ARTICLE	IF	CITATIONS
145	ALK+ Anaplastic Large Cell Lymphoma (ALCL)-Derived Exosomes Carry ALK Signaling Proteins and Interact with Tumor Microenvironment. <i>Cancers</i> , 2022, 14, 2939.	3.7	2
146	Extramedullary hematopoiesis in juvenile polyposis coli. <i>Gastrointestinal Endoscopy</i> , 2000, 51, 330.	1.0	1
147	Hepatosplenic T-cell lymphoma associated with membranoproliferative glomerulonephritis. <i>Leukemia and Lymphoma</i> , 2017, 58, 2734-2737.	1.3	1
148	Clusters of paracortical plasmacytoid dendritic cells in lupus lymphadenitis. <i>Blood</i> , 2017, 129, 1884-1884.	1.4	1
149	Central Nervous System Involvement by Small Lymphocytic Lymphoma after a Myxoma-Related Embolic Event. <i>Case Reports in Hematology</i> , 2019, 2019, 1-6.	0.4	1
150	BCL-W expression associates with poor outcome in patients with peripheral T-cell lymphoma not otherwise specified. <i>Blood Cancer Journal</i> , 2021, 11, 153.	6.2	1
151	Early Detection of Myelodysplastic Syndromes: Maximizing the Utility of Automated Hematology. <i>Blood</i> , 2016, 128, 5527-5527.	1.4	1
152	Characteristics and outcomes of lymphoblastic lymphoma â€” the University of Miami experience. <i>Leukemia and Lymphoma</i> , 2017, 58, 195-198.	1.3	0
153	Decreased survival in hepatitis C patients with monomorphic post-transplant lymphoproliferative disorder after liver transplantation treated with frontline immunochemotherapy. <i>Leukemia and Lymphoma</i> , 2018, 59, 2096-2104.	1.3	0
154	Intracytoplasmic azurophilic inclusions in polymorphocytes. <i>International Journal of Hematology</i> , 2018, 108, 565-565.	1.6	0
155	Monotypic and IgH-rearranged lymphoplasmacytic cells restricted to the light zone of germinal centers: an early (in situ?) marginal zone lymphoma?. <i>Annals of Hematology</i> , 2018, 97, 1999-2000.	1.8	0
156	Unexpected Primary Extranodal Marginal Zone Lymphoma of Bone in Amputation and Arthroplasty Specimens. <i>American Journal of Clinical Pathology</i> , 2021, 156, 1038-1043.	0.7	0
157	SOHO State of the Art Updates and Next Questions:"SOHO State of the Art Updates and Next Questions: Pathology and Pathogenesis of Nodal Peripheral T-Cell Lymphomas. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, , .	0.4	0
158	Molecular Diagnostics of Lymphoid Malignancies. , 2008, , 655-674.		0
159	Prognostic value of PET-CT in early stage Hodgkin Lymphoma (HL) using updated 5 point scoring system.. <i>Journal of Clinical Oncology</i> , 2016, 34, e19013-e19013.	1.6	0
160	Mutational Frequency in Hispanic Vs. Non-Hispanic Patients with Acute Myeloid Leukemia (AML). <i>Blood</i> , 2016, 128, 2796-2796.	1.4	0
161	The Novel Translocation t(4;15)(q31;q22) in AML Is Associated with a Proliferative Phenotype in the Presence of All-Trans Retinoic Acid (ATRA). <i>Blood</i> , 2016, 128, 1526-1526.	1.4	0
162	Ten-year follow-up of pentostatin combined with cyclophosphamide, and rituximab in previously untreated indolent B-cell lymphoma.. <i>Journal of Clinical Oncology</i> , 2017, 35, e19040-e19040.	1.6	0

#	ARTICLE	IF	CITATIONS
163	Genetic Landscape of Ocular Adnexa Extranodal Marginal Zone Lymphoma. Blood, 2018, 132, 923-923.	1.4	0
164	CRISPR/Cas9 Generation of Npm1-Alk in Transplantable Murine Hematopoietic Stem Cells Accurately Models ALK-Positive Lymphoma in Recipients. Blood, 2018, 132, 779-779.	1.4	0
165	Comprehensive Analysis of Factors Predictive for Time to Transformation and Risk of Transformation in Patients (pts) with Mantle Cell Lymphoma. Blood, 2020, 136, 41-42.	1.4	0
166	Retrospective Review of Prognostic and Predictors Markers in Newly Diagnosed Angioimmunoblastic T Cell Lymphoma at UT MD Anderson Cancer Center. Blood, 2020, 136, 27-28.	1.4	0