

Qi Ying

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4578827/qi-ying-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

6,220
citations

41
h-index

73
g-index

165
ext. papers

7,662
ext. citations

8
avg, IF

6.22
L-index

#	Paper	IF	Citations
154	Modeling Secondary Organic Aerosol Tracers and Tracer-to-SOA Ratios for Monoterpenes and Sesquiterpenes Using a Chemical Transport Model.. <i>Environmental Science & Technology</i> , 2022 ,	10.3	2
153	Assessment of Sectoral NO _x Emission Reductions During COVID-19 Lockdown Using Combined Satellite and Surface Observations and Source-Oriented Model Simulations. <i>Geophysical Research Letters</i> , 2022 , 49,	4.9	0
152	Characteristics of movers and predictors of residential mobility in the Atherosclerosis Risk in Communities (ARIC) cohort.. <i>Health and Place</i> , 2022 , 74, 102771	4.6	0
151	An explainable integrated optimization methodology for source apportionment of ambient particulate matter components.. <i>Journal of Environmental Management</i> , 2022 , 310, 114789	7.9	0
150	Modeling polycyclic aromatic hydrocarbons in India: Seasonal variations, sources and associated health risks. <i>Environmental Research</i> , 2022 , 212, 113466	7.9	0
149	Evaluation of a highly condensed SAPRC chemical mechanism and two emission inventories for ozone source apportionment and emission control strategy assessments in China. <i>Science of the Total Environment</i> , 2021 , 813, 151922	10.2	0
148	Assessment of summertime O ₃ formation and the O-NO-VOC sensitivity in Zhengzhou, China using an observation-based model.. <i>Science of the Total Environment</i> , 2021 , 152449	10.2	4
147	On the Relevancy of Observed Ozone Increase during COVID-19 Lockdown to Summertime Ozone and PM _{2.5} Control Policies in China. <i>Environmental Science and Technology Letters</i> , 2021 , 8, 289-294	11	13
146	Atmospheric Age Distribution of Primary and Secondary Inorganic Aerosols in a Polluted Atmosphere. <i>Environmental Science & Technology</i> , 2021 , 55, 5668-5676	10.3	3
145	Responses of fine particulate matter and ozone to local emission reductions in the Sichuan Basin, southwestern China. <i>Environmental Pollution</i> , 2021 , 277, 116793	9.3	0
144	A multiple linear regression model with multiplicative log-normal error term for atmospheric concentration data. <i>Science of the Total Environment</i> , 2021 , 767, 144282	10.2	6
143	Assessing the Uncertainties in Ozone and SOA Predictions due to Different Branching Ratios of the Cresol Pathway in the Toluene-OH Oxidation Mechanism. <i>ACS Earth and Space Chemistry</i> , 2021 , 5, 1958-1970	3.2	1
142	Atmospheric deposition of sulfur and nitrogen in the West China rain zone: Fluxes, concentrations, ecological risks, and source apportionment. <i>Atmospheric Research</i> , 2021 , 256, 105569	5.4	5
141	On the effectiveness of short-term intensive emission controls on ozone and particulate matter in a heavily polluted megacity in central China. <i>Atmospheric Environment</i> , 2021 , 246, 118111	5.3	7
140	Revealing the origin of fine particulate matter in the Sichuan Basin from a source-oriented modeling perspective. <i>Atmospheric Environment</i> , 2021 , 244, 117896	5.3	6
139	Modelling air quality during the EXPLORE-YRD campaign [Part II. Regional source apportionment of ozone and PM _{2.5} . <i>Atmospheric Environment</i> , 2021 , 247, 118063	5.3	11
138	Molecular characteristics, source contributions, and exposure risks of polycyclic aromatic hydrocarbons in the core city of Central Plains Economic Region, China: Insights from the variation of haze levels. <i>Science of the Total Environment</i> , 2021 , 757, 143885	10.2	3

137	Quantifying the impacts of inter-city transport on air quality in the Yangtze River Delta urban agglomeration, China: Implications for regional cooperative controls of PM and O. <i>Science of the Total Environment</i> , 2021 , 779, 146619	10.2	13
136	Premature Mortality Associated with Exposure to Outdoor Black Carbon and Its Source Contributions in China. <i>Resources, Conservation and Recycling</i> , 2021 , 170, 105620	11.9	1
135	Estimation of Aromatic Secondary Organic Aerosol Using a Molecular Tracer-A Chemical Transport Model Assessment. <i>Environmental Science & Technology</i> , 2021 , 55, 12882-12892	10.3	2
134	Impacts of chlorine chemistry and anthropogenic emissions on secondary pollutants in the Yangtze river delta region. <i>Environmental Pollution</i> , 2021 , 287, 117624	9.3	3
133	Estimating ground level PM concentrations and associated health risk in India using satellite based AOD and WRF predicted meteorological parameters. <i>Chemosphere</i> , 2020 , 255, 126969	8.4	19
132	Ozone pollution over China and India: seasonality and sources. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 4399-4414	6.8	38
131	Ozone pollution in the west China rain zone and its adjacent regions, Southwestern China: Concentrations, ecological risk, and Sources. <i>Chemosphere</i> , 2020 , 256, 127008	8.4	7
130	Assessment of mobile source contributions in El Paso by PMF receptor modeling coupled with wind direction analysis. <i>Science of the Total Environment</i> , 2020 , 720, 137527	10.2	4
129	Sensitivity Analysis of the Surface Ozone and Fine Particulate Matter to Meteorological Parameters in China 2020 ,		1
128	Insights into source origins and formation mechanisms of nitrate during winter haze episodes in the Yangtze River Delta. <i>Science of the Total Environment</i> , 2020 , 741, 140187	10.2	11
127	Simulating and forecasting the cumulative confirmed cases of SARS-CoV-2 in China by Boltzmann function-based regression analyses. <i>Journal of Infection</i> , 2020 , 80, 578-606	18.9	21
126	Regional source apportionment of summertime ozone and its precursors in the megacities of Beijing and Shanghai using a source-oriented chemical transport model. <i>Atmospheric Environment</i> , 2020 , 224, 117337	5.3	14
125	Wet deposition of sulfur and nitrogen at Mt. Emei in the West China Rain Zone, southwestern China: Status, inter-annual changes, and sources. <i>Science of the Total Environment</i> , 2020 , 713, 136676	10.2	9
124	Contribution of biogenic sources to secondary organic aerosol in the summertime in Shaanxi, China. <i>Chemosphere</i> , 2020 , 254, 126815	8.4	2
123	Long-term field Evaluation of Low-cost Particulate Matter Sensors in Nanjing. <i>Aerosol and Air Quality Research</i> , 2020 , 20, 242-253	4.6	20
122	Sensitivity analysis of the surface ozone and fine particulate matter to meteorological parameters in China. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 13455-13466	6.8	17
121	Source apportionment and regional transport of anthropogenic secondary organic aerosol during winter pollution periods in the Yangtze River Delta, China. <i>Science of the Total Environment</i> , 2020 , 710, 135620	10.2	13
120	Impacts of water partitioning and polarity of organic compounds on secondary organic aerosol over eastern China. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 7291-7306	6.8	5

119	Source-Receptor Relationship Revealed by the Halted Traffic and Aggravated Haze in Beijing during the COVID-19 Lockdown. <i>Environmental Science & Technology</i> , 2020 , 54, 15660-15670	10.3	38
118	Study of Secondary Organic Aerosol Formation from Chlorine Radical-Initiated Oxidation of Volatile Organic Compounds in a Polluted Atmosphere Using a 3D Chemical Transport Model. <i>Environmental Science & Technology</i> , 2020 , 54, 13409-13418	10.3	12
117	Importance of Wintertime Anthropogenic Glyoxal and Methylglyoxal Emissions in Beijing and Implications for Secondary Organic Aerosol Formation in Megacities. <i>Environmental Science & Technology</i> , 2020 , 54, 11809-11817	10.3	15
116	Sources and health risks of ambient polycyclic aromatic hydrocarbons in China. <i>Science of the Total Environment</i> , 2020 , 698, 134229	10.2	22
115	Forecasting the cumulative number of COVID-19 deaths in China: a Boltzmann function-based modeling study. <i>Infection Control and Hospital Epidemiology</i> , 2020 , 41, 841-843	2	21
114	Source apportionment of organic pollutants in fine and coarse atmospheric particles in Doha, Qatar. <i>Journal of the Air and Waste Management Association</i> , 2019 , 69, 1277-1292	2.4	13
113	Evaluation of particulate matter deposition in the human respiratory tract during winter in Nanjing using size and chemically resolved ambient measurements. <i>Air Quality, Atmosphere and Health</i> , 2019 , 12, 529-538	5.6	14
112	Source contributions to poor atmospheric visibility in China. <i>Resources, Conservation and Recycling</i> , 2019 , 143, 167-177	11.9	11
111	Responses of PM and O concentrations to changes of meteorology and emissions in China. <i>Science of the Total Environment</i> , 2019 , 662, 297-306	10.2	85
110	Aerosol Ammonium in the Urban Boundary Layer in Beijing: Insights from Nitrogen Isotope Ratios and Simulations in Summer 2015. <i>Environmental Science and Technology Letters</i> , 2019 , 6, 389-395	11	22
109	Modeling the impact of heterogeneous reactions of chlorine on summertime nitrate formation in Beijing, China. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 6737-6747	6.8	20
108	Local and regional contributions to fine particulate matter in the 18 cities of Sichuan Basin, southwestern China. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 5791-5803	6.8	28
107	Source apportionment of summertime ozone in China using a source-oriented chemical transport model. <i>Atmospheric Environment</i> , 2019 , 211, 79-90	5.3	29
106	Simulation of summer ozone and its sensitivity to emission changes in China. <i>Atmospheric Pollution Research</i> , 2019 , 10, 1543-1552	4.5	21
105	Spatial-temporal variations and source contributions to forest ozone exposure in China. <i>Science of the Total Environment</i> , 2019 , 674, 189-199	10.2	7
104	Past and future trends of vehicle emissions in Tianjin, China, from 2000 to 2030. <i>Atmospheric Environment</i> , 2019 , 209, 182-191	5.3	26
103	Sources of humic-like substances (HULIS) in PM in Beijing: Receptor modeling approach. <i>Science of the Total Environment</i> , 2019 , 671, 765-775	10.2	33
102	Quantifying primary and secondary humic-like substances in urban aerosol based on emission source characterization and a source-oriented air quality model. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 2327-2341	6.8	34

101	Using Chemical Transport Model Predictions To Improve Exposure Assessment of PM2.5 Constituents. <i>Environmental Science and Technology Letters</i> , 2019 , 6, 456-461	11	10
100	Significant impact of heterogeneous reactions of reactive chlorine species on summertime atmospheric ozone and free-radical formation in north China. <i>Science of the Total Environment</i> , 2019 , 693, 133580	10.2	16
99	Fine Particulate Matter and Ozone Pollution in the 18 Cities of the Sichuan Basin in Southwestern China: Model Performance and Characteristics. <i>Aerosol and Air Quality Research</i> , 2019 , 19, 2308-2319	4.6	21
98	Ozone Pollution over China and India: Seasonality and Sources 2019 ,		1
97	Attribution of Tropospheric Ozone to NO and VOC Emissions: Considering Ozone Formation in the Transition Regime. <i>Environmental Science & Technology</i> , 2019 , 53, 1404-1412	10.3	40
96	Projected air quality and health benefits from future policy interventions in India. <i>Resources, Conservation and Recycling</i> , 2019 , 142, 232-244	11.9	11
95	Investigating the PM mass concentration growth processes during 2013-2016 in Beijing and Shanghai. <i>Chemosphere</i> , 2019 , 221, 452-463	8.4	36
94	Health risk associated with potential source regions of PM2.5 in Indian cities. <i>Air Quality, Atmosphere and Health</i> , 2019 , 12, 327-340	5.6	21
93	Characterization and source apportionment of marine aerosols over the East China Sea. <i>Science of the Total Environment</i> , 2019 , 651, 2679-2688	10.2	10
92	Modeling Atmospheric Age Distribution of Elemental Carbon Using a Regional Age-Resolved Particle Representation Framework. <i>Environmental Science & Technology</i> , 2019 , 53, 270-278	10.3	6
91	Year-long simulation of gaseous and particulate air pollutants in India. <i>Atmospheric Environment</i> , 2018 , 180, 244-255	5.3	58
90	Sources of particulate matter in China: Insights from source apportionment studies published in 1987-2017. <i>Environment International</i> , 2018 , 115, 343-357	12.9	95
89	Improve regional distribution and source apportionment of PM trace elements in China using inventory-observation constrained emission factors. <i>Science of the Total Environment</i> , 2018 , 624, 355-365	10.2	21
88	Source apportionment of PM for 25 Chinese provincial capitals and municipalities using a source-oriented Community Multiscale Air Quality model. <i>Science of the Total Environment</i> , 2018 , 612, 462-471	10.2	57
87	Spatial and temporal variations in criteria air pollutants in three typical terrain regions in Shaanxi, China, during 2015. <i>Air Quality, Atmosphere and Health</i> , 2018 , 11, 95-109	5.6	22
86	Wet deposition of sulfur and nitrogen in Jiuzhaigou National Nature Reserve, Sichuan, China during 2015-2016: Possible effects from regional emission reduction and local tourist activities. <i>Environmental Pollution</i> , 2018 , 233, 267-277	9.3	23
85	Source apportionment of secondary organic aerosol in China using a regional source-oriented chemical transport model and two emission inventories. <i>Environmental Pollution</i> , 2018 , 237, 756-766	9.3	38
84	Source contributions and potential reductions to health effects of particulate matter in India. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 15219-15229	6.8	32

83	Source contributions and potential reductions to health effects of particulate matter in India 2018 ,		1
82	Impacts of shipping emissions on PM _{2.5} pollution in China. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 15811-15824	6.8	52
81	The impact of power generation emissions on ambient PM pollution and human health in China and India. <i>Environment International</i> , 2018 , 121, 250-259	12.9	70
80	Proximity to major roadways and prospectively-measured time-to-pregnancy and infertility. <i>Science of the Total Environment</i> , 2017 , 576, 172-177	10.2	14
79	Improved MEGAN predictions of biogenic isoprene in the contiguous United States. <i>Atmospheric Environment</i> , 2017 , 148, 337-351	5.3	22
78	Source apportionment of fine particulate matter in China in 2013 using a source-oriented chemical transport model. <i>Science of the Total Environment</i> , 2017 , 601-602, 1476-1487	10.2	60
77	Investigation of relationships between meteorological conditions and high PM ₁₀ pollution in a megacity in the western Yangtze River Delta, China. <i>Air Quality, Atmosphere and Health</i> , 2017 , 10, 713-724	5.6	15
76	Air pollution and cardiovascular events at labor and delivery: a case-crossover analysis. <i>Annals of Epidemiology</i> , 2017 , 27, 377-383	6.4	10
75	Current and future emissions of primary pollutants from coal-fired power plants in Shaanxi, China. <i>Science of the Total Environment</i> , 2017 , 595, 505-514	10.2	44
74	Estimating population exposure to ambient polycyclic aromatic hydrocarbon in the United States - Part I: Model development and evaluation. <i>Environment International</i> , 2017 , 99, 263-274	12.9	17
73	AERMOD for near-road pollutant dispersion: Evaluation of model performance with different emission source representations and low wind options. <i>Transportation Research, Part D: Transport and Environment</i> , 2017 , 57, 392-402	6.4	15
72	Modelling secondary organic aerosols in China. <i>National Science Review</i> , 2017 , 4, 806-809	10.8	18
71	Source apportionment of PM in North India using source-oriented air quality models. <i>Environmental Pollution</i> , 2017 , 231, 426-436	9.3	82
70	Premature Mortality Attributable to Particulate Matter in China: Source Contributions and Responses to Reductions. <i>Environmental Science & Technology</i> , 2017 , 51, 9950-9959	10.3	116
69	Uncertain Henry's law constants compromise equilibrium partitioning calculations of atmospheric oxidation products. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 7529-7540	6.8	18
68	Modeling biogenic and anthropogenic secondary organic aerosol in China. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 77-92	6.8	87
67	Ensemble prediction of air quality using the WRF/CMAQ model system for health effect studies in China. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 13103-13118	6.8	38
66	Long-term particulate matter modeling for health effect studies in California [Part 2: Concentrations and sources of ultrafine organic aerosols. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 5379-5391	6.8	22

65	Ensemble Predictions of Air Pollutants in China in 2013 for Health Effects Studies Using WRF/CMAQ Modeling System with Four Emission Inventories 2017 ,		1
64	One-year simulation of ozone and particulate matter in China using WRF/CMAQ modeling system. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 10333-10350	6.8	173
63	Preterm birth and air pollution: Critical windows of exposure for women with asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 432-440.e5	11.5	33
62	Modeling Biogenic and Anthropogenic Secondary Organic Aerosol in China 2016 ,		1
61	Estimating population exposure to ambient polycyclic aromatic hydrocarbon in the United States - Part II: Source apportionment and cancer risk assessment. <i>Environment International</i> , 2016 , 97, 163-170	12.9	29
60	Significant Contributions of Isoprene to Summertime Secondary Organic Aerosol in Eastern United States. <i>Environmental Science & Technology</i> , 2015 , 49, 7834-42	10.3	74
59	Characterizing multi-pollutant air pollution in China: Comparison of three air quality indices. <i>Environment International</i> , 2015 , 84, 17-25	12.9	123
58	Evaluation of MEGAN predicted biogenic isoprene emissions at urban locations in Southeast Texas. <i>Atmospheric Environment</i> , 2015 , 110, 54-64	5.3	32
57	Relationships between meteorological parameters and criteria air pollutants in three megacities in China. <i>Environmental Research</i> , 2015 , 140, 242-54	7.9	258
56	Formation of urban fine particulate matter. <i>Chemical Reviews</i> , 2015 , 115, 3803-55	68.1	717
55	Modeling dry and wet deposition of sulfate, nitrate, and ammonium ions in Jiuzhaigou National Nature Reserve, China using a source-oriented CMAQ model: Part II. Emission sector and source region contributions. <i>Science of the Total Environment</i> , 2015 , 532, 840-8	10.2	8
54	Source contributions and regional transport of primary particulate matter in China. <i>Environmental Pollution</i> , 2015 , 207, 31-42	9.3	106
53	Molecular view modeling of atmospheric organic particulate matter: Incorporating molecular structure and co-condensation of water. <i>Atmospheric Environment</i> , 2015 , 122, 400-408	5.3	19
52	Atmospheric wet deposition of sulfur and nitrogen in Jiuzhaigou National Nature Reserve, Sichuan Province, China. <i>Science of the Total Environment</i> , 2015 , 511, 28-36	10.2	56
51	Modeling regional secondary organic aerosol using the Master Chemical Mechanism. <i>Atmospheric Environment</i> , 2015 , 102, 52-61	5.3	49
50	Temporal variation in the acute effects of air pollution on blood pressure measured at admission to labor/delivery. <i>Air Quality, Atmosphere and Health</i> , 2015 , 8, 13-28	5.6	
49	Long-term particulate matter modeling for health effect studies in California [Part 1: Model performance on temporal and spatial variations. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 3445-3461	6.8	36
48	Modeling dry and wet deposition of sulfate, nitrate, and ammonium ions in Jiuzhaigou National Nature Reserve, China using a source-oriented CMAQ model: Part I. Base case model results. <i>Science of the Total Environment</i> , 2015 , 532, 831-9	10.2	33

47	Acute and recent air pollution exposure and cardiovascular events at labour and delivery. <i>Heart</i> , 2015 , 101, 1491-8	5.1	20
46	Preconception and early pregnancy air pollution exposures and risk of gestational diabetes mellitus. <i>Environmental Research</i> , 2015 , 137, 316-22	7.9	102
45	Identifying PM2.5 and PM0.1 sources for epidemiological studies in California. <i>Environmental Science & Technology</i> , 2014 , 48, 4980-90	10.3	58
44	Spatial and temporal variations of six criteria air pollutants in 31 provincial capital cities in China during 2013-2014. <i>Environment International</i> , 2014 , 73, 413-22	12.9	363
43	Source contributions to primary and secondary inorganic particulate matter during a severe wintertime PM2.5 pollution episode in Xi'an, China. <i>Atmospheric Environment</i> , 2014 , 97, 182-194	5.3	63
42	Spatial and temporal variability of PM2.5 and PM10 over the North China Plain and the Yangtze River Delta, China. <i>Atmospheric Environment</i> , 2014 , 95, 598-609	5.3	306
41	Evaluation of on-road vehicle CO and NOx National Emission Inventories using an urban-scale source-oriented air quality model. <i>Atmospheric Environment</i> , 2014 , 85, 99-108	5.3	44
40	Predicting primary PM2.5 and PM0.1 trace composition for epidemiological studies in California. <i>Environmental Science & Technology</i> , 2014 , 48, 4971-9	10.3	44
39	Evaluation of observation-fused regional air quality model results for population air pollution exposure estimation. <i>Science of the Total Environment</i> , 2014 , 485-486, 563-574	10.2	58
38	Estimation of VOC emission factors from flux measurements using a receptor model and footprint analysis. <i>Atmospheric Environment</i> , 2014 , 82, 24-35	5.3	15
37	Impacts of Stabilized Criegee Intermediates, surface uptake processes and higher aromatic secondary organic aerosol yields on predicted PM2.5 concentrations in the Mexico City Metropolitan Zone. <i>Atmospheric Environment</i> , 2014 , 94, 438-447	5.3	43
36	Source apportionment of sulfate and nitrate particulate matter in the Eastern United States and effectiveness of emission control programs. <i>Science of the Total Environment</i> , 2014 , 490, 171-81	10.2	53
35	Local and inter-regional contributions to PM2.5 nitrate and sulfate in China. <i>Atmospheric Environment</i> , 2014 , 94, 582-592	5.3	111
34	Evaluation of a seven-year air quality simulation using the Weather Research and Forecasting (WRF)/Community Multiscale Air Quality (CMAQ) models in the eastern United States. <i>Science of the Total Environment</i> , 2014 , 473-474, 275-85	10.2	49
33	Role of stabilized Criegee Intermediates in the formation of atmospheric sulfate in eastern United States. <i>Atmospheric Environment</i> , 2013 , 79, 442-447	5.3	30
32	Source apportionment of formaldehyde during TexAQS 2006 using a source-oriented chemical transport model. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013 , 118, 1525-1535	4.4	30
31	Simulating near-road reactive dispersion of gaseous air pollutants using a three-dimensional Eulerian model. <i>Science of the Total Environment</i> , 2013 , 454-455, 348-57	10.2	14
30	Comparison of the SAPRC07 and SAPRC99 photochemical mechanisms during a high ozone episode in Texas: Differences in concentrations, OH budget and relative response factors. <i>Atmospheric Environment</i> , 2012 , 54, 25-35	5.3	12

29	Secondary organic aerosol from polycyclic aromatic hydrocarbons in Southeast Texas. <i>Atmospheric Environment</i> , 2012 , 55, 279-287	5:3	27
28	Source apportionment of PM _{2.5} nitrate and sulfate in China using a source-oriented chemical transport model. <i>Atmospheric Environment</i> , 2012 , 62, 228-242	5:3	156
27	Contributions of local and regional sources of NO _x to ozone concentrations in Southeast Texas. <i>Atmospheric Environment</i> , 2011 , 45, 2877-2887	5:3	46
26	Implementation and initial application of the near-explicit Master Chemical Mechanism in the 3D Community Multiscale Air Quality (CMAQ) model. <i>Atmospheric Environment</i> , 2011 , 45, 3244-3256	5:3	20
25	Secondary organic aerosol formation and source apportionment in Southeast Texas. <i>Atmospheric Environment</i> , 2011 , 45, 3217-3227	5:3	52
24	Physical and chemical processes of wintertime secondary nitrate aerosol formation. <i>Frontiers of Environmental Science and Engineering in China</i> , 2011 , 5, 348-361		16
23	Source contributions of volatile organic compounds to ozone formation in southeast Texas. <i>Journal of Geophysical Research</i> , 2010 , 115,		44
22	TAMNROM-3D: Three-Dimensional Eulerian Model to Simulate Air Quality near Highways. <i>Transportation Research Record</i> , 2010 , 2158, 61-68	1:7	4
21	Traffic assignment considering air quality. <i>Transportation Research, Part D: Transport and Environment</i> , 2010 , 15, 497-502	6:4	26
20	Source apportionment of wintertime secondary organic aerosol during the California regional PM ₁₀ /PM _{2.5} air quality study. <i>Atmospheric Environment</i> , 2010 , 44, 1331-1340	5:3	38
19	Particulate air quality model predictions using prognostic vs. diagnostic meteorology in central California. <i>Atmospheric Environment</i> , 2010 , 44, 215-226	5:3	39
18	Source apportionment of airborne particulate matter in Southeast Texas using a source-oriented 3D air quality model. <i>Atmospheric Environment</i> , 2010 , 44, 3547-3557	5:3	32
17	Modeling air quality during the California Regional PM ₁₀ /PM _{2.5} Air Quality Study (CPRAQS) using the UCD/CIT source-oriented air quality model IPart III. Regional source apportionment of secondary and total airborne particulate matter. <i>Atmospheric Environment</i> , 2009 , 43, 419-430	5:3	25
16	Regional contributions to airborne particulate matter in central California during a severe pollution episode. <i>Atmospheric Environment</i> , 2009 , 43, 1218-1228	5:3	37
15	Simulating PM concentration during a winter episode in a subtropical valley: Sensitivity simulations and evaluation methods. <i>Atmospheric Environment</i> , 2009 , 43, 5971-5977	5:3	8
14	Source apportionment of visual impairment during the California regional PM ₁₀ /PM _{2.5} air quality study. <i>Atmospheric Environment</i> , 2009 , 43, 6136-6144	5:3	10
13	Modeling air quality during the California Regional PM ₁₀ /PM _{2.5} Air Quality Study (CRPAQS) using the UCD/CIT source-oriented air quality model IPart I. Base case model results. <i>Atmospheric Environment</i> , 2008 , 42, 8954-8966	5:3	50
12	Modeling air quality during the California Regional PM ₁₀ /PM _{2.5} Air Quality Study (CPRAQS) using the UCD/CIT Source Oriented Air Quality Model IPart II. Regional source apportionment of primary airborne particulate matter. <i>Atmospheric Environment</i> , 2008 , 42, 8967-8978	5:3	36

11	Source apportionment of secondary organic aerosol during a severe photochemical smog episode. <i>Atmospheric Environment</i> , 2007 , 41, 576-591	5-3	45
10	Verification of a source-oriented externally mixed air quality model during a severe photochemical smog episode. <i>Atmospheric Environment</i> , 2007 , 41, 1521-1538	5-3	41
9	Source contributions to the regional distribution of secondary particulate matter in California. <i>Atmospheric Environment</i> , 2006 , 40, 736-752	5-3	120
8	Dominant Mechanisms that Shape the Airborne Particle Size and Composition Distribution in Central California. <i>Aerosol Science and Technology</i> , 2006 , 40, 827-844	3-4	74
7	A comparison of the UCD/CIT air quality model and the CMB source receptor model for primary airborne particulate matter. <i>Atmospheric Environment</i> , 2005 , 39, 2281-2297	5-3	43
6	Control strategies for the reduction of airborne particulate nitrate in California's San Joaquin Valley. <i>Atmospheric Environment</i> , 2005 , 39, 5325-5341	5-3	30
5	Modeling particulate matter in the San Joaquin Valley with a source-oriented externally mixed three-dimensional photochemical grid model. <i>Atmospheric Environment</i> , 2004 , 38, 3689-3711	5-3	50
4	Source apportionment of visibility impairment using a three-dimensional source-oriented air quality model. <i>Environmental Science & Technology</i> , 2004 , 38, 1089-101	10-3	34
3	Effects of aerosol UV extinction on the formation of ozone and secondary particulate matter. <i>Atmospheric Environment</i> , 2003 , 37, 5047-5068	5-3	19
2	Forecasting the Cumulative Number of COVID-19 Deaths in China: a Boltzmann Function-based Modeling Study		3
1	Age-resolved source and region contributions to fine particulate matter during an extreme haze episode in China. <i>Geophysical Research Letters</i> ,	4-9	0