

Martina Kerscher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4580289/publications.pdf>

Version: 2024-02-01

36
papers

934
citations

566801

15
h-index

454577

30
g-index

36
all docs

36
docs citations

36
times ranked

433
citing authors

#	ARTICLE	IF	CITATIONS
1	Validated Assessment Scales for the Lower Face. <i>Dermatologic Surgery</i> , 2012, 38, 333-342.	0.4	107
2	Consensus Recommendations for Combined Aesthetic Interventions in the Face Using Botulinum Toxin, Fillers, and Energy-Based Devices. <i>Dermatologic Surgery</i> , 2016, 42, 586-597.	0.4	79
3	Validated Assessment Scales for the Mid Face. <i>Dermatologic Surgery</i> , 2012, 38, 320-332.	0.4	72
4	Comparison of the spread of three botulinum toxin type A preparations. <i>Archives of Dermatological Research</i> , 2012, 304, 155-161.	1.1	60
5	Rejuvenating Influence of a Stabilized Hyaluronic Acid-Based Gel of Nonanimal Origin on Facial Skin Aging. <i>Dermatologic Surgery</i> , 2008, 34, 720-726.	0.4	59
6	Consensus Recommendations for Optimal Augmentation of the Asian Face with Hyaluronic Acid and Calcium Hydroxylapatite Fillers. <i>Plastic and Reconstructive Surgery</i> , 2015, 136, 940-956.	0.7	56
7	A Validated Lip Fullness Grading Scale. <i>Dermatologic Surgery</i> , 2008, 34, S161-S166.	0.4	55
8	Cannula Versus Sharp Needle for Placement of Soft Tissue Fillers: An Observational Cadaver Study. <i>Aesthetic Surgery Journal</i> , 2017, 38, sjw220.	0.9	50
9	Consensus Recommendations for Combined Aesthetic Interventions Using Botulinum Toxin, Fillers, and Microfocused Ultrasound in the Neck, Décolletage, Hands, and Other Areas of the Body. <i>Dermatologic Surgery</i> , 2016, 42, 1199-1208.	0.4	44
10	Effects of a three-session skin rejuvenation treatment using stabilized hyaluronic acid-based gel of non-animal origin on skin elasticity: a pilot study. <i>Archives of Dermatological Research</i> , 2010, 302, 37-45.	1.1	42
11	Efficacy, Safety, and Patient Satisfaction of a Monophasic Cohesive Polydensified Matrix Versus a Biphasic Nonanimal Stabilized Hyaluronic Acid Filler After Single Injection in Nasolabial Folds. <i>Dermatologic Surgery</i> , 2013, 39, 1097-1105.	0.4	39
12	Stabilized hyaluronic acid-based gel of non-animal origin for skin rejuvenation: face, hand, and Décolletage. <i>Journal of Drugs in Dermatology</i> , 2013, 12, 990-4.	0.4	38
13	Rejuvenating Influence of a Stabilized Hyaluronic Acid-Based Gel of Nonanimal Origin on Facial Skin Aging. <i>Dermatologic Surgery</i> , 2008, 34, 720-726.	0.4	35
14	Efficacy and Safety of IncobotulinumtoxinA in the Treatment of Upper Facial Lines. <i>Dermatologic Surgery</i> , 2015, 41, 1149-1157.	0.4	25
15	Effectiveness evaluation of two volumizing hyaluronic acid dermal fillers in a controlled, randomized, double-blind, split-face clinical study. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2017, Volume 10, 239-247.	0.8	20
16	Skin Quality – A Holistic 360° View: Consensus Results. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2021, Volume 14, 643-654.	0.8	20
17	Facial skin revitalization with CPM [®] -HA20G: an effective and safe early intervention treatment. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2019, Volume 12, 563-572.	0.8	17
18	Consensus on the Use of Hyaluronic Acid Fillers from the Cohesive Polydensified Matrix Range: Best Practice in Specific Facial Indications. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2021, Volume 14, 1175-1199.	0.8	16

#	ARTICLE	IF	CITATIONS
19	Liquid Formulation of AbobotulinumtoxinA: A 6-Month, Phase 3, Double-Blind, Randomized, Placebo-Controlled Study of a Single Treatment, Ready-to-Use Toxin for Moderate-to-Severe Glabellar Lines. <i>Aesthetic Surgery Journal</i> , 2020, 40, 93-104.	0.9	15
20	Significantly Increased Patient Satisfaction Following Liquid Formulation AbobotulinumtoxinA Treatment in Glabellar Lines: FACE-Q Outcomes From a Phase 3 Clinical Trial. <i>Aesthetic Surgery Journal</i> , 2020, 40, 1000-1008.	0.9	12
21	Update on cosmeceuticals. <i>JDDG - Journal of the German Society of Dermatology</i> , 2011, 9, 314-328.	0.4	9
22	Release of the model drug SR101 from polyurethane nanocapsules in porcine hair follicles triggered by LED-derived low dose UVA light. <i>International Journal of Pharmaceutics</i> , 2021, 597, 120339.	2.6	9
23	Approach to differentiate between hyaluronic acid skin quality boosters and fillers based on their physicochemical properties. <i>Journal of Cosmetic Dermatology</i> , 2022, 21, 149-157.	0.8	9
24	Development and validation of a global photonic scale for evaluating skin quality of aged female facial skin. <i>Journal of Cosmetic Dermatology</i> , 2021, 20, 4032-4039.	0.8	8
25	Physicochemical Properties of Injectable Hyaluronic Acid: Skin Quality Boosters. <i>Macromolecular Materials and Engineering</i> , 2021, 306, 2100134.	1.7	7
26	Clinical and Biophysical Outcomes of Combining Microfocused Ultrasound with Visualization and Calcium Hydroxylapatite Filler for Facial Treatment. <i>Dermatology and Therapy</i> , 2019, 9, 135-142.	1.4	5
27	IncobotulinumtoxinA in esthetics. <i>Journal of Drugs in Dermatology</i> , 2013, 12, e111-20.	0.4	4
28	First Consensus on Primary Prevention and Early Intervention in Aesthetic Medicine. <i>Journal of Drugs in Dermatology</i> , 2017, 16, 846-854.	0.4	4
29	Microinjections with hyaluronic acid in combination with glycerol: How do they influence biophysical viscoelastic skin properties?. <i>Skin Research and Technology</i> , 2022, 28, 633-642.	0.8	4
30	Cell-Free Blood Cell Secretome (BCS) Counteracts Skin Aging: Multi-Center Prospective Regenerative Aesthetic Medicine Study Using ExokineA®. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 0, Volume 15, 1157-1173.	0.8	4
31	Patient-Reported Outcomes following Split-Face Injection of 2 Volumizing Fillers in the Upper Cheeks. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2017, 5, e1412.	0.3	3
32	Optimizing skin pharmacotherapy for older patients: the future is at hand but are we ready for it?. <i>Drug Discovery Today</i> , 2020, 25, 851-861.	3.2	3
33	Safety of Cohesive Polydensified Matrix Cross-Linked Hyaluronic Acid Volumizing Gel in Temporal Hollows and Cheeks. <i>Dermatologic Surgery</i> , 2021, Publish Ahead of Print, 1359-1364.	0.4	2
34	<p>Safety and Performance of Etermis 3 and 4 in Wrinkles/Folds Treatment and Facial Volume Enhancement: A Prospective, Evaluator-Blinded, Open-Label Study</p>. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2020, Volume 13, 591-599.	0.8	1
35	Facial Skin Revitalization with Cohesive Polydensified Matrix-HA20G: Results from a Randomized Multicenter Clinical Study. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2021, 9, e3973.	0.3	1
36	Response to "Facial Line Outcomes (FLO-11) and Facial Line Satisfaction Questionnaire (FLSQ) Meet FDA PRO Guidance". <i>Aesthetic Surgery Journal</i> , 2020, 40, NP710-NP711.	0.9	0