David W Eyre

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/45822/publications.pdf

Version: 2024-02-01

130 papers 13,188 citations

53 h-index 30922 102 g-index

176 all docs

176 docs citations

176 times ranked

17576 citing authors

| # | Article | IF | CITATIONS |
|----------|--|-------------|------------|
| 1 | Antibody Status and Incidence of SARS-CoV-2 Infection in Health Care Workers. New England Journal of Medicine, 2021, 384, 533-540. | 27.0 | 803 |
| 2 | Whole-genome sequencing to delineate Mycobacterium tuberculosis outbreaks: a retrospective observational study. Lancet Infectious Diseases, The, 2013, 13, 137-146. | 9.1 | 786 |
| 3 | Diverse Sources of <i>C. difficile</i> Infection Identified on Whole-Genome Sequencing. New England Journal of Medicine, 2013, 369, 1195-1205. | 27.0 | 595 |
| 4 | Whole-genome sequencing for prediction of Mycobacterium tuberculosis drug susceptibility and resistance: a retrospective cohort study. Lancet Infectious Diseases, The, 2015, 15, 1193-1202. | 9.1 | 553 |
| 5 | Effect of Delta variant on viral burden and vaccine effectiveness against new SARS-CoV-2 infections in the UK. Nature Medicine, 2021, 27, 2127-2135. | 30.7 | 450 |
| 6 | Performance characteristics of five immunoassays for SARS-CoV-2: a head-to-head benchmark comparison. Lancet Infectious Diseases, The, 2020, 20, 1390-1400. | 9.1 | 336 |
| 7 | Effect of Covid-19 Vaccination on Transmission of Alpha and Delta Variants. New England Journal of Medicine, 2022, 386, 744-756. | 27.0 | 323 |
| 8 | A <i>Candida auris</i> Outbreak and Its Control in an Intensive Care Setting. New England Journal of Medicine, 2018, 379, 1322-1331. | 27.0 | 318 |
| 9 | Predicting antimicrobial susceptibilities for Escherichia coli and Klebsiella pneumoniae isolates using whole genomic sequence data. Journal of Antimicrobial Chemotherapy, 2013, 68, 2234-2244. | 3.0 | 314 |
| 10 | SARS-CoV-2 within-host diversity and transmission. Science, 2021, 372, . | 12.6 | 278 |
| 11 | Effects of control interventions on Clostridium difficile infection in England: an observational study. Lancet Infectious Diseases, The, 2017, 17, 411-421. | 9.1 | 269 |
| 12 | Immunogenicity of standard and extended dosing intervals of BNT162b2 mRNA vaccine. Cell, 2021, 184, 5699-5714.e11. | 28.9 | 262 |
| | | | |
| 13 | Impact of vaccination on new SARS-CoV-2 infections in the United Kingdom. Nature Medicine, 2021, 27, 1370-1378. | 30.7 | 260 |
| 13 | Impact of vaccination on new SARS-CoV-2 infections in the United Kingdom. Nature Medicine, 2021, 27, 1370-1378. Gonorrhoea treatment failure caused by a Neisseria gonorrhoeae strain with combined ceftriaxone and high-level azithromycin resistance, England, February 2018. Eurosurveillance, 2018, 23, . | 30.7 7.0 | 260 255 |
| | 1370-1378. Gonorrhoea treatment failure caused by a Neisseria gonorrhoeae strain with combined ceftriaxone | | |
| 14 | Gonorrhoea treatment failure caused by a Neisseria gonorrhoeae strain with combined ceftriaxone and high-level azithromycin resistance, England, February 2018. Eurosurveillance, 2018, 23, . Antibody responses to SARS-CoV-2 vaccines in 45,965 adults from the general population of the United | 7.0 | 255 |
| 14 15 | Gonorrhoea treatment failure caused by a Neisseria gonorrhoeae strain with combined ceftriaxone and high-level azithromycin resistance, England, February 2018. Eurosurveillance, 2018, 23, . Antibody responses to SARS-CoV-2 vaccines in 45,965 adults from the general population of the United Kingdom. Nature Microbiology, 2021, 6, 1140-1149. The Duration, Dynamics, and Determinants of Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Antibody Responses in Individual Healthcare Workers. Clinical Infectious Diseases, 2021, | 7.0 13.3 | 255 254 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 19 | Microevolutionary analysis of Clostridium difficile genomes to investigate transmission. Genome Biology, 2012, 13, R118. | 9.6 | 199 |
| 20 | Differential occupational risks to healthcare workers from SARS-CoV-2 observed during a prospective observational study. ELife, 2020, 9, . | 6.0 | 196 |
| 21 | Relationship Between Bacterial Strain Type, Host Biomarkers, and Mortality in Clostridium difficile Infection. Clinical Infectious Diseases, 2013, 56, 1589-1600. | 5.8 | 191 |
| 22 | Evolutionary History of the Clostridium difficile Pathogenicity Locus. Genome Biology and Evolution, 2014, 6, 36-52. | 2.5 | 190 |
| 23 | Predictors of First Recurrence of Clostridium difficile Infection: Implications for Initial Management. Clinical Infectious Diseases, 2012, 55, S77-S87. | 5.8 | 180 |
| 24 | Antibody testing for COVID-19: A report from theÂNational COVID Scientific Advisory Panel. Wellcome Open Research, 2020, 5, 139. | 1.8 | 179 |
| 25 | Molecular Diagnosis of Orthopedic-Device-Related Infection Directly from Sonication Fluid by Metagenomic Sequencing. Journal of Clinical Microbiology, 2017, 55, 2334-2347. | 3.9 | 174 |
| 26 | WGS to predict antibiotic MICs for Neisseria gonorrhoeae. Journal of Antimicrobial Chemotherapy, 2017, 72, 1937-1947. | 3.0 | 169 |
| 27 | COVID-19: Rapid antigen detection for SARS-CoV-2 by lateral flow assay: A national systematic evaluation of sensitivity and specificity for mass-testing. EClinicalMedicine, 2021, 36, 100924. | 7.1 | 162 |
| 28 | Transmission of Staphylococcus aureus between health-care workers, the environment, and patients in an intensive care unit: a longitudinal cohort study based on whole-genome sequencing. Lancet Infectious Diseases, The, 2017, 17, 207-214. | 9.1 | 155 |
| 29 | Whole-genome sequencing to determine transmission of Neisseria gonorrhoeae: an observational study. Lancet Infectious Diseases, The, 2016, 16, 1295-1303. | 9.1 | 149 |
| 30 | Community prevalence of SARS-CoV-2 in England from April to November, 2020: results from the ONS Coronavirus Infection Survey. Lancet Public Health, The, 2021, 6, e30-e38. | 10.0 | 147 |
| 31 | Antibody responses and correlates of protection in the general population after two doses of the ChAdOx1 or BNT162b2 vaccines. Nature Medicine, 2022, 28, 1072-1082. | 30.7 | 147 |
| 32 | T-cell and antibody responses to first BNT162b2 vaccine dose in previously infected and SARS-CoV-2-naive UK health-care workers: a multicentre prospective cohort study. Lancet Microbe, The, 2022, 3, e21-e31. | 7.3 | 131 |
| 33 | Real-time analysis of nanopore-based metagenomic sequencing from infected orthopaedic devices. BMC Genomics, 2018, 19, 714. | 2.8 | 128 |
| 34 | SARS-CoV-2 RNA detected in blood products from patients with COVID-19 is not associated with infectious virus. Wellcome Open Research, 2020, 5, 181. | 1.8 | 122 |
| 35 | Asymptomatic Clostridium difficile Colonisation and Onward Transmission. PLoS ONE, 2013, 8, e78445. | 2.5 | 113 |
| 36 | Detection in the United Kingdom of the Neisseria gonorrhoeae FC428 clone, with ceftriaxone resistance and intermediate resistance to azithromycin, October to December 2018. Eurosurveillance, 2019, 24, . | 7.0 | 107 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Infectivity by Viral Load, S Gene Variants and Demographic Factors, and the Utility of Lateral Flow Devices to Prevent Transmission. Clinical Infectious Diseases, 2022, 74, 407-415. | 5.8 | 106 |
| 38 | T cell assays differentiate clinical and subclinical SARS-CoV-2 infections from cross-reactive antiviral responses. Nature Communications, 2021, 12, 2055. | 12.8 | 102 |
| 39 | Quantitative SARS-CoV-2 anti-spike responses to Pfizer–BioNTech and Oxford–AstraZeneca vaccines by previous infection status. Clinical Microbiology and Infection, 2021, 27, 1516.e7-1516.e14. | 6.0 | 100 |
| 40 | Rapid triage for COVID-19 using routine clinical data for patients attending hospital: development and prospective validation of an artificial intelligence screening test. The Lancet Digital Health, 2021, 3, e78-e87. | 12.3 | 96 |
| 41 | Recombinational Switching of the Clostridium difficile S-Layer and a Novel Glycosylation Gene Cluster Revealed by Large-Scale Whole-Genome Sequencing. Journal of Infectious Diseases, 2013, 207, 675-686. | 4.0 | 93 |
| 42 | Genomic diversity affects the accuracy of bacterial single-nucleotide polymorphism–calling pipelines. GigaScience, 2020, 9, . | 6.4 | 92 |
| 43 | Ct threshold values, a proxy for viral load in community SARS-CoV-2 cases, demonstrate wide variation across populations and over time. ELife, 2021, 10 , . | 6.0 | 91 |
| 44 | Anti-spike antibody response to natural SARS-CoV-2 infection in the general population. Nature Communications, 2021, 12, 6250. | 12.8 | 88 |
| 45 | Daily testing for contacts of individuals with SARS-CoV-2 infection and attendance and SARS-CoV-2 transmission in English secondary schools and colleges: an open-label, cluster-randomised trial. Lancet, The, 2021, 398, 1217-1229. | 13.7 | 87 |
| 46 | Epidemiology of Clostridium difficile in infants in Oxfordshire, UK: Risk factors for colonization and carriage, and genetic overlap with regional C. difficile infection strains. PLoS ONE, 2017, 12, e0182307. | 2.5 | 82 |
| 47 | SARS-CoV-2 RNA detected in blood products from patients with COVID-19 is not associated with infectious virus. Wellcome Open Research, 2020, 5, 181. | 1.8 | 81 |
| 48 | Genetic relatedness of ceftriaxone-resistant and high-level azithromycin resistant Neisseria gonorrhoeae cases, United Kingdom and Australia, February to April 2018. Eurosurveillance, 2019, 24, . | 7.0 | 77 |
| 49 | Detection of Mixed Infection from Bacterial Whole Genome Sequence Data Allows Assessment of Its Role in Clostridium difficile Transmission. PLoS Computational Biology, 2013, 9, e1003059. | 3.2 | 75 |
| 50 | Covert dissemination of carbapenemase-producing Klebsiella pneumoniae (KPC) in a successfully controlled outbreak: long- and short-read whole-genome sequencing demonstrate multiple genetic modes of transmission. Journal of Antimicrobial Chemotherapy, 2017, 72, 3025-3034. | 3.0 | 73 |
| 51 | Antimicrobial Resistance in Neisseria gonorrhoeae and Treatment of Gonorrhea. Methods in Molecular Biology, 2019, 1997, 37-58. | 0.9 | 71 |
| 52 | Comparison of Multilocus Variable-Number Tandem-Repeat Analysis and Whole-Genome Sequencing for Investigation of Clostridium difficile Transmission. Journal of Clinical Microbiology, 2013, 51, 4141-4149. | 3.9 | 69 |
| 53 | An Observational Cohort Study on the Incidence of Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Infection and B.1.1.7 Variant Infection in Healthcare Workers by Antibody and Vaccination Status. Clinical Infectious Diseases, 2022, 74, 1208-1219. | 5.8 | 64 |
| 54 | Two Distinct Patterns of Clostridium difficile Diversity Across Europe Indicating Contrasting Routes of Spread. Clinical Infectious Diseases, 2018, 67, 1035-1044. | 5.8 | 60 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Clostridium difficile Mixed Infection and Reinfection. Journal of Clinical Microbiology, 2012, 50, 142-144. | 3.9 | 55 |
| 56 | <i>Clostridium difficile</i> : Investigating Transmission Patterns Between Infected and Colonized Patients Using Whole Genome Sequencing. Clinical Infectious Diseases, 2019, 68, 204-209. | 5.8 | 55 |
| 57 | Epidemiological data and genome sequencing reveals that nosocomial transmission of SARS-CoV-2 is underestimated and mostly mediated by a small number of highly infectious individuals. Journal of Infection, 2021, 83, 473-482. | 3.3 | 55 |
| 58 | Emergence and spread of predominantly community-onset Clostridium difficile PCR ribotype 244 infection in Australia, 2010 to 2012. Eurosurveillance, 2015, 20, 21059. | 7.0 | 55 |
| 59 | Whole-Genome Sequencing Demonstrates That Fidaxomicin Is Superior to Vancomycin for Preventing Reinfection and Relapse of Infection With Clostridium difficile. Journal of Infectious Diseases, 2014, 209, 1446-1451. | 4.0 | 54 |
| 60 | Reduction in Chest CT Severity and Improved Hospital Outcomes in SARS-CoV-2 Omicron Compared with Delta Variant Infection. Radiology, 2023, 306, 261-269. | 7.3 | 53 |
| 61 | Major genetic discontinuity and novel toxigenic species in Clostridioides difficile taxonomy. ELife, 2021, 10, . | 6.0 | 50 |
| 62 | Metagenomic Sequencing as a Pathogen-Agnostic Clinical Diagnostic Tool for Infectious Diseases: a Systematic Review and Meta-analysis of Diagnostic Test Accuracy Studies. Journal of Clinical Microbiology, 2021, 59, e0291620. | 3.9 | 50 |
| 63 | A Role for Tetracycline Selection in Recent Evolution of Agriculture-Associated <i>Clostridium difficile</i> PCR Ribotype 078. MBio, 2019, 10, . | 4.1 | 46 |
| 64 | Contribution to Clostridium Difficile Transmission of Symptomatic Patients With Toxigenic Strains Who Are Fecal Toxin Negative. Clinical Infectious Diseases, 2017, 64, 1163-1170. | 5.8 | 45 |
| 65 | Time of Day of Vaccination Affects SARS-CoV-2 Antibody Responses in an Observational Study of Health Care Workers. Journal of Biological Rhythms, 2022, 37, 124-129. | 2.6 | 42 |
| 66 | Comparison of Control of Clostridium difficile Infection in Six English Hospitals Using Whole-Genome Sequencing. Clinical Infectious Diseases, 2017, 65, 433-441. | 5.8 | 40 |
| 67 | Results of a large retrospective analysis of the effect of intended dose intensity of Râ€∢scp>CHOP on outcome in a cohort of consecutive, unselected elderly patients with ⟨i⟩de novo⟨/i⟩ diffuse large B cell lymphoma. British Journal of Haematology, 2016, 173, 487-491. | 2.5 | 38 |
| 68 | Equations To Predict Antimicrobial MICs in Neisseria gonorrhoeae Using Molecular Antimicrobial Resistance Determinants. Antimicrobial Agents and Chemotherapy, 2020, 64, . | 3.2 | 37 |
| 69 | Clostridium difficile trehalose metabolism variants are common and not associated with adverse patient outcomes when variably present in the same lineage. EBioMedicine, 2019, 43, 347-355. | 6.1 | 35 |
| 70 | Transmission of community- and hospital-acquired SARS-CoV-2 in hospital settings in the UK: A cohort study. PLoS Medicine, 2021, 18, e1003816. | 8.4 | 35 |
| 71 | Optimizing DNA Extraction Methods for Nanopore Sequencing of Neisseria gonorrhoeae Directly from Urine Samples. Journal of Clinical Microbiology, 2020, 58, . | 3.9 | 33 |
| 72 | Home-based SARS-CoV-2 lateral flow antigen testing in hospital workers. Journal of Infection, 2021, 82, 282-327. | 3.3 | 32 |

| # | Article | lF | Citations |
|----|--|--------------|-----------|
| 73 | Impaired antibody response to COVIDâ€19 vaccination in patients with chronic myeloid neoplasms. British Journal of Haematology, 2021, 194, 1010-1015. | 2.5 | 31 |
| 74 | RNA polymerase mutations cause cephalosporin resistance in clinical Neisseria gonorrhoeae isolates. ELife, 2020, 9, . | 6.0 | 31 |
| 75 | Real-world evaluation of rapid and laboratory-free COVID-19 triage for emergency care: external validation and pilot deployment of artificial intelligence driven screening. The Lancet Digital Health, 2022, 4, e266-e278. | 12.3 | 28 |
| 76 | High precision <i>Neisseria gonorrhoeae</i> variant and antimicrobial resistance calling from metagenomic Nanopore sequencing. Genome Research, 2020, 30, 1354-1363. | 5.5 | 27 |
| 77 | Genomic analysis of urogenital and rectal <i>Neisseria meningitidis</i> isolates reveals encapsulated hyperinvasive meningococci and coincident multidrug-resistant gonococci. Sexually Transmitted Infections, 2017, 93, 445-451. | 1.9 | 26 |
| 78 | The global challenge of Candida auris in the intensive care unit. Critical Care, 2019, 23, 150. | 5.8 | 26 |
| 79 | Use of lateral flow devices allows rapid triage of patients with SARS-CoV-2 on admission to hospital. Journal of Infection, 2021, 82, 276-316. | 3.3 | 25 |
| 80 | Patient and Strain Characteristics Associated With Clostridium difficile Transmission and Adverse Outcomes. Clinical Infectious Diseases, 2018, 67, 1379-1387. | 5.8 | 24 |
| 81 | Infection prevention and control insights from a decade of pathogen whole-genome sequencing. Journal of Hospital Infection, 2022, 122, 180-186. | 2.9 | 24 |
| 82 | Fatal COVID-19 outcomes are associated with an antibody response targeting epitopes shared with endemic coronaviruses. JCI Insight, 2022, 7 , . | 5.0 | 24 |
| 83 | Stringent thresholds in SARS-CoV-2 IgG assays lead to under-detection of mild infections. BMC Infectious Diseases, 2021, 21, 187. | 2.9 | 23 |
| 84 | <i>Clostridium difficile $<$ $ $ i $>$ surveillance: harnessing new technologies to control transmission. Expert Review of Anti-Infective Therapy, 2013, 11, 1193-1205. | 4.4 | 22 |
| 85 | Results of a multicentre <scp>UK</scp> â€wide retrospective study evaluating the efficacy of brentuximab vedotin in relapsed, refractory classical Hodgkin lymphoma in the transplant naive setting. British Journal of Haematology, 2017, 179, 471-479. | 2.5 | 20 |
| 86 | Epidemiology of Mycobacterium abscessus in England: an observational study. Lancet Microbe, The, 2021, 2, e498-e507. | 7.3 | 20 |
| 87 | Symptoms and Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Positivity in the General Population in the United Kingdom. Clinical Infectious Diseases, 2022, 75, e329-e337. | 5 . 8 | 20 |
| 88 | Divergent trajectories of antiviral memory after SARS-CoV-2 infection. Nature Communications, 2022, 13, 1251. | 12.8 | 20 |
| 89 | Results of a multicentre <scp>UK</scp> â€wide retrospective study evaluating the efficacy of pixantrone in relapsed, refractory diffuse large B cell lymphoma. British Journal of Haematology, 2016, 173, 896-904. | 2.5 | 19 |
| 90 | Whole genome sequencing of <i>Neisseria gonorrhoeae</i> reveals transmission clusters involving patients of mixed HIV serostatus. Sexually Transmitted Infections, 2018, 94, 138-143. | 1.9 | 19 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 91 | Clinical Metagenomic Sequencing for Species Identification and Antimicrobial Resistance Prediction in Orthopedic Device Infection. Journal of Clinical Microbiology, 2022, 60, e0215621. | 3.9 | 18 |
| 92 | SARS-CoV-2 antibody prevalence, titres and neutralising activity in an antenatal cohort, United Kingdom, 14 April to 15 June 2020. Eurosurveillance, 2020, 25, . | 7.0 | 17 |
| 93 | BugMat and FindNeighbour: command line and server applications for investigating bacterial relatedness. BMC Bioinformatics, 2017, 18, 477. | 2.6 | 16 |
| 94 | Hash-Based Core Genome Multilocus Sequence Typing for Clostridium difficile. Journal of Clinical Microbiology, 2019, 58, . | 3.9 | 16 |
| 95 | Short-Term Genome Stability of Serial Clostridium difficile Ribotype 027 Isolates in an Experimental Gut Model and Recurrent Human Disease. PLoS ONE, 2013, 8, e63540. | 2.5 | 16 |
| 96 | Whole genome sequencing reveals hidden transmission of carbapenemase-producing Enterobacterales. Nature Communications, 2022, 13, . | 12.8 | 16 |
| 97 | <i>In Vitro</i> Activity of Omadacycline, a New Tetracycline Analog, and Comparators against Clostridioides difficile. Antimicrobial Agents and Chemotherapy, 2020, 64, . | 3.2 | 14 |
| 98 | Hospital Admission Location Prediction via Deep Interpretable Networks for the Year-Round Improvement of Emergency Patient Care. IEEE Journal of Biomedical and Health Informatics, 2021, 25, 289-300. | 6.3 | 14 |
| 99 | Results of a multicentre <scp>UK</scp> â€wide compassionate use programme evaluating the efficacy of idelalisib monotherapy in relapsed, refractory follicular lymphoma. British Journal of Haematology, 2018, 181, 555-559. | 2.5 | 13 |
| 100 | Diverse Sources of <i>C. difficile</i> Infection. New England Journal of Medicine, 2014, 370, 182-184. | 27.0 | 12 |
| 101 | Genetic Heterogeneity of Australian Candida auris Isolates: Insights From a Nonoutbreak Setting Using Whole-Genome Sequencing. Open Forum Infectious Diseases, 2020, 7, ofaa158. | 0.9 | 12 |
| 102 | Human and Porcine Transmission of <i>Clostridioides difficile</i> Ribotype 078, Europe. Emerging Infectious Diseases, 2021, 27, 2294-2300. | 4.3 | 12 |
| 103 | Male gender is an independent predictor for worse survival and relapse in a large, consecutive cohort of elderly <scp>DLBCL</scp> patients treated with Râ€ <scp>CHOP</scp> . British Journal of Haematology, 2019, 186, e94-e98. | 2.5 | 10 |
| 104 | Probabilistic transmission models incorporating sequencing data for healthcare-associated Clostridioides difficile outperform heuristic rules and identify strain-specific differences in transmission. PLoS Computational Biology, 2021, 17, e1008417. | 3.2 | 9 |
| 105 | Regarding "Clostridium Difficile Ribotype Does Not Predict Severe Infection". Clinical Infectious Diseases, 2013, 56, 1845-1846. | 5.8 | 8 |
| 106 | Prediction of Minimum Inhibitory Concentrations of Antimicrobials for Neisseria gonorrhoeae Using Whole-Genome Sequencing. Methods in Molecular Biology, 2019, 1997, 59-76. | 0.9 | 8 |
| 107 | In vitro activity of eravacycline against common ribotypes of Clostridioides difficile. Journal of Antimicrobial Chemotherapy, 2020, 75, 2879-2884. | 3.0 | 7 |
| 108 | Two cases of Clostridium difficile infection in unrelated oncology patients attributable to a single clone of C. difficile PCR ribotype 126. JMM Case Reports, 2015, 2, . | 1.3 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | WGS to determine the extent of <i>Clostridioides difficile</i> transmission in a high incidence setting in North Wales in 2015. Journal of Antimicrobial Chemotherapy, 2019, 74, 1092-1100. | 3.0 | 6 |
| 110 | Should modern molecular testing be routinely available for the diagnosis of musculoskeletal infection?. Bone and Joint Journal, 2020, 102-B, 1274-1276. | 4.4 | 6 |
| 111 | SARS-CoV-2 antibody trajectories after a single COVID-19 vaccination with and without prior infection. Nature Communications, 2022, 13 , . | 12.8 | 6 |
| 112 | Risk Factors for Clostridium difficile Acquisition in Infants: Importance of Study Design. Clinical Infectious Diseases, 2013, 56, 1680-1681. | 5.8 | 5 |
| 113 | Possible contribution of shoes to Clostridioides difficile transmission within hospitals. Clinical Microbiology and Infection, 2021, 27, 797-799. | 6.0 | 5 |
| 114 | Comparison of two T-cell assays to evaluate T-cell responses to SARS-CoV-2 following vaccination in naÃ-ve and convalescent healthcare workers. Clinical and Experimental Immunology, 2022, 209, 90-98. | 2.6 | 5 |
| 115 | Ethnically diverse urban transmission networks of Neisseria gonorrhoeae without evidence of HIV serosorting. Sexually Transmitted Infections, 2020, 96, 106-109. | 1.9 | 3 |
| 116 | Combination therapy of infliximab and thiopurines, but not monotherapy with infliximab or vedolizumab, is associated with attenuated IgA and neutralisation responses to SARS-CoV-2 in inflammatory bowel disease. Gut, 2022, 71, 1919.2-1922. | 12.1 | 3 |
| 117 | Mortality risks associated with empirical antibiotic activity in $\langle i \rangle$ Escherichia coli $\langle i \rangle$ bacteraemia: an analysis of electronic health records. Journal of Antimicrobial Chemotherapy, $0, , .$ | 3.0 | 3 |
| 118 | Utility of Whole Genome Sequencing in Assessing and Enhancing Partner Notification of Neisseria gonorrhoeae Infection. Sexually Transmitted Diseases, 2021, 48, 773-780. | 1.7 | 2 |
| 119 | Probabilistic modelling of effects of antibiotics and calendar time on transmission of healthcare-associated infection. Scientific Reports, 2021, 11, 21417. | 3.3 | 2 |
| 120 | HIV-associated late seminal vesicle â€BCGosis' following intravesical bacille Calmette-Guérin therapy. Journal of Clinical Urology, 2013, 6, 20-21. | 0.1 | 1 |
| 121 | Comparison of Pulsed-Field Gel Electrophoresis and Whole Genome Sequencing in Clostridium difficile Typing. Open Forum Infectious Diseases, 2016, 3, . | 0.9 | 1 |
| 122 | Clostridium difficile in England: can we stop washing our hands? – Authors' reply. Lancet Infectious Diseases, The, 2017, 17, 478-479. | 9.1 | 1 |
| 123 | Clostridium difficile: Investigating Transmission Patterns Between Symptomatic and Asymptomatic Patients Using Whole Genome Sequencing. Open Forum Infectious Diseases, 2017, 4, S1-S1. | 0.9 | 1 |
| 124 | P675â€Two recent cases of extensively drug-resistant (XDR) gonorrhoea in the united kingdom linked to a european party destination. , 2019, , . | | 1 |
| 125 | Impact of Intended and Relative Dose Intensity of RCHOP in a Large, Consecutive Cohort of Elderly DLBCL Patients: No Difference in DFS for 70-80 Years Versus >80 Years and Idi Independently Predicts Survival. Blood, 2018, 132, 573-573. | 1.4 | 1 |
| 126 | Assessment of an institutional guideline for vancomycin dosing and identification of predictive factors associated with dose and drug trough levels. Journal of Infection, 2022, 85, 382-389. | 3.3 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Lack of Evidence for Toxin Immunoassay-Negative Patients as a Significant Source of Clostridium difficile Transmission at an Academic Medical Center. Open Forum Infectious Diseases, 2016, 3, . | 0.9 | 0 |
| 128 | PTU-047â€High prevalence of clostridium difficile ribotype 078 in IBD outpatients. , 2018, , . | | 0 |
| 129 | O03.5â€Utility of real-time whole genome sequencing in partner notification and control ofneisseria gonorrhoeaeinfection. , 2019, , . | | O |
| 130 | K-mer based prediction of Clostridioides difficile relatedness and ribotypes. Microbial Genomics, 2022, 8, . | 2.0 | 0 |