

Maurizio Castellano

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4582986/maurizio-castellano-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153 papers	7,069 citations	46 h-index	80 g-index
161 ext. papers	7,742 ext. citations	4.7 avg, IF	4.82 L-index

#	Paper	IF	Citations
153	Guggulu and Triphala for the Treatment of Hypercholesterolaemia: A Placebo-Controlled, Double-Blind, Randomised Trial. <i>Complementary Medicine Research</i> , 2021 , 28, 216-225	1.3	1
152	Co-infection of chlamydia pneumoniae and mycoplasma pneumoniae with SARS-CoV-2 is associated with more severe features. <i>Journal of Infection</i> , 2021 , 82, e4-e7	18.9	10
151	Ultrasound of benign thyroid nodules: A 120 months follow-up study. <i>Clinical Endocrinology</i> , 2021 , 94, 866-871	3.4	0
150	Tocilizumab for the treatment of severe COVID-19 pneumonia with hyperinflammatory syndrome and acute respiratory failure: A single center study of 100 patients in Brescia, Italy. <i>Autoimmunity Reviews</i> , 2020 , 19, 102568	13.6	509
149	Could Serum TSH Levels Predict Malignancy in Euthyroid Patients Affected by Thyroid Nodules with Indeterminate Cytology?. <i>International Journal of Endocrinology</i> , 2020 , 2020, 7543930	2.7	3
148	An Empirical Analysis of Predictors for Workload Estimation in Healthcare. <i>Lecture Notes in Computer Science</i> , 2020 , 304-311	0.9	1
147	A new self-administered semi-quantitative food frequency questionnaire to estimate nutrient intake among Italian adults: development design and validation process. <i>Nutrition Research</i> , 2020 , 80, 18-27	4	3
146	Liquid Levothyroxine Formulation Taken during Lunch in Italy: A Case Report and Review of the Literature. <i>Case Reports in Endocrinology</i> , 2020 , 2020, 8858887	1.2	2
145	Ultrasound Microvascular Blood Flow Evaluation: A New Tool for the Management of Thyroid Nodule?. <i>International Journal of Endocrinology</i> , 2019 , 2019, 7874890	2.7	10
144	p.Ser891Ala RET gene mutations in medullary thyroid cancer: Phenotypical and genealogical characterization of 28 apparently unrelated kindreds and founder effect uncovering in Northern Italy. <i>Human Mutation</i> , 2019 , 40, 926-937	4.7	4
143	Clinical Guidelines: A Crossroad of Many Research Areas. Challenges and Opportunities in Process Mining for Healthcare. <i>Lecture Notes in Business Information Processing</i> , 2019 , 545-556	0.6	12
142	Pheochromocytoma/Paraganglioma: Diagnosis and Treatment 2019 , 455-459		
141	Adherence to Levothyroxine Treatment Among Patients With Hypothyroidism: A Northeastern Italian Survey. <i>Frontiers in Endocrinology</i> , 2018 , 9, 699	5.7	12
140	Relationship between different subpopulations of circulating CD4+ T lymphocytes and microvascular or systemic oxidative stress in humans. <i>Blood Pressure</i> , 2017 , 26, 237-245	1.7	10
139	TSH Variability of Patients Affected by Differentiated Thyroid Cancer Treated with Levothyroxine Liquid Solution or Tablet Form. <i>International Journal of Endocrinology</i> , 2017 , 2017, 7053959	2.7	13
138	Relationship Between Different Subpopulations of Circulating CD4+ T-lymphocytes and Microvascular Structural Alterations in Humans. <i>American Journal of Hypertension</i> , 2017 , 30, 51-60	2.3	18
137	Generating and Comparing Knowledge Graphs of Medical Processes Using pMineR 2017 ,		10

136	pMineR: An Innovative R Library for Performing Process Mining in Medicine. <i>Lecture Notes in Computer Science</i> , 2017 , 351-355	0.9	20
135	A Double-Blind Placebo-Controlled Trial of Liquid Thyroxine Ingested at Breakfast: Results of the TICO Study. <i>Thyroid</i> , 2016 , 26, 197-202	6.2	42
134	Levothyroxine liquid solution versus tablet form for replacement treatment in pregnant women. <i>Gynecological Endocrinology</i> , 2016 , 32, 290-2	2.4	14
133	Gonadal function in male patients with metastatic renal cell cancer treated with sunitinib: Effects of testosterone replacement on quality of life.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 525-525	2.2	
132	Thyroid Hormone Profile in Patients Ingesting Soft Gel Capsule or Liquid Levothyroxine Formulations with Breakfast. <i>International Journal of Endocrinology</i> , 2016 , 2016, 9043450	2.7	12
131	Common variation in PHACTR1 is associated with susceptibility to cervical artery dissection. <i>Nature Genetics</i> , 2015 , 47, 78-83	36.3	149
130	Elastography Evaluation of Benign Thyroid Nodules in Patients Affected by Hashimoto's Thyroiditis. <i>International Journal of Endocrinology</i> , 2015 , 2015, 367054	2.7	3
129	Oral liquid levothyroxine treatment at breakfast: a mistake?. <i>European Journal of Endocrinology</i> , 2014 , 170, 95-9	6.5	31
128	Comparison between liquid and tablet levothyroxine formulations in patients treated through enteral feeding tube. <i>Journal of Endocrinological Investigation</i> , 2014 , 37, 583-7	5.2	23
127	Metformin-induced thyrotropin suppression is not associated with cardiac effects. <i>Hormones</i> , 2014 , 13, 252-8	3.1	8
126	Excess dietary sodium and inadequate potassium intake by hypertensive patients in Italy: results of the MINISAL-SIIA study program. <i>Journal of Hypertension</i> , 2014 , 32, 48-56	1.9	21
125	Ultrasound findings of subacute thyroiditis: a single institution retrospective review. <i>Acta Radiologica</i> , 2014 , 55, 429-33	2	38
124	Thyroglobulin measurement in fine-needle aspiration biopsy of metastatic lymph nodes after rhTSH stimulation. <i>Head and Neck</i> , 2013 , 35, E21-3	4.2	16
123	Yeast model for evaluating the pathogenic significance of SDHB, SDHC and SDHD mutations in PHEO-PGL syndrome. <i>Human Molecular Genetics</i> , 2013 , 22, 804-15	5.6	22
122	Morbid obesity in women is associated to a lower prevalence of thyroid nodules. <i>Obesity Surgery</i> , 2012 , 22, 460-4	3.7	19
121	A novel menin gene deletional mutation in a little series of Italian patients affected by apparently sporadic multiple endocrine neoplasia type 1 syndrome. <i>Journal of Endocrinological Investigation</i> , 2012 , 35, 124-8	5.2	7
120	Thyrotropin levels in diabetic patients on metformin treatment. <i>European Journal of Endocrinology</i> , 2012 , 167, 261-5	6.5	61
119	MAX mutations cause hereditary and sporadic pheochromocytoma and paraganglioma. <i>Clinical Cancer Research</i> , 2012 , 18, 2828-37	12.9	226

118	Left ventricular hypertrophy and renal dysfunction during antihypertensive treatment adversely affect cardiovascular prognosis in hypertensive patients. <i>Journal of Hypertension</i> , 2012 , 30, 411-20	1.9	11
117	Real-time elastography: a useful tool for predicting malignancy in thyroid nodules with nondiagnostic cytologic findings. <i>Journal of Ultrasound in Medicine</i> , 2012 , 31, 1777-82	2.9	46
116	Usefulness of repeated recombinant human thyrotropin-stimulated thyroglobulin test in the post-surgical follow-up of very low-risk patients with differentiated thyroid carcinoma. <i>Journal of Endocrinological Investigation</i> , 2012 , 35, 459-63	5.2	1
115	Thyroidal effect of metformin treatment in patients with polycystic ovary syndrome. <i>Clinical Endocrinology</i> , 2011 , 75, 378-81	3.4	41
114	Dilated cardiomyopathy: a possibly underestimated presentation of Cushing's disease. <i>Clinical Endocrinology</i> , 2011 , 75, 864-5	3.4	2
113	The unusual clinical manifestation of thyroid storm. <i>Internal and Emergency Medicine</i> , 2011 , 6, 385-7	3.7	1
112	Association of vascular risk factors with cervical artery dissection and ischemic stroke in young adults. <i>Circulation</i> , 2011 , 123, 1537-44	16.7	105
111	Multiple endocrine neoplasia type 2 syndromes (MEN 2): results from the ItaMEN network analysis on the prevalence of different genotypes and phenotypes. <i>European Journal of Endocrinology</i> , 2010 , 163, 301-8	6.5	95
110	A hypoechoic pattern of the thyroid at ultrasound does not indicate autoimmune thyroid diseases in patients with morbid obesity. <i>European Journal of Endocrinology</i> , 2010 , 163, 105-9	6.5	38
109	Anabolic steroids purchased on the Internet as a cause of prolonged hypogonadotropic hypogonadism. <i>Fertility and Sterility</i> , 2010 , 94, 2331.e1-3	4.8	18
108	Spectrum and prevalence of FP/TMEM127 gene mutations in pheochromocytomas and paragangliomas. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 2611-9	27.4	144
107	Pulse wave velocity and cardiovascular risk stratification in a general population: the Vobarno study. <i>Journal of Hypertension</i> , 2010 , 28, 1935-43	1.9	27
106	Are we overestimating the penetrance of mutations in SDHB?. <i>Human Mutation</i> , 2010 , 31, 761-2	4.7	55
105	TSH-lowering effect of metformin in type 2 diabetic patients: differences between euthyroid, untreated hypothyroid, and euthyroid on L-T4 therapy patients. <i>Diabetes Care</i> , 2009 , 32, 1589-90	14.6	116
104	Clinically guided genetic screening in a large cohort of italian patients with pheochromocytomas and/or functional or nonfunctional paragangliomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 1541-7	5.6	227
103	Functional alterations of mesenteric small resistance arteries in Milan hypertensive and normotensive rats. <i>Hypertension Research</i> , 2009 , 32, 581-5	4.7	5
102	Prevalence of parathyroid cysts by neck ultrasound scan in unselected patients. <i>Journal of Endocrinological Investigation</i> , 2009 , 32, 357-9	5.2	40
101	Fine-needle aspiration cytology of thyroid nodule: does the needle matter?. <i>Southern Medical Journal</i> , 2009 , 102, 498-501	0.6	11

100	Reduced thyroid volume and nodularity in dyslipidaemic patients on statin treatment. <i>Clinical Endocrinology</i> , 2008 , 68, 16-21	3.4	28
99	Thyroid cytology: does the needle matter?. <i>Cytopathology</i> , 2008 , 19, 62-3	1.3	1
98	The role of imaging in GravesDisease: a cost-effectiveness analysis. <i>European Journal of Radiology</i> , 2008 , 65, 99-103	4.7	48
97	Spinal needle improves diagnostic cytological specimens of thyroid nodules. <i>Journal of Endocrinological Investigation</i> , 2008 , 31, 25-8	5.2	8
96	Modified percutaneous ethanol injection of parathyroid adenoma in primary hyperparathyroidism. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2008 , 101, 657-62	2.7	17
95	Inappropriate left ventricular mass in patients with primary aldosteronism. <i>Hypertension</i> , 2008 , 52, 529-34	3.5	97
94	The effect of pregnancy on subsequent relapse from GravesDisease after a successful course of antithyroid drug therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 3985-8	5.6	84
93	Aggressive thyroid carcinoma showing thymic-like differentiation (CASTLE): case report and review of the literature. <i>Endocrine Journal</i> , 2008 , 55, 685-90	2.9	26
92	Prognostic role of flow-mediated dilatation of the brachial artery in hypertensive patients. <i>Journal of Hypertension</i> , 2008 , 26, 1612-8	1.9	74
91	Aggressiveness and outcome of papillary thyroid carcinoma (PTC) versus microcarcinoma (PMC): a mono-institutional experience. <i>Journal of Surgical Oncology</i> , 2007 , 95, 555-60	2.8	91
90	Myxoedema coma precipitated by diabetic ketoacidosis and neuroleptic drugs: case report in an intensive care unit. <i>Internal and Emergency Medicine</i> , 2007 , 2, 147-9	3.7	6
89	The predictive value of ultrasound findings in the management of thyroid nodules. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2007 , 100, 29-35	2.7	192
88	Fine needle cytology of complex thyroid nodules. <i>European Journal of Endocrinology</i> , 2007 , 157, 529-32	6.5	23
87	Inappropriate left ventricular mass changes during treatment adversely affects cardiovascular prognosis in hypertensive patients. <i>Hypertension</i> , 2007 , 49, 1077-83	8.5	59
86	Prognostic value of thyrotropin receptor antibodies (TRAb) in GravesDisease: a 120 months prospective study. <i>Endocrine Journal</i> , 2007 , 54, 713-20	2.9	61
85	Morning rise of blood pressure and subcutaneous small resistance artery structure. <i>Journal of Hypertension</i> , 2007 , 25, 1698-703	1.9	38
84	Structural alterations of subcutaneous small-resistance arteries may predict major cardiovascular events in patients with hypertension. <i>American Journal of Hypertension</i> , 2007 , 20, 846-52	2.3	109
83	Thyroid nodule shape suggests malignancy. <i>European Journal of Endocrinology</i> , 2006 , 155, 27-31	6.5	147

82	Headache: Prevalence and relationship with office or ambulatory blood pressure in a general population sample (the Vobarno Study). <i>Blood Pressure</i> , 2006 , 15, 14-9	1.7	15
81	Ectopic lingual thyroid tissue and acquired hypothyroidism: case report. <i>Annales D'Endocrinologie</i> , 2006 , 67, 245-8	1.7	9
80	Lack of prognostic role of endothelial dysfunction in subcutaneous small resistance arteries of hypertensive patients. <i>Journal of Hypertension</i> , 2006 , 24, 867-73	1.9	18
79	Outcome of patients surgically treated for various forms of hyperthyroidism with differentiated thyroid cancer: experience at an endocrine center in Italy. <i>Surgery Today</i> , 2006 , 36, 125-30	3	44
78	Genetic mutation screening in an italian cohort of nonsyndromic pheochromocytoma/paraganglioma patients. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1073, 156-65	6.5	19
77	Effects of olmesartan and enalapril at low or high doses on cardiac, renal and vascular interstitial matrix in spontaneously hypertensive rats. <i>Blood Pressure</i> , 2005 , 14, 184-92	1.7	25
76	Cost-effectiveness of fine-needle-aspiration cytology of thyroid nodules with intranodular vascular pattern using two different needle types. <i>Endocrine Pathology</i> , 2005 , 16, 349-54	4.2	12
75	Is the anteroposterior and transverse diameter ratio of nonpalpable thyroid nodules a sonographic criteria for recommending fine-needle aspiration cytology?. <i>Clinical Endocrinology</i> , 2005 , 63, 689-93	3.4	92
74	Acromegalic Patients Show the Presence of Hypertrophic Remodeling of Subcutaneous Small Resistance Arteries. <i>Hypertension</i> , 2004 , 43, 561-565	8.5	51
73	Left ventricular concentric geometry during treatment adversely affects cardiovascular prognosis in hypertensive patients. <i>Hypertension</i> , 2004 , 43, 731-8	8.5	239
72	Long-term treatment of acromegaly with lanreotide: evidence of increased serum parathormone concentration. <i>Endocrine Journal</i> , 2004 , 51, 517-20	2.9	13
71	Acromegalic patients show the presence of hypertrophic remodeling of subcutaneous small resistance arteries. <i>Hypertension</i> , 2004 , 43, 561-5	8.5	21
70	Genetic polymorphism of the renin-angiotensin-aldosterone system and arterial hypertension in the Italian population: the GENIPER Project. <i>Journal of Hypertension</i> , 2003 , 21, 1853-60	1.9	46
69	Adrenergic mechanisms and remodeling of subcutaneous small resistance arteries in humans. <i>Journal of Hypertension</i> , 2003 , 21, 2345-52	1.9	30
68	Genetic association studies on gender- and age-related phenotypes: the case of GNB3 gene. <i>Journal of Hypertension</i> , 2003 , 21, 683-5	1.9	4
67	Circulating adhesion molecules and carotid artery structural changes in patients with noninsulin-dependent diabetes mellitus. <i>Journal of Human Hypertension</i> , 2003 , 17, 463-70	2.6	19
66	Prognostic significance of small-artery structure in hypertension. <i>Circulation</i> , 2003 , 108, 2230-5	16.7	399
65	Beta(2)-adrenergic receptor gene polymorphism, age, and cardiovascular phenotypes. <i>Hypertension</i> , 2003 , 41, 361-7	8.5	45

64	Structural changes in small resistance arteries and left ventricular geometry in patients with primary and secondary hypertension. <i>Journal of Hypertension</i> , 2002 , 20, 1439-44	1.9	64
63	Role of ET(A) receptors in the vasoconstriction induced by endothelin-1 in subcutaneous small arteries of normotensive subjects and hypertensive patients. <i>Blood Pressure</i> , 2002 , 11, 6-12	1.7	3
62	Contrasting effects of verapamil and amlodipine on cardiovascular stress responses in hypertension. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 687-92	3.8	5
61	The effects of dihydropyridine and phenylalkylamine calcium antagonist classes on autonomic function in hypertension: the VAMPHYRE study. <i>American Journal of Hypertension</i> , 2001 , 14, 1083-9	2.3	40
60	Flow-mediated dilatation of the brachial artery and left ventricular geometry in hypertensive patients. <i>Journal of Hypertension</i> , 2001 , 19, 641-7	1.9	30
59	The smoothness index, but not the trough-to-peak ratio predicts changes in carotid artery wall thickness during antihypertensive treatment. <i>Journal of Hypertension</i> , 2001 , 19, 703-11	1.9	47
58	Time course of apoptosis in small resistance arteries of spontaneously hypertensive rats. <i>Journal of Hypertension</i> , 2000 , 18, 885-91	1.9	30
57	Enhanced vascular reactivity in the sympathectomized rat: studies in vivo and in small isolated resistance arteries. <i>Journal of Hypertension</i> , 2000 , 18, 1041-9	1.9	16
56	Changes in midwall systolic performance and cardiac hypertrophy reduction in hypertensive patients. <i>Journal of Hypertension</i> , 2000 , 18, 1651-6	1.9	22
55	Cellular hypertrophy in subcutaneous small arteries of patients with renovascular hypertension. <i>Hypertension</i> , 2000 , 35, 931-5	8.5	88
54	High-dose, not low-dose insulin increases the vasoconstrictor effect of norepinephrine in spontaneously hypertensive rats: effects of antihypertensive treatment. <i>Journal of Vascular Research</i> , 1999 , 36, 393-403	1.9	4
53	Relations between cardiac and vascular structure in patients with primary and secondary hypertension. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 985-92	15.1	88
52	Endothelial dysfunction in hypertension is independent from the etiology and from vascular structure. <i>Hypertension</i> , 1998 , 31, 335-41	8.5	85
51	Chamber-specific alterations of norepinephrine uptake sites in cardiac hypertrophy. <i>Hypertension</i> , 1998 , 32, 831-7	8.5	27
50	Effects of losartan and enalapril on small artery structure in hypertensive rats. <i>Hypertension</i> , 1998 , 32, 305-10	8.5	72
49	Structural association between the carotid artery and the left ventricle in a general population in Northern Italy: the Vobarno study. <i>Journal of Hypertension</i> , 1998 , 16, 1805-12	1.9	24
48	Power spectral analysis of the heart rate in hypertensive patients with and without left ventricular hypertrophy: the effect of a left ventricular mass reduction. <i>Journal of Hypertension</i> , 1998 , 16, 1641-50	1.9	8
47	Effects of candesartan cilexetil and enalapril on structural alterations and endothelial function in small resistance arteries of spontaneously hypertensive rats. <i>Journal of Cardiovascular Pharmacology</i> , 1998 , 32, 798-806	3.1	28

46	Alpha-adducin gene polymorphism and cardiovascular phenotypes in a general population. <i>Journal of Hypertension</i> , 1997 , 15, 1707-10	1.9	31
45	Structural changes of small resistance arteries in spontaneously hypertensive rats after treatment with various doses of lacidipine. <i>Journal of Hypertension</i> , 1997 , 15, 619-25	1.9	10
44	The vasoconstriction induced by endothelin-1 is mediated only by ET(A) receptors in mesenteric small resistance arteries of spontaneously hypertensive rats and Wistar Kyoto rats. <i>Journal of Hypertension</i> , 1997 , 15, 1653-7	1.9	10
43	Effects of long-term antihypertensive treatment with lisinopril on resistance arteries in hypertensive patients with left ventricular hypertrophy. <i>Journal of Hypertension</i> , 1997 , 15, 197-204	1.9	89
42	Prolonged effects of short-term fosinopril on blood pressure and vascular morphology and function in rats. <i>American Journal of Hypertension</i> , 1997 , 10, 1034-43	2.3	22
41	Increased potency of neuropeptide Y to antagonize alpha2-adrenoceptor function in the nucleus tractus solitarius of the spontaneously hypertensive rat. <i>Neuroscience</i> , 1997 , 78, 803-13	3.9	13
40	The cardiac beta-adrenoceptor-mediated signaling pathway and its alterations in hypertensive heart disease. <i>Hypertension</i> , 1997 , 29, 715-22	8.5	60
39	Cardiac and vascular structural changes. Prevalence and relation to ambulatory blood pressure in a middle-aged general population in northern Italy: the Vobarno Study. <i>Hypertension</i> , 1996 , 27, 1046-52	8.5	62
38	Vascular hypertrophy and remodeling in secondary hypertension. <i>Hypertension</i> , 1996 , 28, 785-90	8.5	160
37	Angiotensin II type 1 receptor A/C1166 polymorphism. Relationships with blood pressure and cardiovascular structure. <i>Hypertension</i> , 1996 , 28, 1076-80	8.5	86
36	Chronic ACE-inhibitor treatment and adrenergic mechanisms in spontaneously hypertensive rats. <i>Journal of Cardiovascular Pharmacology</i> , 1995 , 26, 381-7	3.1	10
35	Arterial spontaneous rhythmic contractile activity in humans and rats: spectral analysis and regulatory mechanisms. <i>Journal of Hypertension</i> , 1995 , 13, 1043-52	1.9	16
34	Relationship between sympathetic nervous system activity, baroreflex and cardiovascular effects after acute nitric oxide synthesis inhibition in humans. <i>Journal of Hypertension</i> , 1995 , 13, 1153-61	1.9	32
33	Association of change in left ventricular mass with prognosis during long-term antihypertensive treatment. <i>Journal of Hypertension</i> , 1995 , 13, 1091-5	1.9	218
32	Angiotensin-converting enzyme I/D polymorphism and arterial wall thickness in a general population. The Vobarno Study. <i>Circulation</i> , 1995 , 91, 2721-4	16.7	88
31	Dose-dependent dissociation of ACE-inhibitor effects on blood pressure, cardiac hypertrophy, and beta-adrenergic signal transduction. <i>Circulation</i> , 1995 , 92, 3006-13	16.7	19
30	Effects of low and high doses of fosinopril on the structure and function of resistance arteries. <i>Hypertension</i> , 1995 , 26, 118-23	8.5	50
29	Contribution of systemic blood pressure to myocardial remodeling in uremic rats. <i>Hypertension</i> , 1995 , 26, 321-6	8.5	6

28	Cardiac norepinephrine, beta-adrenoceptors, and Gi alpha-proteins in prehypertensive and hypertensive spontaneously hypertensive rats. <i>Journal of Cardiovascular Pharmacology</i> , 1994 , 23, 980-7	3.1	31
27	Vascular structural and functional alterations before and after the development of hypertension in SHR. <i>American Journal of Hypertension</i> , 1994 , 7, 193-200	2.3	81
26	Delayed development of hypertension after short-term nitrendipine treatment. <i>Hypertension</i> , 1994 , 24, 131-9	8.5	53
25	Effects of Rilmenidine and Hydrochlorothiazide on Human Platelet α -Adrenoceptors. <i>Drug Investigation</i> , 1993 , 6, 330-336		
24	Gene expression of cardiac beta 1-adrenergic receptors during the development of hypertension in spontaneously hypertensive rats. <i>Journal of Hypertension</i> , 1993 , 11, 787-91	1.9	9
23	Effects of transdermal nitroglycerin in combination with an ACE inhibitor in patients with chronic stable angina pectoris. <i>European Heart Journal</i> , 1993 , 14, 1701-8	9.5	22
22	Transdermal nitroglycerin efficacy in patients with chronic stable angina pectoris as related to sympathetic and renin-angiotensin-aldosterone activity. <i>European Heart Journal</i> , 1992 , 13, 15-21	9.5	14
21	Antidiuretic hormone and atrial natriuretic peptide during lower body negative or positive pressure in hypertensive patients with and without left ventricular hypertrophy. <i>Clinical and Experimental Hypertension</i> , 1992 , 14, 717-32		1
20	Improved left ventricular systolic and diastolic function after regression of cardiac hypertrophy, treatment withdrawal, and redevelopment of hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 1991 , 17 Suppl 2, S179-81	3.1	19
19	Renal and hemodynamic effects of atrial natriuretic peptide infusion are not mediated by peripheral dopaminergic mechanisms. <i>American Journal of Hypertension</i> , 1991 , 4, 385-8	2.3	3
18	Effect of chronic ursolic acid administration on bile lipid composition and bile acid pool size in gallstone patients. <i>Scandinavian Journal of Gastroenterology</i> , 1990 , 25, 711-9	2.4	7
17	Quantitative measurement of biliary excretion and of gall bladder concentration of drugs under physiological conditions in man. <i>Gut</i> , 1989 , 30, 104-9	19.2	6
16	Plasma norepinephrine and heart rate dynamics during recovery from submaximal exercise in man. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1989 , 58, 879-83		165
15	Plasma catecholamines and heart rate at the beginning of muscular exercise in man. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1988 , 57, 644-51		43
14	Beneficial effects of one year's treatment with captopril on left ventricular anatomy and function in hypertensive patients with left ventricular hypertrophy. <i>American Journal of Medicine</i> , 1988 , 84, 129-32	2.4	159
13	Metabolic and hormonal effects of preferential beta 1 and beta 2-adrenoceptor stimulation in man. <i>Journal of Endocrinological Investigation</i> , 1988 , 11, 279-87	5.2	4
12	Long-term antihypertensive treatment may induce normalization of left ventricular mass before complete regression of vascular structural changes: consequences for cardiac function at rest and during stress. <i>Journal of Hypertension</i> , 1988 , 6, S94-6	1.9	5
11	Cardiovascular and hormonal responses to DDAVP before and after beta-blockade in patients with mild essential hypertension. <i>Journal of Hypertension</i> , 1988 , 6, S675-7	1.9	1

10	Captopril versus digoxin in mild-moderate chronic heart failure: a crossover study. <i>Journal of Cardiovascular Pharmacology</i> , 1987 , 9 Suppl 2, S61-7	3.1	32
9	Assessment of semi-automated catecholamine assay by HPLC: Choice of reverse phase C18 or cation-exchange columns. <i>Chromatographia</i> , 1987 , 24, 455-459	2.1	23
8	Adrenergic activity and left ventricular function during treatment of essential hypertension with calcium antagonists. <i>American Journal of Cardiology</i> , 1986 , 57, 44D-49D	3	54
7	Similarities and differences in the antihypertensive effect of two calcium antagonist drugs, verapamil and nifedipine. <i>Journal of the American College of Cardiology</i> , 1986 , 7, 916-24	15.1	32
6	Supine and standing plasma catecholamines in essential hypertensive patients with different renin levels. <i>Clinical and Experimental Hypertension</i> , 1984 , 6, 1119-30		1
5	Relationships between plasma catecholamines, renin, age and blood pressure in essential hypertension. <i>Cardiology</i> , 1983 , 70, 308-16	1.6	7
4	Aortic rigidity and plasma catecholamines in essential hypertensive patients. <i>Clinical and Experimental Hypertension</i> , 1982 , 4, 1073-83		5
3	Angiotensin-converting enzyme inhibition, catecholamines and hemodynamics in essential hypertension. <i>American Journal of Cardiology</i> , 1982 , 49, 1420-4	3	32
2	The acute and chronic hypotensive effect of labetalol and the relationship with pretreatment plasma noradrenaline levels. <i>British Journal of Clinical Pharmacology</i> , 1982 , 13, 87S-92S	3.8	18
1	Adrenergic activity in systolic hypertension. <i>Clinical and Experimental Hypertension</i> , 1982 , 4, 1085-96		