Benoit Salanave

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4584959/publications.pdf

Version: 2024-02-01

36 4,751 23 40 papers citations h-index g-index

41 41 41 9772 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with $4\hat{A}\cdot 4$ million participants. Lancet, The, 2016, 387, 1513-1530.	13.7	2,842
2	Prospective Randomized Multicenter Comparison of High-Frequency Oscillatory Ventilation and Conventional Ventilation in Preterm Infants of Less Than 30 Weeks With Respiratory Distress Syndrome. Pediatrics, 2001, 107, 363-372.	2.1	158
3	Dietary intake, physical activity and nutritional status in adults: the French nutrition and health survey (ENNS, 2006–2007). British Journal of Nutrition, 2009, 102, 733-743.	2.3	151
4	Comparison of the sociodemographic characteristics of the large NutriNet-Sant \tilde{A} © e-cohort with French Census data: the issue of volunteer bias revisited. Journal of Epidemiology and Community Health, 2015, 69, 893-898.	3.7	145
5	Off label and unlicensed drug use among French office based paediatricians. Archives of Disease in Childhood, 2000, 83, 502-505.	1.9	142
6	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331â€^288 participants. Lancet Diabetes and Endocrinology,the, 2015, 3, 624-637.	11.4	139
7	Stabilization of overweight prevalence in French children between 2000 and 2007. Pediatric Obesity, 2009, 4, 66-72.	3.2	117
8	Prevalence of overweight in 6- to 15-year-old children in central/western France from 1996 to 2006: trends toward stabilization. International Journal of Obesity, 2009, 33, 401-407.	3.4	87
9	Obstetric patients treated in intensive care units and maternal mortality. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1996, 65, 121-125.	1.1	85
10	Comparison of Dietary Intakes Between a Large Online Cohort Study (Etude NutriNet-Sant $ ilde{A}$ ©) and a Nationally Representative Cross-Sectional Study (Etude Nationale Nutrition Sant $ ilde{A}$ ©) in France: Addressing the Issue of Generalizability in E-Epidemiology. American Journal of Epidemiology, 2016, 184, 660-669.	3.4	84
11	Association of socioeconomic status with overall overweight and central obesity in men and women: the French Nutrition and Health Survey 2006. BMC Public Health, 2009, 9, 215.	2.9	74
12	Classification differences and maternal mortality: a European study. MOMS Group. MOthers' Mortality and Severe morbidity. International Journal of Epidemiology, 1999, 28, 64-69.	1.9	67
13	Case-control study of risk factors for obstetric patients' admission to intensive care units. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1997, 74, 173-177.	1.1	63
14	Metabolic syndrome and socioeconomic status in France: The French Nutrition and Health Survey (ENNS, 2006–2007). International Journal of Public Health, 2013, 58, 855-864.	2.3	61
15	A first national prevalence estimate of diagnosed and undiagnosed diabetes in France in 18―to 74â€yearâ€old individuals: the French Nutrition and Health Survey 2006/2007. Diabetic Medicine, 2011, 28, 583-589.	2.3	58
16	Should the WHO Growth Charts Be Used in France?. PLoS ONE, 2015, 10, e0120806.	2.5	56
17	Compliance with French Nutrition and Health Program Recommendations Is Strongly Associated with Socioeconomic Characteristics in the General Adult Population. Journal of the American Dietetic Association, 2010, 110, 848-856.	1.1	53
18	Bodyâ€weight perception and related preoccupations in a large national sample of adolescents. Pediatric Obesity, 2015, 10, 15-22.	2.8	40

#	Article	IF	Citations
19	The Prevalence of ESRD Treated With Renal Dialysis in France in 2003. American Journal of Kidney Diseases, 2005, 46, 309-315.	1.9	38
20	Diet and blood pressure in 18–74-year-old adults. Journal of Hypertension, 2012, 30, 1920-1927.	0.5	30
21	Sociodemographic factors and pregnancy outcomes associated with prepregnancy obesity: effect modification of parity in the nationwide Epifane birth-cohort. BMC Pregnancy and Childbirth, 2017, 17, 273.	2.4	28
22	The likely increase in maternal mortality rates in the United Kingdom and in France until 2005. Paediatric and Perinatal Epidemiology, 1996, 10, 418-422.	1.7	27
23	Determinants of blood pressure treatment and control in obese people. Journal of Hypertension, 2012, 30, 2338-2344.	0.5	25
24	Metabolic risk factors in young adults infected with HIV since childhood compared with the general population. PLoS ONE, 2018, 13, e0206745.	2.5	24
25	Nutrition patterns and metabolic syndrome: A need for action in young adults (French Nutrition and) Tj ETQq1 1	l 0.78431	4 rgBT /Overlo
26	Physical activity patterns in the French 18–74-year-old population: French Nutrition and Health Survey (Etude Nationale Nutrition Santé, ENNS) 2006–2007. Public Health Nutrition, 2012, 15, 2054-2059.	2.2	16
27	Promoting physical activity in a low-income neighborhood of the Paris suburb of Saint-Denis: effects of a community-based intervention to increase physical activity. BMC Public Health, 2016, 16, 667.	2.9	14
28	Introduction of complementary foods with respect to French guidelines: description and associated socioâ€economic factors in a nationwide birth cohort (Epifane survey). Maternal and Child Nutrition, 2017, 13, .	3.0	13
29	Lessons Learned From Methodological Validation Research in E-Epidemiology. JMIR Public Health and Surveillance, 2016, 2, e160.	2.6	13
30	Risk factors for maternal condition at admission to an intensive care unit: Does health care organisation play a role?. Journal of Perinatal Medicine, 1998, 26, 354-364.	1.4	12
31	Diet in 45- to 74-Year-Old Individuals with Diagnosed Diabetes: Comparison to Counterparts without Diabetes in a Nationally Representative Survey (EtudeÂNationale Nutrition Santé 2006-2007). Journal of the Academy of Nutrition and Dietetics, 2014, 114, 918-925.	0.8	12
32	Risk factors for perinatal mortality in West Africa: a population-based study of 20 326 pregnancies. Acta Paediatrica, International Journal of Paediatrics, 2000, 89, 1115-1121.	1.5	9
33	Prevalence of Physical Activity and Sedentary Behaviors in the French Population: Results and Evolution between Two Cross-Sectional Population-Based Studies, 2006 and 2016. International Journal of Environmental Research and Public Health, 2022, 19, 2164.	2.6	8
34	Estimating sodium intake from spot urine samples at population level: a validation and application study in French adults. British Journal of Nutrition, 2019, 122, 186-194.	2.3	3
35	Correlates of sedentary behavior in 7 to 9-year-old French children are dependent on maternal weight status. International Journal of Obesity, 2011, 35, 907-915.	3.4	2
36	Television viewing duration and blood pressure among 18–74-year-old adults. The French nutrition and health survey (ENNS, 2006–2007). Journal of Science and Medicine in Sport, 2016, 19, 738-743.	1.3	1