

# Claire Adjiman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4585184/publications.pdf>

Version: 2024-02-01

173  
papers

12,952  
citations

36203

51  
h-index

23472

111  
g-index

193  
all docs

193  
docs citations

193  
times ranked

9864  
citing authors

#	ARTICLE	IF	CITATIONS
1	How many more polymorphs of ROY remain undiscovered. <i>Chemical Science</i> , 2022, 13, 1288-1297.	3.7	41
2	Efficient Screening of Cofomers for Active Pharmaceutical Ingredient Cocrystallization. <i>Crystal Growth and Design</i> , 2022, 22, 4513-4527.	1.4	14
3	Assessment of a two-step approach for global optimization of mixed-integer polynomial programs using quadratic reformulation. <i>Computers and Chemical Engineering</i> , 2022, 165, 107909.	2.0	4
4	Molecular engineering of sustainable phase-change solvents: From digital design to scaling-up for CO <sub>2</sub> capture. <i>Chemical Engineering Journal</i> , 2021, 420, 127624.	6.6	15
5	Mechanism, kinetics and selectivity of a Williamson ether synthesis: elucidation under different reaction conditions. <i>Reaction Chemistry and Engineering</i> , 2021, 6, 1195-1211.	1.9	10
6	An approach for simultaneous computer-aided solvent design and process design for CO <sub>2</sub> chemical absorption processes. <i>Computer Aided Chemical Engineering</i> , 2021, , 167-172.	0.3	1
7	Description of the thermodynamic properties and fluid-phase behavior of aqueous solutions of linear, branched, and cyclic amines. <i>AIChE Journal</i> , 2021, 67, e17194.	1.8	14
8	Process Systems Engineering Perspective on the Design of Materials and Molecules. <i>Industrial &amp; Engineering Chemistry Research</i> , 2021, 60, 5194-5206.	1.8	22
9	Correlations for Concentration Polarization and Pressure Drop in Spacer-Filled RO Membrane Modules Based on CFD Simulations. <i>Membranes</i> , 2021, 11, 338.	1.4	14
10	Computer Aided Design of Solvent Blends for Hybrid Cooling and Antisolvent Crystallization of Active Pharmaceutical Ingredients. <i>Organic Process Research and Development</i> , 2021, 25, 1123-1142.	1.3	18
11	Crystal Structure Prediction Methods for Organic Molecules: State of the Art. <i>Annual Review of Chemical and Biomolecular Engineering</i> , 2021, 12, 593-623.	3.3	28
12	Extending the SAFT- $\hat{\rho}^3$ Mie approach to model benzoic acid, diphenylamine, and mefenamic acid: Solubility prediction and experimental measurement. <i>Fluid Phase Equilibria</i> , 2021, 540, 113002.	1.4	10
13	Beyond a heuristic analysis: integration of process and working-fluid design for organic Rankine cycles. <i>Molecular Systems Design and Engineering</i> , 2020, 5, 493-510.	1.7	20
14	Efficient Parameterization of a Surrogate Model of Molecular Interactions in Crystals. <i>Computer Aided Chemical Engineering</i> , 2020, , 493-498.	0.3	2
15	Computer-aided Solvent Mixture Design for the Crystallisation and Isolation of Mefenamic Acid. <i>Computer Aided Chemical Engineering</i> , 2020, 48, 649-654.	0.3	3
16	Expanding the Applications of the SAFT- $\hat{\rho}^3$ Mie Group-Contribution Equation of State: Prediction of Thermodynamic Properties and Phase Behavior of Mixtures. <i>Journal of Chemical &amp; Engineering Data</i> , 2020, 65, 5862-5890.	1.0	32
17	Predictive models for the phase behaviour and solution properties of weak electrolytes: nitric, sulphuric, and carbonic acids. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 15248-15269.	1.3	13
18	A comparative study of multi-objective optimization methodologies for molecular and process design. <i>Computers and Chemical Engineering</i> , 2020, 136, 106802.	2.0	17

#	ARTICLE	IF	CITATIONS
19	An approach for simultaneous computer-aided molecular design with holistic sustainability assessment: Application to phase-change CO <sub>2</sub> capture solvents. <i>Computers and Chemical Engineering</i> , 2020, 135, 106769.	2.0	31
20	New bounding schemes and algorithmic options for the Branch-and-Sandwich algorithm. <i>Journal of Global Optimization</i> , 2020, 77, 197-225.	1.1	3
21	A comparison of the performance of multi-objective optimization methodologies for solvent design. <i>Computer Aided Chemical Engineering</i> , 2019, 46, 37-42.	0.3	5
22	Computer-aided design of optimal environmentally benign solvent-based adhesive products. <i>Computers and Chemical Engineering</i> , 2019, 130, 106518.	2.0	17
23	Accurate and efficient representation of intramolecular energy in <i>ab initio</i> generation of crystal structures. II. Smoothed intramolecular potentials. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2019, 75, 423-433.	0.5	9
24	Computer-aided Design of Solvent Blends for the Cooling and Anti-solvent Crystallisation of Ibuprofen. <i>Computer Aided Chemical Engineering</i> , 2019, , 949-954.	0.3	9
25	Hybrid QSPR models for the prediction of the free energy of solvation of organic solute/solvent pairs. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 13706-13720.	1.3	33
26	Intramolecular bonding in a statistical associating fluid theory of ring aggregates. <i>Molecular Physics</i> , 2019, 117, 3884-3912.	0.8	7
27	Modelling and prediction of the thermophysical properties of aqueous mixtures of choline geranate and geranic acid (CAGE) using SAFT- $\hat{\rho}$ Mie. <i>RSC Advances</i> , 2019, 9, 38017-38031.	1.7	12
28	Tighter $\alpha$ BB relaxations through a refinement scheme for the scaled Gerschgorin theorem. <i>Journal of Global Optimization</i> , 2019, 73, 467-483.	1.1	2
29	Optimal design of post combustion CO <sub>2</sub> capture processes based on phase-change solvents. <i>Computer Aided Chemical Engineering</i> , 2019, , 463-468.	0.3	4
30	The design of optimal mixtures from atom groups using Generalized Disjunctive Programming. <i>Computers and Chemical Engineering</i> , 2018, 116, 401-421.	2.0	21
31	Arbitrarily tight $\alpha$ BB underestimators of general non-linear functions over sub-optimal domains. <i>Journal of Global Optimization</i> , 2018, 71, 815-844.	1.1	4
32	Carbon capture and storage (CCS): the way forward. <i>Energy and Environmental Science</i> , 2018, 11, 1062-1176.	15.6	2,378
33	Structure searching methods: general discussion. <i>Faraday Discussions</i> , 2018, 211, 133-180.	1.6	3
34	Crystal structure evaluation: calculating relative stabilities and other criteria: general discussion. <i>Faraday Discussions</i> , 2018, 211, 325-381.	1.6	7
35	Applications of crystal structure prediction “organic molecular structures: general discussion. <i>Faraday Discussions</i> , 2018, 211, 493-539.	1.6	8
36	An optimization framework to combine operable space maximization with design of experiments. <i>AIChE Journal</i> , 2018, 64, 3944-3957.	1.8	9

#	ARTICLE	IF	CITATIONS
37	Repulsion dispersion parameters for the modelling of organic molecular crystals containing N, O, S and Cl. <i>Faraday Discussions</i> , 2018, 211, 297-323.	1.6	7
38	A Comprehensive Approach for the Design of Solvent-based Adhesive Products using Generalized Disjunctive Programming. <i>Computer Aided Chemical Engineering</i> , 2018, , 427-432.	0.3	2
39	Multi-Objective Computer-Aided Solvent Design for Selectivity and Rate in Reactions. <i>Computer Aided Chemical Engineering</i> , 2018, , 2437-2442.	0.3	4
40	Enclosure of all index-1 saddle points of general nonlinear functions. <i>Journal of Global Optimization</i> , 2017, 67, 451-474.	1.1	2
41	The effect of feed spacer geometry on membrane performance and concentration polarisation based on 3D CFD simulations. <i>Journal of Membrane Science</i> , 2017, 527, 78-91.	4.1	106
42	Development of Predictive Models of the Kinetics of a Hydrogen Abstraction Reaction Combining Quantum-Mechanical Calculations and Experimental Data. <i>Industrial &amp; Engineering Chemistry Research</i> , 2017, 56, 815-831.	1.8	8
43	Predicting the Solvation of Organic Compounds in Aqueous Environments: From Alkanes and Alcohols to Pharmaceuticals. <i>Industrial &amp; Engineering Chemistry Research</i> , 2017, 56, 10856-10876.	1.8	43
44	Designing optimal mixtures using generalized disjunctive programming: Hull relaxations. <i>Chemical Engineering Science</i> , 2017, 159, 106-130.	1.9	24
45	A predictive model for spiral wound reverse osmosis membrane modules: The effect of winding geometry and accurate geometric details. <i>Computers and Chemical Engineering</i> , 2017, 96, 248-265.	2.0	28
46	A QM-CAMD approach to solvent design for optimal reaction rates. <i>Chemical Engineering Science</i> , 2017, 159, 69-83.	1.9	39
47	An interval-matrix branch-and-bound algorithm for bounding eigenvalues. <i>Optimization Methods and Software</i> , 2017, 32, 872-891.	1.6	2
48	A feasibility-based algorithm for Computer Aided Molecular and Process Design of solvent-based separation systems. <i>Computer Aided Chemical Engineering</i> , 2016, 38, 73-78.	0.3	3
49	Accurate and efficient representation of intramolecular energy in <i>ab initio</i> generation of crystal structures. I. Adaptive local approximate models. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2016, 72, 864-874.	0.5	18
50	On the use of molecular-based thermodynamic models to assess the performance of solvents for CO <sub>2</sub> capture processes: monoethanolamine solutions. <i>Faraday Discussions</i> , 2016, 192, 337-390.	1.6	12
51	Modelling from molecules to mega-scale: general discussion. <i>Faraday Discussions</i> , 2016, 192, 493-509.	1.6	0
52	Computer-aided molecular design and selection of CO <sub>2</sub> capture solvents based on thermodynamics, reactivity and sustainability. <i>Molecular Systems Design and Engineering</i> , 2016, 1, 313-334.	1.7	56
53	Report on the sixth blind test of organic crystal structure prediction methods. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2016, 72, 439-459.	0.5	445
54	Development of intermolecular potential models for electrolyte solutions using an electrolyte SAFT-VR Mie equation of state. <i>Molecular Physics</i> , 2016, 114, 2724-2749.	0.8	40

#	ARTICLE	IF	CITATIONS
55	Outer approximation algorithm with physical domain reduction for computer-aided molecular and separation process design. <i>AICHE Journal</i> , 2016, 62, 3484-3504.	1.8	47
56	The formulation of optimal mixtures with generalized disjunctive programming: A solvent design case study. <i>AICHE Journal</i> , 2016, 62, 1616-1633.	1.8	40
57	Application of the SAFT- $\hat{\rho}$ Mie group contribution equation of state to fluids of relevance to the oil and gas industry. <i>Fluid Phase Equilibria</i> , 2016, 416, 104-119.	1.4	62
58	Modelling the phase and chemical equilibria of aqueous solutions of alkanolamines and carbon dioxide using the SAFT- $\hat{\rho}$ SW group contribution approach. <i>Fluid Phase Equilibria</i> , 2016, 407, 280-297.	1.4	37
59	The development of unlike induced association-site models to study the phase behaviour of aqueous mixtures comprising acetone, alkanes and alkyl carboxylic acids with the SAFT- $\hat{\rho}$ Mie group contribution methodology. <i>Fluid Phase Equilibria</i> , 2016, 407, 39-57.	1.4	32
60	Global optimization of nonconvex bilevel problems: implementation and computational study of the Branch-and-Sandwich algorithm. <i>Computer Aided Chemical Engineering</i> , 2016, 38, 1977-1982.	0.3	4
61	A Convex Hull Formulation for the Design of Optimal Mixtures. <i>Computer Aided Chemical Engineering</i> , 2016, 38, 2325-2330.	0.3	1
62	A hierarchical method to integrated solvent and process design of physical $\text{CO}_2$ absorption using the SAFT- $\hat{\rho}$ Mie approach. <i>AICHE Journal</i> , 2015, 61, 3249-3269.	1.8	120
63	Efficient Handling of Molecular Flexibility in Ab Initio Generation of Crystal Structures. <i>Journal of Chemical Theory and Computation</i> , 2015, 11, 1957-1969.	2.3	58
64	Deterministic Global Optimization and Transition States. <i>Computer Aided Chemical Engineering</i> , 2015, , 851-856.	0.3	1
65	Toward Sustainable Solvent-Based Postcombustion $\text{CO}_2$ Capture. <i>Computer Aided Chemical Engineering</i> , 2015, , 279-310.	0.3	20
66	Prediction of the crystal structures of axitinib, a polymorphic pharmaceutical molecule. <i>Chemical Engineering Science</i> , 2015, 121, 60-76.	1.9	64
67	A generalization of the Branch-and-Sandwich algorithm: From continuous to mixed-integer nonlinear bilevel problems. <i>Computers and Chemical Engineering</i> , 2015, 72, 373-386.	2.0	39
68	Molecules Matter. <i>Computer Aided Chemical Engineering</i> , 2014, , 55-64.	0.3	33
69	Group contribution methodology based on the statistical associating fluid theory for heteronuclear molecules formed from Mie segments. <i>Journal of Chemical Physics</i> , 2014, 140, 054107.	1.2	225
70	General Computational Algorithms for Ab Initio Crystal Structure Prediction for Organic Molecules. <i>Topics in Current Chemistry</i> , 2014, 345, 25-58.	4.0	31
71	Branch-and-Sandwich: a deterministic global optimization algorithm for optimistic bilevel programming problems. Part I: Theoretical development. <i>Journal of Global Optimization</i> , 2014, 60, 425-458.	1.1	25
72	Branch-and-Sandwich: a deterministic global optimization algorithm for optimistic bilevel programming problems. Part II: Convergence analysis and numerical results. <i>Journal of Global Optimization</i> , 2014, 60, 459-481.	1.1	27

#	ARTICLE	IF	CITATIONS
73	Prediction of Thermodynamic Properties and Phase Behavior of Fluids and Mixtures with the SAFT- $\hat{\rho}$ Mie Group-Contribution Equation of State. <i>Journal of Chemical &amp; Engineering Data</i> , 2014, 59, 3272-3288.	1.0	107
74	Optimal control strategies for hydrogen production when coupling solid oxide electrolyzers with intermittent renewable energies. <i>Journal of Power Sources</i> , 2014, 268, 212-224.	4.0	54
75	On the impact of using volume as an independent variable for the solution of P $\hat{\rho}$ T fluid-phase equilibrium with equations of state. <i>Computers and Chemical Engineering</i> , 2014, 71, 67-76.	2.0	12
76	Modelling of the thermodynamic and solvation properties of electrolyte solutions with the statistical associating fluid theory for potentials of variable range. <i>Molecular Physics</i> , 2014, 112, 2339-2364.	0.8	65
77	Globie. <i>Computer Aided Chemical Engineering</i> , 2014, 34, 669-674.	0.3	3
78	On the optimal design of gas-expanded liquids based on process performance. <i>Chemical Engineering Science</i> , 2014, 115, 19-30.	1.9	30
79	Towards the 3D modeling of the effective conductivity of solid oxide fuel cell electrodes $\hat{\rho}$ II. Computational parameters. <i>Chemical Engineering Science</i> , 2014, 116, 781-792.	1.9	10
80	International Programming Committee. <i>Computer Aided Chemical Engineering</i> , 2014, 34, xvi-xvii.	0.3	0
81	Accurate statistical associating fluid theory for chain molecules formed from Mie segments. <i>Journal of Chemical Physics</i> , 2013, 139, 154504.	1.2	382
82	Computer-aided molecular design of solvents for accelerated reaction kinetics. <i>Nature Chemistry</i> , 2013, 5, 952-957.	6.6	141
83	Validation of a Process Model of CO <sub>2</sub> Capture in an Aqueous Solvent, Using an Implicit Molecular Based Treatment of The Reactions. <i>Energy Procedia</i> , 2013, 37, 1566-1571.	1.8	1
84	SAFT- $\hat{\rho}$ Force Field for the Simulation of Molecular Fluids: 2. Coarse-Grained Models of Greenhouse Gases, Refrigerants, and Long Alkanes. <i>Journal of Physical Chemistry B</i> , 2013, 117, 2717-2733.	1.2	126
85	Towards the 3D modeling of the effective conductivity of solid oxide fuel cell electrodes: I. Model development. <i>Chemical Engineering Science</i> , 2013, 99, 161-170.	1.9	16
86	Hydrogen production through steam electrolysis. <i>Computer Aided Chemical Engineering</i> , 2012, 30, 257-261.	0.3	3
87	SAFT- $\hat{\rho}$ force field for the simulation of molecular fluids: 3. Coarse-grained models of benzene and hetero-group models of <i>n</i> -decylbenzene. <i>Molecular Physics</i> , 2012, 110, 1189-1203.	0.8	82
88	Modelling the fluid phase behaviour of aqueous mixtures of multifunctional alkanolamines and carbon dioxide using transferable parameters with the SAFT-VR approach. <i>Molecular Physics</i> , 2012, 110, 1325-1348.	0.8	83
89	The polymorphs of ROY: application of a systematic crystal structure prediction technique. <i>Acta Crystallographica Section B: Structural Science</i> , 2012, 68, 677-685.	1.8	59
90	The HELD algorithm for multicomponent, multiphase equilibrium calculations with generic equations of state. <i>Computers and Chemical Engineering</i> , 2012, 36, 99-118.	2.0	29

#	ARTICLE	IF	CITATIONS
91	Efficient Handling of Molecular Flexibility in Lattice Energy Minimization of Organic Crystals. Journal of Chemical Theory and Computation, 2011, 7, 1998-2016.	2.3	110
92	Transferable SAFT-VR Models for the Calculation of the Fluid Phase Equilibria in Reactive Mixtures of Carbon Dioxide, Water, and <i>n</i> -Alkylamines in the Context of Carbon Capture. Journal of Physical Chemistry B, 2011, 115, 8155-8168.	1.2	79
93	SAFT- $\hat{\nu}$ Force Field for the Simulation of Molecular Fluids. 1. A Single-Site Coarse Grained Model of Carbon Dioxide. Journal of Physical Chemistry B, 2011, 115, 11154-11169.	1.2	200
94	Successful prediction of a model pharmaceutical in the fifth blind test of crystal structure prediction. International Journal of Pharmaceutics, 2011, 418, 168-178.	2.6	110
95	Investigation of the active thickness of solid oxide fuel cell electrodes using a 3D microstructure model. Electrochimica Acta, 2011, 56, 10809-10819.	2.6	53
96	Towards crystal structure prediction of complex organic compounds – a report on the fifth blind test. Acta Crystallographica Section B: Structural Science, 2011, 67, 535-551.	1.8	358
97	Simultaneous prediction of vapour-liquid and liquid-liquid equilibria (VLE and LLE) of aqueous mixtures with the SAFT- $\hat{\nu}$ group contribution approach. Fluid Phase Equilibria, 2011, 306, 82-96.	1.4	55
98	Integrated solvent and process design using a SAFT-VR thermodynamic description: High-pressure separation of carbon dioxide and methane. Computers and Chemical Engineering, 2011, 35, 474-491.	2.0	83
99	Modelling the 3D microstructure and performance of solid oxide fuel cell electrodes: Computational parameters. Electrochimica Acta, 2011, 56, 5804-5814.	2.6	88
100	Understanding the fluid phase behaviour of crude oil: Asphaltene precipitation. Fluid Phase Equilibria, 2011, 306, 129-136.	1.4	35
101	Model-Based Evaluation of the Production of Pure Oxygen through SOFC/SOEC Integration. ECS Transactions, 2011, 35, 2997-3006.	0.3	3
102	Simultaneous prediction of phase behaviour and second derivative properties with a group contribution approach (SAFT- $\hat{\nu}$ Mie). Computer Aided Chemical Engineering, 2011, , 1593-1597.	0.3	0
103	Solid Oxide Fuel Cell Electrode 3D Microstructure and Performance Modeling. ECS Transactions, 2011, 35, 1097-1105.	0.3	3
104	Microstructural Characterization of SOFC Electrodes: Observations and Simulations. ECS Transactions, 2011, 35, 1367-1377.	0.3	3
105	Integrated Design of a Reactor and a Gas-Expanded Solvent. Computer Aided Chemical Engineering, 2011, , 316-320.	0.3	2
106	Branch-and-Sandwich. Computer Aided Chemical Engineering, 2011, 29, 602-606.	0.3	1
107	Ab Initio Crystal Structure Prediction for Flexible Molecules. Computer Aided Chemical Engineering, 2010, 28, 817-822.	0.3	2
108	Modelling the dynamic response of a solid oxide steam electrolyser to transient inputs during renewable hydrogen production. Frontiers of Energy and Power Engineering in China, 2010, 4, 211-222.	0.4	17



#	ARTICLE	IF	CITATIONS
109	The Effects of Operating Conditions on the Performance of a Solid Oxide Steam Electrolyser: A Model-Based Study. <i>Fuel Cells</i> , 2010, 10, 1114-1128.	1.5	46
110	Microstructural analysis of a solid oxide fuel cell anode using focused ion beam techniques coupled with electrochemical simulation. <i>Journal of Power Sources</i> , 2010, 195, 4804-4810.	4.0	96
111	A duality-based optimisation approach for the reliable solution of (P, T) phase equilibrium in volume-composition space. <i>Fluid Phase Equilibria</i> , 2010, 299, 1-23.	1.4	32
112	Solvent design for a Menschutkin reaction by using CAMD and DFT calculations. <i>Computer Aided Chemical Engineering</i> , 2010, 28, 1291-1296.	0.3	2
113	Thermal Management Issues in Fuel Cell Technology. , 2010, , .		0
114	Modeling the Fluid Phase Behavior of Carbon Dioxide in Aqueous Solutions of Monoethanolamine Using Transferable Parameters with the SAFT-VR Approach. <i>Industrial &amp; Engineering Chemistry Research</i> , 2010, 49, 1883-1899.	1.8	129
115	An overview of CO2 capture technologies. <i>Energy and Environmental Science</i> , 2010, 3, 1645.	15.6	1,376
116	Robust algorithms for the calculation of phase equilibrium. <i>Computer Aided Chemical Engineering</i> , 2010, 28, 79-84.	0.3	1
117	Fluid phase stability and equilibrium calculations in binary mixtures. <i>Fluid Phase Equilibria</i> , 2009, 275, 79-94.	1.4	11
118	Fluid phase stability and equilibrium calculations in binary mixtures. <i>Fluid Phase Equilibria</i> , 2009, 275, 95-104.	1.4	11
119	Integrated Modeling of Mixture Fluid Phase Equilibrium Experiments Using SAFT-VR Applied to Xenon + Diborane, Xenon + Cyclopropane, Xenon + Boron Trifluoride. <i>Industrial &amp; Engineering Chemistry Research</i> , 2009, 48, 2188-2198.	1.8	2
120	Can the Formation of Pharmaceutical Cocrystals Be Computationally Predicted? 2. Crystal Structure Prediction. <i>Journal of Chemical Theory and Computation</i> , 2009, 5, 1432-1448.	2.3	118
121	A spatially explicit whole-system model of the lignocellulosic bioethanol supply chain: an assessment of decentralised processing potential. <i>Biotechnology for Biofuels</i> , 2008, 1, 13.	6.2	110
122	An algorithm for the estimation of parameters in models with stochastic differential equations. <i>Chemical Engineering Science</i> , 2008, 63, 4820-4833.	1.9	6
123	A generalisation of the SAFT- group contribution method for groups comprising multiple spherical segments. <i>Fluid Phase Equilibria</i> , 2008, 274, 85-104.	1.4	128
124	Solvents for ring-closing metathesis reactions. <i>Chemical Communications</i> , 2008, , 2806.	2.2	56
125	Computer-Aided Solvent Design for Reactions: Maximizing Product Formation. <i>Industrial &amp; Engineering Chemistry Research</i> , 2008, 47, 5190-5202.	1.8	48
126	Microstructural Modeling of Solid Oxide Fuel Cell Anodes. <i>Industrial &amp; Engineering Chemistry Research</i> , 2008, 47, 7693-7699.	1.8	74



#	ARTICLE	IF	CITATIONS
127	A heteronuclear group contribution method for associating chain molecules (SAFT- $\hat{\lambda}$ <sup>3</sup> ). Computer Aided Chemical Engineering, 2008, 25, 871-876.	0.3	0
128	State estimation for dynamic prediction of hydrate formation in oil and gas production systems. Computer Aided Chemical Engineering, 2008, 25, 507-512.	0.3	1
129	An integrated framework for model-based flow assurance in deep-water oil and gas production. Computer Aided Chemical Engineering, 2008, 25, 787-792.	0.3	2
130	Optimal Solvent Design Approaches. , 2008, , 2750-2757.		1
131	Micro-structural Modelling of SOFC Anodes. ECS Transactions, 2007, 7, 2041-2047.	0.3	3
132	A group contribution method for associating chain molecules based on the statistical associating fluid theory (SAFT- $\hat{\lambda}$ <sup>3</sup> ). Journal of Chemical Physics, 2007, 127, 234903.	1.2	213
133	Design of solvents for optimal reaction rate constants. AIChE Journal, 2007, 53, 1240-1256.	1.8	67
134	Solid oxide fuel cell micro combined heat and power system operating strategy: Options for provision of residential space and water heating. Journal of Power Sources, 2007, 164, 260-271.	4.0	76
135	Solvent Design Using a Quantum Mechanical Continuum Solvation Model. Industrial & Engineering Chemistry Research, 2006, 45, 1128-1140.	1.8	20
136	Global optimization and modeling techniques for planar multilayered dielectric structures. Applied Optics, 2006, 45, 5910.	2.1	7
137	A method for the systematic estimation of parameters for a stochastic reptation model. Computer Aided Chemical Engineering, 2006, 22, 69-83.	0.3	0
138	Design of polyolefin reactor mixtures. Computer Aided Chemical Engineering, 2006, 22, 301-332.	0.3	2
139	Chapter 1 Parameter estimation for stochastic differential equations: algorithm and application to polymer melt rheology. Computer Aided Chemical Engineering, 2006, 21, 143-148.	0.3	1
140	Integrating advanced thermodynamics and process and solvent design for gas separation. Computer Aided Chemical Engineering, 2006, 21, 743-748.	0.3	0
141	A computer-aided methodology with robust design criteria for selection of solvents for reactions. Computer Aided Chemical Engineering, 2006, , 787-792.	0.3	4
142	Predicting enhanced absorption of light gases in polyethylene using simplified PC-SAFT and SAFT-VR. Fluid Phase Equilibria, 2006, 243, 74-91.	1.4	36
143	Techno-economic modelling of a solid oxide fuel cell stack for micro combined heat and power. Journal of Power Sources, 2006, 156, 321-333.	4.0	59
144	A computer-aided methodology for optimal solvent design for reactions with experimental verification. Computer Aided Chemical Engineering, 2005, 20, 1651-1656.	0.3	2

#	ARTICLE	IF	CITATIONS
145	Enhancement of optical extraction from OLEDs using scattering layers. , 2005, 5724, 191.		1
146	Anode-supported intermediate-temperature direct internal reforming solid oxide fuel cell. Journal of Power Sources, 2005, 147, 136-147.	4.0	251
147	Pure component properties from group contribution: Hydrogen-bond basicity, hydrogen-bond acidity, Hildebrand solubility parameter, macroscopic surface tension, dipole moment, refractive index and dielectric constant. Fluid Phase Equilibria, 2005, 231, 27-37.	1.4	40
148	Comparison of two IT DIR-SOFC models: Impact of variable thermodynamic, physical, and flow properties. Steady-state and dynamic analysis. Chemical Engineering Science, 2005, 60, 2963-2975.	1.9	117
149	Proof of Convergence for a Global Optimization Algorithm for Problems with Ordinary Differential Equations. Journal of Global Optimization, 2005, 33, 83-107.	1.1	6
150	The design of solvents for optimal reaction rates. Computer Aided Chemical Engineering, 2004, 18, 175-180.	0.3	9
151	Global optimization of dynamic systems. Computers and Chemical Engineering, 2004, 28, 403-415.	2.0	70
152	Modelling system efficiencies and costs of two biomass-fuelled SOFC systems. Journal of Power Sources, 2004, 131, 96-106.	4.0	153
153	Anode-supported intermediate temperature direct internal reforming solid oxide fuel cell. I: model-based steady-state performance. Journal of Power Sources, 2004, 138, 120-136.	4.0	613
154	A Deterministic Global Optimization Algorithm for Problems with Nonlinear Dynamics. Nonconvex Optimization and Its Applications, 2004, , 1-23.	0.1	3
155	Optimal solvent design for batch separation based on economic performance. AIChE Journal, 2003, 49, 3095-3109.	1.8	67
156	Refrigerant Design Case Study. Computer Aided Chemical Engineering, 2003, 12, 289-301.	0.3	5
157	Optimization Methods in CAMD – II. Computer Aided Chemical Engineering, 2003, 12, 63-93.	0.3	8
158	Towards the identification of optimal solvents for long chain alkanes with the SAFT equation of state. Computer Aided Chemical Engineering, 2003, 14, 137-142.	0.3	2
159	Quantitative framework for reliable safety analysis. AIChE Journal, 2002, 48, 78-96.	1.8	27
160	Global optimization for clusters of flexible molecules – solvent – solute interaction energy calculations. Fluid Phase Equilibria, 2002, 194-197, 169-183.	1.4	11
161	A Rigorous Global Optimization Algorithm for Problems with Ordinary Differential Equations. Journal of Global Optimization, 2002, 24, 1-33.	1.1	106
162	The –BB Global Optimization Algorithm for Nonconvex Problems: An Overview. Nonconvex Optimization and Its Applications, 2001, , 155-186.	0.1	1

#	ARTICLE	IF	CITATIONS
163	Global optimization of mixed-integer nonlinear problems. <i>AIChE Journal</i> , 2000, 46, 1769-1797.	1.8	241
164	Model-based safety verification under uncertainty. <i>Computer Aided Chemical Engineering</i> , 2000, , 793-798.	0.3	0
165	Handbook of Test Problems in Local and Global Optimization. <i>Nonconvex Optimization and Its Applications</i> , 1999, , .	0.1	379
166	Two results on bounding the roots of interval polynomials. <i>Computers and Chemical Engineering</i> , 1999, 23, 1333-1339.	2.0	20
167	Safety verification in chemical plants: A new quantitative approach. <i>Computers and Chemical Engineering</i> , 1999, 23, S581-S584.	2.0	3
168	A global optimization method, $\hat{I}\pm BB$ , for general twice-differentiable constrained NLPs "I. Theoretical advances. <i>Computers and Chemical Engineering</i> , 1998, 22, 1137-1158.	2.0	454
169	A global optimization method, $\hat{I}\pm BB$ , for general twice-differentiable constrained NLPs "II. Implementation and computational results. <i>Computers and Chemical Engineering</i> , 1998, 22, 1159-1179.	2.0	295
170	Mixed-Integer Nonlinear Optimization in Process Synthesis. , 1998, , 1-76.		19
171	Global Optimization of MINLP Problems in Process Synthesis and Design. <i>Computers and Chemical Engineering</i> , 1997, 21, S445-S450.	2.0	72
172	A global optimization method, $\hat{I}\pm BB$ , for process design. <i>Computers and Chemical Engineering</i> , 1996, 20, S419-S424.	2.0	108
173	Rigorous convex underestimators for general twice-differentiable problems. <i>Journal of Global Optimization</i> , 1996, 9, 23-40.	1.1	143