

Ryosuke Fujii

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4585216/ryosuke-fujii-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24 papers	173 citations	9 h-index	11 g-index
28 ext. papers	270 ext. citations	4 avg, IF	2.91 L-index

#	Paper	IF	Citations
24	Oxidized human serum albumin as a possible correlation factor for atherosclerosis in a rural Japanese population: the results of the Yakumo Study. <i>Environmental Health and Preventive Medicine</i> , 2018 , 23, 1	4.2	19
23	Associations between dietary vitamin intake, ABCA1 gene promoter DNA methylation, and lipid profiles in a Japanese population. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1213-1219	7	16
22	Associations of serum microRNA-20a, -27a, and -103a with cognitive function in a Japanese population: The Yakumo study. <i>Archives of Gerontology and Geriatrics</i> , 2019 , 82, 155-160	4	13
21	Maternal fructose-induced oxidative stress occurs and epigenetic regulation in offspring hippocampi. <i>FASEB Journal</i> , 2019 , 33, 11431-11442	0.9	12
20	Circulating microRNAs (miR-126, miR-197, and miR-223) are associated with chronic kidney disease among elderly survivors of the Great East Japan Earthquake. <i>BMC Nephrology</i> , 2019 , 20, 474	2.7	11
19	Association of circulating miR-20a, miR-27a, and miR-126 with non-alcoholic fatty liver disease in general population. <i>Scientific Reports</i> , 2019 , 9, 18856	4.9	11
18	Associations of Circulating MicroRNAs (miR-17, miR-21, and miR-150) and Chronic Kidney Disease in a Japanese Population. <i>Journal of Epidemiology</i> , 2020 , 30, 177-182	3.4	10
17	Maternal fructose consumption down-regulates Lxra expression via miR-206-mediated regulation. <i>Journal of Nutritional Biochemistry</i> , 2020 , 82, 108386	6.3	9
16	GWAS analysis reveals a significant contribution of PSCA to the risk of Helicobacter pylori-induced gastric atrophy. <i>Carcinogenesis</i> , 2019 , 40, 661-668	4.6	9
15	Dietary vegetable intake is inversely associated with ATP-binding cassette protein A1 (ABCA1) DNA methylation levels among Japanese women. <i>Nutrition</i> , 2019 , 65, 1-5	4.8	8
14	Maternal high-fructose intake increases circulating corticosterone levels via decreased adrenal corticosterone clearance in adult offspring. <i>Journal of Nutritional Biochemistry</i> , 2019 , 67, 44-50	6.3	8
13	Dietary fish and Ω 3 polyunsaturated fatty acids are associated with leukocyte ABCA1 DNA methylation levels. <i>Nutrition</i> , 2021 , 81, 110951	4.8	8
12	Cluster of differentiation 36 gene polymorphism (rs1761667) is associated with dietary MUFA intake and hypertension in a Japanese population. <i>British Journal of Nutrition</i> , 2019 , 121, 1215-1222	3.6	6
11	Association of smoking habits with TXNIP DNA methylation levels in leukocytes among general Japanese population. <i>PLoS ONE</i> , 2020 , 15, e0235486	3.7	6
10	Public perceptions, individual characteristics, and preventive behaviors for COVID-19 in six countries: a cross-sectional study. <i>Environmental Health and Preventive Medicine</i> , 2021 , 26, 29	4.2	6
9	Maternal fructose consumption downregulates hippocampal catalase expression via DNA methylation in rat offspring. <i>Nutrition Research</i> , 2021 , 92, 40-48	4	5
8	Association between dietary inflammatory index and serum C-reactive protein concentrations in the Japan Collaborative Cohort Study. <i>Nagoya Journal of Medical Science</i> , 2020 , 82, 237-249	0.7	4

7	Association of genetic risk score and chronic kidney disease in a Japanese population. <i>Nephrology</i> , 2019 , 24, 670-673	2.2	3
6	Human serum albumin redox state is associated with decreased renal function in a community-dwelling population. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 316, F214-F218 ^{4,3}		3
5	DNA methylation as a mediator of associations between the environment and chronic diseases: A scoping review on application of mediation analysis. <i>Epigenetics</i> , 2021 , 1-27	5.7	3
4	Circulating microRNA-27a and -133a are negatively associated with incident hypertension: A five-year longitudinal population-based study.. <i>Biomarkers</i> , 2022 , 1-16	2.6	2
3	Maternal High-Fructose Corn Syrup consumption causes insulin resistance and hyperlipidemia in offspring via DNA methylation of the Ppar α promoter region.. <i>Journal of Nutritional Biochemistry</i> , 2022 , 103, 108951	6.3	1
2	Global DNA hypermethylation in peripheral blood mononuclear cells and cardiovascular disease risk: a population-based propensity score-matched cohort study. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 890-895	5.1	0
1	Association of drinking behaviors with DNA methylation levels in leukocytes among the general Japanese population.. <i>American Journal of Drug and Alcohol Abuse</i> , 2022 , 1-9	3.7	0