Ryosuke Fujii

List of Publications by Year in Descending Order

24 papers	173 citations	9 h-index	11 g-index
28 ext. papers	270 ext. citations	4 avg, IF	2.91 L-index

#	Paper	IF	Citations
24	Maternal High-Fructose Corn Syrup consumption causes insulin resistance and hyperlipidemia in offspring via DNA methylation of the Ppar promoter region.. *Journal of Nutritional Biochemistry*, **2022**, 103, 108951	6.3	1
23	Association of drinking behaviors with DNA methylation levels in leukocytes among the general Japanese population.. *American Journal of Drug and Alcohol Abuse*, **2022**, 1-9	3.7	0
22	Circulating microRNA-27a and -133a are negatively associated with incident hypertension: A five-year longitudinal population-based study.. *Biomarkers*, **2022**, 1-16	2.6	2
21	Public perceptions, individual characteristics, and preventive behaviors for COVID-19 in six countries: a cross-sectional study. *Environmental Health and Preventive Medicine*, **2021**, 26, 29	4.2	6
20	Global DNA hypermethylation in peripheral blood mononuclear cells and cardiovascular disease risk: a population-based propensity score-matched cohort study. *Journal of Epidemiology and Community Health*, **2021**, 75, 890-895	5.1	0
19	Dietary fish and B polyunsaturated fatty acids are associated with leukocyte ABCA1 DNA methylation levels. *Nutrition*, **2021**, 81, 110951	4.8	8
18	Maternal fructose consumption downregulates hippocampal catalase expression via DNA methylation in rat offspring. *Nutrition Research*, **2021**, 92, 40-48	4	5
17	DNA methylation as a mediator of associations between the environment and chronic diseases: A scoping review on application of mediation analysis. *Epigenetics*, **2021**, 1-27	5.7	3
16	Association of smoking habits with TXNIP DNA methylation levels in leukocytes among general Japanese population. *PLoS ONE*, **2020**, 15, e0235486	3.7	6
15	Association between dietary inflammatory index and serum C-reactive protein concentrations in the Japan Collaborative Cohort Study. *Nagoya Journal of Medical Science*, **2020**, 82, 237-249	0.7	4
14	Maternal fructose consumption down-regulates Lxra expression via miR-206-mediated regulation. *Journal of Nutritional Biochemistry*, **2020**, 82, 108386	6.3	9
13	Associations of Circulating MicroRNAs (miR-17, miR-21, and miR-150) and Chronic Kidney Disease in a Japanese Population. *Journal of Epidemiology*, **2020**, 30, 177-182	3.4	10
12	Associations between dietary vitamin intake, ABCA1 gene promoter DNA methylation, and lipid profiles in a Japanese population. *American Journal of Clinical Nutrition*, **2019**, 110, 1213-1219	7	16
11	Cluster of differentiation 36 gene polymorphism (rs1761667) is associated with dietary MUFA intake and hypertension in a Japanese population. *British Journal of Nutrition*, **2019**, 121, 1215-1222	3.6	6
10	Dietary vegetable intake is inversely associated with ATP-binding cassette protein A1 (ABCA1) DNA methylation levels among Japanese women. *Nutrition*, **2019**, 65, 1-5	4.8	8
9	Maternal high-fructose intake increases circulating corticosterone levels via decreased adrenal corticosterone clearance in adult offspring. *Journal of Nutritional Biochemistry*, **2019**, 67, 44-50	6.3	8
8	Associations of serum microRNA-20a, -27a, and -103a with cognitive function in a Japanese population: The Yakumo study. *Archives of Gerontology and Geriatrics*, **2019**, 82, 155-160	4	13

7	Maternal fructose-induced oxidative stress occurs and epigenetic regulation in offspring hippocampi. *FASEB Journal*, **2019**, 33, 11431-11442	0.9	12
6	GWAS analysis reveals a significant contribution of PSCA to the risk of Heliobacter pylori-induced gastric atrophy. *Carcinogenesis*, **2019**, 40, 661-668	4.6	9
5	Circulating microRNAs (miR-126, miR-197, and miR-223) are associated with chronic kidney disease among elderly survivors of the Great East Japan Earthquake. *BMC Nephrology*, **2019**, 20, 474	2.7	11
4	Association of circulating miR-20a, miR-27a, and miR-126 with non-alcoholic fatty liver disease in general population. *Scientific Reports*, **2019**, 9, 18856	4.9	11
3	Association of genetic risk score and chronic kidney disease in a Japanese population. *Nephrology*, **2019**, 24, 670-673	2.2	3
2	Human serum albumin redox state is associated with decreased renal function in a community-dwelling population. *American Journal of Physiology - Renal Physiology*, **2019**, 316, F214-F218	4.3	3
1	Oxidized human serum albumin as a possible correlation factor for atherosclerosis in a rural Japanese population: the results of the Yakumo Study. *Environmental Health and Preventive Medicine*, **2018**, 23, 1	4.2	19