List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4585361/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The EQ-5D-5L valuation study in Korea. Quality of Life Research, 2016, 25, 1845-1852.	3.1	228
2	Comparing the psychometric properties of the EQ-5D-3L and EQ-5D-5L in cancer patients in Korea. Quality of Life Research, 2012, 21, 1065-1073.	3.1	129
3	Socioeconomic status can affect pregnancy outcomes and complications, even with a universal healthcare system. International Journal for Equity in Health, 2018, 17, 2.	3.5	125
4	Psychometric properties of the EQ-5D-5L in the general population of South Korea. Quality of Life Research, 2013, 22, 2245-2253.	3.1	115
5	High correlation of Middle East respiratory syndrome spread with Google search and Twitter trends in Korea. Scientific Reports, 2016, 6, 32920.	3.3	97
6	Health-Related Quality of Life Using the EuroQol 5D Questionnaire in Korean Patients with Type 2 Diabetes. Journal of Korean Medical Science, 2012, 27, 255.	2.5	79
7	Assessment of psychometric properties of the Korean SF-12 v2 in the general population. BMC Public Health, 2014, 14, 1086.	2.9	69
8	Increased prevalence of depression in South Korea from 2002 to 2013. Scientific Reports, 2020, 10, 16979.	3.3	69
9	Estimating Quality Weights for EQ-5D Health States with the Time Trade-Off Method in South Korea. Value in Health, 2008, 11, 1186-1189.	0.3	64
10	Validity and reliability of EQ-5D-3L for breast cancer patients in Korea. Health and Quality of Life Outcomes, 2015, 13, 203.	2.4	59
11	The Burden of Disease due to COVID-19 in Korea Using Disability-Adjusted Life Years. Journal of Korean Medical Science, 2020, 35, e199.	2.5	55
12	Evidence of a Broken Healthcare Delivery System in Korea: Unnecessary Hospital Outpatient Utilization among Patients with a Single Chronic Disease Without Complications. Journal of Korean Medical Science, 2014, 29, 1590.	2.5	54
13	Disability-adjusted Life Years for 313 Diseases and Injuries: the 2012 Korean Burden of Disease Study. Journal of Korean Medical Science, 2016, 31, S146.	2.5	54
14	Trends and Patterns of Burden of Disease and Injuries in Korea Using Disability-Adjusted Life Years. Journal of Korean Medical Science, 2019, 34, e75.	2.5	54
15	Multimorbidity and health-related quality of life in Koreans aged 50 or older using KNHANES 2013–2014. Health and Quality of Life Outcomes, 2018, 16, 186.	2.4	52
16	Disability Weights Measurement for 228 Causes of Disease in the Korean Burden of Disease Study 2012. Journal of Korean Medical Science, 2016, 31, S129.	2.5	50
17	Estimation of minimally important differences in the EQ-5D and SF-6D indices and their utility in stroke. Health and Quality of Life Outcomes, 2015, 13, 32.	2.4	48
18	Economic burden of chronic kidney disease in Korea using national sample cohort. Journal of Nephrology, 2017, 30, 787-793.	2.0	47

#	Article	IF	CITATIONS
19	Validity and reliability of the EQ-5D for cancer patients in Korea. Supportive Care in Cancer, 2012, 20, 3155-3160.	2.2	45
20	Model for Assessing Cardiovascular Risk in a Korean Population. Circulation: Cardiovascular Quality and Outcomes, 2014, 7, 944-951.	2.2	45
21	Primary Care Patients' Preference for Hospitals over Clinics in Korea. International Journal of Environmental Research and Public Health, 2018, 15, 1119.	2.6	44
22	The Prevalence and Incidence of Insomnia in Korea during 2005 to 2013. Psychiatry Investigation, 2020, 17, 533-540.	1.6	43
23	Cultural Values: Can They Explain Differences in Health Utilities between Countries?. Medical Decision Making, 2019, 39, 605-616.	2.4	42
24	Psychometric Properties of the Korean Short Form-36 Health Survey Version 2 forÂAssessing the General Population. Asian Nursing Research, 2013, 7, 61-66.	1.4	41
25	Frequency, Expected Effects, Obstacles, and Facilitators of Disclosure of Patient Safety Incidents: A Systematic Review. Journal of Preventive Medicine and Public Health, 2017, 50, 68-82.	1.9	41
26	Perceptions of primary care in Korea: a comparison of patient and physician focus group discussions. BMC Family Practice, 2014, 15, 178.	2.9	36
27	Years of Life Lost Attributable to COVID-19 in High-incidence Countries. Journal of Korean Medical Science, 2020, 35, e300.	2.5	35
28	Impact of a clinical decision support system for high-alert medications on the prevention of prescription errors. International Journal of Medical Informatics, 2014, 83, 929-940.	3.3	34
29	Estimating Quality-Adjusted Life-Year Loss Due to Noncommunicable Diseases in Korean Adults through to the Year 2040. Value in Health, 2015, 18, 61-66.	0.3	34
30	Costâ€utility analysis of the National Health Screening Program for chronic kidney disease in Korea. Nephrology, 2019, 24, 56-64.	1.6	34
31	Measuring the Economic Burden of Disease and Injury in Korea, 2015. Journal of Korean Medical Science, 2019, 34, e80.	2.5	33
32	Cumulative Query Method for Influenza Surveillance Using Search Engine Data. Journal of Medical Internet Research, 2014, 16, e289.	4.3	33
33	Differences in pregnancy outcomes, prenatal care utilization, and maternal complications between teenagers and adult women in Korea. Medicine (United States), 2016, 95, e4630.	1.0	31
34	Estimation of Disability Weights in the General Population of South Korea Using a Paired Comparison. PLoS ONE, 2016, 11, e0162478.	2.5	28
35	Measuring the Burden of Disease in Korea, 2008-2018. Journal of Preventive Medicine and Public Health, 2021, 54, 293-300.	1.9	26
36	Valuation of EQ-5D-5L health states: a comparison of seven Asian populations. Expert Review of Pharmacoeconomics and Outcomes Research, 2019, 19, 445-451.	1.4	23

#	Article	IF	CITATIONS
37	Health-related quality of life in chronic obstructive pulmonary disease patients in Korea. Health and Quality of Life Outcomes, 2014, 12, 57.	2.4	22
38	Health-Adjusted Life Expectancy (HALE) in Korea: 2005–2011. Journal of Korean Medical Science, 2016, 31, S139.	2.5	22
39	Perceptions of the general public and physicians regarding open disclosure in Korea: a qualitative study. BMC Medical Ethics, 2016, 17, 50.	2.4	22
40	Estimation of health state utilities in breast cancer. Patient Preference and Adherence, 2017, Volume 11, 531-536.	1.8	22
41	Estimating the severity distribution of disease in South Korea using EQ-5D-3L: a cross-sectional study. BMC Public Health, 2016, 16, 234.	2.9	21
42	Smoking cessation services provided by the National Health Insurance Service. Journal of the Korean Medical Association, 2018, 61, 157.	0.3	21
43	Influence of Transportation Noise and Noise Sensitivity on Annoyance: A Cross-Sectional Study in South Korea. International Journal of Environmental Research and Public Health, 2017, 14, 322.	2.6	19
44	The Trends in Health Life Expectancy in Korea according to Age, Gender, Education Level, and Subregion: Using Quality-Adjusted Life Expectancy Method. Journal of Korean Medical Science, 2019, 34, e88.	2.5	19
45	Disability Weights Measurement for 289 Causes of Disease Considering Disease Severity in Korea. Journal of Korean Medical Science, 2019, 34, e60.	2.5	18
46	Uneven recovery patterns of compromised health-related quality of life (EQ-5D-3ÂL) domains for breast Cancer survivors: a comparative study. Health and Quality of Life Outcomes, 2018, 16, 143.	2.4	17
47	Patient Safety Incidents Reported by the General Public in Korea: A Cross-Sectional Study. Journal of Patient Safety, 2020, 16, e90-e96.	1.7	17
48	Assessment of the Quality of Clinical Practice Guidelines in Korea Using the AGREE Instrument. Journal of Korean Medical Science, 2013, 28, 357.	2.5	16
49	Deriving a mapping algorithm for converting SF-36 scores to EQ-5D utility score in a Korean population. Health and Quality of Life Outcomes, 2014, 12, 145.	2.4	16
50	The utility score of epilepsy with partial seizure measured by TTO, VAS, and EQ-5D in the general Korean population. Epilepsy Research, 2014, 108, 963-971.	1.6	16
51	The Burden of Cancer in Korea during 2012: Findings from a Prevalence-Based Approach. Journal of Korean Medical Science, 2016, 31, S168.	2.5	16
52	Evaluating the expected effects of disclosure of patient safety incidents using hypothetical cases in Korea. PLoS ONE, 2018, 13, e0199017.	2.5	15
53	Estimation of population-based utility weights for gastric cancer-related health states. Patient Preference and Adherence, 2018, Volume 12, 909-918.	1.8	15
54	Risk Factors for Graft Failure and Death following Geriatric Renal Transplantation. PLoS ONE, 2016, 11, e0153410.	2.5	15

#	Article	IF	CITATIONS
55	Updating Disability Weights for Measurement of Healthy Life Expectancy and Disability-adjusted Life Year in Korea. Journal of Korean Medical Science, 2020, 35, e219.	2.5	15
56	Association of prediabetes, defined by fasting glucose, HbA1c only, or combined criteria, with the risk of cardiovascular disease in Koreans. Journal of Diabetes, 2016, 8, 657-666.	1.8	13
57	Estimating utility weights and quality-adjusted life year loss for colorectal cancer-related health states in Korea. Scientific Reports, 2017, 7, 5571.	3.3	13
58	Transforming Latent Utilities to Health Utilities: East Does Not Meet West. Health Economics (United) Tj ETQq0 (0 0 rgBT /0 1.7	Overlock 10 T
59	Exploratory Study of Dimensions of Health-related Quality of Life in the General Population of South Korea. Journal of Preventive Medicine and Public Health, 2017, 50, 361-368.	1.9	13
60	Finding the Primary Care Providers in the Specialist-Dominant Primary Care Setting of Korea: A Cluster Analysis. PLoS ONE, 2016, 11, e0161937.	2.5	13

	Analysis. PL05 ONL, 2010, 11, e0101957.		
61	The Korean National Burden of Disease Study: from Evidence to Policy. Journal of Korean Medical Science, 2019, 34, e89.	2.5	13
62	Assessing Reliability of Medical Record Reviews for the Detection of Hospital Adverse Events. Journal of Preventive Medicine and Public Health, 2015, 48, 239-248.	1.9	13
63	A cross sectional survey on health-related quality of life of elementary school students using the Korean version of the EQ-5D-Y. PeerJ, 2017, 5, e3115.	2.0	13
64	Healthcare organizations' attitudes toward pay-for-performance in Korea. Health Policy, 2012, 108, 277-285.	3.0	12
65	Feasibility, comparability, and reliability of the standard gamble compared with the rating scale and time trade-off techniques in Korean population. Quality of Life Research, 2017, 26, 3387-3397.	3.1	12
66	Trend analysis of major cancer statistics according to sex and severity levels in Korea. PLoS ONE, 2018, 13, e0203110.	2.5	12
67	Utility estimation of hypothetical chronic obstructive pulmonary disease health states by the general population and health professionals. Health and Quality of Life Outcomes, 2015, 13, 34.	2.4	10
68	General Internists' Perspectives Regarding Primary Care and Currently Related Issues in Korea. Journal of Korean Medical Science, 2015, 30, 523.	2.5	9
69	Anatomic or Functional Evaluation as an Initial Test for Stable Coronary Artery Disease: A Propensity Score Analysis. Journal of Nuclear Medicine, 2016, 57, 1364-1369.	5.0	9
70	Health-related quality of life by allergy symptoms in elementary school students. Health and Quality of Life Outcomes, 2018, 16, 93.	2.4	9
71	Predictors of longâ€ŧerm abstinence rate by income level in the Korean smoking cessation programme. Addiction, 2019, 114, 2056-2064.	3.3	9

⁷² General Public's Attitudes Toward Disclosure of Patient Safety Incidents in Korea: Results of Disclosure of Patient Safety Incidents Survey I. Journal of Patient Safety, 2020, 16, 84-89.

1.7 9

Μιν-Woo Jo

#	Article	IF	CITATIONS
73	Validity and reliability of the Health-Related Quality of Life Instrument with 8 Items (HINT-8) in Korean breast cancer patients. Osong Public Health and Research Perspectives, 2021, 12, 254-263.	1.9	9
74	How Many Alternatives Can Be Ranked? A Comparison of the Paired Comparison and Ranking Methods. Value in Health, 2016, 19, 655-660.	0.3	8
75	Estimation of utility weights for human papilloma virus-related health states according to disease severity. Health and Quality of Life Outcomes, 2016, 14, 163.	2.4	8
76	Estimation of utility weights for major liver diseases according to disease severity in Korea. BMC Gastroenterology, 2017, 17, 103.	2.0	8
77	Ethical Issues Recognized by Critical Care Nurses in the Intensive Care Units of a Tertiary Hospital during Two Separate Periods. Journal of Korean Medical Science, 2015, 30, 495.	2.5	7
78	Review of Issues for Disability Weight Studies. Health Policy and Management, 2016, 26, 352-358.	0.3	7
79	Development and Validation of a Novel Generic Health-related Quality of Life Instrument With 20 Items (HINT-20). Journal of Preventive Medicine and Public Health, 2017, 50, 38-59.	1.9	6
80	Higher serum carcinoembryonic antigen levels associate with more frequent development of incident fractures in Korean women: A longitudinal study using the national health insurance claim data. Bone, 2015, 73, 190-197.	2.9	5
81	Disability-Adjusted Life Years for Maternal, Neonatal, and Nutritional Disorders in Korea. Journal of Korean Medical Science, 2016, 31, S184.	2.5	5
82	Rethinking the Role of the Public Health Clinic: Comparison of Outpatient Utilization in the Public Health Clinics and Private Clinics in Korea. International Journal of Environmental Research and Public Health, 2018, 15, 1312.	2.6	5
83	General Public's Perspectives on Medical Doctors and Local Clinics in South Korea. International Journal of Environmental Research and Public Health, 2019, 16, 2030.	2.6	5
84	Measuring the Burden of Disease Due to Preterm Birth Complications in Korea Using Disability-Adjusted Life Years (DALY). International Journal of Environmental Research and Public Health, 2019, 16, 519.	2.6	5
85	Association of Satisfactory Smoking Cessation Support Services and Treatment Administered with Successful Quitting of Smoking in Korea. Journal of the Korean Society for Research on Nicotine and Tobacco, 2019, 10, 62-71.	0.3	5
86	Implementation of an integrated home internet of things system for vulnerable older adults using a frailty-centered approach. Scientific Reports, 2022, 12, 1922.	3.3	5
87	Do health preferences differ among Asian populations? A comparison of EQ-5D-5L discrete choice experiments data from 11 Asian studies. Quality of Life Research, 2022, 31, 2175-2187.	3.1	5
88	Health-related Quality of Life Instrument With 8 Items for Use in Patients With Type 2 Diabetes Mellitus: A Validation Study in Korea. Journal of Preventive Medicine and Public Health, 2022, 55, 234-242.	1.9	5
89	Disease severity-based evaluation of utility weights for lung cancer-related health states in Korea. BMC Cancer, 2018, 18, 1081.	2.6	4
90	Estimating the disease burden of Korean type 2 diabetes mellitus patients considering its complications. PLoS ONE, 2021, 16, e0246635.	2.5	4

Μιν-Woo Jo

#	Article	IF	CITATIONS
91	Cost Utility Analysis of a Pilot Study for the Korean Lung Cancer Screening Project. Cancer Research and Treatment, 2022, 54, 728-736.	3.0	4
92	Estimating Lifetime Duration of Diabetes by Age and Gender in the Korean Population Using a Markov Model. Journal of Korean Medical Science, 2019, 34, e74.	2.5	4
93	Estimating Quality Adjusted Life Year Loss of Persons Disabled by Stroke Using EQ-5D in Korea. Journal of Agricultural Medicine and Community Health, 2011, 36, 120-129.	0.2	4
94	Cost analysis of coronavirus disease 2019 test strategies using pooled reverse transcriptaseâ€polymerase chain reaction technique. Journal of Clinical Laboratory Analysis, 2022, 36, e24413.	2.1	4
95	Comparative Research for the Healthcare Budget and Burden of Disease in Perspective Resource Allocation. Journal of Korean Medical Science, 2019, 34, e81.	2.5	3
96	Current Status of Smoking Cessation Program in Foreign Countries. Journal of the Korean Society for Research on Nicotine and Tobacco, 2016, 7, 53-60.	0.3	3
97	Health Group and Disease Group's Perceptions of Health and Health-related Quality of Life: a Focus Group Study and In-depth Interviews. Korean Journal of Health Promotion, 2016, 16, 56.	0.2	2
98	Perceptions regarding utilization of meteorological information in healthcare in Korea: a qualitative study. Annals of Occupational and Environmental Medicine, 2018, 30, 8.	1.0	2
99	Effects of morbidity on smoking cessation: a national smoking cessation program. Addiction Science & Clinical Practice, 2021, 16, 47.	2.6	2
100	Are the Public Health Centers Real Threats to Private Clinics in Korea?. Iranian Journal of Public Health, 2016, 45, 535-6.	0.5	2
101	Comparative effectiveness of smartphone healthcare applications for improving quality of life in lung cancer patients: study protocol. BMC Pulmonary Medicine, 2022, 22, 175.	2.0	2
102	Perceptions of the General Public About Health-related Quality of Life and the EQ-5D Questionnaire: A Qualitative Study in Korea. Journal of Preventive Medicine and Public Health, 2022, 55, 213-225.	1.9	2
103	Health gap for multimorbidity: comparison of models combining uniconditional health gap. Quality of Life Research, 2020, 29, 2475-2483.	3.1	1
104	Effectiveness of Patient Safety Role-Playing Education for Medical Students to Improve Patient Safety Awareness. HIRA Research, 2021, 1, 64-80.	0.9	1
105	The Primary Care Performance of Three Types of Medical Institutions: A Public Survey using the Korean Primary Care Assessment Tool. Han'gug Yiryo QA Haghoeji, 2019, 25, 16-25.	0.4	1
106	The Trends in Health Life Expectancy in Korea according to Age, Gender, Education Level, and Subregion: Using Quality-Adjusted Life Expectancy Method. Journal of Korean Medical Science, 2018, 33,	2.5	1
107	Estimation of populationâ€based utility weights for health states of chronic kidney disease, dialysis and kidney transplantation. Nephrology, 2020, 25, 544-550.	1.6	0
108	The Korean National Burden of Disease Study: from Evidence to Policy. Journal of Korean Medical Science, 2018, 33, .	2.5	0

#	Article	IF	CITATIONS
109	Development of Healthcare Service Delivery Indicator to Strengthen the Function of Each Type of Hospital-Level Medical Institution. , 2021, 1, 143-151.		Ο
110	Validation of the European Quality of Life-5 Dimensions, 3-Level Version (EQ-5D-3L) in Patients With Osteoporotic Vertebral Fracture and Comparing Their Health-Related Quality of Life with That of the General Population in Korea. Korean Journal of Neurotrauma, 2022, 18, 64-74.	0.6	0
111	Estimation of utility weights for prostate-related health states in Korea. Journal of Preventive Medicine and Public Health, 0, , .	1.9	0