Gorawit Yusakul

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4586005/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Harringtonine Ester Derivatives with Enhanced Antiproliferative Activities against HL-60 and HeLa Cells. Journal of Natural Products, 2022, 85, 345-351.	3.0	3
2	Molecular Structures and In Vitro Bioactivities of Enzymatically Produced Porcine Placenta Peptides Fractionated by Ultrafiltration. Food and Bioprocess Technology, 2022, 15, 669-682.	4.7	3
3	Aqueous Thunbergia laurifolia leaf extract alleviates paraquat-induced lung injury in rats by inhibiting oxidative stress and inflammation. BMC Complementary Medicine and Therapies, 2022, 22, 83.	2.7	1
4	Phosphodiesteraseâ€5 Inhibitory Activity of Canthinâ€6â€One Alkaloids and the Roots of <i>Eurycoma longifolia</i> and <i>Eurycoma harmandiana</i> . Chemistry and Biodiversity, 2022, 19, .	2.1	7
5	Therapeutic hydrophobic deep eutectic solvents of menthol and fatty acid for enhancing anti-inflammation effects of curcuminoids and curcumin on RAW264.7 murine macrophage cells. RSC Advances, 2022, 12, 17443-17453.	3.6	9
6	Evaluation of anti-inflammatory properties of <i>Eurycoma longifolia</i> Jack and <i>Eurycoma harmandiana</i> Pierre <i>in vitro</i> cultures and their constituents. Food and Agricultural Immunology, 2022, 33, 530-545.	1.4	5
7	HPLC-UV-Based Simultaneous Determination of Canthin-6-One Alkaloids, Quassinoids, and Scopoletin: The Active Ingredients in <i>Eurycoma Longifolia</i> Jack and <i>Eurycoma Harmandiana</i> Pierre, and Their Anti-Inflammatory Activities. Journal of AOAC INTERNATIONAL, 2021, 104, 802-810.	1.5	11
8	(+)-7- <i>O</i> -Methylisomiroestrol, a new chromene phytoestrogen from the <i>Pueraria candollei</i> var. <i>mirifica</i> root. Natural Product Research, 2021, 35, 4110-4114.	1.8	10
9	Molecular cloning and characterization of type III polyketide synthase from Plumbago zeylanica. Journal of Asian Natural Products Research, 2021, 23, 478-490.	1.4	2
10	Immunochromatographic assay for the detection of kwakhurin and its application for the identification of <i>Pueraria candollei</i> var. <i>mirifica</i> (Airy Shaw & Suvat.) Niyomdham. Phytochemical Analysis, 2021, 32, 503-511.	2.4	5
11	Rapid magnetic particles-based enzyme immunoassay for the quality control of Glycyrrhiza spp. based on glycyrrhizin content. FĬtoterapìâ, 2021, 148, 104794.	2.2	3
12	Improvement of stilbene production by mulberry Morus alba root culture via precursor feeding and co-elicitation. Bioprocess and Biosystems Engineering, 2021, 44, 653-660.	3.4	20
13	Quantification of methylisomiroestrol, a phytoestrogen of Pueraria candollei, by enzyme-linked immunosorbent assay in comparison with high-performance liquid chromatography. Journal of Pharmaceutical and Biomedical Analysis, 2021, 192, 113674.	2.8	4
14	Competitive immunochromatographic test strips for the rapid semi-quantitative analysis of the biologically active bitter glycoside, amarogentin. Journal of Immunoassay and Immunochemistry, 2021, 42, 48-61.	1.1	1
15	Enzyme-linked immunosorbent assay using fragment antigen-binding (Fab) antibody for determination of deoxymiroestrol, a potent phytoestrogen from Pueraria candollei. Food and Agricultural Immunology, 2021, 32, 336-348.	1.4	5
16	Development of a colorless <i>Centella asiatica</i> (L.) Urb. extract using a natural deep eutectic solvent (NADES) and microwave-assisted extraction (MAE) optimized by response surface methodology. RSC Advances, 2021, 11, 8741-8750.	3.6	13
17	Transformation of Pueraria candollei var. mirifica phytoestrogens using immobilized and free β-glucosidase, a technique for enhancing estrogenic activity. RSC Advances, 2021, 11, 32067-32076.	3.6	0
18	Plant-made antibody against miroestrol: a new platform for expression of full-length immunoglobulin G against small-molecule targets in immunoassays. Plant Cell Reports, 2021, 40, 723-733.	5.6	2

GORAWIT YUSAKUL

#	Article	IF	CITATIONS
19	Effects of Thai Local Ingredient Odorants, Litsea cubeba and Garlic Essential Oils, on Brainwaves and Moods. Molecules, 2021, 26, 2939.	3.8	9
20	Fragment antigen-binding (Fab) antibody-based lateral flow immunoassay for rapid and sensitive detection of potent phytoestrogen, deoxymiroestrol. Journal of Natural Medicines, 2021, 75, 1043-1049.	2.3	1
21	Biocompatible natural deep eutectic solvent-based extraction and cellulolytic enzyme-mediated transformation of Pueraria mirifica isoflavones: a sustainable approach for increasing health-bioactive constituents. Bioresources and Bioprocessing, 2021, 8, .	4.2	8
22	Correction to: Biocompatible natural deep eutectic solvent‑based extraction and cellulolytic enzyme‑mediated transformation of Pueraria mirifica isoflavones: a sustainable approach for increasing health‑bioactive constituents. Bioresources and Bioprocessing, 2021, 8, .	4.2	0
23	Simple preparation and analysis of a phytoestrogen-rich extract of Pueraria candollei var. mirifica and its in vitro estrogenic activity. Journal of Herbal Medicine, 2021, 29, 100463.	2.0	4
24	Open sandwich fluorescence-linked immunosorbent assay for detection of soy isoflavone glycosides. Food Chemistry, 2021, 361, 129829.	8.2	5
25	Porcine placenta hydrolysate as an alternate functional food ingredient: In vitro antioxidant and antibacterial assessments. PLoS ONE, 2021, 16, e0258445.	2.5	8
26	Modulatory effects of Benjakul extract on rat hepatic cytochrome P450 enzymes. Heliyon, 2021, 7, e08498.	3.2	2
27	The Deoxymiroestrol and Isoflavonoid Production and Their Elicitation of Cell Suspension Cultures of Pueraria candollei var. mirifica: from Shake Flask to Bioreactor. Applied Biochemistry and Biotechnology, 2020, 190, 57-72.	2.9	15
28	Expression of actively soluble antigen-binding fragment (Fab) antibody and GFP fused Fab in the cytoplasm of the engineered Escherichia coli. Molecular Biology Reports, 2020, 47, 4519-4529.	2.3	6
29	Kwakhurinâ€magnetic particles conjugates enable fast enzyme immunoassay for the detection of kwakhurin in Pueraria candollei. Phytochemical Analysis, 2020, 31, 930-936.	2.4	2
30	Honey as a solvent for the green extraction, analysis, and bioconversion of daidzin from Pueraria candollei var. mirifica root. Pharmacognosy Magazine, 2020, 16, 524.	0.6	1
31	Modification of the first constant domain of heavy chain enabled effective folding of functional antiâ€forskolin antigenâ€binding fragment for sensitive quantitative analysis. Biotechnology Progress, 2019, 35, e2822.	2.6	0
32	Preincubation format for a sensitive immunochromatographic assay for monocrotaline, a toxic pyrrolizidine alkaloid. Phytochemical Analysis, 2019, 30, 653-660.	2.4	7
33	Preparation of a highly specific single chain variable fragment antibody targeting miroestrol and its application in quality control of <i>Pueraria candollei</i> by enzymeâ€linked immunosorbent assay. Phytochemical Analysis, 2019, 30, 600-608.	2.4	5
34	An indirect competitive enzyme-linked immunosorbent assay toward the standardization of Pueraria candollei based on its unique isoflavonoid, kwakhurin. F¬toterap¬¢, 2019, 133, 23-28.	2.2	9
35	Enhanced accumulation of high-value deoxymiroestrol and isoflavonoids using hairy root as a sustainable source of Pueraria candollei var. mirifica. Plant Cell, Tissue and Organ Culture, 2019, 136, 141-151.	2.3	10
36	A Recombinant Fab Antibody Against Kwakhurin as a Tool for Sensitive Indirect Competitive ELISA. Current Pharmaceutical Biotechnology, 2019, 19, 1170-1176.	1.6	7

GORAWIT YUSAKUL

#	Article	IF	CITATIONS
37	High-performance liquid chromatography for analysis of corosolic acid in Lagerstroemia species and their hypoglycemic activities. Planta Medica, 2019, 85, .	1.3	0
38	Simultaneous determination of three canthin-6-one alkaloids in different extracts of Eurycoma longifolia and Eurycoma harmandiana using HPLC-UV. , 2019, 85, .		0
39	Enzyme linked immunosorbent assay for total potent estrogenic miroestrol and deoxymiroestrol of Pueraria candollei, a Thai herb for menopause remedy. Journal of Natural Medicines, 2018, 72, 641-650.	2.3	9
40	Different expression systems resulted in varied binding properties of anti-paclitaxel single-chain variable fragment antibody clone 1C2. Journal of Natural Medicines, 2018, 72, 310-316.	2.3	7
41	A pilot pharmacokinetic study of miroestrol and deoxymiroestrol on rabbit sera using polyclonal antibodyâ€based icELISA analysis. Phytotherapy Research, 2018, 32, 365-369.	5.8	1
42	Improvement of heavy and light chain assembly by modification of heavy chain constant region 1 (CH1): Application for the construction of an anti-paclitaxel fragment antigen-binding (Fab) antibody. Journal of Biotechnology, 2018, 288, 41-47.	3.8	12
43	Development of an indirect competitive immunochromatographic strip test for rapid detection and determination of anticancer drug, harringtonine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1048, 150-154.	2.3	20
44	Ultrasensitive immunoassay for monocrotaline using monoclonal antibody produced by N, N' -carbonyldiimidazole mediated hapten-carrier protein conjugates. Talanta, 2017, 168, 67-72.	5.5	20
45	Sodium periodate-mediated conjugation of harringtonine enabling the production of a highly specific monoclonal antibody, and the development of a sensitive quantitative analysis method. Analyst, The, 2017, 142, 1140-1148.	3.5	18
46	Bacterial Expression of a Single-Chain Variable Fragment (scFv) Antibody against Ganoderic Acid A: A Cost-Effective Approach for Quantitative Analysis Using the scFv-Based Enzyme-Linked Immunosorbent Assay. Biological and Pharmaceutical Bulletin, 2017, 40, 1767-1774.	1.4	15
47	Effect of linker length between variable domains of single chain variable fragment antibody against daidzin on its reactivity. Bioscience, Biotechnology and Biochemistry, 2016, 80, 1306-1312.	1.3	26
48	Preparation and application of a monoclonal antibody against the isoflavone glycoside daidzin using a mannich reactionâ€derived hapten conjugate. Phytochemical Analysis, 2016, 27, 81-88.	2.4	18
49	Efficient expression of single chain variable fragment antibody against paclitaxel using the Bombyx mori nucleopolyhedrovirus bacmid DNA system and its characterizations. Journal of Natural Medicines, 2016, 70, 592-601.	2.3	9
50	Anti-miroestrol polyclonal antibodies: a comparison of immunogen preparations used to obtain desired antibody properties. Journal of Natural Medicines, 2016, 70, 296-299.	2.3	8
51	Colloidal gold-based indirect competitive immunochromatographic assay for rapid detection of bioactive isoflavone glycosides daidzin and genistin in soy products. Food Chemistry, 2016, 194, 191-195.	8.2	27
52	A single-chain variable fragment antibody against anti-leukemia agent, harringtonine as a tool for immunomodulation. Planta Medica, 2016, 81, S1-S381.	1.3	0
53	Development of highly sensitive immunological techniques for determination of cephalotaxus alkaloids, harringtonine. Planta Medica, 2016, 81, S1-S381.	1.3	0

 $_{54}$ Chromene stability: The most potent estrogenic compounds in White Kwao Krua (Pueraria candollei) Tj ETQq0 0 0 $_{24}^{
m gBT}$ /Overlock 10 Tf

GORAWIT YUSAKUL

#	Article	IF	CITATIONS
55	Enzymeâ€linked immunosorbent assay by enhanced chemiluminescence detection for the standardization of estrogenic miroestrol in Pueraria candollei Graham ex Benth. Luminescence, 2015, 30, 568-575.	2.9	15
56	Simultaneous determination of soy isoflavone glycosides, daidzin and genistin by monoclonal antibody-based highly sensitive indirect competitive enzyme-linked immunosorbent assay. Food Chemistry, 2015, 169, 127-133.	8.2	33
57	Preparation of a Monoclonal Antibody against Notoginsenoside R1, a Distinctive Saponin from Panax notoginseng, and Its Application to Indirect Competitive ELISA. Planta Medica, 2014, 80, 337-342.	1.3	11
58	Enzyme-linked immunosorbent assay by enhanced chemiluminescence detection for standardization of miroestrol in Pueraria candollei. Planta Medica, 2014, 80, .	1.3	0
59	Determination of Iriflophenone 3â€ <i>C</i> â€Î²â€ <scp>d</scp> â€Glucoside From <i>Aquilaria</i> spp. by an Indirect Competitive Enzymeâ€linked Immunosorbent Assay Using a Specific Polyclonal Antibody. Journal of Food Science, 2013, 78, C1363-7.	3.1	5
60	High performance enzyme-linked immunosorbent assay for determination of miroestrol, a potent phytoestrogen from Pueraria candollei. Analytica Chimica Acta, 2013, 785, 104-110.	5.4	19
61	Highly selective and sensitive determination of deoxymiroestrol using a polyclonal antibody-based enzyme-linked immunosorbent assay. Talanta, 2013, 114, 73-78.	5.5	18
62	Production of Polyclonal Antibody Against Madecassoside and Development of Immunoassay Methods for Analysis of Triterpene Glycosides in <i>Centella asiatica</i> . Phytochemical Analysis, 2013, 24, 256-262.	2.4	5
63	Development of an enzyme-linked immunosorbent assay for determination of iriflophenone 3-C-Î2-D-glucoside from Aquilaria spp. using a specific polyclonal antibody. Planta Medica, 2013, 79, .	1.3	0
64	Enzyme-linked immunosorbent assays for quality control of miroestrol and deoxymiroestrol in Pueraria candollei. Planta Medica, 2013, 79, .	1.3	0
65	Development and Application of an Enzymeâ€linked Immunosorbent Assay for Specific Detection of Mangiferin Content in Various Cultivars of <i>Mangifera indica</i> Leaves Using Antiâ€mangiferin Polyclonal Antibody. Journal of Food Science, 2012, 77, C414-9.	3.1	4
66	PRODUCTION OF ANTI–MADECASSOSIDE POLYCLONAL ANTIBODY AND ITS APPLICATION FOR QUALITY CONTROL OF CENTELLA ASIATICA (L.) URBAN. Reviews on Clinical Pharmacology and Drug Therapy, 2012, 10, 90.	0.6	0
67	EFFECT OF PLANT GROWTH REGULATORS AND BIOTIC ELICITORS ON DICENTRINE PRODUCTION IN HAIRY ROOT CULTURES OF STEPHANIA SUBEROSA FORMAN. Reviews on Clinical Pharmacology and Drug Therapy, 2012, 10, 67-1.	0.6	0
68	Comparative analysis of the chemical constituents of two varieties of Pueraria candollei. Fìtoterapìâ, 2011, 82, 203-207.	2.2	43
69	Enhanced plumbagin production from inÂvitro cultures of Drosera burmanii using elicitation. Biotechnology Letters, 2010, 32, 721-724.	2.2	55
70	Dicentrine Production from a Hairy Roots Culture of Stephania suberosa. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2009, 64, 692-696.	1.4	4
71	Modulatory Effects of Benjakul Extract on Rat Hepatic Cytochrome P450 Enzymes. SSRN Electronic Journal, 0, , .	0.4	0