

Emmanuelle Reboul

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4586350/publications.pdf>

Version: 2024-02-01

72
papers

4,182
citations

126708

33
h-index

110170

64
g-index

74
all docs

74
docs citations

74
times ranked

3766
citing authors

#	ARTICLE	IF	CITATIONS
1	Reduction of pulse "antnutritional" content by optimizing pulse canning process is insufficient to improve fat-soluble vitamin bioavailability. <i>Food Chemistry</i> , 2022, 370, 131021.	4.2	8
2	Bioaccessibility and uptake by Caco-2 cells of carotenoids from cereal-based products enriched with butternut squash (<i>Cucurbita moschata</i> L.). <i>Food Chemistry</i> , 2022, 385, 132595.	4.2	10
3	P-glycoprotein (ABCB1) is involved in vitamin K efflux. <i>Food Chemistry</i> , 2021, 343, 128510.	4.2	8
4	From carotenoid intake to carotenoid blood and tissue concentrations " implications for dietary intake recommendations. <i>Nutrition Reviews</i> , 2021, 79, 544-573.	2.6	113
5	Evaluation of vitamin D bioaccessibility and mineral solubility from test meals containing meat and/or cereals and/or pulses using in vitro digestion. <i>Food Chemistry</i> , 2021, 347, 128621.	4.2	14
6	Mechanisms of absorption of vitamin D ₃ delivered in protein nanoparticles in the absence and presence of fat. <i>Food and Function</i> , 2021, 12, 4935-4946.	2.1	6
7	In vitro solubilization of fat-soluble vitamins in structurally defined mixed intestinal assemblies. <i>Journal of Colloid and Interface Science</i> , 2021, 589, 229-241.	5.0	6
8	One-Step Extraction of Olive Phenols from Aqueous Solution Using β -Cyclodextrin in the Solid State, a Simple Eco-Friendly Method Providing Photochemical Stability to the Extracts. <i>Molecules</i> , 2021, 26, 4463.	1.7	2
9	Pulses Twice a Week in Replacement of Meat Modestly Increases Diet Sustainability. <i>Nutrients</i> , 2021, 13, 3059.	1.7	7
10	The Complex ABCG5/ABCG8 Regulates Vitamin D Absorption Rate and Contributes to its Efflux from the Intestine. <i>Molecular Nutrition and Food Research</i> , 2021, 65, e2100617.	1.5	5
11	Vitamin A Deficiency during the Perinatal Period and First Weeks of Life Modifies Vitamin A and Lipid Postprandial Metabolism in Both Female and Male Young Rats. <i>Molecular Nutrition and Food Research</i> , 2021, 65, 2100451.	1.5	1
12	Comparison of α -Tocopherol, α -Tocopherol Acetate, and α -Tocopheryl Polyethylene Glycol Succinate 1000 Absorption by Caco-2 TC7 Intestinal Cells. <i>Nutrients</i> , 2021, 13, 129.	1.7	5
13	β -Carotene Bioavailability and Conversion Efficiency Are Significantly Affected by Sex in Rats. <i>Molecular Nutrition and Food Research</i> , 2021, 65, e2100650.	1.5	9
14	Food Structure Modulates the Bioavailability of Triglycerides and Vitamin D, and Partly That of Lutein: A Randomized Trial with a Crossover Design in Adults. <i>Molecular Nutrition and Food Research</i> , 2020, 64, e2000228.	1.5	8
15	Evaluation of vitamin D bioaccessibility and iron solubility from test meals containing meat and/or cereals and/or legumes. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	0.4	1
16	Comparison of the bioavailability and intestinal absorption sites of phytoene, phytofluene, lycopene and β -carotene. <i>Food Chemistry</i> , 2019, 300, 125232.	4.2	32
17	Simple Fast Quantification of Cholecalciferol, 25-Hydroxyvitamin D and 1,25-Dihydroxyvitamin D in Adipose Tissue Using LC-HRMS/MS. <i>Nutrients</i> , 2019, 11, 1977.	1.7	14
18	The gut: a regulatory hall governing fat-soluble micronutrient absorption. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1045-1046.	2.2	5

#	ARTICLE	IF	CITATIONS
19	Mechanisms of Carotenoid Intestinal Absorption: Where Do We Stand?. <i>Nutrients</i> , 2019, 11, 838.	1.7	130
20	The Presence of Pulses within a Meal can Alter Fat-Soluble Vitamin Bioavailability. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1801323.	1.5	10
21	ABCB1 (P-glycoprotein) regulates vitamin D absorption and contributes to its transintestinal efflux. <i>FASEB Journal</i> , 2019, 33, 2084-2094.	0.2	25
22	Characterization of hydroxytyrosol- β -cyclodextrin complexes in solution and in the solid state, a potential bioactive ingredient. <i>LWT - Food Science and Technology</i> , 2019, 102, 317-323.	2.5	17
23	Vitamin E intestinal absorption: Regulation of membrane transport across the enterocyte. <i>IUBMB Life</i> , 2019, 71, 416-423.	1.5	33
24	Opposite Effects of the Spinach Food Matrix on Lutein Bioaccessibility and Intestinal Uptake Lead to Unchanged Bioavailability Compared to Pure Lutein. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1800185.	1.5	8
25	Effect of Foods and β -Cyclodextrin on the Bioaccessibility and the Uptake by Caco-2 Cells of Hydroxytyrosol from Either a Pure Standard or Alperujo. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 4614-4620.	2.4	13
26	Direct and Rapid Profiling of Biophenols in Olive Pomace by UHPLC-DAD-MS. <i>Food Analytical Methods</i> , 2018, 11, 1001-1010.	1.3	31
27	β -Cyclodextrin Does not Alter the Bioaccessibility and the Uptake by Caco-2 Cells of Olive By-Product Phenolic Compounds. <i>Nutrients</i> , 2018, 10, 1653.	1.7	12
28	Nutritional Composition and Bioactive Content of Legumes: Characterization of Pulses Frequently Consumed in France and Effect of the Cooking Method. <i>Nutrients</i> , 2018, 10, 1668.	1.7	144
29	Phytoene and Phytofluene Isolated from a Tomato Extract are Readily Incorporated in Mixed Micelles and Absorbed by Caco-2 Cells, as Compared to Lycopene, and SR-BI is Involved in their Cellular Uptake. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1800703.	1.5	37
30	Efficacy of two vitamin E formulations in patients with abetalipoproteinemia and chylomicron retention disease. <i>Journal of Lipid Research</i> , 2018, 59, 1640-1648.	2.0	16
31	Re-assembled casein micelles improve in vitro bioavailability of vitamin D in a Caco-2 cell model. <i>Food and Function</i> , 2017, 8, 2133-2141.	2.1	50
32	Comparison of the Micellar Incorporation and the Intestinal Cell Uptake of Cholecalciferol, 25-Hydroxycholecalciferol and 1- α -Hydroxycholecalciferol. <i>Nutrients</i> , 2017, 9, 1152.	1.7	17
33	Vitamin E Bioavailability: Mechanisms of Intestinal Absorption in the Spotlight. <i>Antioxidants</i> , 2017, 6, 95.	2.2	102
34	A Combination of Single-Nucleotide Polymorphisms Is Associated with Interindividual Variability in Cholecalciferol Bioavailability in Healthy Men. <i>Journal of Nutrition</i> , 2016, 146, 2421-2428.	1.3	17
35	Pinoresinol of olive oil decreases vitamin D intestinal absorption. <i>Food Chemistry</i> , 2016, 206, 234-238.	4.2	14
36	Micellar lipid composition affects micelle interaction with class B scavenger receptor extracellular loops. <i>Journal of Lipid Research</i> , 2015, 56, 1123-1133.	2.0	22

#	ARTICLE	IF	CITATIONS
37	Intestinal absorption of vitamin D: from the meal to the enterocyte. <i>Food and Function</i> , 2015, 6, 356-362.	2.1	63
38	Fat-soluble vitamin intestinal absorption: Absorption sites in the intestine and interactions for absorption. <i>Food Chemistry</i> , 2015, 172, 155-160.	4.2	148
39	Hesperidin increases intestinal β , β -carotene 15-15 μ g mono-oxygenase 1 (BCMO1) activity in Mongolian gerbils (<i>Meriones unguiculatus</i>) fed with β -carotene-free diet. <i>Food Chemistry</i> , 2014, 159, 477-485.	4.2	7
40	ABCG1 is involved in vitamin E efflux. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 1741-1751.	1.2	28
41	Cluster determinant 36 (CD36) impacts on vitamin E postprandial response. <i>Molecular Nutrition and Food Research</i> , 2014, 58, 2297-2306.	1.5	35
42	Intestinal Scavenger Receptors Are Involved in Vitamin K1 Absorption. <i>Journal of Biological Chemistry</i> , 2014, 289, 30743-30752.	1.6	58
43	β -Lactoglobulin as a Vector for β -Carotene Food Fortification. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 5916-5924.	2.4	24
44	Fatty acids affect micellar properties and modulate vitamin D uptake and basolateral efflux in Caco-2 cells. <i>Journal of Nutritional Biochemistry</i> , 2013, 24, 1751-1757.	1.9	61
45	Cholesterol transport via ABCA1: New insights from solid-phase binding assay. <i>Biochimie</i> , 2013, 95, 957-961.	1.3	19
46	Interlocking of β -carotene in beta-lactoglobulin aggregates produced under high pressure. <i>Food Chemistry</i> , 2013, 139, 253-260.	4.2	24
47	CD36 and SR-BI Are Involved in Cellular Uptake of Provitamin A Carotenoids by Caco-2 and HEK Cells, and Some of Their Genetic Variants Are Associated with Plasma Concentrations of These Micronutrients in Humans. <i>Journal of Nutrition</i> , 2013, 143, 448-456.	1.3	109
48	Absorption of Vitamin A and Carotenoids by the Enterocyte: Focus on Transport Proteins. <i>Nutrients</i> , 2013, 5, 3563-3581.	1.7	222
49	Respective contributions of intestinal Niemann-Pick C1-like 1 and scavenger receptor class B type I to cholesterol and tocopherol uptake: <i>in vivo</i> and <i>in vitro</i> studies. <i>British Journal of Nutrition</i> , 2012, 107, 1296-1304.	1.2	46
50	Answer to Dr. Gylling's Letter to the Editor. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 1195-1196.	1.5	0
51	Simple and fast HPLC method for simultaneous determination of retinol, tocopherols, coenzyme Q10 and carotenoids in complex samples. <i>Food Chemistry</i> , 2012, 134, 2560-2564.	4.2	79
52	Proteins involved in uptake, intracellular transport and basolateral secretion of fat-soluble vitamins and carotenoids by mammalian enterocytes. <i>Progress in Lipid Research</i> , 2011, 50, 388-402.	5.3	193
53	Absorption intestinale des vitamines liposolubles. <i>Oleagineux Corps Gras Lipides</i> , 2011, 18, 53-58.	0.2	0
54	Vitamin D intestinal absorption is not a simple passive diffusion: Evidences for involvement of cholesterol transporters. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 691-702.	1.5	161

#	ARTICLE	IF	CITATIONS
55	Phytosterols can impair vitamin D intestinal absorption in vitro and in mice. <i>Molecular Nutrition and Food Research</i> , 2011, 55, S303-11.	1.5	55
56	Vitamin E decreases endogenous cholesterol synthesis and apo-AI-mediated cholesterol secretion in Caco-2 cells. <i>Journal of Nutritional Biochemistry</i> , 2010, 21, 1207-1213.	1.9	48
57	ATP-binding cassette transporter A1 is significantly involved in the intestinal absorption of α - and β -tocopherol but not in that of retinyl palmitate in mice. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 177-184.	2.2	71
58	A Carboxy-Terminal Affinity Tag for the Purification and Mass Spectrometric Characterization of Integral Membrane Proteins. <i>Journal of Proteome Research</i> , 2009, 8, 2388-2396.	1.8	36
59	Human fasting plasma concentrations of vitamin E and carotenoids, and their association with genetic variants in apo C-III, cholesteryl ester transfer protein, hepatic lipase, intestinal fatty acid binding protein and microsomal triacylglycerol transfer protein. <i>British Journal of Nutrition</i> , 2009, 101, 680-687.	1.2	57
60	Competition Effects on Carotenoid Absorption by Caco-2 Cells. , 2009, , 381-386.		0
61	Comparison of different vehicles to study the effect of tocopherols on gene expression in intestinal cells. <i>Free Radical Research</i> , 2008, 42, 523-530.	1.5	38
62	Lycopene Absorption in Human Intestinal Cells and in Mice Involves Scavenger Receptor Class B Type I but Not Niemann-Pick C1-Like 1. <i>Journal of Nutrition</i> , 2008, 138, 1432-1436.	1.3	118
63	Differential effect of dietary antioxidant classes (carotenoids, polyphenols, vitamins C and E) on lutein absorption. <i>British Journal of Nutrition</i> , 2007, 97, 440-446.	1.2	79
64	β -Cryptoxanthin from Citrus juices: assessment of bioaccessibility using an in vitro digestion/Caco-2 cell culture model. <i>British Journal of Nutrition</i> , 2007, 97, 883-890.	1.2	100
65	Human Plasma Levels of Vitamin E and Carotenoids Are Associated with Genetic Polymorphisms in Genes Involved in Lipid Metabolism , ,3. <i>Journal of Nutrition</i> , 2007, 137, 2653-2659.	1.3	144
66	Effect of the main dietary antioxidants (carotenoids, β -tocopherol, polyphenols, and vitamin C) on α -tocopherol absorption. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 1167-1173.	1.3	54
67	Bioaccessibility of Carotenoids and Vitamin E from Their Main Dietary Sources. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 8749-8755.	2.4	371
68	Pancreatic lipase and pancreatic lipase-related protein 2, but not pancreatic lipase-related protein 1, hydrolyze retinyl palmitate in physiological conditions. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006, 1761, 4-10.	1.2	72
69	Scavenger Receptor Class B Type I (SR-BI) Is Involved in Vitamin E Transport across the Enterocyte. <i>Journal of Biological Chemistry</i> , 2006, 281, 4739-4745.	1.6	206
70	Lutein transport by Caco-2 TC-7 cells occurs partly by a facilitated process involving the scavenger receptor class B type I (SR-BI). <i>Biochemical Journal</i> , 2005, 387, 455-461.	1.7	233
71	Enrichment of Tomato Paste with 6% Tomato Peel Increases Lycopene and β -Carotene Bioavailability in Men. <i>Journal of Nutrition</i> , 2005, 135, 790-794.	1.3	63
72	Processing of vegetable-borne carotenoids in the human stomach and duodenum. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 284, G913-G923.	1.6	207