Yutaka Yamamoto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4586793/publications.pdf

Version: 2024-02-01

1307594 752698 28 397 7 20 citations g-index h-index papers 28 28 28 391 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | EAONO/JOS Joint Consensus Statements on the Definitions, Classification and Staging of Middle Ear Cholesteatoma. Journal of International Advanced Otology, 2017, 13, 1-8. | 1.0 | 181 |
| 2 | Staging and classification criteria for middle ear cholesteatoma proposed by the Japan Otological Society. Auris Nasus Larynx, 2017, 44, 135-140. | 1.2 | 66 |
| 3 | Creating an Optimal 3D Printed Model for Temporal Bone Dissection Training. Annals of Otology, Rhinology and Laryngology, 2017, 126, 530-536. | 1.1 | 32 |
| 4 | International Collaborative Assessment of the Validity of the EAONO-JOS Cholesteatoma Staging System. Otology and Neurotology, 2019, 40, 630-637. | 1.3 | 21 |
| 5 | Risk Factors of Recurrence in Pediatric Congenital Cholesteatoma. Otology and Neurotology, 2017, 38, 1463-1469. | 1.3 | 16 |
| 6 | Pediatric middle ear cholesteatoma: the comparative study of congenital cholesteatoma and acquired cholesteatoma. European Archives of Oto-Rhino-Laryngology, 2016, 273, 1155-1160. | 1.6 | 15 |
| 7 | Nationwide survey of congenital cholesteatoma using staging and classification criteria for middle ear cholesteatoma proposed by the Japan Otological Society. Auris Nasus Larynx, 2019, 46, 346-352. | 1.2 | 12 |
| 8 | Partial Epithelial–Mesenchymal Transition Was Observed Under p63 Expression in Acquired Middle Ear Cholesteatoma and Congenital Cholesteatoma. Otology and Neurotology, 2019, 40, e803-e811. | 1.3 | 7 |
| 9 | Nationwide survey of middle ear cholesteatoma surgery cases in Japan: Results from the Japan Otological society registry using the JOS staging and classification system. Auris Nasus Larynx, 2021, 48, 555-564. | 1.2 | 7 |
| 10 | Otosclerosis: anatomical distribution of otosclerotic loci analyzed by high-resolution computed tomography. European Archives of Oto-Rhino-Laryngology, 2019, 276, 1335-1340. | 1.6 | 6 |
| 11 | Non-echoplanar diffusion weighed imaging and T1-weighted imaging for cholesteatoma mastoid extension. Auris Nasus Larynx, 2021, 48, 846-851. | 1.2 | 6 |
| 12 | Clinical Characteristics of Pars Tensa Cholesteatoma: A Comparative Study of Area-Based Classification Systems Proposed by the Japanese Otological Society and the European Academy of Otology & Neuro-Otology. Journal of International Advanced Otology, 2019, 15, 184-188. | 1.0 | 6 |
| 13 | Preoperative predictive criteria for mastoid extension in pars flaccida cholesteatoma in assessments using temporal bone high-resolution computed tomography. Auris Nasus Larynx, 2021, 48, 609-614. | 1.2 | 4 |
| 14 | Bisphosphonate-associated ear canal osteonecrosis: a case report and review of the literature. Acta Oto-Laryngologica Case Reports, 2017, 2, 107-110. | 0.2 | 3 |
| 15 | Practical analysis of pars flaccida cholesteatoma with classification and staging system proposed by Japan Otological Society: a comparative study. Acta Oto-Laryngologica, 2018, 138, 977-980. | 0.9 | 3 |
| 16 | Transcanal endoscopic approach for pars flaccida cholesteatoma using a 70-degree angled endoscope. European Archives of Oto-Rhino-Laryngology, 2021, 278, 1283-1288. | 1.6 | 3 |
| 17 | Improved assessment of middle ear recurrent/residual cholesteatomas using temporal subtraction CT. Japanese Journal of Radiology, 2022, 40, 271-278. | 2.4 | 3 |
| 18 | A quantitative study of the suppression of the development of the mastoid air cells by the presence of congenital cholesteatoma. Acta Oto-Laryngologica, 2019, 139, 557-560. | 0.9 | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Preoperative prediction for mastoid extension of middle ear cholesteatoma using temporal subtraction serial HRCT studies. European Radiology, 2022, , 1. | 4.5 | 2 |
| 20 | The relationships among mastoid air cell development, tympanic sinus depth, and residual disease after surgery in children with congenital cholesteatoma. Acta Oto-Laryngologica, 2020, 140, 286-288. | 0.9 | 1 |
| 21 | Congenital cholesteatoma assessment based on staging and classification criteria for middle ear cholesteatoma proposed by the Japan Otological Society. Auris Nasus Larynx, 2021, 48, 201-206. | 1.2 | 1 |
| 22 | Surgical treatment for markedly advanced petrous apex cholesteatoma via the translabyrinthine and trans-sphenoidal approach. Journal of Laryngology and Otology, 2016, 130, S209-S210. | 0.8 | 0 |
| 23 | Practicality Analysis of JOS Staging System for Retraction Pocket Cholesteatoma: Japan Multicenter Study (2009–2011). Journal of Laryngology and Otology, 2016, 130, S203-S203. | 0.8 | O |
| 24 | Current trends of cholesteatoma surgery in Japan: Results from the Japan Otological Society Registry using 2015 JOS Staging and Classification System. Journal of Laryngology and Otology, 2016, 130, S42-S42. | 0.8 | 0 |
| 25 | Practicality analysis of JOS staging system for congenital cholesteatoma: Japan Multicenter study (2009–2010). Journal of Laryngology and Otology, 2016, 130, S63-S64. | 0.8 | 0 |
| 26 | Development of the mastoid air cell system in children with congenital cholesteatoma. Journal of Laryngology and Otology, 2016, 130, S237-S237. | 0.8 | 0 |
| 27 | Nationwide Survey of middle ear cholesteatoma surgery cases in Japan: Results from the Japan Otological Society Registry using 2015 JOS Staging and Classification System. Journal of Laryngology and Otology, 2016, 130, S240-S240. | 0.8 | 0 |
| 28 | Practicality Analysis of JOS Staging System for Cholesteatoma Secondary to a Pars tensa Perforation: Japan Multicenter Study (2009–2010). Journal of Laryngology and Otology, 2016, 130, S248-S248. | 0.8 | 0 |