
Zikai Zhou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4587196/publications.pdf Version: 2024-02-01



Ζικλι ΖΗΟΙΙ

#	Article	IF	CITATIONS
1	A cluster of atypical resistance genes in soybean confers broad-spectrum antiviral activity. Plant Physiology, 2022, 188, 1277-1293.	4.8	9
2	Characterizing neurotrophic factor-induced synaptic growth in primary mouse neuronal cultures. STAR Protocols, 2022, 3, 101112.	1.2	0
3	Decoy engineering of the receptorâ€like cytoplasmic kinase StPBS1 to defend against virus infection in potato. Molecular Plant Pathology, 2022, 23, 901-908.	4.2	6
4	Improvement of hostâ€induced gene silencing efficiency via polycistronicâ€tRNAâ€amiR expression for multiple target genes and characterization of RNAi mechanism in <i>Mythimna separata</i> . Plant Biotechnology Journal, 2021, 19, 1370-1385.	8.3	10
5	Transcriptome Regulation by Oncogenic ALK Pathway in Mammalian Cortical Development Revealed by Single-Cell RNA Sequencing. Cerebral Cortex, 2021, 31, 3911-3924.	2.9	3
6	Rescue of maternal immune activation-induced behavioral abnormalities in adult mouse offspring by pathogen-activated maternal Treg cells. Nature Neuroscience, 2021, 24, 818-830.	14.8	42
7	NGPF2 triggers synaptic scaling up through ALK-LIMK-cofilin-mediated mechanisms. Cell Reports, 2021, 36, 109515.	6.4	6
8	Host sunflower-induced silencing of parasitism-related genes confers resistance to invading <i>Orobanche cumana</i> . Plant Physiology, 2021, 185, 424-440.	4.8	9
9	Neonatal exposure to ketamine disrupts developmental synapse unsilencing and predisposes adult mice for stressor-evoked anxiety. Neuropharmacology, 2020, 180, 108300.	4.1	6
10	P21 activated kinaseâ€1 (PAK1) in macrophages is required for promotion of Th17 cell response during helminth infection. Journal of Cellular and Molecular Medicine, 2020, 24, 14325-14338.	3.6	8
11	Deletion of Limk1 and Limk2 in mice does not alter cochlear development or auditory function. Scientific Reports, 2019, 9, 3357.	3.3	19
12	Regulation of Neurotransmitter Release by Amyloid Precursor Protein Through Synapsin Phosphorylation. Neurochemical Research, 2019, 44, 683-691.	3.3	13
13	A simplified method for determining acceleration amplitude of prestressed concrete floor under individual jumping load. Structural Design of Tall and Special Buildings, 2018, 27, e1475.	1.9	0
14	PAK1 regulates inhibitory synaptic function via a novel mechanism mediated by endocannabinoids. Small GTPases, 2018, 9, 322-326.	1.6	6
15	The C-terminal tails of endogenous GluA1 and GluA2 differentially contribute to hippocampal synaptic plasticity and learning. Nature Neuroscience, 2018, 21, 50-62.	14.8	105
16	Partial loss of psychiatric risk gene Mir137 in mice causes repetitive behavior and impairs sociability and learning via increased Pde10a. Nature Neuroscience, 2018, 21, 1689-1703.	14.8	127
17	Hippocampal Long-Term Depression in the Presence of Calcium-Permeable AMPA Receptors. Frontiers in Synaptic Neuroscience, 2018, 10, 41.	2.5	12
18	Regulation of hippocampal long term depression by Neuroligin 1. Neuropharmacology, 2018, 143, 205-216.	4.1	20

Ζικαι Ζηου

#	Article	IF	CITATIONS
19	PAK2 Haploinsufficiency Results in Synaptic Cytoskeleton Impairment and Autism-Related Behavior. Cell Reports, 2018, 24, 2029-2041.	6.4	64
20	Mutations of <i>PQBP1</i> in Renpenning syndrome promote ubiquitin-mediated degradation of FMRP and cause synaptic dysfunction. Human Molecular Genetics, 2017, 26, ddx010.	2.9	13
21	Fbxl4 Serves as a Clock Output Molecule that Regulates Sleep through Promotion of Rhythmic Degradation of the GABAA Receptor. Current Biology, 2017, 27, 3616-3625.e5.	3.9	33
22	Transient inhibition of LIMKs significantly attenuated central sensitization and delayed the development of chronic pain. Neuropharmacology, 2017, 125, 284-294.	4.1	13
23	Developmental regulation of hippocampal long-term depression by cofilin-mediated actin reorganization. Neuropharmacology, 2017, 112, 66-75.	4.1	12
24	Cdk7 Is Required for Activity-Dependent Neuronal Gene Expression, Long-Lasting Synaptic Plasticity and Long-Term Memory. Frontiers in Molecular Neuroscience, 2017, 10, 365.	2.9	13
25	Neuroligin 1 regulates spines and synaptic plasticity via LIMK1/cofilin-mediated actin reorganization. Journal of Cell Biology, 2016, 212, 449-463.	5.2	79
26	p21-activated kinase 1 restricts tonic endocannabinoid signaling in the hippocampus. ELife, 2016, 5, .	6.0	18
27	PAK1 regulates cortical development via promoting neuronal migration and progenitor cell proliferation. Molecular Brain, 2015, 8, 36.	2.6	30
28	Nanobody-based electrochemical immunoassay for Bacillus thuringiensis Cry1Ab toxin by detecting the enzymatic formation of polyaniline. Mikrochimica Acta, 2015, 182, 2451-2459.	5.0	17
29	Histone chaperone Chz1 facilitates the disfavouring property of Spt16 to H2A.Z-containing genes in Saccharomyces cerevisiae. Biochemical Journal, 2014, 460, 387-397.	3.7	7
30	Lithium ameliorates autistic-like behaviors induced by neonatal isolation in rats. Frontiers in Behavioral Neuroscience, 2014, 8, 234.	2.0	45
31	<i>Drosophila</i> Neuroligin 4 Regulates Sleep through Modulating GABA Transmission. Journal of Neuroscience, 2013, 33, 15545-15554.	3.6	59
32	p21-Activated Kinases 1 and 3 Control Brain Size through Coordinating Neuronal Complexity and Synaptic Properties. Molecular and Cellular Biology, 2011, 31, 388-403.	2.3	104
33	GluA2 (GluR2) Regulates Metabotropic Glutamate Receptor-Dependent Long-Term Depression through N-Cadherin-Dependent and Cofilin-Mediated Actin Reorganization. Journal of Neuroscience, 2011, 31, 819-833.	3.6	78
34	Ca2+ Permeable AMPA Receptor Induced Long-Term Potentiation Requires PI3/MAP Kinases but Not Ca/CaM-Dependent Kinase II. PLoS ONE, 2009, 4, e4339.	2.5	62
35	Regulation of hippocampal long-term potentiation by p21-activated protein kinase 1 (PAK1). Neuropharmacology, 2009, 56, 73-80.	4.1	99
36	A critical role of Rho-kinase ROCK2 in the regulation of spine and synaptic function. Neuropharmacology, 2009, 56, 81-89.	4.1	86