

# Jia-Bei Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4587388/publications.pdf>

Version: 2024-02-01

29  
papers

1,238  
citations

394421

19  
h-index

477307

29  
g-index

29  
all docs

29  
docs citations

29  
times ranked

2179  
citing authors

#	ARTICLE	IF	CITATIONS
1	TCF4 and HuR mediated-METTL14 suppresses dissemination of colorectal cancer via N6-methyladenosine-dependent silencing of ARRDC4. <i>Cell Death and Disease</i> , 2022, 13, 3.	6.3	20
2	Cytochrome B5 type A alleviates HCC metastasis via regulating STOML2 related autophagy and promoting sensitivity to ruxolitinib. <i>Cell Death and Disease</i> , 2022, 13, .	6.3	7
3	Clinical characteristics and management of 1572 patients with pyogenic liver abscess: A 12-year retrospective study. <i>Liver International</i> , 2021, 41, 810-818.	3.9	39
4	A PLCB1-PI3K-AKT Signaling Axis Activates EMT to Promote Cholangiocarcinoma Progression. <i>Cancer Research</i> , 2021, 81, 5889-5903.	0.9	27
5	Inhibition of TGF $\beta$ 2 accelerates regeneration of fibrotic rat liver elicited by a novel two-staged hepatectomy. <i>Theranostics</i> , 2021, 11, 4743-4758.	10.0	12
6	Upregulated mH2A1 serves as an unfavorable prognostic indicator and promotes the progress of hepatocellular carcinoma (HCC). <i>Life Sciences</i> , 2020, 263, 118576.	4.3	2
7	&lt;p&gt;Adverse Effects of Immune-Checkpoint Inhibitors in Hepatocellular Carcinoma&lt;/p&gt;. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 11725-11740.	2.0	25
8	A novel mitochondrial amidoxime reducing component 2 is a favorable indicator of cancer and suppresses the progression of hepatocellular carcinoma by regulating the expression of p27. <i>Oncogene</i> , 2020, 39, 6099-6112.	5.9	13
9	Identification of Hub Genes Associated With Development and Microenvironment of Hepatocellular Carcinoma by Weighted Gene Co-expression Network Analysis and Differential Gene Expression Analysis. <i>Frontiers in Genetics</i> , 2020, 11, 615308.	2.3	21
10	ABCA8 is regulated by miR-374b-5p and inhibits proliferation and metastasis of hepatocellular carcinoma through the ERK/ZEB1 pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 90.	8.6	31
11	lncRNA-SOX2OT promotes hepatocellular carcinoma invasion and metastasis through miR-122-5p-mediated activation of PKM2. <i>Oncogenesis</i> , 2020, 9, 54.	4.9	41
12	KIFC1 regulated by miR-532-3p promotes epithelial-to-mesenchymal transition and metastasis of hepatocellular carcinoma via gankyrin/AKT signaling. <i>Oncogene</i> , 2019, 38, 406-420.	5.9	71
13	Accumulation of Tumor-Infiltrating CD49a+ NK Cells Correlates with Poor Prognosis for Human Hepatocellular Carcinoma. <i>Cancer Immunology Research</i> , 2019, 7, 1535-1546.	3.4	66
14	A Novel Oxoglutarate Dehydrogenase-Like Mediated miR-214/TWIST1 Negative Feedback Loop Inhibits Pancreatic Cancer Growth and Metastasis. <i>Clinical Cancer Research</i> , 2019, 25, 5407-5421.	7.0	19
15	Gankyrin drives metabolic reprogramming to promote tumorigenesis, metastasis and drug resistance through activating $\beta$ -catenin/c-Myc signaling in human hepatocellular carcinoma. <i>Cancer Letters</i> , 2019, 443, 34-46.	7.2	77
16	STK17B promotes carcinogenesis and metastasis via AKT/GSK-3 $\beta$ /Snail signaling in hepatocellular carcinoma. <i>Cell Death and Disease</i> , 2018, 9, 236.	6.3	50
17	Tetraspanin 1 promotes epithelial-to-mesenchymal transition and metastasis of cholangiocarcinoma via PI3K/AKT signaling. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 300.	8.6	43
18	Long non-coding RNA NEAT1-modulated abnormal lipolysis via ATGL drives hepatocellular carcinoma proliferation. <i>Molecular Cancer</i> , 2018, 17, 90.	19.2	148

#	ARTICLE	IF	CITATIONS
19	Evaluation of Intravenous Parecoxib Infusion Pump of Patient-Controlled Analgesia Compared to Fentanyl for Postoperative Pain Management in Laparoscopic Liver Resection. <i>Medical Science Monitor</i> , 2018, 24, 8224-8231.	1.1	5
20	Deregulated AJAP1/ $\beta$ -catenin/ZEB1 signaling promotes hepatocellular carcinoma carcinogenesis and metastasis. <i>Cell Death and Disease</i> , 2017, 8, e2736-e2736.	6.3	29
21	Chimeric antigen receptor-engineered T cells for liver cancers, progress and obstacles. <i>Tumor Biology</i> , 2017, 39, 101042831769222.	1.8	9
22	FCN2 inhibits epithelial-mesenchymal transition-induced metastasis of hepatocellular carcinoma via TGF- $\beta$ /Smad signaling. <i>Cancer Letters</i> , 2016, 378, 80-86.	7.2	64
23	N-Myc downstream-regulated gene 2 inhibits human cholangiocarcinoma progression and is regulated by leukemia inhibitory factor/MicroRNA-181c negative feedback pathway. <i>Hepatology</i> , 2016, 64, 1606-1622.	7.3	42
24	EF24 inhibits tumor growth and metastasis via suppressing NF-kappaB dependent pathways in human cholangiocarcinoma. <i>Scientific Reports</i> , 2016, 6, 32167.	3.3	44
25	Overexpression of ZNF703 facilitates tumorigenesis and predicts unfavorable prognosis in patients with cholangiocarcinoma. <i>Oncotarget</i> , 2016, 7, 76108-76117.	1.8	13
26	A preliminary study of ALPPS procedure in a rat model. <i>Scientific Reports</i> , 2015, 5, 17567.	3.3	39
27	YAP is a critical oncogene in human cholangiocarcinoma. <i>Oncotarget</i> , 2015, 6, 17206-17220.	1.8	119
28	PTEN antagonises Tc1/hnRNP-mediated G6PD pre-mRNA splicing which contributes to hepatocarcinogenesis. <i>Gut</i> , 2014, 63, 1635-1647.	12.1	96
29	The iron chelator Dp44mT inhibits hepatocellular carcinoma metastasis via N-Myc downstream-regulated gene 2 (NDRG2)/gp130/STAT3 pathway. <i>Oncotarget</i> , 2014, 5, 8478-8491.	1.8	66