Richard A Hansen, Rph, Fapha

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4587538/publications.pdf Version: 2024-02-01

		147801	133252
112	3,876	31	59
papers	citations	h-index	g-index
112	112	112	5697
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	The impact of cognitive impairment on survival and medication adherence among older women with breast cancer. Breast Cancer, 2021, 28, 277-288.	2.9	6
2	An Examination of Prescribing Responsibilities between Psychiatrists and Primary Care Providers. Psychiatric Quarterly, 2021, 92, 587-600.	2.1	1
3	The association of continuity of care and risk of mortality in breast cancer patients with cardiometabolic comorbidities. Journal of Psychosocial Oncology, 2021, , 1-15.	1.2	2
4	Primary Care Physicians', Psychiatrists', and Oncologists' Coordination While Prescribing Medications for Patients With Multiple Chronic Conditions. Journal of Patient Safety, 2021, Publish Ahead of Print, e424-e430.	1.7	0
5	Understanding authorized generics—A review of the published clinical data. Journal of Clinical Pharmacy and Therapeutics, 2021, 46, 1489-1497.	1.5	2
6	Perceived appropriateness of medication adherence incentives. Journal of Managed Care & Specialty Pharmacy, 2021, 27, 772-778.	0.9	1
7	Disparities in Cognitive Impairment With Anticholinergic Drug Use. Neurology: Clinical Practice, 2021, 11, e277-e286.	1.6	1
8	How comfortable are primary care physicians and oncologists prescribing medications for comorbidities in patients with cancer?. Research in Social and Administrative Pharmacy, 2020, 16, 1087-1094.	3.0	7
9	Healthcare provider opinions about a generic drug educational newsletter. Research in Social and Administrative Pharmacy, 2020, 16, 1228-1236.	3.0	3
10	The association between antidepressants use and development of cognitive impairment among older women diagnosed with breast cancer. European Geriatric Medicine, 2020, 11, 1017-1026.	2.8	0
11	Disparities in the appropriateness of medication use: Analysis of the REasons for Geographic And Racial Differences in Stroke (REGARDS) population-based cohort study. Research in Social and Administrative Pharmacy, 2020, 16, 1702-1710.	3.0	6
12	Selective Serotonin Reuptake Inhibitor Use and Risk of Arrhythmia: A Nationwide, Population-Based Cohort Study. Clinical Therapeutics, 2019, 41, 1128-1138.e8.	2.5	4
13	Impact of eHealth on medication adherence among patients with asthma: A systematic review and meta-analysis. Respiratory Medicine, 2019, 149, 59-68.	2.9	83
14	Continuity of medication management among adults with schizophrenia and comorbid cardiometabolic conditions. Journal of Pharmaceutical Health Services Research, 2018, 9, 13-20.	0.6	6
15	Mixed Approach Retrospective Analyses of Suicide and Suicidal Ideation for Brand Compared with Generic Central Nervous System Drugs. Drug Safety, 2018, 41, 363-376.	3.2	12
16	Authors'ÂReply to CourtneyÂSuggs and Colleagues' Comment on: "Mixed Approach Retrospective Analyses of Suicide and Suicidal Ideation for Brand Compared with Generic Central Nervous System Drugs― Drug Safety, 2018, 41, 1423-1424.	3.2	1
17	Does public perception bias lead to more frequent reporting of adverse events: branded vs generic drugs. Expert Opinion on Drug Safety, 2018, 17, 753-756.	2.4	3
18	Cardiotoxicity in targeted therapy for breast cancer: A study of the FDA adverse event reporting system (FAERS). Journal of Oncology Pharmacy Practice, 2017, 23, 93-102.	0.9	23

#	Article	IF	CITATIONS
19	Comparison of Generic-to-Brand Switchback Rates Between Generic and Authorized Generic Drugs. Pharmacotherapy, 2017, 37, 429-437.	2.6	19
20	Empirical estimation of under-reporting in the U.S. Food and Drug Administration Adverse Event Reporting System (FAERS). Expert Opinion on Drug Safety, 2017, 16, 761-767.	2.4	112
21	Continuity of medication management in Medicaid patients with chronic comorbid conditions: An examination by mental health status. General Hospital Psychiatry, 2017, 45, 25-31.	2.4	4
22	Methodological Considerations for Comparison of Brand Versus Generic Versus Authorized Generic Adverse Event Reports in the US Food and Drug Administration Adverse Event Reporting System (FAERS). Clinical Drug Investigation, 2017, 37, 1143-1152.	2.2	11
23	Comparison of brand versus generic antiepileptic drug adverse event reporting rates in the U.S. Food and Drug Administration Adverse Event Reporting System (FAERS). Epilepsy Research, 2017, 135, 71-78.	1.6	19
24	Patterns of psychiatric emergency department utilization among community-dwelling Medicare beneficiaries under 65 Psychological Services, 2017, 14, 387-396.	1.5	4
25	Disseminating Comparative Effectiveness Research Through Community-based Experiential Learning. American Journal of Pharmaceutical Education, 2017, 81, 9.	2.1	3
26	Patterns of treatment modifications among newly treated hypertensive patients. Journal of Hypertension, 2016, 34, 548-557.	0.5	2
27	Achieving Adherence After Firstâ€Line Antihypertensive Treatment: Should Fixedâ€Dose Combinations Receive Priority?. Journal of Clinical Hypertension, 2016, 18, 934-941.	2.0	4
28	Comparative Risk of Harm Associated With the Use of Targeted Immunomodulators: A Systematic Review. Arthritis Care and Research, 2016, 68, 1078-1088.	3.4	24
29	Antidepressant Medication Use and Its Association With Cardiovascular Disease and All-Cause Mortality in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study. Annals of Pharmacotherapy, 2016, 50, 253-261.	1.9	25
30	Interchangeability, Safety and Efficacy of Modified-Release Drug Formulations in the USA: The Case of Opioid and Other Nervous System Drugs. Clinical Drug Investigation, 2016, 36, 281-292.	2.2	11
31	Prescriber Continuity and Medication Adherence for Complex Patients. Annals of Pharmacotherapy, 2015, 49, 293-302.	1.9	51
32	Factors associated with psychotropic prescriptions, psychiatric hospitalization, and spending among Medicare beneficiaries under 65. Disability and Health Journal, 2015, 8, 424-433.	2.8	4
33	Treatment patterns among breast cancer patients in the United States using two national surveys on visits to physicians' offices and hospital outpatient departments. Research in Social and Administrative Pharmacy, 2015, 11, 708-720.	3.0	7
34	Utilization Patterns of Antihypertensive Drugs Among the Chronic Kidney Disease Population in the United States: A Cross-sectional Analysis of the National Health and Nutrition Examination Survey. Clinical Therapeutics, 2015, 37, 188-196.	2.5	9
35	The Intersection of Patient Complexity, Prescriber Continuity and Acute Care Utilization. Journal of General Internal Medicine, 2014, 29, 594-601.	2.6	36
36	Sexual Dysfunction associated with Second-Generation Antidepressants in Patients with Major Depressive Disorder: Results from a Systematic Review with Network Meta-Analysis. Drug Safety, 2014, 37, 19-31.	3.2	119

#	Article	IF	CITATIONS
37	Tumor Necrosis Factor-α Inhibitor Treatment and the Risk of Incident Cardiovascular Events in Patients with Early Rheumatoid Arthritis: A Nested Case-control Study. Journal of Rheumatology, 2014, 41, 2129-2136.	2.0	28
38	Comparative Efficacy and Risk of Harms of Immediate- versus Extended-Release Second-Generation Antidepressants: A Systematic Review with Network Meta-Analysis. CNS Drugs, 2014, 28, 699-712.	5.9	18
39	Expert panel assessment of acute liver injury identification in observational data. Research in Social and Administrative Pharmacy, 2014, 10, 156-167.	3.0	7
40	Prevalence of depressive symptoms and predictors of treatment among U.S. adults from 2005 to 2010. General Hospital Psychiatry, 2014, 36, 330-336.	2.4	72
41	Enhancing Quality in Psychiatry with Psychiatrists (EQUIPP)—Results from a Pilot Study. American Journal of Geriatric Psychiatry, 2014, 22, 884-888.	1.2	4
42	Exploration of heterogeneity in distributed research network drug safety analyses. Research Synthesis Methods, 2014, 5, 352-370.	8.7	5
43	Repetitive Transcranial Magnetic Stimulation for Treatment-Resistant Depression. Journal of Clinical Psychiatry, 2014, 75, 477-489.	2.2	256
44	Exploratory Evaluation of Medication Classes Most Commonly Involved in Nursing Home Errors. Journal of the American Medical Directors Association, 2013, 14, 403-408.	2.5	25
45	How Well Do Various Health Outcome Definitions Identify Appropriate Cases in Observational Studies?. Drug Safety, 2013, 36, 27-32.	3.2	17
46	Real-world utilization patterns and outcomes of colesevelam hcl in the ge electronic medical record. BMC Endocrine Disorders, 2013, 13, 24.	2.2	7
47	Analgesic Medication Errors in North Carolina Nursing Homes. Journal of Pain and Palliative Care Pharmacotherapy, 2013, 27, 125-131.	0.8	10
48	Developing an expert panel process to refine health outcome definitions in observational data. Journal of Biomedical Informatics, 2013, 46, 795-804.	4.3	10
49	Confounding control in a nonexperimental study of STAR*D data: logistic regression balanced covariates better than boosted CART. Annals of Epidemiology, 2013, 23, 204-209.	1.9	5
50	Systematic Review of Biliary Atresia Services. Journal of Pediatric Gastroenterology and Nutrition, 2013, 57, e19-20.	1.8	0
51	Investigating differences in treatment effect estimates between propensity score matching and weighting: a demonstration using STAR*D trial data. Pharmacoepidemiology and Drug Safety, 2013, 22, 138-144.	1.9	13
52	Performance of Medometer visual tool for measuring medication adherence and comparison with other measures. Journal of the American Pharmacists Association: JAPhA, 2013, 53, 198-205.	1.5	6
53	Treating Depression After Initial Treatment Failure. Journal of Clinical Psychopharmacology, 2012, 32, 114-119.	1.4	69
54	Treatment Use and Costs Among Privately Insured Youths With Diagnoses of Bipolar Disorder. Psychiatric Services, 2012, 63, 1019-1025.	2.0	16

#	Article	IF	CITATIONS
55	Adherence to Antipsychotics and Cardiometabolic Medication: Association With Health Care Utilization and Costs. Psychiatric Services, 2012, 63, 920-928.	2.0	31
56	Paediatric <i>Helicobacter pylori</i> Practice in the United Kingdom. Journal of Pediatric Gastroenterology and Nutrition, 2012, 55, 339-339.	1.8	1
57	Prevalence of Bipolar Disorder Diagnoses and Psychotropic Drug Therapy Among Privately Insured Children and Adolescents. Pharmacotherapy, 2012, 32, 1085-1094.	2.6	15
58	Comparative effects of non-steroidal anti-inflammatory drugs (NSAIDs) on blood pressure in patients with hypertension. BMC Cardiovascular Disorders, 2012, 12, 93.	1.7	65
59	Mixed Treatment Comparison of the Treatment Discontinuations of Biologic Disease-Modifying Antirheumatic Drugs in Adults with Rheumatoid Arthritis. Annals of Pharmacotherapy, 2012, 46, 1491-1505.	1.9	15
60	How Should Primary Care Doctors Select Which Antidepressants to Administer?. Current Psychiatry Reports, 2012, 14, 360-369.	4.5	22
61	Statins are associated with reduced use of steroids in inflammatory bowel disease: A retrospective cohort study*. Inflammatory Bowel Diseases, 2012, 18, 1048-1056.	1.9	61
62	COMPARATIVE EFFECTIVENESS OF SECOND-GENERATION ANTIDEPRESSANTS FOR ACCOMPANYING ANXIETY, INSOMNIA, AND PAIN IN DEPRESSED PATIENTS: A SYSTEMATIC REVIEW. Depression and Anxiety, 2012, 29, 495-505.	4.1	50
63	Risk of adverse events in treatment-resistant depression: propensity-score-matched comparison of antidepressant augment and switch strategies. General Hospital Psychiatry, 2012, 34, 192-200.	2.4	11
64	Antipsychotic Adherence and Its Correlation to Health Outcomes for Chronic Comorbid Conditions. primary care companion for CNS disorders, The, 2012, 14, .	0.6	13
65	Medication Errors During Patient Transitions into Nursing Homes: Characteristics and Association With Patient Harm. American Journal of Geriatric Pharmacotherapy, 2011, 9, 413-422.	3.0	32
66	Does the presence of accompanying symptom clusters differentiate the comparative effectiveness of second-line medication strategies for treating depression?. Depression and Anxiety, 2011, 28, 989-998.	4.1	12
67	Online Medication Error Graphic Reports. Journal of Patient Safety, 2011, 7, 92-98.	1.7	2
68	Incidence and predictors of cetuximab hypersensitivity reactions in a North Carolina academic medical center. Journal of Oncology Pharmacy Practice, 2011, 17, 125-130.	0.9	28
69	Part D Plan Enrollment by Uninsured Medicare Beneficiaries. Medical Care, 2010, 48, 183-186.	2.4	8
70	A retrospective cohort study of economic outcomes and adherence to monotherapy with metformin, pioglitazone, or a sulfonylurea among patients with type 2 diabetes mellitus in the united states from 2003 to 2005. Clinical Therapeutics, 2010, 32, 1308-1319.	2.5	58
71	Guideline-concordant antidepressant use among patients with major depressive disorder. General Hospital Psychiatry, 2010, 32, 360-367.	2.4	19
72	Prescription refill records as a screening tool to identify antidepressant nonâ€adherence. Pharmacoepidemiology and Drug Safety, 2010, 19, 33-37.	1.9	38

#	Article	IF	CITATIONS
73	Risk of hyperkalemia associated with selective COXâ€⊋ inhibitors. Pharmacoepidemiology and Drug Safety, 2010, 19, 1194-1198.	1.9	15
74	Patterns in nursing home medication errors: disproportionality analysis as a novel method to identify quality improvement opportunities. Pharmacoepidemiology and Drug Safety, 2010, 19, 1087-1094.	1.9	11
75	Repeat medication errors in nursing homes: Contributing factors and their association with patient harm. American Journal of Geriatric Pharmacotherapy, 2010, 8, 258-270.	3.0	38
76	Efficacy and safety of anakinra for the treatment of rheumatoid arthritis: an update of the Oregon Drug Effectiveness Review Project. Biologics: Targets and Therapy, 2009, , 485.	3.2	4
77	Inadequate reporting of trials compromises the applicability of systematic reviews. International Journal of Technology Assessment in Health Care, 2009, 25, 323-330.	0.5	9
78	Controlling for Drug Dose in Systematic Review and Meta-Analysis: A Case Study of the Effect of Antidepressant Dose. Medical Decision Making, 2009, 29, 91-103.	2.4	41
79	Are some antidepressants better than others?. Nature Reviews Neurology, 2009, 5, 239-240.	10.1	4
80	Adherence: Comparison of Methods to Assess Medication Adherence and Classify Nonadherence. Annals of Pharmacotherapy, 2009, 43, 413-422.	1.9	244
81	Predialysis chronic kidney disease: Evaluation of quality of life in clinic patients receiving comprehensive anemia care. Research in Social and Administrative Pharmacy, 2009, 5, 143-153.	3.0	17
82	Effect of Ropinirole on Sleep Outcomes in Patients with Restless Legs Syndrome: Meta-Analysis of Pooled Individual Patient Data from Randomized Controlled Trials. Pharmacotherapy, 2009, 29, 255-262.	2.6	25
83	Methodology of a pilot study to improve the quality of medication use in older adults: Enhancing quality in psychiatry using pharmacists (EQUIPP). American Journal of Geriatric Pharmacotherapy, 2009, 7, 362-372.	3.0	9
84	Direct-to-Consumer and Physician Promotion of Tegaserod Correlated With Physician Visits, Diagnoses, and Prescriptions. Gastroenterology, 2009, 137, 518-524.e2.	1.3	31
85	The General and Comparative Efficacy and Safety of Duloxetine in Major Depressive Disorder. Drug Safety, 2009, 32, 1159-1173.	3.2	32
86	Ranking antidepressants. Lancet, The, 2009, 373, 1761.	13.7	8
87	Depression affects adherence measurement but not the effectiveness of an adherence intervention in heart failure patients. Journal of the American Pharmacists Association: JAPhA, 2009, 49, 760-768.	1.5	25
88	Risk of Adverse Gastrointestinal Events from Inhaled Corticosteroids. Pharmacotherapy, 2008, 28, 1325-1334.	2.6	16
89	Comparative Risk for Harms of Second-Generation Antidepressants. Drug Safety, 2008, 31, 851-865.	3.2	118
90	Treating the Physical Symptoms of Depression With Second-Generation Antidepressants: A Systematic Review and Metaanalysis. Psychosomatics, 2008, 49, 191-198.	2.5	29

#	Article	IF	CITATIONS
91	Efficacy and tolerability of second-generation antidepressants in social anxiety disorder. International Clinical Psychopharmacology, 2008, 23, 170-179.	1.7	25
92	Meta-analysis of Major Depressive Disorder Relapse and Recurrence With Second-Generation Antidepressants. Psychiatric Services, 2008, 59, 1121-1130.	2.0	67
93	Preventing medication errors in long-term care: results and evaluation of a large scale web-based error reporting system. Quality and Safety in Health Care, 2007, 16, 297-302.	2.5	60
94	Authors' reply to comment on: a simple and valid tool distinguished efficacy from effectiveness studies. Journal of Clinical Epidemiology, 2007, 60, 755.	5.0	2
95	Functional Outcomes of Drug Treatment in Alzheimer???s Disease. Drugs and Aging, 2007, 24, 155-167.	2.7	72
96	Serious Adverse Events With Infliximab: Analysis of Spontaneously Reported Adverse Events. Clinical Gastroenterology and Hepatology, 2007, 5, 729-735.e1.	4.4	97
97	Effect of Second-Generation Antidepressants on Mania- and Depression-Related Visits in Adults with Bipolar Disorder: A Retrospective Study. Value in Health, 2007, 10, 128-136.	0.3	9
98	Geographic Information System mapping as a tool to assess nonresponse bias in survey research. Research in Social and Administrative Pharmacy, 2007, 3, 249-264.	3.0	7
99	Biologics for the treatment of juvenile idiopathic arthritis: a systematic review and critical analysis of the evidence. Clinical Rheumatology, 2007, 27, 67-76.	2.2	68
100	The Burden of Gastrointestinal and Liver Diseases, 2006. American Journal of Gastroenterology, 2006, 101, 2128-2138.	0.4	577
101	A simple and valid tool distinguished efficacy from effectiveness studies. Journal of Clinical Epidemiology, 2006, 59, 1040-1048.	5.0	176
102	Types of medication errors in north carolina nursing homes: A target for quality improvement. American Journal of Geriatric Pharmacotherapy, 2006, 4, 52-61.	3.0	43
103	Second-generation antidepressant discontinuation and depressive relapse in adult patients with bipolar depression: Results of a retrospective database analysis. Clinical Therapeutics, 2006, 28, 979-989.	2.5	9
104	Efficacy and Safety of Inhaled Corticosteroids in Patients With COPD: A Systematic Review and Meta-Analysis of Health Outcomes. Annals of Family Medicine, 2006, 4, 253-262.	1.9	116
105	Discontinuation rates for selective serotonin reuptake inhibitors and other second-generation antidepressants in outpatients with major depressive disorder: a systematic review and meta-analysis. International Clinical Psychopharmacology, 2005, 20, 59-69.	1.7	48
106	The association of consumer cost-sharing and direct-to-consumer advertising with prescription drug usea [^] †. Research in Social and Administrative Pharmacy, 2005, 1, 139-157.	3.0	12
107	Methodological challenges surrounding direct-to-consumer advertising research—The measurement conundrum. Research in Social and Administrative Pharmacy, 2005, 1, 331-347.	3.0	13
108	The study of direct-to-consumer advertising for prescription drugsâ~†. Research in Social and Administrative Pharmacy, 2005, 1, 348-368.	3.0	5

#	Article	IF	CITATIONS
109	Distinguishing characteristics of patients who seek more information or request a prescription in response to direct-to-consumer advertisementsâ~†. Research in Social and Administrative Pharmacy, 2005, 1, 231-250.	3.0	15
110	Factors associated with potentially inappropriate drug utilization in a sample of rural community-dwelling older adults. American Journal of Geriatric Pharmacotherapy, 2005, 3, 168-179.	3.0	43
111	Osteoporosis beliefs and antiresorptive medication use. Maturitas, 2005, 50, 196-208.	2.4	36
112	Factors influencing the shift of patients from one proton pump inhibitor to another: The effect of direct-to-consumer advertising. Clinical Therapeutics, 2005, 27, 1478-1487.	2.5	26