Andreas Kupsch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4589267/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Subthalamic beta oscillations correlate with dopaminergic degeneration in experimental parkinsonism. Experimental Neurology, 2021, 335, 113513.	4.1	21
2	Renaming of Hallervorden–Spatz disease: the second man behind the name of the disease. Journal of Neural Transmission, 2021, 128, 1635-1640.	2.8	1
3	Long-term outcomes of semi-implantable functional electrical stimulation for central drop foot. Journal of NeuroEngineering and Rehabilitation, 2019, 16, 72.	4.6	5
4	Deep brain stimulation of the pedunculopontine nucleus for treatment of gait and balance disorder in progressive supranuclear palsy: Effects of frequency modulations and clinical outcome. Parkinsonism and Related Disorders, 2018, 50, 81-86.	2.2	14
5	Behavioural outcomes of subthalamic stimulation and medical therapy versus medical therapy alone for Parkinson's disease with early motor complications (EARLYSTIM trial): secondary analysis of an open-label randomised trial. Lancet Neurology, The, 2018, 17, 223-231.	10.2	105
6	Neurostimulation in tardive dystonia/dyskinesia: A delayed start, sham stimulation-controlled randomized trial. Brain Stimulation, 2018, 11, 1368-1377.	1.6	35
7	Pallidal Stimulation Modulates Pedunculopontine Nuclei in Parkinson's Disease. Brain Sciences, 2018, 8, 117.	2.3	1
8	Connectivity Predicts deep brain stimulation outcome in <scp>P</scp> arkinson disease. Annals of Neurology, 2017, 82, 67-78.	5.3	514
9	Disease-specific longevity of impulse generators in deep brain stimulation and review of the literature. Journal of Neural Transmission, 2016, 123, 621-630.	2.8	27
10	Near-infrared spectroscopy and transcranial sonography to evaluate cerebral autoregulation in middle cerebral artery steno-occlusive disease. Journal of Neurology, 2016, 263, 2296-2301.	3.6	8
11	Short- and long-term outcome of chronic pallidal neurostimulation in monogenic isolated dystonia. Neurology, 2015, 84, 895-903.	1.1	117
12	Pallidal neurostimulation in patients with medication-refractory cervical dystonia: a randomised, sham-controlled trial. Lancet Neurology, The, 2014, 13, 875-884.	10.2	281
13	Changes in Clinical Management and Diagnosis following DaTscanâ,,¢ SPECT Imaging in Patients with Clinically Uncertain Parkinsonian Syndromes: A 12-Week Follow-Up Study. Neurodegenerative Diseases, 2013, 11, 22-32.	1.4	15
14	Pallidal deep brain stimulation in patients with primary generalised or segmental dystonia: 5-year follow-up of a randomised trial. Lancet Neurology, The, 2012, 11, 1029-1038.	10.2	329
15	Early postoperative management of DBS in dystonia: Programming, response to stimulation, adverse events, medication changes, evaluations, and troubleshooting. Movement Disorders, 2011, 26, S37-53.	3.9	74
16	Pallidal deep brain stimulation improves quality of life in segmental and generalized dystonia: Results from a prospective, randomized shamâ€controlled trial. Movement Disorders, 2008, 23, 131-134.	3.9	131
17	Thirty days complication rate following surgery performed for deepâ€brainâ€stimulation. Movement Disorders, 2007, 22, 1486-1489.	3.9	203
18	Pallidal Deep-Brain Stimulation in Primary Generalized or Segmental Dystonia. New England Journal of Medicine, 2006, 355, 1978-1990.	27.0	980

#	Article	IF	CITATIONS
19	Levodopa therapy with entacapone in daily clinical practice: results of a post-marketing surveillance study. Current Medical Research and Opinion, 2004, 20, 115-120.	1.9	14