

# Bronagh Blackwood Rgn

List of Publications by Year  
in descending order

Source: <https://exaly.com/author-pdf/4589833/publications.pdf>

Version: 2024-02-01

93  
papers

4,724  
citations

126907  
33  
h-index

110387  
64  
g-index

96  
all docs

96  
docs citations

96  
times ranked

8322  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | A minimal common outcome measure set for COVID-19 clinical research. Lancet Infectious Diseases, The, 2020, 20, e192-e197.   | 9.1  | 1,165     |
| 2  | Guidelines on the management of acute respiratory distress syndrome. BMJ Open Respiratory Research, 2019, 6, e000420.  | 3.0  | 316       |
| 3  | Personal protective equipment for preventing highly infectious diseases due to exposure to contaminated body fluids in healthcare staff. The Cochrane Library, 2020, 4, CD011621.  | 2.8  | 313       |
| 4  | Conservative fluid management or deresuscitation for patients with sepsis or acute respiratory distress syndrome following the resuscitation phase of critical illness: a systematic review and meta-analysis. Intensive Care Medicine, 2017, 43, 155-170. | 8.2  | 305       |
| 5  | Use of weaning protocols for reducing duration of mechanical ventilation in critically ill adult patients: Cochrane systematic review and meta-analysis. BMJ: British Medical Journal, 2011, 342, c7237-c7237.   | 2.3  | 198       |
| 6  | Protocolized versus non-protocolized weaning for reducing the duration of mechanical ventilation in critically ill adult patients. The Cochrane Library, 2014, , CD006904.   | 2.8  | 120       |
| 7  | Prevalence, associated factors and outcomes of pressure injuries in adult intensive care unit patients: the DecubICUs study. Intensive Care Medicine, 2021, 47, 160-169.   | 8.2  | 105       |
| 8  | Understanding and Enhancing Sepsis Survivorship. Priorities for Research and Practice. American Journal of Respiratory and Critical Care Medicine, 2019, 200, 972-981.   | 5.6  | 96        |
| 9  | Methodological issues in evaluating complex healthcare interventions. Journal of Advanced Nursing, 2006, 54, 612-622.  | 3.3  | 91        |
| 10 | Physical rehabilitation interventions for adult patients during critical illness: an overview of systematic reviews. Thorax, 2016, 71, 881-890.  | 5.6  | 89        |
| 11 | Personal protective equipment for preventing highly infectious diseases due to exposure to contaminated body fluids in healthcare staff. The Cochrane Library, 2020, 2020, CD011621.   | 2.8  | 88        |
| 12 | The effectiveness of non-pharmacological interventions in reducing the incidence and duration of delirium in critically ill patients: a systematic review and meta-analysis. Intensive Care Medicine, 2019, 45, 1-12.                                      | 8.2  | 68        |
| 13 | Early warning systems and rapid response to the deteriorating patient in hospital: A systematic realist review. Journal of Advanced Nursing, 2017, 73, 2877-2891.  | 3.3  | 66        |
| 14 | Biomarker-guided antibiotic stewardship in suspected ventilator-associated pneumonia (VAPrapid2): a randomised controlled trial and process evaluation. Lancet Respiratory Medicine, the, 2020, 8, 182-191.  | 10.7 | 65        |
| 15 | Automated versus non-automated weaning for reducing the duration of mechanical ventilation for critically ill adults and children: a cochrane systematic review and meta-analysis. Critical Care, 2015, 19, 48.  | 5.8  | 62        |
| 16 | Alpha-2 agonists for sedation of mechanically ventilated adults in intensive care units: a systematic review. Health Technology Assessment, 2016, 20, 1-118.   | 2.8  | 62        |
| 17 | Variation in Definition of Prolonged Mechanical Ventilation. Respiratory Care, 2017, 62, 1324-1332.  | 1.6  | 58        |
| 18 | Identifying patientsâ€™ support needs following critical illness: a scoping review of the qualitative literature. Critical Care, 2019, 23, 187.  | 5.8  | 58        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | A Core Outcome Set for Critical Care Ventilation Trials. Critical Care Medicine, 2019, 47, 1324-1331.  | 0.9 | 57        |
| 20 | Normal saline instillation with endotracheal suctioning: primum non nocere (first do no harm). Journal of Advanced Nursing, 1999, 29, 928-934.   | 3.3 | 55        |
| 21 | Exercise rehabilitation following intensive care unit discharge for recovery from critical illness: executive summary of a Cochrane Collaboration systematic review. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 520-526. | 7.3 | 55        |
| 22 | Research priorities of adult intensive care nurses in 20 European countries: a Delphi study. Journal of Advanced Nursing, 2011, 67, 550-562.   | 3.3 | 53        |
| 23 | High-volume haemofiltration for sepsis in adults. The Cochrane Library, 2018, 2018, CD008075.  | 2.8 | 49        |
| 24 | Core Outcomes in Ventilation Trials (COVenT): protocol for a core outcome set using a Delphi survey with a nested randomised trial and observational cohort study. Trials, 2015, 16, 368.  | 1.6 | 47        |
| 25 | Progress on core outcome sets for critical care research. Current Opinion in Critical Care, 2015, 21, 439-444.   | 3.2 | 44        |
| 26 | Protocolized versus non-protocolized weaning for reducing the duration of invasive mechanical ventilation in critically ill paediatric patients. The Cochrane Library, 2018, 2018, CD009082.                                       | 2.8 | 41        |
| 27 | Effectiveness of an exercise programme on physical function in patients discharged from hospital following critical illness: a randomised controlled trial (the REVIVE trial). Thorax, 2017, 72, 594.1-595.                        | 5.6 | 41        |
| 28 | Interventions for oropharyngeal dysphagia in acute and critical care: a systematic review and meta-analysis. Intensive Care Medicine, 2020, 46, 1326-1338.   | 8.2 | 40        |
| 29 | Weaning From Mechanical Ventilation: A Scoping Review of Qualitative Studies. American Journal of Critical Care, 2014, 23, e54-e70.  | 1.6 | 39        |
| 30 | Interventions to prevent and treat corticosteroid-induced osteoporosis and prevent osteoporotic fractures in Duchenne muscular dystrophy. The Cochrane Library, 2017, 2017, CD010899.  | 2.8 | 37        |
| 31 | Moral distress in end-of-life decisions: A qualitative study of intensive care physicians. Journal of Critical Care, 2021, 62, 185-189.  | 2.2 | 37        |
| 32 | Effect of a Sedation and Ventilator Liberation Protocol vs Usual Care on Duration of Invasive Mechanical Ventilation in Pediatric Intensive Care Units. JAMA - Journal of the American Medical Association, 2021, 326, 401.        | 7.4 | 37        |
| 33 | The art and science of predicting patient readiness for weaning from mechanical ventilation. International Journal of Nursing Studies, 2000, 37, 145-151.  | 5.6 | 36        |
| 34 | Early warning systems and rapid response to the deteriorating patient in hospital: A realist evaluation. Journal of Advanced Nursing, 2017, 73, 3119-3132.   | 3.3 | 36        |
| 35 | Protocolized weaning from mechanical ventilation: ICU physicians' views. Journal of Advanced Nursing, 2004, 48, 26-34.   | 3.3 | 35        |
| 36 | Impact of non-pharmacological interventions on prevention and treatment of delirium in critically ill patients: protocol for a systematic review of quantitative and qualitative research. Systematic Reviews, 2016, 5, 75.        | 5.3 | 35        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Fluid management and deresuscitation practices: A survey of critical care physicians. Journal of the Intensive Care Society, 2020, 21, 111-118.  | 2.2 | 35        |
| 38 | Physical Rehabilitation Core Outcomes In Critical illness (PRACTICE): protocol for development of a core outcome set. Trials, 2018, 19, 294.   | 1.6 | 34        |
| 39 | Factors that impact on the use of mechanical ventilation weaning protocols in critically ill adults and children: a qualitative evidence-synthesis. The Cochrane Library, 2016, 10, CD011812.  | 2.8 | 32        |
| 40 | The impact of nurse-directed protocolised-weaning from mechanical ventilation on nursing practice: A quasi-experimental study. International Journal of Nursing Studies, 2007, 44, 209-226.  | 5.6 | 30        |
| 41 | Feasibility of conservative fluid administration and deresuscitation compared with usual care in critical illness: the Role of Active Deresuscitation After Resuscitation-2 (RADAR-2) randomised clinical trial. Intensive Care Medicine, 2022, 48, 190-200.             | 8.2 | 28        |
| 42 | Tea tree oil (5%) body wash versus standard care (Johnson's Baby Softwash) to prevent colonization with methicillin-resistant Staphylococcus aureus in critically ill adults: a randomized controlled trial. Journal of Antimicrobial Chemotherapy, 2013, 68, 1193-1199. | 3.0 | 26        |
| 43 | Role Responsibilities in Mechanical Ventilation and Weaning in Pediatric Intensive Care Units: A National Survey. American Journal of Critical Care, 2013, 22, 189-197.  | 1.6 | 24        |
| 44 | Can protocolised-weaning developed in the United States transfer to the United Kingdom context: a discussion. Intensive and Critical Care Nursing, 2003, 19, 215-225.  | 2.9 | 23        |
| 45 | A Core Outcome Set for Research Evaluating Interventions to Prevent and/or Treat Delirium in Critically Ill Adults: An International Consensus Study (Del-COrS). Critical Care Medicine, 2021, 49, 1535-1546.  | 0.9 | 21        |
| 46 | Designing a nurse-delivered delirium bundle: What intensive care unit staff, survivors, and their families think?. Australian Critical Care, 2018, 31, 174-179.  | 1.3 | 18        |
| 47 | Effectiveness of biomarker-based exclusion of ventilator-acquired pneumonia to reduce antibiotic use (VAPrapid-2): study protocol for a randomised controlled trial. Trials, 2016, 17, 318.  | 1.6 | 17        |
| 48 | Clinical practices to promote sleep in the ICU: A multinational survey. International Journal of Nursing Studies, 2018, 81, 107-114.   | 5.6 | 16        |
| 49 | Protocolized vs. non-protocolized weaning for reducing the duration of mechanical ventilation in critically ill adult patients: Cochrane review protocol. Journal of Advanced Nursing, 2009, 65, 957-964.  | 3.3 | 14        |
| 50 | The implausibility of "usual care"™ in an open system: sedation and weaning practices in Paediatric Intensive Care Units (PICUs) in the United Kingdom (UK). Trials, 2015, 16, 325.  | 1.6 | 14        |
| 51 | International critical care nursing considerations and quality indicators for the 2017 surviving sepsis campaign guidelines. Intensive Care Medicine, 2019, 45, 1663-1666.   | 8.2 | 14        |
| 52 | Sedation AND Weaning In Children (SANDWICH): protocol for a cluster randomised stepped wedge trial. BMJ Open, 2019, 9, e031630.  | 1.9 | 13        |
| 53 | Interventions for oropharyngeal dysphagia in acute and critical care: a protocol for a systematic review and meta-analysis. Systematic Reviews, 2019, 8, 283.  | 5.3 | 13        |
| 54 | Physical rehabilitation interventions for adult patients with critical illness across the continuum of recovery: an overview of systematic reviews protocol. Systematic Reviews, 2015, 4, 130.   | 5.3 | 12        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Fluid strategies and outcomes in patients with acute respiratory distress syndrome, systemic inflammatory response syndrome and sepsis: a protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2015, 4, 162.         | 5.3 | 12        |
| 56 | Parents' and young people's involvement in designing a trial of ventilator weaning. <i>Nursing in Critical Care</i> , 2016, 21, e10-e18.  | 2.3 | 12        |
| 57 | Patient and family-initiated escalation of care: a qualitative systematic review protocol. <i>Systematic Reviews</i> , 2019, 8, 91.   | 5.3 | 12        |
| 58 | Patients' Perceptions of an Exercise Program Delivered Following Discharge From Hospital After Critical Illness (the Revive Trial). <i>Journal of Intensive Care Medicine</i> , 2019, 34, 978-984.  | 2.8 | 12        |
| 59 | Oral health care for the critically ill: a narrative review. <i>Critical Care</i> , 2021, 25, 353.  | 5.8 | 12        |
| 60 | Nurses' Sedation Practices During Weaning of Adults From Mechanical Ventilation in an Intensive Care Unit. <i>American Journal of Critical Care</i> , 2018, 27, 32-42.  | 1.6 | 11        |
| 61 | European intensive care nurses' cultural competency: An international cross-sectional survey. <i>Intensive and Critical Care Nursing</i> , 2020, 60, 102892.  | 2.9 | 11        |
| 62 | A core outcome set for studies evaluating interventions to prevent and/or treat delirium for adults requiring an acute care hospital admission: an international key stakeholder informed consensus study. <i>BMC Medicine</i> , 2021, 19, 143. | 5.5 | 10        |
| 63 | Management of new onset atrial fibrillation in critically unwell adult patients: a systematic review and narrative synthesis. <i>British Journal of Anaesthesia</i> , 2021, , .   | 3.4 | 10        |
| 64 | Mucoactive agents for acute respiratory failure in the critically ill: a systematic review and meta-analysis. <i>Thorax</i> , 2020, 75, 623-631.  | 5.6 | 9         |
| 65 | A protocol for a systematic review of the diagnostic accuracy of Loop-mediated-isothermal AMPlification (LAMP) in diagnosis of invasive meningococcal disease in children. <i>Systematic Reviews</i> , 2018, 7, 86.                             | 5.3 | 8         |
| 66 | A systematic review of the diagnostic accuracy of Loop-mediated-isothermal AMPlification (LAMP) in the diagnosis of invasive meningococcal disease in children. <i>BMC Pediatrics</i> , 2019, 19, 49.   | 1.7 | 8         |
| 67 | Parenteral thiamine for prevention and treatment of delirium in critically ill adults: a systematic review protocol. <i>Systematic Reviews</i> , 2020, 9, 131.  | 5.3 | 8         |
| 68 | Epidemiology and outcome of pressure injuries in critically ill patients with chronic obstructive pulmonary disease: A propensity score adjusted analysis. <i>International Journal of Nursing Studies</i> , 2022, 129, 104222.                 | 5.6 | 8         |
| 69 | Personal protective equipment for preventing highly infectious diseases due to exposure to contaminated body fluids in healthcare staff. <i>Emergencias</i> , 2021, 33, 59-61.  | 0.6 | 7         |
| 70 | The migrant crisis and the importance of developing cultural competence in the intensive care unit. <i>Nursing in Critical Care</i> , 2017, 22, 262-263.  | 2.3 | 6         |
| 71 | What are the most important unanswered research questions on rapid review methodology? A James Lind Alliance research methodology Priority Setting Partnership: the Priority III study protocol. <i>HRB Open Research</i> , 2021, 4, 80.        | 0.6 | 6         |
| 72 | Patient and family involvement in escalating concerns about clinical deterioration in acute adult wards: A qualitative systematic review. <i>Nursing in Critical Care</i> , 2021, 26, 352-362.  | 2.3 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Airway clearance techniques and use of mucoactive agents for adult critically ill patients with acute respiratory failure: a qualitative study exploring UK physiotherapy practice. <i>Physiotherapy</i> , 2020, 108, 78-87.   | 0.4 | 5         |
| 74 | Mucoactive agent use in adult UK Critical Care Units: a survey of health care professionals'™ perception, pharmacists'™ description of practice, and point prevalence of mucoactive use in invasively mechanically ventilated patients. <i>PeerJ</i> , 2020, 8, e8828. | 2.0 | 5         |
| 75 | Protocol for a systematic review and network meta-analysis of the management of new onset atrial fibrillation in critically unwell adult patients. <i>Systematic Reviews</i> , 2019, 8, 242.   | 5.3 | 4         |
| 76 | More research is required to understand factors influencing antibiotic prescribing in complex conditions like suspected ventilator-associated pneumonia. <i>Annals of Translational Medicine</i> , 2020, 8, 840-840.   | 1.7 | 4         |
| 77 | Co-design of a patient and family-initiated escalation of care intervention to detect and refer patient deterioration: Research protocol. <i>Journal of Advanced Nursing</i> , 2020, 76, 1803-1811.  | 3.3 | 4         |
| 78 | High flow nasal oxygen for acute type two respiratory failure: a systematic review. <i>F1000Research</i> , 2021, 10, 482.  | 1.6 | 4         |
| 79 | Protocolised non-invasive compared with invasive weaning from mechanical ventilation for adults in intensive care: the Breathe RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-114.   | 2.8 | 4         |
| 80 | Tolerance to sedative drugs in PICU: can it be moderated or is it immutable?. <i>Intensive Care Medicine</i> , 2016, 42, 278-281.  | 8.2 | 3         |
| 81 | Development of the support needs after ICU ( SNAC ) questionnaire. <i>Nursing in Critical Care</i> , 2021, , .   | 2.3 | 3         |
| 82 | Commentary: Nemoto T et al. (1999). Automatic control of pressure support mechanical ventilation using fuzzy logic. <i>Nursing in Critical Care</i> , 2008, 13, 178-179.   | 2.3 | 2         |
| 83 | Core outcome sets in intensive care—what are they and why do we need them? An example for delirium. <i>Nursing in Critical Care</i> , 2021, 26, 144-146.   | 2.3 | 2         |
| 84 | Educational Needs of European Intensive Care Nurses with Respect to Multicultural Care: A Mix-Method Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 724.  | 2.6 | 2         |
| 85 | Sedation and Ventilator Liberation Protocol vs Usual Care and Duration of Invasive Ventilation in Pediatric Intensive Care Units—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 2329.   | 7.4 | 2         |
| 86 | Using the <sc>TIDieR</sc> checklist to describe the intervention of the Sedation and Weaning in Children ( <sc>SANDWICH</sc> ) trial. <i>Nursing in Critical Care</i> , 0, , .   | 2.3 | 2         |
| 87 | Informed consent for research in critical care: implications for nursing. <i>Nursing in Critical Care</i> , 2006, 11, 151-153.   | 2.3 | 1         |
| 88 | Co-ordinated multidisciplinary intervention to reduce time to successful extubation for children on mechanical ventilation: the SANDWICH cluster stepped-wedge RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-114.   | 2.8 | 1         |
| 89 | Quantitative oral health assessments in mechanically ventilated patients: A scoping review. <i>Nursing in Critical Care</i> , 2023, 28, 756-772.   | 2.3 | 1         |
| 90 | Electronic nudge tool technology used in the critical care and peri-anaesthetic setting: a scoping review protocol. <i>BMJ Open</i> , 2022, 12, e057026.   | 1.9 | 1         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 91 | Swallowing therapy compared to standard care may not have had a beneficial effect on the incidence of pneumonia for patients in acute care. Author's reply. Intensive Care Medicine, 2021, 47, 718-719.                       | 8.2 | 0         |
| 92 | High-flow nasal cannula therapy for initial oxygen administration in acute hypercapnic respiratory failure: study protocol of randomised controlled unblinded trial. BMJ Open Respiratory Research, 2021, 8, e000853.         | 3.0 | 0         |
| 93 | What are the most important unanswered research questions on rapid review methodology? A James Lind Alliance research methodology Priority Setting Partnership: the Priority III study protocol. HRB Open Research, 0, 4, 80. | 0.6 | 0         |