

# Bronagh Blackwood Rgn

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4589833/publications.pdf>

Version: 2024-02-01

93  
papers

4,724  
citations

126858

33  
h-index

110317

64  
g-index

96  
all docs

96  
docs citations

96  
times ranked

8322  
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantitative oral health assessments in mechanically ventilated patients: A scoping review. <i>Nursing in Critical Care</i> , 2023, 28, 756-772.	1.1	1
2	Educational Needs of European Intensive Care Nurses with Respect to Multicultural Care: A Mix-Method Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 724.	1.2	2
3	Co-ordinated multidisciplinary intervention to reduce time to successful extubation for children on mechanical ventilation: the SANDWICH cluster stepped-wedge RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-114.	1.3	1
4	Epidemiology and outcome of pressure injuries in critically ill patients with chronic obstructive pulmonary disease: A propensity score adjusted analysis. <i>International Journal of Nursing Studies</i> , 2022, 129, 104222.	2.5	8
5	Feasibility of conservative fluid administration and dereuscitation compared with usual care in critical illness: the Role of Active Dereuscitation After Resuscitation-2 (RADAR-2) randomised clinical trial. <i>Intensive Care Medicine</i> , 2022, 48, 190-200.	3.9	28
6	Electronic nudge tool technology used in the critical care and peri-anaesthetic setting: a scoping review protocol. <i>BMJ Open</i> , 2022, 12, e057026.	0.8	1
7	Prevalence, associated factors and outcomes of pressure injuries in adult intensive care unit patients: the DecubICUs study. <i>Intensive Care Medicine</i> , 2021, 47, 160-169.	3.9	105
8	Swallowing therapy compared to standard care may not have had a beneficial effect on the incidence of pneumonia for patients in acute care. Author's reply. <i>Intensive Care Medicine</i> , 2021, 47, 718-719.	3.9	0
9	A Core Outcome Set for Research Evaluating Interventions to Prevent and/or Treat Delirium in Critically Ill Adults: An International Consensus Study (Del-COrS). <i>Critical Care Medicine</i> , 2021, 49, 1535-1546.	0.4	21
10	Moral distress in end-of-life decisions: A qualitative study of intensive care physicians. <i>Journal of Critical Care</i> , 2021, 62, 185-189.	1.0	37
11	Core outcome sets in intensive care—what are they and why do we need them? An example for delirium. <i>Nursing in Critical Care</i> , 2021, 26, 144-146.	1.1	2
12	A core outcome set for studies evaluating interventions to prevent and/or treat delirium for adults requiring an acute care hospital admission: an international key stakeholder informed consensus study. <i>BMC Medicine</i> , 2021, 19, 143.	2.3	10
13	High flow nasal oxygen for acute type two respiratory failure: a systematic review. <i>F1000Research</i> , 2021, 10, 482.	0.8	4
14	What are the most important unanswered research questions on rapid review methodology? A James Lind Alliance research methodology Priority Setting Partnership: the Priority III study protocol. <i>HRB Open Research</i> , 2021, 4, 80.	0.3	6
15	Effect of a Sedation and Ventilator Liberation Protocol vs Usual Care on Duration of Invasive Mechanical Ventilation in Pediatric Intensive Care Units. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 401.	3.8	37
16	Development of the support needs after ICU ( SNAC ) questionnaire. <i>Nursing in Critical Care</i> , 2021, , .	1.1	3
17	Oral health care for the critically ill: a narrative review. <i>Critical Care</i> , 2021, 25, 353.	2.5	12
18	High-flow nasal cannula therapy for initial oxygen administration in acute hypercapnic respiratory failure: study protocol of randomised controlled unblinded trial. <i>BMJ Open Respiratory Research</i> , 2021, 8, e000853.	1.2	0

#	ARTICLE	IF	CITATIONS
19	Patient and family involvement in escalating concerns about clinical deterioration in acute adult wards: A qualitative systematic review. <i>Nursing in Critical Care</i> , 2021, 26, 352-362.	1.1	6
20	Personal protective equipment for preventing highly infectious diseases due to exposure to contaminated body fluids in healthcare staff. <i>Emergencias</i> , 2021, 33, 59-61.	0.6	7
21	Sedation and Ventilator Liberation Protocol vs Usual Care and Duration of Invasive Ventilation in Pediatric Intensive Care Units—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 2329.	3.8	2
22	Management of new onset atrial fibrillation in critically unwell adult patients: a systematic review and narrative synthesis. <i>British Journal of Anaesthesia</i> , 2021, , .	1.5	10
23	Fluid management and deresuscitation practices: A survey of critical care physicians. <i>Journal of the Intensive Care Society</i> , 2020, 21, 111-118.	1.1	35
24	Biomarker-guided antibiotic stewardship in suspected ventilator-associated pneumonia (VAPrapid2): a randomised controlled trial and process evaluation. <i>Lancet Respiratory Medicine</i> , the, 2020, 8, 182-191.	5.2	65
25	A minimal common outcome measure set for COVID-19 clinical research. <i>Lancet Infectious Diseases</i> , The, 2020, 20, e192-e197.	4.6	1,165
26	More research is required to understand factors influencing antibiotic prescribing in complex conditions like suspected ventilator-associated pneumonia. <i>Annals of Translational Medicine</i> , 2020, 8, 840-840.	0.7	4
27	Personal protective equipment for preventing highly infectious diseases due to exposure to contaminated body fluids in healthcare staff. <i>The Cochrane Library</i> , 2020, 2020, CD011621.	1.5	88
28	Interventions for oropharyngeal dysphagia in acute and critical care: a systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2020, 46, 1326-1338.	3.9	40
29	Parenteral thiamine for prevention and treatment of delirium in critically ill adults: a systematic review protocol. <i>Systematic Reviews</i> , 2020, 9, 131.	2.5	8
30	Mucoactive agents for acute respiratory failure in the critically ill: a systematic review and meta-analysis. <i>Thorax</i> , 2020, 75, 623-631.	2.7	9
31	Co-design of a patient and family-initiated escalation of care intervention to detect and refer patient deterioration: Research protocol. <i>Journal of Advanced Nursing</i> , 2020, 76, 1803-1811.	1.5	4
32	European intensive care nurses' cultural competency: An international cross-sectional survey. <i>Intensive and Critical Care Nursing</i> , 2020, 60, 102892.	1.4	11
33	Airway clearance techniques and use of mucoactive agents for adult critically ill patients with acute respiratory failure: a qualitative study exploring UK physiotherapy practice. <i>Physiotherapy</i> , 2020, 108, 78-87.	0.2	5
34	Personal protective equipment for preventing highly infectious diseases due to exposure to contaminated body fluids in healthcare staff. <i>The Cochrane Library</i> , 2020, 4, CD011621.	1.5	313
35	Mucoactive agent use in adult UK Critical Care Units: a survey of health care professionals' perception, pharmacists' description of practice, and point prevalence of mucoactive use in invasively mechanically ventilated patients. <i>PeerJ</i> , 2020, 8, e8828.	0.9	5
36	Protocol for a systematic review and network meta-analysis of the management of new onset atrial fibrillation in critically unwell adult patients. <i>Systematic Reviews</i> , 2019, 8, 242.	2.5	4

#	ARTICLE	IF	CITATIONS
37	International critical care nursing considerations and quality indicators for the 2017 surviving sepsis campaign guidelines. <i>Intensive Care Medicine</i> , 2019, 45, 1663-1666.	3.9	14
38	Guidelines on the management of acute respiratory distress syndrome. <i>BMJ Open Respiratory Research</i> , 2019, 6, e000420.	1.2	316
39	Identifying patients'™ support needs following critical illness: a scoping review of the qualitative literature. <i>Critical Care</i> , 2019, 23, 187.	2.5	58
40	Understanding and Enhancing Sepsis Survivorship. Priorities for Research and Practice. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019, 200, 972-981.	2.5	96
41	Patient and family-initiated escalation of care: a qualitative systematic review protocol. <i>Systematic Reviews</i> , 2019, 8, 91.	2.5	12
42	A systematic review of the diagnostic accuracy of Loop-mediated-isothermal AMPlification (LAMP) in the diagnosis of invasive meningococcal disease in children. <i>BMC Pediatrics</i> , 2019, 19, 49.	0.7	8
43	Sedation AND Weaning In Children (SANDWICH): protocol for a cluster randomised stepped wedge trial. <i>BMJ Open</i> , 2019, 9, e031630.	0.8	13
44	Interventions for oropharyngeal dysphagia in acute and critical care: a protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2019, 8, 283.	2.5	13
45	A Core Outcome Set for Critical Care Ventilation Trials. <i>Critical Care Medicine</i> , 2019, 47, 1324-1331.	0.4	57
46	The effectiveness of non-pharmacological interventions in reducing the incidence and duration of delirium in critically ill patients: a systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2019, 45, 1-12.	3.9	68
47	Patients'™ Perceptions of an Exercise Program Delivered Following Discharge From Hospital After Critical Illness (the Revive Trial). <i>Journal of Intensive Care Medicine</i> , 2019, 34, 978-984.	1.3	12
48	Protocolised non-invasive compared with invasive weaning from mechanical ventilation for adults in intensive care: the Breathe RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-114.	1.3	4
49	Protocolized versus non-protocolized weaning for reducing the duration of invasive mechanical ventilation in critically ill paediatric patients. <i>The Cochrane Library</i> , 2018, 2018, CD009082.	1.5	41
50	High-volume haemofiltration for sepsis in adults. <i>The Cochrane Library</i> , 2018, 2018, CD008075.	1.5	49
51	Nurses'™ Sedation Practices During Weaning of Adults From Mechanical Ventilation in an Intensive Care Unit. <i>American Journal of Critical Care</i> , 2018, 27, 32-42.	0.8	11
52	Designing a nurse-delivered delirium bundle: What intensive care unit staff, survivors, and their families think?. <i>Australian Critical Care</i> , 2018, 31, 174-179.	0.6	18
53	Clinical practices to promote sleep in the ICU: A multinational survey. <i>International Journal of Nursing Studies</i> , 2018, 81, 107-114.	2.5	16
54	Physical Rehabilitation Core Outcomes In Critical illness (PRACTICE): protocol for development of a core outcome set. <i>Trials</i> , 2018, 19, 294.	0.7	34

#	ARTICLE	IF	CITATIONS
55	A protocol for a systematic review of the diagnostic accuracy of Loop-mediated-isothermal AMPLification (LAMP) in diagnosis of invasive meningococcal disease in children. <i>Systematic Reviews</i> , 2018, 7, 86.	2.5	8
56	Interventions to prevent and treat corticosteroid-induced osteoporosis and prevent osteoporotic fractures in Duchenne muscular dystrophy. <i>The Cochrane Library</i> , 2017, 2017, CD010899.	1.5	37
57	Effectiveness of an exercise programme on physical function in patients discharged from hospital following critical illness: a randomised controlled trial (the REVIVE trial). <i>Thorax</i> , 2017, 72, 594.1-595.	2.7	41
58	Variation in Definition of Prolonged Mechanical Ventilation. <i>Respiratory Care</i> , 2017, 62, 1324-1332.	0.8	58
59	Early warning systems and rapid response to the deteriorating patient in hospital: A realist evaluation. <i>Journal of Advanced Nursing</i> , 2017, 73, 3119-3132.	1.5	36
60	The migrant crisis and the importance of developing cultural competence in the intensive care unit. <i>Nursing in Critical Care</i> , 2017, 22, 262-263.	1.1	6
61	Early warning systems and rapid response to the deteriorating patient in hospital: A systematic realist review. <i>Journal of Advanced Nursing</i> , 2017, 73, 2877-2891.	1.5	66
62	Conservative fluid management or deresuscitation for patients with sepsis or acute respiratory distress syndrome following the resuscitation phase of critical illness: a systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2017, 43, 155-170.	3.9	305
63	Effectiveness of biomarker-based exclusion of ventilator-acquired pneumonia to reduce antibiotic use (VAPrapid-2): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 318.	0.7	17
64	Parents' and young people's involvement in designing a trial of ventilator weaning. <i>Nursing in Critical Care</i> , 2016, 21, e10-e18.	1.1	12
65	Physical rehabilitation interventions for adult patients during critical illness: an overview of systematic reviews. <i>Thorax</i> , 2016, 71, 881-890.	2.7	89
66	Impact of non-pharmacological interventions on prevention and treatment of delirium in critically ill patients: protocol for a systematic review of quantitative and qualitative research. <i>Systematic Reviews</i> , 2016, 5, 75.	2.5	35
67	Factors that impact on the use of mechanical ventilation weaning protocols in critically ill adults and children: a qualitative evidence-synthesis. <i>The Cochrane Library</i> , 2016, 10, CD011812.	1.5	32
68	Exercise rehabilitation following intensive care unit discharge for recovery from critical illness: executive summary of a Cochrane Collaboration systematic review. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016, 7, 520-526.	2.9	55
69	Tolerance to sedative drugs in PICU: can it be moderated or is it immutable?. <i>Intensive Care Medicine</i> , 2016, 42, 278-281.	3.9	3
70	Alpha-2 agonists for sedation of mechanically ventilated adults in intensive care units: a systematic review. <i>Health Technology Assessment</i> , 2016, 20, 1-118.	1.3	62
71	The implausibility of "usual care" in an open system: sedation and weaning practices in Paediatric Intensive Care Units (PICUs) in the United Kingdom (UK). <i>Trials</i> , 2015, 16, 325.	0.7	14
72	Core Outcomes in Ventilation Trials (COVENT): protocol for a core outcome set using a Delphi survey with a nested randomised trial and observational cohort study. <i>Trials</i> , 2015, 16, 368.	0.7	47

#	ARTICLE	IF	CITATIONS
73	Physical rehabilitation interventions for adult patients with critical illness across the continuum of recovery: an overview of systematic reviews protocol. <i>Systematic Reviews</i> , 2015, 4, 130.	2.5	12
74	Fluid strategies and outcomes in patients with acute respiratory distress syndrome, systemic inflammatory response syndrome and sepsis: a protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2015, 4, 162.	2.5	12
75	Progress on core outcome sets for critical care research. <i>Current Opinion in Critical Care</i> , 2015, 21, 439-444.	1.6	44
76	Automated versus non-automated weaning for reducing the duration of mechanical ventilation for critically ill adults and children: a cochrane systematic review and meta-analysis. <i>Critical Care</i> , 2015, 19, 48.	2.5	62
77	Protocolized versus non-protocolized weaning for reducing the duration of mechanical ventilation in critically ill adult patients. <i>The Cochrane Library</i> , 2014, , CD006904.	1.5	120
78	Weaning From Mechanical Ventilation: A Scoping Review of Qualitative Studies. <i>American Journal of Critical Care</i> , 2014, 23, e54-e70.	0.8	39
79	Tea tree oil (5%) body wash versus standard care (Johnson's Baby Softwash) to prevent colonization with methicillin-resistant <i>Staphylococcus aureus</i> in critically ill adults: a randomized controlled trial. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 1193-1199.	1.3	26
80	Role Responsibilities in Mechanical Ventilation and Weaning in Pediatric Intensive Care Units: A National Survey. <i>American Journal of Critical Care</i> , 2013, 22, 189-197.	0.8	24
81	Research priorities of adult intensive care nurses in 20 European countries: a Delphi study. <i>Journal of Advanced Nursing</i> , 2011, 67, 550-562.	1.5	53
82	Use of weaning protocols for reducing duration of mechanical ventilation in critically ill adult patients: Cochrane systematic review and meta-analysis. <i>BMJ: British Medical Journal</i> , 2011, 342, c7237-c7237.	2.4	198
83	Protocolized vs. non-protocolized weaning for reducing the duration of mechanical ventilation in critically ill adult patients: Cochrane review protocol. <i>Journal of Advanced Nursing</i> , 2009, 65, 957-964.	1.5	14
84	Commentary: Nemoto T et al. (1999). Automatic control of pressure support mechanical ventilation using fuzzy logic. <i>Nursing in Critical Care</i> , 2008, 13, 178-179.	1.1	2
85	The impact of nurse-directed protocolised-weaning from mechanical ventilation on nursing practice: A quasi-experimental study. <i>International Journal of Nursing Studies</i> , 2007, 44, 209-226.	2.5	30
86	Methodological issues in evaluating complex healthcare interventions. <i>Journal of Advanced Nursing</i> , 2006, 54, 612-622.	1.5	91
87	Informed consent for research in critical care: implications for nursing. <i>Nursing in Critical Care</i> , 2006, 11, 151-153.	1.1	1
88	Protocolized weaning from mechanical ventilation: ICU physicians' views. <i>Journal of Advanced Nursing</i> , 2004, 48, 26-34.	1.5	35
89	Can protocolised-weaning developed in the United States transfer to the United Kingdom context: a discussion. <i>Intensive and Critical Care Nursing</i> , 2003, 19, 215-225.	1.4	23
90	The art and science of predicting patient readiness for weaning from mechanical ventilation. <i>International Journal of Nursing Studies</i> , 2000, 37, 145-151.	2.5	36

#	ARTICLE	IF	CITATIONS
91	Normal saline instillation with endotracheal suctioning;primum non nocere(first do no harm). Journal of Advanced Nursing, 1999, 29, 928-934.	1.5	55
92	What are the most important unanswered research questions on rapid review methodology? A James Lind Alliance research methodology Priority Setting Partnership: the Priority III study protocol. HRB Open Research, 0, 4, 80.	0.3	0
93	Using the <scp>TIDieR</scp> checklist to describe the intervention of the Sedation and Weaning in Children ( <scp>SANDWICH</scp> ) trial. Nursing in Critical Care, 0, , .	1.1	2