Jaewon Oh

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4590589/jaewon-oh-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94 papers 16 h-index g-index

107 1,239 4.3 3.89 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
94	The impact of cardiopulmonary exercise-derived scoring on prediction of cardio-cerebral outcome in hypertrophic cardiomyopathy <i>PLoS ONE</i> , 2022 , 17, e0259638	3.7	O
93	Treatment of advanced heart failure. Journal of the Korean Medical Association, 2022, 65, 37-43	0.5	
92	Derivation of YCMi005-A, a human-induced pluripotent stem cell line, from a patient with dilated cardiomyopathy carrying missense variant in TPM1 (p. Glu192Lys) Stem Cell Research, 2022, 60, 102707	7 ^{1.6}	O
91	Real-world eligibility for vericiguat in decompensated heart failure with reduced ejection fraction <i>ESC Heart Failure</i> , 2022 ,	3.7	2
90	Comparison of the Association Between Arterial Stiffness Indices and Heart Failure in Patients With High Cardiovascular Risk: A Retrospective Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 782849	5.4	O
89	Generation of a human induced pluripotent stem cell line YCMi004-A from a patient with dilated cardiomyopathy carrying a protein-truncating mutation of the Titin gene and its differentiation towards cardiomyocytes <i>Stem Cell Research</i> , 2021 , 59, 102629	1.6	0
88	Cholesterol Efflux and Collateral Circulation in Chronic Total Coronary Occlusion: Effect-Circ Study. Journal of the American Heart Association, 2021 , 10, e019060	6	4
87	Escalation of liPid-lOwering therapy in patientS wiTh vascular disease receiving HIGH-intensity statins: the retrospective POST-HIGH study. <i>Scientific Reports</i> , 2021 , 11, 8884	4.9	1
86	Common and differential effects of docosahexaenoic acid and eicosapentaenoic acid on helper T-cell responses and associated pathways. <i>BMB Reports</i> , 2021 , 54, 278-283	5.5	1
85	Impact of preoperative renal replacement therapy on the clinical outcome of heart transplant patients. <i>Scientific Reports</i> , 2021 , 11, 13398	4.9	O
84	Risk of Cardiac Disease in Patients With Breast Cancer: Impact of Patient-Specific Factors and Individual Heart Dose From Three-Dimensional Radiation Therapy Planning. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 110, 473-481	4	6
83	, , and in Macrophage Response to Saturated Fatty Acids and Modified Low-Density Lipoprotein. <i>Korean Circulation Journal</i> , 2021 , 51, 68-80	2.2	1
82	Post-transplant absolute lymphocyte count predicts early cytomegalovirus infection after heart transplantation. <i>Scientific Reports</i> , 2021 , 11, 1426	4.9	2
81	Clinical evidence of initiating a very low dose of sacubitril/valsartan: a prospective observational analysis. <i>Scientific Reports</i> , 2021 , 11, 16335	4.9	1
80	Establishment of a novel human iPSC line (YCMi003-A) from a patient with dilated cardiomyopathy carrying genetic variant LMNA p.Asp364His. <i>Stem Cell Research</i> , 2021 , 56, 102508	1.6	1
79	Sodium-glucose Co-transporter 2 Inhibitors: a New Path for Heart Failure Treatment. <i>Korean Circulation Journal</i> , 2021 , 51, 399-408	2.2	4
78	Association of muscular fitness with rehospitalization for heart failure with reduced ejection fraction. <i>Clinical Cardiology</i> , 2021 , 44, 244-251	3.3	4

(2019-2021)

77	Rivaroxaban Once-Daily vs. Dose-Adjusted Vitamin K Antagonist on Biomarkers in Acute Decompensated Heart Failure and Atrial Fibrillation (ROAD HF-AF): Rationale and Design of an Investigator-Initiated Multicenter Randomized Prospective Open-Labeled Pilot Clinical Study	5.4	
76	Frontiers in Cardiovascular Medicine, 2021, 8, 765081 Sacubitril/valsartan in patients with heart failure with reduced ejection fraction with end-stage of renal disease. ESC Heart Failure, 2020, 7, 1125-1129	3.7	19
75	Left ventricular response after cardiac resynchronization therapy is related to early left atrial volume reduction. <i>Korean Journal of Internal Medicine</i> , 2020 , 35, 1125-1135	2.5	O
74	Anti-Inflammatory Effect for Atherosclerosis Progression by Sodium-Glucose Cotransporter 2 (SGLT-2) Inhibitor in a Normoglycemic Rabbit Model. <i>Korean Circulation Journal</i> , 2020 , 50, 443-457	2.2	14
73	Atorvastatin protects cardiomyocyte from doxorubicin toxicity by modulating survivin expression through FOXO1 inhibition. <i>Journal of Molecular and Cellular Cardiology</i> , 2020 , 138, 244-255	5.8	15
72	Prevalence and prognosis of the 2018 vs 2008 AHA definitions of apparent treatment-resistant hypertension in high-risk hypertension patients. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 2093-2102	2.3	6
71	The role of sacubitril/valsartan in the management of cardiac resynchronization therapy non-responders: a retrospective analysis. <i>ESC Heart Failure</i> , 2020 , 7, 4404	3.7	6
70	Increased aortic augmentation index is associated with reduced exercise capacity after heart transplantation. <i>Journal of Hypertension</i> , 2020 , 38, 1777-1785	1.9	1
69	PRavastatin Versus FlUVastatin After Statin Intolerance: The PRUV-Intolerance Study With Propensity Score Matching. <i>American Journal of Medicine</i> , 2019 , 132, 1320-1326.e1	2.4	4
68	Association of Newly Developed Right Bundle Branch Block with Graft Rejection Following Heart Transplantation. <i>Yonsei Medical Journal</i> , 2019 , 60, 423-428	3	3
67	Characteristics and Safety of Cardiopulmonary Exercise Testing in Elderly Patients with Cardiovascular Diseases in Korea. <i>Yonsei Medical Journal</i> , 2019 , 60, 547-553	3	9
66	Synergistic protective effects of a statin and an angiotensin receptor blocker for initiation and progression of atherosclerosis. <i>PLoS ONE</i> , 2019 , 14, e0215604	3.7	7
65	Rivaroxaban in Patients with Heart Failure. New England Journal of Medicine, 2019, 380, 988	59.2	
64	Chronic lymphocytic myocarditis confirmed by electrogram-guided endomyocardial biopsy. <i>European Heart Journal Cardiovascular Imaging</i> , 2019 , 20, 721	4.1	1
63	Mutant Thr95Ile Transthyretin-Related Cardiac Amyloidosis With Polyneuropathy. <i>Circulation Journal</i> , 2019 , 83, 2328	2.9	
62	Real-World Eligibility for Sacubitril/Valsartan in Heart Failure with Reduced Ejection Fraction Patients in Korea: Data from the Korean Acute Heart Failure (KorAHF) Registry. <i>International</i> Journal of Heart Failure, 2019 , 1, 57	1.3	7
61	The Korean Organ Transplant Registry (KOTRY): Second Official Adult Heart Transplant Report. <i>Korean Circulation Journal</i> , 2019 , 49, 724-737	2.2	7
60	Effect of Niacin on Carotid Atherosclerosis in Patients at Low-Density Lipoprotein-Cholesterol Goal but High Lipoprotein (a) Level: a 2-Year Follow-Up Study. <i>Journal of Lipid and Atherosclerosis</i> , 2019 , 8, 58-66	3	1

59	Left Ventricular End-Systolic Volume Can Predict 1-Year Hierarchical Clinical Composite End Point in Patients with Cardiac Resynchronization Therapy. <i>Yonsei Medical Journal</i> , 2019 , 60, 48-55	3	6
58	Large discrepancy between unobserved automated office blood pressure and ambulatory blood pressure in a high cardiovascular risk cohort. <i>Journal of Hypertension</i> , 2019 , 37, 42-49	1.9	13
57	The Effect of Door-to-Diuretic Time on Clinical Outcomes in Patients With Acute Heart Failure. JACC: Heart Failure, 2018 , 6, 286-294	7.9	12
56	Macrophage polarization and acceleration of atherosclerotic plaques in a swine model. <i>PLoS ONE</i> , 2018 , 13, e0193005	3.7	8
55	The Association between Social Network Betweenness and Coronary Calcium: A Baseline Study of Patients with a High Risk of Cardiovascular Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018 , 25, 131-141	4	5
54	Need Assessment for Smartphone-Based Cardiac Telerehabilitation. <i>Healthcare Informatics Research</i> , 2018 , 24, 283-291	3	4
53	Optimal Blood Pressure in Elderly Hypertensive Subjects: A Korean National Health Insurance Service Health Examinee Cohort Study. <i>American Journal of Hypertension</i> , 2018 , 31, 1033-1041	2.3	1
52	The beneficial prognostic value of hemoconcentration is negatively affected by hyponatremia in acute decompensated heart failure: Data from the Korean Heart Failure (KorHF) Registry. <i>Journal of Cardiology</i> , 2017 , 69, 790-796	3	6
51	Efficacy of aspirin and statins in primary prevention of cardiovascular mortality in uncomplicated hypertensive participants: a Korean national cohort study. <i>Journal of Hypertension</i> , 2017 , 35 Suppl 1, S33-S40	1.9	3
50	Association of Morning Hypertension Subtype With Vascular Target Organ Damage and Central Hemodynamics. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	5
49	High Prevalence and Clinical Implication of Myocardial Bridging in Patients with Early Repolarization. <i>Yonsei Medical Journal</i> , 2017 , 58, 67-74	3	5
48	Target achievement with maximal statin-based lipid-lowering therapy in Korean patients with familial hypercholesterolemia: A study supported by the Korean Society of Lipid and Atherosclerosis. <i>Clinical Cardiology</i> , 2017 , 40, 1291-1296	3.3	7
47	Relation Between Blood Pressure and Clinical Outcome in Hypertensive Subjects With Previous Stroke. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	3
46	Bioptome Perforation at Superior Vena Cava Anastomosis Site in Transplanted Heart. <i>Korean Circulation Journal</i> , 2017 , 47, 538-539	2.2	1
45	Evaluation of the Association Between Retinal Vein Occlusion and the Risk of Atrial Fibrillation Development: A 12-Year, Retrospective Nationwide Cohort Study. <i>Scientific Reports</i> , 2016 , 6, 34708	4.9	12
44	Retinal vein occlusion and the risk of acute myocardial infarction development: a 12-year nationwide cohort study. <i>Scientific Reports</i> , 2016 , 6, 22351	4.9	16
43	Statin Intensity and Clinical Outcome in Patients with Stable Coronary Artery Disease and Very Low LDL-Cholesterol. <i>PLoS ONE</i> , 2016 , 11, e0166246	3.7	7
42	Development of Advanced Atherosclerotic Plaque by Injection of Inflammatory Proteins in a Rabbit Iliac Artery Model. <i>Yonsei Medical Journal</i> , 2016 , 57, 1095-105	3	9

(2014-2016)

Lack of Superiority for Soluble ST2 over High Sensitive C-Reactive Protein in Predicting High Risk Coronary Artery Calcium Score in a Community Cohort. <i>Yonsei Medical Journal</i> , 2016 , 57, 1347-53	3	5
The Beneficial Effect of Renin-Angiotensin-Aldosterone System Blockade in Marfan Syndrome Patients after Aortic Root Replacement. <i>Yonsei Medical Journal</i> , 2016 , 57, 81-7	3	4
Association between retinal vein occlusion and risk of heart failure: A 12-year nationwide cohort study. <i>International Journal of Cardiology</i> , 2016 , 217, 122-7	3.2	9
Prognostic impact of preexisting hypertension and high systolic blood pressure at admission in patients hospitalized for systolic heart failure. <i>Journal of Cardiology</i> , 2016 , 67, 418-23	3	8
Clinical benefit of spironolactone in patients with acute decompensated heart failure and severe renal dysfunction: Data from the Korean Heart Failure Registry. <i>American Heart Journal</i> , 2015 , 169, 713-	- / 128.e3	3 ⁹
Graphene oxide flakes as a cellular adhesive: prevention of reactive oxygen species mediated death of implanted cells for cardiac repair. <i>ACS Nano</i> , 2015 , 9, 4987-99	16.7	164
Undiagnosed diabetes is prevalent in younger adults and associated with a higher risk cardiometabolic profile compared to diagnosed diabetes. <i>American Heart Journal</i> , 2015 , 170, 760-769.e	2 ^{4.9}	14
Serum monokine induced by gamma interferon as a novel biomarker for coronary artery calcification in humans. <i>Coronary Artery Disease</i> , 2015 , 26, 317-21	1.4	7
Insulin Protects Cardiac Myocytes from Doxorubicin Toxicity by Sp1-Mediated Transactivation of Survivin. <i>PLoS ONE</i> , 2015 , 10, e0135438	3.7	32
Perturbation of NCOA6 leads to dilated cardiomyopathy. <i>Cell Reports</i> , 2014 , 8, 991-8	10.6	19
Comparison of pooled cohort risk equations and Framingham risk score for metabolic syndrome in a Korean community-based population. <i>International Journal of Cardiology</i> , 2014 , 176, 1154-5	3.2	6
Effect of high-dose statin loading on biomarkers related to inflammation and renal injury in patients hospitalized with acute heart failure. Randomized, controlled, open-label, prospective pilot study. <i>Circulation Journal</i> , 2014 , 78, 2447-54	2.9	6
C-reactive protein inhibits survivin expression via Akt/mTOR pathway downregulation by PTEN expression in cardiac myocytes. <i>PLoS ONE</i> , 2014 , 9, e98113	3.7	11
Trends in hospitalized acute myocardial infarction patients with heart failure in Korea at 1998 and 2008. <i>Journal of Korean Medical Science</i> , 2014 , 29, 544-9	4.7	6
Red cell distribution width as an independent predictor of exercise intolerance and ventilatory inefficiency in patients with chronic heart failure. <i>Yonsei Medical Journal</i> , 2014 , 55, 635-43	3	2
Prognostic value of new-onset anemia as a marker of hemodilution in patients with acute decompensated heart failure and severe renal dysfunction. <i>Journal of Cardiology</i> , 2014 , 64, 43-8	3	8
Detailed pathologic evaluation on endomyocardial biopsy provides long-term prognostic information in patients with acute myocarditis. <i>Cardiovascular Pathology</i> , 2014 , 23, 139-44	3.8	16
Authors reply: estimated glomerular filtration rate by two equations and their relationship with metabolic syndrome. <i>Clinica Chimica Acta</i> , 2014 , 437, 222-3	6.2	
	Coronary Artery Calcium Score in a Community Cohort. <i>Yonsei Medical Journal</i> , 2016, 57, 1347-53 The Beneficial Effect of Renin-Angiotensin-Aldosterone System Blockade in Marfan Syndrome Patients after Aortic Root Replacement. <i>Yonsei Medical Journal</i> , 2016, 57, 81-7 Association between retinal vein occlusion and risk of heart failure: A 12-year nationwide cohort study. <i>International Journal of Cardiology</i> , 2016, 217, 122-7 Prognostic impact of preexisting hypertension and high systolic blood pressure at admission in patients hospitalized for systolic heart failure. <i>Journal of Cardiology</i> , 2016, 67, 418-23 Clinical benefit of spironolactone in patients with acute decompensated heart failure and severe renal dysfunction: Data from the Korean Heart Failure Registry. <i>American Heart Journal</i> , 2015, 169, 713 Graphene oxide flakes as a cellular adhesive: prevention of reactive oxygen species mediated death of implanted cells for cardiac repair. <i>ACS Nano</i> , 2015, 9, 4987-99 Undiagnosed diabetes is prevalent in younger adults and associated with a higher risk cardiometabolic profile compared to diagnosed diabetes. <i>American Heart Journal</i> , 2015, 170, 760-769.e. Serum monokine induced by gamma interferon as a novel biomarker for coronary artery calcification in humans. <i>Coronary Artery Disease</i> , 2015, 26, 317-21 Insulin Protects Cardiac Myocytes from Doxorubicin Toxicity by Sp1-Mediated Transactivation of Survivin. <i>PLoS ONE</i> , 2015, 10, e0135438 Perturbation of NCOA6 leads to dilated cardiomyopathy. <i>Cell Reports</i> , 2014, 8, 991-8 Comparison of pooled cohort risk equations and Framingham risk score for metabolic syndrome in a Korean community-based population. <i>International Journal of Cardiology</i> , 2014, 176, 1154-5 Effect of high-dose statin loading on biomarkers related to inflammation and renal injury in patients hospitalized with acute heart failure. Randomized, controlled, open-label, prospective pilot study. <i>Circulation Journal</i> , 2014, 78, 2447-54 C-reactive probein inhibits survivin expression via	Coronary Artery Calcium Score in a Community Cohort. Yonsel Medical Journal, 2016, 57, 1347-53 The Beneficial Effect of Renin-Angiotensin-Aldosterone System Blockade in Marfan Syndrome Patients after Aortic Rook Replacement. Yonsel Medical Journal, 2016, 57, 81-7 Association between retinal vein occlusion and risk of heart failure: A 12-year nationwide cohort study. International Journal of Cardiology, 2016, 217, 122-7 Prognostic impact of preexisting hypertension and high systolic blood pressure at admission in patients hospitalized for systolic heart failure. Journal of Cardiology, 2016, 67, 418-23 Clinical benefit of spironolactone in patients with acute decompensated heart failure and severe renal dysfunction: Data from the Korean Heart Failure Registry. American Heart Journal, 2015, 169, 713-720.e. Graphene oxide flakes as a cellular adhesive: prevention of reactive oxygen species mediated death of implanted cells for cardiac repair. ACS Nano, 2015, 9, 4987-99 Undiagnosed diabetes is prevalent in younger adults and associated with a higher risk cardiometabolic profile compared to diagnosed diabetes. American Heart Journal, 2015, 170, 760-769.ez ⁴⁻⁹ Serum monokine induced by gamma interferon as a novel biomarker for coronary artery calcification in humans. Coronary Artery Disease. 2015, 26, 317-21 1.9. Insulin Protects Cardiac Myocytes from Doxorubicin Toxicity by Sp1-Mediated Transactivation of Survivin. PLoS ONE, 2015, 10, e0135438 Perturbation of NCOA6 leads to dilated cardiomyopathy. Cell Reports, 2014, 8, 991-8 1.0.6 Comparison of pooled cohort risk equations and Framingham risk score for metabolic syndrome in a Korean community-based population. International Journal of Cardiology, 2014, 176, 1154-5 Effect of high-dose statin loading on biomarkers related to inflammation and renal injury in patients hospitalized with acute heart failure. Randomized, controlled, open-label, prospective pilot study. Circulation Journal, 2014, 78, 2447-54 C-reactive protein inhibits survivin expression via

23	Comparison of association of glomerular filtration rate with metabolic syndrome in a community-based population using the CKD-EPI and MDRD study equations. <i>Clinica Chimica Acta</i> , 2014 , 429, 157-62	6.2	6
22	SUrvey of Guideline Adherence for Treatment of Systolic Heart Failure in Real World (SUGAR): a multi-center, retrospective, observational study. <i>PLoS ONE</i> , 2014 , 9, e86596	3.7	24
21	Adiponectin & inflammatory biomarkers in coronary artery disease. <i>Indian Journal of Medical Research</i> , 2014 , 139, 799-801	2.9	
20	The CKD-EPI is more accurate in clinical outcome prediction than MDRD equation in acute heart failure: data from the Korean Heart Failure (KorHF) Registry. <i>International Journal of Cardiology</i> , 2013 , 167, 1084-7	3.2	18
19	Early repolarization pattern predicts cardiac death and fatal arrhythmia in patients with vasospastic angina. <i>International Journal of Cardiology</i> , 2013 , 167, 1181-7	3.2	33
18	Hemoconcentration is a good prognostic predictor for clinical outcomes in acute heart failure: data from the Korean Heart Failure (KorHF) Registry. <i>International Journal of Cardiology</i> , 2013 , 168, 4739-43	3.2	31
17	Successful prasugrel rescue therapy in clopidogrel resistant patients who had recurrent stent thrombosis of drug-eluting-stent: the role of prasugrel in clopidogrel nonresponders. <i>Korean Circulation Journal</i> , 2013 , 43, 343-6	2.2	1
16	Protective effect of survivin in Doxorubicin-induced cell death in h9c2 cardiac myocytes. <i>Korean Circulation Journal</i> , 2013 , 43, 400-7	2.2	16
15	Prognostic value of change in red cell distribution width 1 month after discharge in acute decompensated heart failure patients. <i>Circulation Journal</i> , 2012 , 76, 109-16	2.9	25
14	Endomyocardial fibrosis: evaluation with myocardial contrast echocardiography and magnetic resonance imaging. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 612.e11-2	3.8	1
13	Clinical implication of right bundle branch block in hospitalized patients with acute heart failure: data from the Korean Heart Failure (KorHF) Registry. <i>International Journal of Cardiology</i> , 2012 , 157, 416	- 8 .2	9
12	The relationship between insulin-like growth factor-1 and metabolic syndrome, independent of adiponectin. <i>Clinica Chimica Acta</i> , 2012 , 413, 506-10	6.2	16
11	Red blood cell distribution width predicts early mortality in patients with acute dyspnea. <i>Clinica Chimica Acta</i> , 2012 , 413, 992-7	6.2	29
10	Successful management of a rare case of stent fracture and subsequent migration of the fractured stent segment into the ascending aorta in in-stent restenotic lesions of a saphenous vein graft. <i>Korean Circulation Journal</i> , 2012 , 42, 58-61	2.2	2
9	Plasma adiponectin concentration and its association with metabolic syndrome in patients with heart failure. <i>Yonsei Medical Journal</i> , 2012 , 53, 91-8	3	15
8	C-reactive protein induces p53-mediated cell cycle arrest in H9c2 cardiac myocytes. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 410, 525-30	3.4	11
7	Late stent thrombosis after drug-eluting stent implantation: a rare case of accelerated neo-atherosclerosis and early manifestation of neointimal rupture. <i>Korean Circulation Journal</i> , 2011 , 41, 409-12	2.2	3
6	Clinical and echocardiographic findings of newly diagnosed acute decompensated heart failure in elderly patients. <i>Yonsei Medical Journal</i> , 2011 , 52, 33-8	3	3

LIST OF PUBLICATIONS

5	IH nuclear magnetic resonance based metabolic urinary profiling of patients with ischemic heart failure. <i>Clinical Biochemistry</i> , 2011 , 44, 293-9	3.5	72
4	Cardiovascular images. Giant right coronary aneurysm to left ventricular fistula. <i>Circulation: Cardiovascular Imaging</i> , 2009 , 2, e15-6	3.9	3
3	Relation between red cell distribution width with echocardiographic parameters in patients with acute heart failure. <i>Journal of Cardiac Failure</i> , 2009 , 15, 517-22	3.3	45
2	Serum retinol binding protein 4 levels are associated with serum adiponectin levels in non-diabetic, non-obese subjects with hypercholesterolemia. <i>Clinica Chimica Acta</i> , 2007 , 378, 227-9	6.2	12
1	A novel uracil-DNA glycosylase family related to the helix-hairpin-helix DNA glycosylase superfamily. <i>Nucleic Acids Research</i> , 2003 , 31, 2045-55	20.1	34