

Audrey Limoges

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4591617/publications.pdf>

Version: 2024-02-01

27
papers

969
citations

516561

16
h-index

526166

27
g-index

28
all docs

28
docs citations

28
times ranked

1026
citing authors

#	ARTICLE	IF	CITATIONS
1	Atlas of modern dinoflagellate cyst distribution based on 2405 data points. Review of Palaeobotany and Palynology, 2013, 191, 1-197.	0.8	369
2	Distribution of common modern dinoflagellate cyst taxa in surface sediments of the Northern Hemisphere in relation to environmental parameters: The new n=1968 database. Marine Micropaleontology, 2020, 159, 101796.	0.5	65
3	Dinoflagellate cyst distribution in surface sediments along the south-western Mexican coast (14.76° N). Tj ETQq1 1 0.784314 rgBT / 0.5 50	0.5	50
4	Organic-walled dinoflagellate cyst distribution in the Gulf of Mexico. Marine Micropaleontology, 2013, 102, 51-68.	0.5	47
5	An overview and brief description of common marine organic-walled dinoflagellate cyst taxa occurring in surface sediments of the Northern Hemisphere. Marine Micropaleontology, 2020, 159, 101814.	0.5	45
6	Sea ice and primary production proxies in surface sediments from a High Arctic Greenland fjord: Spatial distribution and implications for palaeoenvironmental studies. Ambio, 2017, 46, 106-118.	2.8	38
7	Linking the Modern Distribution of Biogenic Proxies in High Arctic Greenland Shelf Sediments to Sea Ice, Primary Production, and Arctic Atlantic Inflow. Journal of Geophysical Research G: Biogeosciences, 2018, 123, 760-786.	1.3	34
8	Vulnerability of the North Water ecosystem to climate change. Nature Communications, 2021, 12, 4475.	5.8	30
9	Taxonomic re-examination of the toxic armored dinoflagellate Pyrodinium bahamense Plate 1906: Can morphology or LSU sequencing separate P. bahamense var. compressum from var. bahamense?. Harmful Algae, 2015, 41, 1-24.	2.2	29
10	Chronology of recent sedimentation and geochemical characteristics of sediments in Alvarado Lagoon, Veracruz (southwestern gulf of Mexico). Ciencias Marinas, 2014, 40, 291-303.	0.4	29
11	Spring Succession and Vertical Export of Diatoms and IP25 in a Seasonally Ice-Covered High Arctic Fjord. Frontiers in Earth Science, 2018, 6, .	0.8	28
12	The dinoflagellate cyst genera <i>Achomosphaera</i> Evitt 1963 and <i>Spiniferites</i> Mantell 1850 in Pliocene to modern sediments: a summary of round table discussions. Palynology, 2018, 42, 10-44.	0.7	21
13	Long-term hydrological changes in the northeastern Gulf of Mexico (ODP-625B) during the Holocene and late Pleistocene inferred from organic-walled dinoflagellate cysts. Palaeogeography, Palaeoclimatology, Palaeoecology, 2014, 414, 178-191.	1.0	20
14	Local and regional controls on Holocene sea ice dynamics and oceanography in Nares Strait, Northwest Greenland. Marine Geology, 2020, 422, 106115.	0.9	20
15	Learning from the past: Impact of the Arctic Oscillation on sea ice and marine productivity off northwest Greenland over the last 9,000 years. Global Change Biology, 2020, 26, 6767-6786.	4.2	19
16	A review of rare and less well known extant marine organic-walled dinoflagellate cyst taxa of the orders Gonyaulacales and Suessiales from the Northern Hemisphere. Marine Micropaleontology, 2020, 159, 101801.	0.5	18
17	Distribution and (palaeo)ecological affinities of the main <i>Spiniferites</i> taxa in the mid-high latitudes of the Northern Hemisphere. Palynology, 2018, 42, 182-202.	0.7	16
18	Holocene polynya dynamics and their interaction with oceanic heat transport in northernmost Baffin Bay. Scientific Reports, 2021, 11, 10095.	1.6	16

#	ARTICLE	IF	CITATIONS
19	Investigating the impact of land use and the potential for harmful algal blooms in a tropical lagoon of the Gulf of Mexico. <i>Estuarine, Coastal and Shelf Science</i> , 2015, 167, 549-559.	0.9	15
20	Improving the paleoceanographic proxy tool kit – On the biogeography and ecology of the sea ice-associated species <i>Fragilariopsis oceanica</i> , <i>Fragilariopsis reginae-jahniae</i> and <i>Fossula arctica</i> in the northern North Atlantic. <i>Marine Micropaleontology</i> , 2020, 157, 101860.	0.5	11
21	Low oxygen events in the Laurentian Channel during the Holocene. <i>Marine Geology</i> , 2013, 346, 183-191.	0.9	10
22	First report of fossilized cysts produced by the benthic <i>Bacillaria paxillifer</i> (<i>Dinophyceae</i>) from a shallow Mexican lagoon in the Gulf of Mexico. <i>Journal of Phycology</i> , 2015, 51, 211-215.	1.0	10
23	Environmental forcing on the flux of organic-walled dinoflagellate cysts in recent sediments from a subtropical lagoon in the Gulf of California. <i>Science of the Total Environment</i> , 2018, 621, 548-557.	3.9	10
24	Identification key for Pliocene and Quaternary <i>Spiniferites</i> taxa bearing intergonal processes based on observations from estuarine and coastal environments. <i>Palynology</i> , 2018, 42, 72-88.	0.7	9
25	Episodic Atlantic Water Inflow Into the Independence Fjord System (Eastern North Greenland) During the Holocene and Last Glacial Period. <i>Frontiers in Earth Science</i> , 2020, 8, .	0.8	3
26	Late Holocene sea-surface changes in the North Water polynya reveal freshening of northern Baffin Bay in the 21st century. <i>Global and Planetary Change</i> , 2021, 206, 103642.	1.6	3
27	Investigations of past climate and sea-ice variability in the fjord area by Station Nord, eastern North Greenland. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 35, 67-70.	2.0	2