Audrey Limoges

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4591617/publications.pdf

Version: 2024-02-01

516561 526166 27 969 16 27 citations g-index h-index papers 28 28 28 1026 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Holocene polynya dynamics and their interaction with oceanic heat transport in northernmost Baffin Bay. Scientific Reports, 2021, 11, 10095.	1.6	16
2	Vulnerability of the North Water ecosystem to climate change. Nature Communications, 2021, 12, 4475.	5.8	30
3	Late Holocene sea-surface changes in the North Water polynya reveal freshening of northern Baffin Bay in the 21st century. Global and Planetary Change, 2021, 206, 103642.	1.6	3
4	Distribution of common modern dinoflagellate cyst taxa in surface sediments of the Northern Hemisphere in relation to environmental parameters: The new n=1968 database. Marine Micropaleontology, 2020, 159, 101796.	0.5	65
5	An overview and brief description of common marine organic-walled dinoflagellate cyst taxa occurring in surface sediments of the Northern Hemisphere. Marine Micropaleontology, 2020, 159, 101814.	0.5	45
6	A review of rare and less well known extant marine organic-walled dinoflagellate cyst taxa of the orders Gonyaulacales and Suessiales from the Northern Hemisphere. Marine Micropaleontology, 2020, 159, 101801.	0.5	18
7	Learning from the past: Impact of the Arctic Oscillation on sea ice and marine productivity off northwest Greenland over the last 9,000 years. Global Change Biology, 2020, 26, 6767-6786.	4.2	19
8	Episodic Atlantic Water Inflow Into the Independence Fjord System (Eastern North Greenland) During the Holocene and Last Glacial Period. Frontiers in Earth Science, 2020, 8, .	0.8	3
9	Improving the paleoceanographic proxy tool kit – On the biogeography and ecology of the sea ice-associated species Fragilariopsis oceanica, Fragilariopsis reginae-jahniae and Fossula arctica in the northern North Atlantic. Marine Micropaleontology, 2020, 157, 101860.	0.5	11
10	Local and regional controls on Holocene sea ice dynamics and oceanography in Nares Strait, Northwest Greenland. Marine Geology, 2020, 422, 106115.	0.9	20
11	Linking the Modern Distribution of Biogenic Proxies in High Arctic Greenland Shelf Sediments to Sea Ice, Primary Production, and Arcticâ€Atlantic Inflow. Journal of Geophysical Research G: Biogeosciences, 2018, 123, 760-786.	1.3	34
12	Environmental forcing on the flux of organic-walled dinoflagellate cysts in recent sediments from a subtropical lagoon in the Gulf of California. Science of the Total Environment, 2018, 621, 548-557.	3.9	10
13	The dinoflagellate cyst genera <i>Achomosphaera</i> Evitt 1963 and <i>Spiniferites</i> Mantell 1850 in Pliocene to modern sediments: a summary of round table discussions. Palynology, 2018, 42, 10-44.	0.7	21
14	Spring Succession and Vertical Export of Diatoms and IP25 in a Seasonally Ice-Covered High Arctic Fjord. Frontiers in Earth Science, 2018, 6, .	0.8	28
15	Distribution and (palaeo)ecological affinities of the main <i>Spiniferites</i> taxa in the mid-high latitudes of the Northern Hemisphere. Palynology, 2018, 42, 182-202.	0.7	16
16	Identification key for Pliocene and Quaternary <i>Spiniferites</i> taxa bearing intergonal processes based on observations from estuarine and coastal environments. Palynology, 2018, 42, 72-88.	0.7	9
17	Sea ice and primary production proxies in surface sediments from a High Arctic Greenland fjord: Spatial distribution and implications for palaeoenvironmental studies. Ambio, 2017, 46, 106-118.	2.8	38
18	Investigating the impact of land use and the potential for harmful algal blooms in a tropical lagoon of the Gulf of Mexico. Estuarine, Coastal and Shelf Science, 2015, 167, 549-559.	0.9	15

#	Article	IF	CITATIONS
19	Taxonomic re-examination of the toxic armored dinoflagellate Pyrodinium bahamense Plate 1906: Can morphology or LSU sequencing separate P. bahamense var. compressum from var. bahamense?. Harmful Algae, 2015, 41, 1-24.	2.2	29
20	First report of fossilized cysts produced by the benthic $\langle i \rangle \langle scp \rangle B \langle scp \rangle \rangle$ smatrum subsalsum $\langle i \rangle \langle scp \rangle D \langle scp \rangle \rangle$ inophyceae) from a shallow $\langle scp \rangle M \langle scp \rangle \rangle$ and in the $\langle scp \rangle G \langle scp \rangle \rangle$ ulf of $\langle scp \rangle M \langle scp \rangle \rangle$ exico. Journal of Phycology, 2015, 51, 211-215.	1.0	10
21	Long-term hydrological changes in the northeastern Gulf of Mexico (ODP-625B) during the Holocene and late Pleistocene inferred from organic-walled dinoflagellate cysts. Palaeogeography, Palaeoecology, 2014, 414, 178-191.	1.0	20
22	Chronology of recent sedimentation and geochemical characteristics of sediments in Alvarado Lagoon, Veracruz (southwestern gulf of Mexico). Ciencias Marinas, 2014, 40, 291-303.	0.4	29
23	Organic-walled dinoflagellate cyst distribution in the Gulf of Mexico. Marine Micropaleontology, 2013, 102, 51-68.	0.5	47
24	Low oxygen events in the Laurentian Channel during the Holocene. Marine Geology, 2013, 346, 183-191.	0.9	10
25	Atlas of modern dinoflagellate cyst distribution based on 2405 data points. Review of Palaeobotany and Palynology, 2013, 191, 1-197.	0.8	369
26	Dinoflagellate cyst distribution in surface sediments along the south-western Mexican coast (14.76° N) Tj ETQq(0 8.9 rgBT	/Qyerlock 1
27	Investigations of past climate and sea-ice variability in the fjord area by Station Nord, eastern North Greenland. Geological Survey of Denmark and Greenland Bulletin, 0, 35, 67-70.	2.0	2