

Minzhou Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/459351/publications.pdf>

Version: 2024-02-01

20
papers

321
citations

840776

11
h-index

888059

17
g-index

21
all docs

21
docs citations

21
times ranked

355
citing authors

#	ARTICLE	IF	CITATIONS
1	Phytoestrogen, tanshinone IIA diminishes collagen deposition and stimulates new elastogenesis in cultures of human cardiac fibroblasts. <i>Experimental Cell Research</i> , 2014, 323, 189-197.	2.6	35
2	Traditional Chinese medicine, Danlou tablets alleviate adverse left ventricular remodeling after myocardial infarction: results of a double-blind, randomized, placebo-controlled, pilot study. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 447.	3.7	28
3	Tongguan Capsule Mitigates Post-myocardial Infarction Remodeling by Promoting Autophagy and Inhibiting Apoptosis: Role of Sirt1. <i>Frontiers in Physiology</i> , 2018, 9, 589.	2.8	27
4	Prognostic value of HbA1c for in-hospital and short-term mortality in patients with acute coronary syndrome: a systematic review and meta-analysis. <i>Cardiovascular Diabetology</i> , 2019, 18, 169.	6.8	24
5	Sodium tanshinone IIA sulfonate for reduction of periprocedural myocardial injury during percutaneous coronary intervention (STAMP trial): Rationale and design. <i>International Journal of Cardiology</i> , 2015, 182, 329-333.	1.7	21
6	Nanoparticle-mediated delivery of Tanshinone IIA reduces adverse cardiac remodeling following myocardial infarctions in a mice model: role of NF- κ B pathway. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2018, 46, 707-716.	2.8	21
7	Rationale and Design of Sodium Tanshinone IIA Sulfonate in Left Ventricular Remodeling Secondary to Acute Myocardial Infarction (STAMP-REMODELING) Trial: A Randomized Controlled Study. <i>Cardiovascular Drugs and Therapy</i> , 2015, 29, 535-542.	2.6	19
8	Tanshinone IIA inhibits angiotensin II induced extracellular matrix remodeling in human cardiac fibroblasts \hat{a} €” Implications for treatment of pathologic cardiac remodeling. <i>International Journal of Cardiology</i> , 2016, 202, 110-117.	1.7	18
9	Sodium tanshinone IIA sulfonate prevents the adverse left ventricular remodelling: Focus on polymorphonuclear neutrophilâ€derived granule components. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 4592-4600.	3.6	16
10	Baduanjin Exercise Prevents post-Myocardial Infarction Left Ventricular Remodeling (BE-PREMIER) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Therapy, 2016, 30, 315-322.	2.6	15
11	Exploration of Multiple Signaling Pathways Through Which Sodium Tanshinone IIA Sulfonate Attenuates Pathologic Remodeling Experimental Infarction. <i>Frontiers in Pharmacology</i> , 2019, 10, 779.	3.5	13
12	Beneficial Effects of Baduanjin Exercise on Left Ventricular Remodelling in Patients after Acute Myocardial Infarction: an Exploratory Clinical Trial and Proteomic Analysis. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 21-32.	2.6	13
13	Hydration for prevention of kidney injury after primary coronary intervention for acute myocardial infarction: a randomised clinical trial. <i>Heart</i> , 2022, 108, 948-955.	2.9	13
14	Prevention of endotoxin-induced cardiomyopathy using sodium tanshinone IIA sulfonate: Involvement of augmented autophagy and NLRP3 inflammasome suppression. <i>European Journal of Pharmacology</i> , 2021, 909, 174438.	3.5	12
15	Inâ€depth proteomics approach reveals novel biomarkers of cardiac remodelling after myocardial infarction: An exploratory analysis. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 10042-10051.	3.6	11
16	Efficacy of Sodium Tanshinone IIA Sulfonate in Patients with Non-ST Elevation Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention: Results from a Multicentre, Controlled, Randomized Trial. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 321-329.	2.6	11
17	Fatâ€1 transgenic mice rich in endogenous omegaâ€3 fatty acids are protected from lipopolysaccharideâ€induced cardiac dysfunction. <i>ESC Heart Failure</i> , 2021, 8, 1966-1978.	3.1	10
18	Exacerbated postâ€infarct pathological myocardial remodelling in diabetes is associated with impaired autophagy and aggravated NLRP3 inflammasome activation. <i>ESC Heart Failure</i> , 2022, 9, 303-317.	3.1	8

#	ARTICLE	IF	CITATIONS
19	Addition of Chinese herbal remedy, Tongguan Capsules, to the standard treatment in patients with myocardial infarction improve the ventricular reperfusion and remodeling: Proteomic analysis of possible signaling pathways. <i>Journal of Ethnopharmacology</i> , 2020, 257, 112794.	4.1	5
20	Effect of supplementing Qi and promoting blood circulation therapy on left ventricular remodeling: a systematic review and Meta-analysis. <i>Journal of Traditional Chinese Medicine</i> , 2020, 40, 365-375.	0.2	1