

Spencer Lucas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4594992/publications.pdf>

Version: 2024-02-01

158
papers

3,215
citations

201575

27
h-index

223716

46
g-index

158
all docs

158
docs citations

158
times ranked

1671
citing authors

#	ARTICLE	IF	CITATIONS
1	Global Triassic tetrapod biostratigraphy and biochronology. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1998, 143, 347-384.	1.0	307
2	Tetrapod Footprint Biostratigraphy and Biochronology. <i>Ichnos</i> , 2007, 14, 5-38.	0.8	116
3	Tetrapod Ichnofacies: A New Paradigm. <i>Ichnos</i> , 2007, 14, 59-68.	0.8	116
4	The Triassic timescale based on nonmarine tetrapod biostratigraphy and biochronology. <i>Geological Society Special Publication</i> , 2010, 334, 447-500.	0.8	109
5	Late Paleozoic–early Mesozoic continental biostratigraphy – Links to the Standard Global Chronostratigraphic Scale. <i>Palaeoworld</i> , 2020, 29, 186-238.	0.5	100
6	The Late Triassic timescale: Age and correlation of the Carnian–Norian boundary. <i>Earth-Science Reviews</i> , 2012, 114, 1-18.	4.0	75
7	Global Permian tetrapod biostratigraphy and biochronology. <i>Geological Society Special Publication</i> , 2006, 265, 65-93.	0.8	64
8	Timing and magnitude of tetrapod extinctions across the Permo-Triassic boundary. <i>Journal of Asian Earth Sciences</i> , 2009, 36, 491-502.	1.0	60
9	Late Triassic dinosaurs from the western United States. <i>Geobios</i> , 1998, 31, 511-531.	0.7	59
10	Triassic ammonoid biostratigraphy: an overview. <i>Geological Society Special Publication</i> , 2010, 334, 221-262.	0.8	58
11	A thin-shelled reptile from the Late Triassic of North America and the origin of the turtle shell. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 507-513.	1.2	56
12	Articulated skeletons of the aetosaur <i>Typothorax coccinarum</i> Cope (Archosauria) from the eastern New Mexico, USA. <i>Journal of Vertebrate Paleontology</i> , 2010, 30, 619-642.	0.4	55
13	Tetrapod footprints - their use in biostratigraphy and biochronology of the Triassic. <i>Geological Society Special Publication</i> , 2010, 334, 419-446.	0.8	52
14	Pennsylvanian coniferopsid forests in sabkha facies reveal the nature of seasonal tropical biome. <i>Geology</i> , 2011, 39, 371-374.	2.0	51
15	End-Triassic nonmarine biotic events. <i>Journal of Palaeogeography</i> , 2015, 4, 331-348.	0.9	47
16	Tetrapod biostratigraphy and biochronology of the Triassic–Jurassic transition on the southern Colorado Plateau, USA. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 244, 242-256.	1.0	44
17	Ichnotaxonomy of the Laetoli trackways: The earliest hominin footprints. <i>Journal of African Earth Sciences</i> , 2011, 60, 1-12.	0.9	39
18	Permian tetrapod biochronology, correlation and evolutionary events. <i>Geological Society Special Publication</i> , 2018, 450, 405-444.	0.8	39

#	ARTICLE	IF	CITATIONS
19	Ichnofaunas from the Triassic-Jurassic Boundary Sequences of the Gateway area, Western Colorado: Implications for Faunal Composition and Correlations with Other Areas. <i>Ichnos</i> , 2004, 11, 89-102.	0.8	37
20	Tetrapod ichnotaxonomy in eolian paleoenvironments (Coconino and De Chelly formations, Arizona) and late Cisuralian (Permian) sauropsid radiation. <i>Earth-Science Reviews</i> , 2019, 190, 148-170.	4.0	36
21	Grallator-Dominated Fossil Footprint Assemblages and Associated Enigmatic Footprints from the Chinle Group (Upper Triassic), Gateway Area, Colorado. <i>Ichnos</i> , 2003, 10, 153-163.	0.8	32
22	The Late Triassic Extinction at the Norian/Rhaetian boundary: Biotic evidence and geochemical signature. <i>Earth-Science Reviews</i> , 2020, 204, 103180.	4.0	32
23	Taphotaxon. <i>Lethaia</i> , 2001, 34, 30-30.	0.6	31
24	Paleomagnetism and magnetostratigraphy of the lower Glen Canyon and upper Chinle Groups, Jurassic-Triassic of northern Arizona and northeast Utah. <i>Journal of Geophysical Research</i> , 2003, 108, .	3.3	31
25	Triassic temnospondyl biostratigraphy, biochronology and correlation of the German Buntsandstein and North American Moenkopi Formation. <i>Lethaia</i> , 2002, 35, 97-106.	0.6	30
26	The environmental implications of upper Paleozoic plant-fossil assemblages with mixtures of wetland and drought-tolerant taxa in tropical Pangea. <i>Geobios</i> , 2021, 68, 1-45.	0.7	30
27	Discussion and reply: The reptile Macroleter: First vertebrate evidence for correlation of Upper Permian continental strata of North America and Russia Discussion. <i>Bulletin of the Geological Society of America</i> , 2002, 114, 1174-1175.	1.6	28
28	Outline of a Permian tetrapod footprint ichnostratigraphy. <i>Geological Society Special Publication</i> , 2018, 450, 387-404.	0.8	28
29	Triassic turtle tracks and the origin of turtles. <i>Historical Biology</i> , 2018, 30, 1112-1122.	0.7	28
30	Taphonomy of the Lamy amphibian quarry: A Late Triassic bonebed in New Mexico, U.S.A.. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 298, 388-398.	1.0	27
31	The Triassic chronostratigraphic scale: history and status. <i>Geological Society Special Publication</i> , 2010, 334, 17-39.	0.8	27
32	Late Early Permian continental ichnofauna from Lake Kemp, north-central Texas, USA. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 308, 395-404.	1.0	27
33	Late Triassic Aetosaurs as the Trackmaker of the Tetrapod Footprint Ichnotaxon <i>Brachychirotherium</i> . <i>Ichnos</i> , 2011, 18, 197-208.	0.8	27
34	Position of the Triassic-Jurassic boundary and timing of the end-Triassic extinctions on land: Data from the Moenave Formation on the southern Colorado Plateau, USA. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 302, 194-205.	1.0	26
35	The Early Permian age of the Dunkard Group, Appalachian basin, U.S.A., based on spiloblatinid insect biostratigraphy. <i>International Journal of Coal Geology</i> , 2013, 119, 88-92.	1.9	26
36	The Case for Archetypal Vertebrate Ichnofacies. <i>Ichnos</i> , 2016, 23, 237-247.	0.8	26

#	ARTICLE	IF	CITATIONS
37	<i>Thinopus</i> and a Critical Review of Devonian Tetrapod Footprints. <i>Ichnos</i> , 2015, 22, 136-154.	0.8	25
38	Permian tetrapod ichnofacies. Geological Society Special Publication, 2006, 265, 137-156.	0.8	24
39	The Permian timescale: an introduction. Geological Society Special Publication, 2018, 450, 1-19.	0.8	24
40	REDESCRIPTION OF THE CERATOPSID DINOSAUR TOROSAURUS UTAHENSIS (GILMORE, 1946) AND A REVISION OF THE GENUS. <i>Journal of Paleontology</i> , 2005, 79, 564-582.	0.5	23
41	The Moenave Formation: Sedimentologic and stratigraphic context of the Triassic–Jurassic boundary in the Four Corners area, southwestern U.S.A.. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 244, 111-125.	1.0	23
42	A NEW GENUS AND SPECIES OF SPHENODONTIAN FROM THE GHOST RANCH <i>COELOPHYSIS</i> QUARRY (UPPER TRIASSIC: APACHEAN), ROCK POINT FORMATION, NEW MEXICO, USA. <i>Palaeontology</i> , 2008, 51, 827-845.	1.0	23
43	Taxonomy and Stratigraphic and Fades Significance of Vertebrate Coprolites of the Upper Triassic Chinle Group, Western United States. <i>Ichnos</i> , 1998, 5, 225-234.	0.8	22
44	A New Ankylosaurid Dinosaur from the Upper Cretaceous (Kirtlandian) of New Mexico with Implications for Ankylosaurid Diversity in the Upper Cretaceous of Western North America. <i>PLoS ONE</i> , 2014, 9, e108804.	1.1	22
45	Late Triassic Terrestrial Tetrapods: Biostratigraphy, Biochronology and Biotic Events. <i>Topics in Geobiology</i> , 2018, , 351-405.	0.6	22
46	Rioarribasaurus, a new name for a Late Triassic dinosaur from New Mexico (USA). <i>Palaontologische Zeitschrift</i> , 1991, 65, 191-198.	0.8	21
47	Revision of the ?Permian-Triassic Tetrapod Ichnogenus <i>Procolophonichnium</i> Nopcsa 1923 with Description of the New Ichnospecies <i>P. lockleyi</i> . <i>Ichnos</i> , 2015, 22, 155-176.	0.8	21
48	The GSSP Method of Chronostratigraphy: A Critical Review. <i>Frontiers in Earth Science</i> , 2018, 6, .	0.8	21
49	The Artinskian Warming Event: an Euramerican change in climate and the terrestrial biota during the early Permian. <i>Earth-Science Reviews</i> , 2022, 226, 103922.	4.0	21
50	Vertebrate biostratigraphy and biochronology of the upper Paleozoic Dunkard Group, Pennsylvania–West Virginia–Ohio, USA. <i>International Journal of Coal Geology</i> , 2013, 119, 79-87.	1.9	20
51	Pennsylvanian (Late Carboniferous) calcareous microfossils from Cedro Peak (New Mexico, USA). Part 2: Smaller foraminifers and fusulinids. <i>Annales De Paleontologie</i> , 2013, 99, 1-42.	0.1	20
52	Coniferopsid tree trunks preserved in sabkha facies in the Permian (Sakmarian) Community Pit Formation in south-central New Mexico, U.S.A.: Systematics and palaeoecology. <i>Review of Palaeobotany and Palynology</i> , 2014, 200, 138-160.	0.8	20
53	The Missing Mass Extinction at the Triassic-Jurassic Boundary. <i>Topics in Geobiology</i> , 2018, , 721-785.	0.6	20
54	Large vertebrate burrow from the Upper Mississippian Mauch Chunk Formation, eastern Pennsylvania, USA. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 298, 341-347.	1.0	19

#	ARTICLE	IF	CITATIONS
55	The Permian chronostratigraphic scale: history, status and prospectus. Geological Society Special Publication, 2018, 450, 21-50.	0.8	19
56	An anatomy-consistent study of the Lopingian eolian tracks of Germany and Scotland reveals the first evidence of the end-Guadalupian mass extinction at low paleolatitudes of Pangea. Gondwana Research, 2019, 73, 32-53.	3.0	19
57	Spiral-shaped graphoglyptids from an Early Permian intertidal flat. Geology, 2006, 34, 1057.	2.0	18
58	The Smallest Known Tetrapod Footprints: <i>Batrachichnus Salamandroides</i> from the Carboniferous of Joggins, Nova Scotia, Canada. Ichnos, 2012, 19, 127-140.	0.8	18
59	The Extinction of the Conulariids. Geosciences (Switzerland), 2012, 2, 1-10.	1.0	18
60	Late Triassic Nonmarine Vertebrate and Invertebrate Trace Fossils and the Pattern of the Phanerozoic Record of Vertebrate Trace Fossils. Topics in Geobiology, 2018, , 447-544.	0.6	18
61	Comment on: "The organic carbon isotopic and paleontological record across the Triassic-Jurassic boundary at the candidate GSSP section at Ferguson Hill, Muller Canyon, Nevada, USA" by Ward et al. (2007). Palaeogeography, Palaeoclimatology, Palaeoecology, 2009, 273, 200-204.	1.0	17
62	Deposition and deformation of fluvial-lacustrine sediments of the Upper Triassic-Lower Jurassic Whitmore Point Member, Moenave Formation, northern Arizona. Sedimentary Geology, 2010, 223, 180-191.	1.0	17
63	A new baenid turtle from the early Paleocene (Torrejonian) of New Mexico and a species-level phylogenetic analysis of Baenidae. Journal of Paleontology, 2016, 90, 305-316.	0.5	17
64	Theropod dinosaurs and the Early Jurassic age of the Moenave Formation, Arizona-Utah, USA. Neues Jahrbuch für Geologie Und Paläontologie, 2001, 2001, 435-448.	0.3	17
65	Coastal-plain origin of trace-fossil bearing red beds in the Early Permian of Southern New Mexico, U.S.A.. Palaeogeography, Palaeoclimatology, Palaeoecology, 2013, 369, 323-334.	1.0	16
66	First fossil horseshoe crab (Xiphosurida) from the Triassic of North America. Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen, 2017, 286, 289-302.	0.2	16
67	Re-evaluation of alleged bees' nests from the Upper Triassic of Arizona. Palaeogeography, Palaeoclimatology, Palaeoecology, 2010, 286, 194-201.	1.0	15
68	Invertebrate trace fossils in semi-arid to arid braided-ephemeral-river deposits of the Mississippian middle member of the Mauch Chunk Formation, eastern Pennsylvania, USA. Palaeogeography, Palaeoclimatology, Palaeoecology, 2010, 292, 222-244.	1.0	15
69	Nonmarine Mass Extinctions. Paleontological Research, 2021, 25, .	0.5	15
70	The Triassic timescale: an introduction. Geological Society Special Publication, 2010, 334, 1-16.	0.8	14
71	The reptile assemblage from the Moenkopi Formation (Middle Triassic) of New Mexico. Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen, 2010, 255, 345-369.	0.2	14
72	Pennsylvanian (Late Carboniferous) calcareous microfossils from Cedro Peak (New Mexico, USA). Part 1: Algae and Microproblematica. Annales De Paleontologie, 2012, 98, 225-252.	0.1	14

#	ARTICLE	IF	CITATIONS
73	Nearly complete skeleton of <i>Tetraclaenodon</i> (Mammalia, Phenacodontidae) from the early Paleocene of New Mexico: morpho-functional analysis. <i>Journal of Paleontology</i> , 2012, 86, 25-43.	0.5	14
74	America's Most Famous Human Footprints: History, Context and First Description of Mid-Holocene Tracks from the Shores of Lake Managua, Nicaragua. <i>Ichnos</i> , 2009, 16, 55-69.	0.8	13
75	A new species of the enigmatic archosauromorph <i>Doswellia</i> from the Upper Triassic Bluewater Creek Formation, New Mexico, USA. <i>Palaeontology</i> , 2012, 55, 1333-1348.	1.0	13
76	Diverse Middle Triassic Tetrapod Footprint Assemblage from the Muschelkalk of Germany. <i>Ichnos</i> , 2018, 25, 162-176.	0.8	13
77	New Dromaeosaurid Dinosaur (Theropoda, Dromaeosauridae) from New Mexico and Biodiversity of Dromaeosaurids at the end of the Cretaceous. <i>Scientific Reports</i> , 2020, 10, 5105.	1.6	13
78	Tetrapod Ichnofacies and Ichnotaxonomy: Quo Vadis?. <i>Ichnos</i> , 2005, 12, 157-162.	0.8	12
79	Pelycosaurian-Grade (Amniota: Synapsida) Footprints from the Lower Permian Dunkard Group of Pennsylvania and West Virginia. <i>Annals of Carnegie Museum</i> , 2016, 83, 287-294.	0.1	12
80	Two New, Substrate-Controlled Nonmarine Ichnofacies. <i>Ichnos</i> , 2016, 23, 248-261.	0.8	12
81	Paleosols of the upper Paleozoic Sangre de Cristo Formation, north-central New Mexico: Record of early Permian palaeoclimate in tropical Pangaea. <i>Journal of Palaeogeography</i> , 2017, 6, 144-161.	0.9	12
82	<i>Augerinoichnus Helicoidalis</i> , a New Helical Trace Fossil from the Nonmarine Permian of New Mexico. <i>Journal of Paleontology</i> , 2008, 82, 1201-1206.	0.5	11
83	Plant architecture and spatial structure of an early Permian woodland buried by flood waters, Sangre de Cristo Formation, New Mexico. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 424, 91-110.	1.0	11
84	The earliest paleolimulid and its attributed ichnofossils from the Lower Mississippian (Tournaisian) Horton Bluff Formation of Blue Beach, Nova Scotia, Canada. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2016, 280, 193-214.	0.2	11
85	Hyena hegemony: biogeography and taphonomy of Pleistocene vertebrate coprolites with description of a new mammoth coprolite ichnotaxon. <i>Ichnos</i> , 2020, 27, 111-121.	0.8	11
86	The "Plastotype Problem" in Ichnological Taxonomy. <i>Ichnos</i> , 2020, 27, 107-110.	0.8	11
87	Extending the footprint record of Pareiasauromorpha to the Cisuralian: earlier appearance and wider palaeobiogeography of the group. <i>Papers in Palaeontology</i> , 2021, 7, 1297-1319.	0.7	11
88	Improved blattoid insect and conchostracan zonation for the late Carboniferous, Pennsylvanian, of Euramerica. <i>Geological Society Special Publication</i> , 0, , SP512-2021-93.	0.8	11
89	Reexamination of the end-Triassic mass. , 2008, , 65-102.		11
90	The Mississippian Tetrapod Footprint Ichnogenus <i>Palaeosauropus</i> : Extramorphological Variation and Ichnotaxonomy. <i>Ichnos</i> , 2010, 17, 177-186.	0.8	10

#	ARTICLE	IF	CITATIONS
91	Stratigraphic distribution and significance of a 15 million-year record of fusain in the Upper Triassic Chinle Group, southwestern USA. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 461, 261-271.	1.0	10
92	A simple method for inferring habitats of extinct turtles. <i>Palaeoworld</i> , 2017, 26, 581-588.	0.5	10
93	Early Jurassic Batrachopus-rich track assemblages from interdune deposits in the Wingate Sandstone, Dolores Valley, Colorado, USA. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 491, 185-195.	1.0	10
94	The Ichnogenus <i>Kouphichnium</i> and Related Xiphosuran Traces from the Steven C. Minkin Paleozoic Footprint Site (Union Chapel Mine), Alabama, USA: Ichnotaxonomic and Paleoenvironmental Implications. <i>Ichnos</i> , 2019, 26, 266-302.	0.8	10
95	Rethinking the Carboniferous Chronostratigraphic scale. <i>Newsletters on Stratigraphy</i> , 2021, 54, 257-274.	0.5	10
96	A new amphibamid (Amphibia: Temnospondyli) from the Late Pennsylvanian (Middle Stephanian) of central New Mexico, USA. <i>Palaontologische Zeitschrift</i> , 1996, 70, 555-565.	0.8	9
97	Furculae in the Late Triassic theropod dinosaur <i>Coelophysis bauri</i> . <i>Palaontologische Zeitschrift</i> , 2007, 81, 174-180.	0.8	9
98	Lithostratigraphy, Paleontology, Biostratigraphy, and Age of the Upper Paleozoic Abo Formation Near Jemez Springs, Northern New Mexico, USA. <i>Annals of Carnegie Museum</i> , 2012, 80, 323-350.	0.1	9
99	First report of Oligocene vertebrate footprints from Iran. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 440, 78-89.	1.0	9
100	On the presence of <i>Ichniotherium</i> in the Coconino Sandstone (Cisuralian) of the Grand Canyon and remarks on the occupation of deserts by non-amniote tetrapods. <i>Palaontologische Zeitschrift</i> , 2020, 94, 207-225.	0.8	9
101	Timing of dicynodont extinction in light of an unusual Late Triassic Polish fauna and Cuvier's approach to extinction. <i>Historical Biology</i> , 2020, 32, 452-461.	0.7	9
102	Permian-Triassic Charophytes: Distribution, Biostratigraphy and Biotic Events. <i>Journal of Earth Science (Wuhan, China)</i> , 2018, 29, 778-793.	1.1	8
103	Record of the Carnian wet episode in strata of the Chinle Group, western USA. <i>Journal of the Geological Society</i> , 2018, 175, 1004-1011.	0.9	8
104	Age and correlation of Late Triassic tetrapods from southern Poland. <i>Annales Societatis Geologorum Poloniae</i> , 0, , .	0.1	8
105	Isaac Lea's <i>Palaeosauropus</i> (= <i>Sauropus</i>) <i>primaevus</i> : A Review of His Discovery. <i>Ichnos</i> , 2009, 16, 220-229.	0.8	7
106	Amphibian Body Impressions from the Mississippian of Pennsylvania, USA. <i>Ichnos</i> , 2010, 17, 172-176.	0.8	7
107	Scorpionid Resting Trace from The Lower Permian of Southern New Mexico, USA. <i>Ichnos</i> , 2013, 20, 195-201.	0.8	7
108	No gap in the Middle Permian record of terrestrial vertebrates: COMMENT. <i>Geology</i> , 2013, 41, e293-e293.	2.0	7

#	ARTICLE	IF	CITATIONS
109	Coprolites from shallow marine deposits of the Nanjemoy Formation, Lower Eocene of Virginia, USA. <i>Lethaia</i> , 2021, 54, 26-39.	0.6	7
110	Carboniferous tetrapod footprint biostratigraphy, biochronology and evolutionary events. <i>Geological Society Special Publication</i> , 0, , SP512-2020-235.	0.8	7
111	The Carboniferous timescale: an introduction. <i>Geological Society Special Publication</i> , 2022, 512, 1-17.	0.8	7
112	<i>Sphaerapus</i> , A Poorly Known Invertebrate Trace Fossil From Nonmarine Permian and Jurassic Strata of North America. <i>Ichnos</i> , 2013, 20, 142-152.	0.8	6
113	<i>Eocyclotosaurus appetolatus</i> , a new cyclotosaurid amphibian from the Middle Triassic (Perovkan) Moenkopi Formation of New Mexico, U.S.A.. <i>Journal of Vertebrate Paleontology</i> , 2015, 35, e929140.	0.4	6
114	Sutures of the shell of the Late Cretaceous-Paleocene baenid turtle <i>Denazinemys</i> . <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2017, 283, 1-8.	0.2	6
115	New localities of Late Eocene vertebrate footprints from the Taron Mountains, Northwestern Iran. <i>Historical Biology</i> , 2017, 29, 987-1006.	0.7	6
116	The best sections method of studying mass extinctions. <i>Lethaia</i> , 2017, 50, 465-466.	0.6	6
117	Tiny Rhizomorphic Rooting Systems from the Early Permian Abo Formation of New Mexico, USA. <i>International Journal of Plant Sciences</i> , 2019, 180, 504-512.	0.6	6
118	The Carboniferous chronostratigraphic scale: history, status and prospectus. <i>Geological Society Special Publication</i> , 2022, 512, 19-48.	0.8	6
119	Carboniferous tetrapod biostratigraphy, biochronology and evolutionary events. <i>Geological Society Special Publication</i> , 2022, 512, 965-1001.	0.8	6
120	Redescription of tetrapod trackways from the Mississippian Mabou Group, Lepreau Falls, New Brunswick, Canada. <i>Atlantic Geology</i> , 0, 52, 001.	0.2	6
121	A new slider turtle (Testudines: Emydidae: Deirochelyinae: Trachemys) from the late Hemphillian (late Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf 50 10) e4338.	0.9	6
122	The oldest record of drepanosaurids (Reptilia, Diapsida) from the Late Triassic (Adamanian Placerias) Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 10 <i>Geologie Und Palaontologie - Abhandlungen</i> , 2009, 252, 315-325.	0.2	5
123	The Fish Swimming Trace <i>Undichna</i> from the Mississippian Mauch Chunk Formation, Eastern Pennsylvania. <i>Ichnos</i> , 2011, 18, 27-34.	0.8	5
124	Carbonate facies of the Upper Triassic Ojo Huelos Member, San Pedro Arroyo Formation (Chinle) Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 10	1.0	5
125	Vertebrate trackways among a stand of <i>Supaia</i> White plants on an early Permian floodplain, New Mexico. <i>Journal of Paleontology</i> , 2012, 86, 584-594.	0.5	5
126	Lower Jurassic Arthropod Resting Trace from the Hartford Basin of Massachusetts, USA. <i>Ichnos</i> , 2015, 22, 177-182.	0.8	5

#	ARTICLE	IF	CITATIONS
127	The first North American mammoths: Taxonomy and chronology of early Irvingtonian (early Tertiary) mammoths. <i>Journal of Paleontology</i> , 2017, 91, 107-117.	0.784314	5
128	Human Footprints and the Peopling of the Americas. <i>PaleoAmerica</i> , 2017, 3, 97-100.	0.4	5
129	The oldest centrosaurine: a new ceratopsid dinosaur (Dinosauria: Ceratopsidae) from the Allison Member of the Menefee Formation (Upper Cretaceous, early Campanian), northwestern New Mexico, USA. <i>Palaontologische Zeitschrift</i> , 2021, 95, 291-335.	0.8	5
130	Tracking the Origin and Early Evolution of Reptiles. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .	1.1	5
131	<i>Sierraceratops turneri</i> , a new chasmosaurine ceratopsid from the Hall Lake Formation (Upper Cretaceous), northwestern New Mexico, USA. <i>Journal of Paleontology</i> , 2021, 95, 107-117.	0.8	5
132	A softshell turtle (Testudines: Trionychidae: Plastomeninae) from the uppermost Cretaceous (Maastrichtian) Hell Creek Formation, North Dakota, USA, with implications for the evolutionary relationships of plastomenines and other trionychids. <i>Cretaceous Research</i> , 2022, 135, 105172.	0.6	5
133	<i>Multichron</i> . <i>Lethaia</i> , 2010, 43, 282-282.	0.6	4
134	An ichnofossil assemblage from the fluvial deposits of the Upper Pliocene–Pleistocene Pinjor Formation (Siwalik Group), northwestern Himalayas, India: Palaeoenvironmental implications. <i>Journal of Earth System Science</i> , 2018, 127, 1.	0.6	4
135	Reassessment of vertebrate ichnotaxa from the Upper Carboniferous “Fern Ledges” Formation, Saint John, New Brunswick, Canada. <i>Atlantic Geology</i> , 2017, 52, 021.	0.2	4
136	Vertebrate palaeontology in Central America: a narrative and analytical history. <i>Geological Society Special Publication</i> , 2017, 442, 155-169.	0.8	3
137	<i>Coprolites</i> . , 2021, , 532-544.		3
138	End-Triassic Extinctions. , 2021, , 653-664.		3
139	Footprints of the earliest reptiles: <i>Notalacerta missouriensis</i> – Ichnotaxonomy, potential trackmakers, biostratigraphy, palaeobiogeography and palaeoecology. <i>Annales Societatis Geologorum Poloniae</i> , 2017, 57, 1-12.	0.1	3
140	Lithostratigraphy and microfossil biostratigraphy of the Pennsylvanian-lower Permian Horquilla Formation at New Well Peak, Big Hatchet Mountains, New Mexico, USA. <i>Stratigraphy</i> , 2017, 14, 223-246.	1.0	3
141	A taxonomic revision of the late Paleozoic lyginopterid <i>Sphenopteridium germanicum</i> and description of its globose-stem growth habit. <i>Review of Palaeobotany and Palynology</i> , 2022, 298, 104591.	0.8	3
142	Tetrapod Footprints From the Upper Carboniferous of China. <i>Ichnos</i> , 2010, 17, 163-165.	0.8	2
143	Facies architecture and across-shelf variability of an extensive Lower Triassic (Smithian) microbial carbonate mound complex in the western U.S.. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 521, 42-56.	1.0	2
144	Eocene North American Testudinidae and Geoemydidae (Reptilia, Testudines): A Re-Evaluation of Their Alpha Taxonomy, Ecology, and Origin. <i>Proceedings (mdpi)</i> , 2019, 24, .	0.2	2

#	ARTICLE	IF	CITATIONS
145	Recent Root Damages of Fossilized Vertebrate Remains from New Mexico, USA. Topics in Geobiology, 2020, , 139-150.	0.6	2
146	Tetrapod Origins. , 2021, , 138-146.		2
147	Kauriichnus, A New Name for a Quaternary Ichnofossil. Ichnos, 2010, 17, 57-57.	0.8	1
148	The youngest record of Carcharopsis (Chondrichthyes) from the Pennsylvanian of Xinjiang Uyghur Autonomous Region, China. Palaeoworld, 2014, 23, 258-262.	0.5	1
149	Martin G. Lockley: Premier Student of Fossil Footprints: An Introduction to the Special Issue. Ichnos, 2015, 22, 133-135.	0.8	1
150	Continental ichnofossil assemblage from the upper Silurian of Laurentia: The Bloomsburg Formation of eastern Pennsylvania. Palaeogeography, Palaeoclimatology, Palaeoecology, 2020, 547, 109693.	1.0	1
151	Gastroliths in archaeology: A note of caution. International Journal of Osteoarchaeology, 0, , .	0.6	1
152	Cynodont Teeth from the Carnian (Late Triassic) of Northern Italy. Acta Palaeontologica Polonica, 2009, 54, 357-360.	0.4	1
153	A new species of the eurypterid Hibbertopterus from the Carboniferous of New Mexico, and a review of the Hibbertopteridae. Historical Biology, 0, , 1-7.	0.7	1
154	The oldest record of a boring foraminifer: Early Permian of New Mexico, USA. Lethaia, 2013, 46, 245-250.	0.6	0
155	First record of the Cenomanian (Cretaceous) ammonite Pachydesmoceras maroccanum from North America. Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen, 2017, 283, 77-84.	0.2	0
156	Bryozoan fauna of the Lake Valley Formation (Mississippian), New Mexico. Journal of Paleontology, 2018, 92, 577-595.	0.5	0
157	Phanerozoic Chronostratigraphy: Top-Down Instead of Bottom-Up Boundary Definitions. Proceedings (mdpi), 2019, 24, .	0.2	0
158	First record of the Permian nonmarine helical trace fossil <i>Augerinoichnus</i> from outside of New Mexico. Ichnos, 2022, 29, 40-45.	0.8	0