List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4595789/publications.pdf Version: 2024-02-01

		117625	106344
178	5,513	34	65
papers	citations	h-index	g-index
183	183	183	6937
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	The prevalence of severe refractory asthma. Journal of Allergy and Clinical Immunology, 2015, 135, 896-902.	2.9	582
2	The effectiveness of interventions using electronic reminders to improve adherence to chronic medication: a systematic review of the literature. Journal of the American Medical Informatics Association: JAMIA, 2012, 19, 696-704.	4.4	381
3	From "retailers―to health care providers: Transforming the role of community pharmacists in chronic disease management. Health Policy, 2015, 119, 628-639.	3.0	294
4	Beliefs about medicines predict refill adherence to inhaled corticosteroids. Journal of Psychosomatic Research, 2008, 64, 47-54.	2.6	288
5	Effect of a pharmacist-led intervention on diuretic compliance in heart failure patients: a randomized controlled study. Journal of Cardiac Failure, 2003, 9, 404-411.	1.7	172
6	Effect of a mHealth intervention on adherence in adolescents with asthma: A randomized controlled trial. Respiratory Medicine, 2019, 149, 45-51.	2.9	122
7	Medication errors: the importance of safe dispensing. British Journal of Clinical Pharmacology, 2009, 67, 676-680.	2.4	93
8	The Relationship between the Extent of Collaboration of General Practitioners and Pharmacists and the Implementation of Recommendations Arising from Medication Review. Drugs and Aging, 2013, 30, 91-102.	2.7	93
9	Practical Problems with Medication Use that Older People Experience: A Qualitative Study. Journal of the American Geriatrics Society, 2014, 62, 2339-2344.	2.6	90
10	The degree of integration of non-dispensing pharmacists in primary care practice and the impact on health outcomes: A systematic review. Research in Social and Administrative Pharmacy, 2018, 14, 228-240.	3.0	89
11	Identifying the Optimal Role for Pharmacists in Care Transitions: A Systematic Review. Journal of Managed Care & Specialty Pharmacy, 2015, 21, 614-638.	0.9	84
12	Improving medication adherence in diabetes type 2 patients through Real Time Medication Monitoring: a Randomised Controlled Trial to evaluate the effect of monitoring patients' medication use combined with short message service (SMS) reminders. BMC Health Services Research, 2011, 11, 5.	2.2	80
13	Impact of the COVID-19 epidemic on the provision of pharmaceutical care in community pharmacies. Research in Social and Administrative Pharmacy, 2021, 17, 2002-2004.	3.0	78
14	Effects of a clinical medication review focused on personal goals, quality of life, and health problems in older persons with polypharmacy: A randomised controlled trial (DREAMeR-study). PLoS Medicine, 2019, 16, e1002798.	8.4	72
15	Proposal of Standardization to Assess Adherence With Medication Records. Annals of Pharmacotherapy, 2016, 50, 360-368.	1.9	68
16	<i>"l just forget to take itâ€</i> : asthma self-management needs and preferences in adolescents. Journal of Asthma, 2015, 52, 831-837.	1.7	64
17	Adolescents' inhaled corticosteroid adherence: the importance of treatment perceptions and medication knowledge. Journal of Asthma, 2015, 52, 431-436.	1.7	59
18	Opioid Prescription Patterns and Risk Factors Associated With Opioid Use in the Netherlands. JAMA Network Open, 2019, 2, e1910223.	5.9	58

#	Article	IF	CITATIONS
19	Dramatic change in prescribing of hormone replacement therapy in the Netherlands after publication of the Million Women Study: a followâ€up study. British Journal of Clinical Pharmacology, 2005, 60, 641-647.	2.4	57
20	A Pharmaceutical Care Program to Improve Adherence to Statin Therapy: A Randomized Controlled Trial. Annals of Pharmacotherapy, 2010, 44, 1905-1913.	1.9	57
21	Comorbidities in Difficult-to-Control Asthma. Journal of Allergy and Clinical Immunology: in Practice, 2018, 6, 108-113.	3.8	57
22	Effects of Medication Review on Drug-Related Problems in Patients Using Automated Drug-Dispensing Systems. Drugs and Aging, 2011, 28, 305-314.	2.7	56
23	Patients' satisfaction with information and experiences with counseling on cardiovascular medication received at the pharmacy. Patient Education and Counseling, 2011, 83, 303-309.	2.2	56
24	The Utrecht Pharmacy Practice network for Education and Research: a network of community and hospital pharmacies in the Netherlands. International Journal of Clinical Pharmacy, 2014, 36, 669-674.	2.1	54
25	Medication adherence and knowledge of older patients with and without multidose drug dispensing. Age and Ageing, 2013, 42, 620-626.	1.6	46
26	The majority of patients do not store their biologic disease-modifying antirheumatic drugs within the recommended temperature range. Rheumatology, 2016, 55, 704-709.	1.9	45
27	Classification of medication incidents associated with information technology. Journal of the American Medical Informatics Association: JAMIA, 2014, 21, e63-e70.	4.4	44
28	Trends in antithrombotic drug use and adherence to non-vitamin K oral anticoagulants in the Netherlands. International Journal of Clinical Pharmacy, 2015, 37, 1128-1135.	2.1	44
29	Understanding Statin Non-Adherence: Knowing Which Perceptions and Experiences Matter to Different Patients. PLoS ONE, 2016, 11, e0146272.	2.5	44
30	Majority of drug-related problems identified during medication review are not associated with STOPP/START criteria. European Journal of Clinical Pharmacology, 2015, 71, 1255-1262.	1.9	43
31	Returned medicines in community pharmacies of Barcelona, Spain. International Journal of Clinical Pharmacy, 2008, 30, 272-277.	1.4	39
32	Characteristics and Reasons Associated with Nonacceptance of Selective Serotonin-Reuptake Inhibitor Treatment. Annals of Pharmacotherapy, 2008, 42, 218-225.	1.9	38
33	mHealth intervention to support asthma self-management in adolescents: the ADAPT study. Patient Preference and Adherence, 2017, Volume 11, 571-577.	1.8	38
34	Effective Engagement of Adolescent Asthma Patients With Mobile Health–Supporting Medication Adherence. JMIR MHealth and UHealth, 2019, 7, e12411.	3.7	38
35	Endocrine Therapy for Breast Cancer: Assessing anÂArray of Women's Treatment Experiences andÂPerceptions, Their Perceived Self-Efficacy andÂNonadherence. Clinical Breast Cancer, 2014, 14, 460-467.e2.	2.4	37
36	Quality indicators for pharmaceutical care: a comprehensive set with national scores for Dutch community pharmacies. International Journal of Clinical Pharmacy, 2016, 38, 870-879.	2.1	37

#	Article	IF	CITATIONS
37	Patient–provider communication about medication use at the community pharmacy counter. International Journal of Pharmacy Practice, 2016, 24, 13-21.	0.6	36
38	Amiodarone-induced thyroid dysfunction associated with cumulative dose. Pharmacoepidemiology and Drug Safety, 2002, 11, 601-606.	1.9	35
39	Effects of NSAIDs on the Incidence of Hospitalisations for Renal Dysfunction in Users of ACE Inhibitors. Drug Safety, 2003, 26, 983-989.	3.2	34
40	Attitudes of Nigerian Pharmacists towards Pharmaceutical Care. International Journal of Clinical Pharmacy, 2005, 27, 208-214.	1.4	34
41	Communication with patients who are dispensed a first prescription of chronic medication in the community pharmacy. Patient Education and Counseling, 2011, 83, 417-422.	2.2	34
42	Problems experienced by older people when opening medicine packaging. International Journal of Pharmacy Practice, 2014, 22, 200-204.	0.6	34
43	Large scale implementation of clinical medication reviews in Dutch community pharmacies: drug-related problems and interventions. International Journal of Clinical Pharmacy, 2014, 36, 630-635.	2.1	34
44	Effects of Telephone Counseling Intervention by Pharmacists (TelCIP) on Medication Adherence; Results of a Cluster Randomized Trial. Frontiers in Pharmacology, 2016, 7, 269.	3.5	34
45	Asthma control and quality of life in adolescents: The role of illness perceptions, medication beliefs, and adherence. Journal of Asthma, 2020, 57, 1145-1154.	1.7	33
46	Moral dilemmas of community pharmacists: a narrative study. International Journal of Clinical Pharmacy, 2018, 40, 74-83.	2.1	32
47	Pharmacists' Activities to Reduce Medication Waste: An International Survey. Pharmacy (Basel,) Tj ETQq1 1 ().784314 1.6	rg <u>&T</u> /Overloc
48	Patient–provider interaction during medication encounters: A study in outpatient pharmacies in the Netherlands. Patient Education and Counseling, 2015, 98, 843-848.	2.2	31
49	Exploring the concept of patient centred communication for the pharmacy practice. International Journal of Clinical Pharmacy, 2017, 39, 1145-1156.	2.1	30
50	Adolescents' Perspectives on Atopic Dermatitis Treatment—Experiences, Preferences, and Beliefs. JAMA Dermatology, 2018, 154, 824.	4.1	30
51	The role of the community pharmacist in fulfilling information needs of patients starting oral antidiabetics. Research in Social and Administrative Pharmacy, 2010, 6, 354-364.	3.0	29
52	Quality of life in patients with venous thromboembolism and atrial fibrillation treated with coumarin anticoagulants. Thrombosis Research, 2015, 136, 69-75.	1.7	28
53	Disentangling breast cancer patients' perceptions and experiences with regard to endocrine therapy: Nature and relevance for non-adherence. Breast, 2013, 22, 661-666.	2.2	27
54	Health literacy among pharmacy visitors in the Netherlands. Pharmacoepidemiology and Drug Safety, 2015, 24, 716-721.	1.9	27

#	Article	IF	CITATIONS
55	Redispensing of medicines unused by patients: a qualitative study among stakeholders. International Journal of Clinical Pharmacy, 2017, 39, 196-204.	2.1	27
56	Nature and frequency of drug therapy alerts generated by clinical decision support in community pharmacy. Pharmacoepidemiology and Drug Safety, 2016, 25, 82-89.	1.9	26
57	Use of Sympathomimetic Drugs Leads to Increased Risk of Hospitalization for Arrhythmias in Patients With Congestive Heart Failure. Archives of Internal Medicine, 2000, 160, 2477.	3.8	25
58	Spontaneous lapses in dosing during chronic treatment with selective serotonin reuptake inhibitors. British Journal of Psychiatry, 2001, 179, 519-522.	2.8	24
59	Collaboration between hospital and community pharmacists to address drug-related problems: The HomeCoMe-program. Research in Social and Administrative Pharmacy, 2019, 15, 267-278.	3.0	23
60	Patterns of pharmacotherapy in patients hospitalised for congestive heart failure. European Journal of Heart Failure, 2003, 5, 195-200.	7.1	22
61	Patients' general satisfaction with telephone counseling by pharmacists and effects on satisfaction with information and beliefs about medicines: Results from a cluster randomized trial. Patient Education and Counseling, 2015, 98, 797-804.	2.2	22
62	Design of the POINT study: Pharmacotherapy Optimisation through Integration of a Non-dispensing pharmacist in a primary care Team (POINT). BMC Family Practice, 2015, 16, 76.	2.9	22
63	Attention-Deficit/Hyperactivity Disorder Medication Use in Adolescents: The Patient's Perspective. Journal of Adolescent Health, 2017, 61, 619-625.	2.5	22
64	Learning Through Boundary Crossing. Academic Medicine, 2018, 93, 1531-1538.	1.6	22
65	Recognizing and Addressing Limited PHarmaceutical literacy: Development of the RALPH interview guide. Research in Social and Administrative Pharmacy, 2018, 14, 805-811.	3.0	22
66	Willingness of patients to use unused medication returned to the pharmacy by another patient: a cross-sectional survey. BMJ Open, 2019, 9, e024767.	1.9	22
67	The use of goal attainment scaling during clinical medication review in older persons with polypharmacy. Research in Social and Administrative Pharmacy, 2019, 15, 1259-1265.	3.0	22
68	Drug Therapy for Prevention of Recurrent Myocardial Infarction. Annals of Pharmacotherapy, 2003, 37, 1465-1477.	1.9	21
69	A nationwide medication incidents reporting system in The Netherlands. Journal of the American Medical Informatics Association: JAMIA, 2011, 18, 799-804.	4.4	21
70	Non-dispensing pharmacists' actions and solutions of drug therapy problems among elderly polypharmacy patients in primary care. Family Practice, 2019, 36, 544-551.	1.9	21
71	Patients' understanding of the reasons for starting and discontinuing inhaled corticosteroids. British Journal of Clinical Pharmacology, 2008, 66, 255-260.	2.4	20
72	Documentation Quality in Community Pharmacy: Completeness of Electronic Patient Records After Patients' First Visits. Annals of Pharmacotherapy, 2009, 43, 1787-1794.	1.9	20

#	Article	IF	CITATIONS
73	Estimates of Statin Discontinuation Rates are Influenced by Exposure and Outcome Definitions. Annals of Pharmacotherapy, 2011, 45, 576-581.	1.9	20
74	Signs and Symptoms Indicative of Potential Adverse Drug Reactions in Homecare Patients. Journal of the American Medical Directors Association, 2013, 14, 920-925.	2.5	20
75	The evidence for pharmacist care in outpatients with heart failure: a systematic review and metaâ€analysis. ESC Heart Failure, 2021, 8, 3566-3576.	3.1	20
76	Interpretation of drug label instructions: a study among four immigrants groups in the Netherlands. International Journal of Clinical Pharmacy, 2014, 36, 274-281.	2.1	19
77	Barriers and Enablers of Older Patients to Deprescribing of Cardiometabolic Medication: A Focus Group Study. Frontiers in Pharmacology, 2020, 11, 1268.	3.5	19
78	Effect of drug combinations on admission for recurrent myocardial infarction. Heart, 2007, 93, 1226-1230.	2.9	18
79	Checklist for standardized reporting of drug–drug interaction management guidelines. European Journal of Clinical Pharmacology, 2014, 70, 313-318.	1.9	18
80	Learning from patients: Identifying design features of medicines that cause medication use problems. International Journal of Pharmaceutics, 2017, 517, 128-134.	5.2	18
81	Reducing Inappropriate Drug Use in Older Patients by Use of Clinical Decision Support in Community Pharmacy: A Mixed-Methods Evaluation. Drugs and Aging, 2020, 37, 115-123.	2.7	18
82	Preventive drug use in patients with a history of nonfatal myocardial infarction during 12-year follow-up in The Netherlands: A retrospective analysis. Clinical Therapeutics, 2005, 27, 1806-1814.	2.5	17
83	Problems with Medicine Packages: Experiences Reported to a Dutch Medicine Reporting System. Annals of Pharmacotherapy, 2010, 44, 1104-1109.	1.9	17
84	Evaluation of the Pharmacy Safety Climate Questionnaire in European community pharmacies. International Journal for Quality in Health Care, 2012, 24, 16-22.	1.8	17
85	What does it cost to redispense unused medications in the pharmacy? A micro-costing study. BMC Health Services Research, 2019, 19, 243.	2.2	17
86	Patients' drug-information needs: a brief view on questions asked by telephone and on the Internet. International Journal of Clinical Pharmacy, 2002, 24, 43-45.	1.4	16
87	Effects of a TELephone Counselling Intervention by Pharmacist (TelCIP) on medication adherence, patient beliefs and satisfaction with information for patients starting treatment: study protocol for a cluster randomized controlled trial. BMC Health Services Research, 2014, 14, 219.	2.2	16
88	Clinical Decision Support and Optional Point of Care Testing of Renal Function for Safe Use of Antibiotics in Elderly Patients: A Retrospective Study in Community Pharmacy Practice. Drugs and Aging, 2017, 34, 851-858.	2.7	16
89	Older Patients' Compliance with Drug Storage Recommendations. Drugs and Aging, 2018, 35, 233-241.	2.7	16
90	How community pharmacists prioritize cognitive pharmaceutical services. Research in Social and Administrative Pharmacy, 2019, 15, 1088-1094.	3.0	16

6

#	Article	IF	CITATIONS
91	Causes and consequences of the opioid epidemic in the Netherlands: a population-based cohort study. Scientific Reports, 2020, 10, 15309.	3.3	16
92	Controversy and consensus on a clinical pharmacist in primary care in the Netherlands. International Journal of Clinical Pharmacy, 2016, 38, 1250-1260.	2.1	15
93	Lower alert rates by clustering of related drug interaction alerts. Journal of the American Medical Informatics Association: JAMIA, 2017, 24, 54-59.	4.4	15
94	Better specification of triggers to reduce the number of drug interaction alerts in primary care. International Journal of Medical Informatics, 2018, 109, 96-102.	3.3	15
95	Pharmacy in transition: A work sampling study of community pharmacists using smartphone technology. Research in Social and Administrative Pharmacy, 2019, 15, 70-76.	3.0	15
96	Long term patterns of use after initiation of oral antidiabetic drug therapy. Pharmacoepidemiology and Drug Safety, 2011, 20, 351-358.	1.9	14
97	Missed Drug Therapy Alerts as a Consequence of Incomplete Electronic Patient Records in Dutch Community Pharmacies. Annals of Pharmacotherapy, 2013, 47, 1272-1279.	1.9	14
98	Recognizing pharmaceutical illiteracy in community pharmacy: Agreement between a practice-based interview guide and questionnaire based assessment. Research in Social and Administrative Pharmacy, 2018, 14, 812-816.	3.0	14
99	Preferences of Patients and Pharmacists with Regard to the Management of Drug–Drug Interactions: A Choice-Based Conjoint Analysis. Drug Safety, 2018, 41, 179-189.	3.2	14
100	Optimizing pharmaceutical care for pediatric patients with dermatitis: perspectives of parents and pharmacy staff. International Journal of Clinical Pharmacy, 2019, 41, 711-718.	2.1	14
101	Evaluation of a mobile health intervention to support asthma self-management and adherence in the pharmacy. International Journal of Clinical Pharmacy, 2019, 41, 452-459.	2.1	14
102	How Clinical Integration of Pharmacists in General Practice has Impact on Medication Therapy Management: A Theory-oriented Evaluation. International Journal of Integrated Care, 2019, 19, 1.	0.2	14
103	DREAMeR: Drug use Reconsidered in the Elderly using goal Attainment scales during Medication Review; study protocol of a randomised controlled trial. BMC Geriatrics, 2018, 18, 190.	2.7	13
104	Clinical Risk Management of Interactions Between Natural Products and Drugs. Current Drug Metabolism, 2008, 9, 1055-1062.	1.2	12
105	Influence of the use of functional foods enriched with phytosterols/â€stanols on adherence to statin therapy. Pharmacoepidemiology and Drug Safety, 2011, 20, 830-837.	1.9	12
106	Antidepressants in primary care: patients' experiences, perceptions, self-efficacy beliefs, and nonadherence. Patient Preference and Adherence, 2014, 8, 179.	1.8	12
107	Medication adherence in adolescents in current practice: community pharmacy staff's opinions. International Journal of Pharmacy Practice, 2015, 23, 221-224.	0.6	12
108	Costâ€utility and costâ€effectiveness analysis of a clinical medication review focused on personal goals in older persons with polypharmacy compared to usual care: Economic evaluation of the DREAMeR study. British Journal of Clinical Pharmacology, 2021, 87, 588-597.	2.4	12

#	Article	IF	CITATIONS
109	Medication Incidents Related to Automated Dose Dispensing in Community Pharmacies and Hospitals - A Reporting System Study. PLoS ONE, 2014, 9, e101686.	2.5	11
110	Attitudes towards medication use in a general population of adolescents. European Journal of Pediatrics, 2014, 173, 483-488.	2.7	11
111	NSAID–antihypertensive drug interactions: Which outpatients are at risk for a rise in systolic blood pressure?. European Journal of Preventive Cardiology, 2015, 22, 91-99.	1.8	11
112	Bridging the gap between hospital and primary care: the pharmacist home visit. International Journal of Clinical Pharmacy, 2015, 37, 430-434.	2.1	11
113	Availability of information on renal function in Dutch community pharmacies. International Journal of Clinical Pharmacy, 2016, 38, 797-801.	2.1	11
114	Patient-pharmacist communication during a post-discharge pharmacist home visit. International Journal of Clinical Pharmacy, 2018, 40, 712-720.	2.1	11
115	Clinical pharmacists in Dutch general practice: an integrated care model to provide optimal pharmaceutical care. International Journal of Clinical Pharmacy, 2021, 43, 1155-1162.	2.1	11
116	Distinguishing patterns in the dynamics of long-term medication use by Markov analysis: beyond persistence. BMC Health Services Research, 2007, 7, 106.	2.2	10
117	Storage Instructions for Inhalation Capsules. Journal of Pharmacy Practice, 2010, 23, 548-552.	1.0	10
118	To dispense or not to dispense? Ethical case decision-making in pharmacy practice. International Journal of Clinical Pharmacy, 2015, 37, 978-981.	2.1	10
119	Pharmacists' barriers and facilitators on implementing a post-discharge home visit. Research in Social and Administrative Pharmacy, 2017, 13, 811-819.e2.	3.0	10
120	Patients' beliefs about medicine are associated with early thiopurine discontinuation in patients with inflammatory bowel diseases. European Journal of Gastroenterology and Hepatology, 2018, 30, 167-173.	1.6	10
121	Are multidose drug dispensing systems initiated for the appropriate patients?. European Journal of Clinical Pharmacology, 2018, 74, 1159-1164.	1.9	9
122	Moral dilemmas reflect professional core values of pharmacists in community pharmacy. International Journal of Pharmacy Practice, 2019, 27, 140-148.	0.6	9
123	Patients' experiences with multidose drug dispensing: a cross sectional study. International Journal of Clinical Pharmacy, 2019, 41, 104-112.	2.1	9
124	Bridging the gap: Can International Consortium of Health Outcomes Measurement standard sets align outcomes accepted for regulatory and health technology assessment decisionâ€making of oncology medicines. Pharmacology Research and Perspectives, 2021, 9, e00742.	2.4	9
125	Womens' selfâ€management skills for prevention and treatment of recurring urinary tract infection. International Journal of Clinical Practice, 2021, 75, e14289.	1.7	9
126	Improving Pharmacotherapy After Myocardial Infarction by Group Academic Detailing Using Feedback Data on a Patient Level. Pharmacotherapy, 2006, 26, 254-259.	2.6	8

#	Article	IF	CITATIONS
127	Beliefs about medicines in <scp>D</scp> utch acenocoumarol and phenprocoumon users. British Journal of Clinical Pharmacology, 2014, 78, 422-429.	2.4	8
128	How does the general public balance convenience and cognitive pharmaceutical services in community pharmacy practice. Research in Social and Administrative Pharmacy, 2021, 17, 606-612.	3.0	8
129	Reducing corticosteroid phobia in pharmacy staff and parents of children with atopic dermatitis. International Journal of Clinical Pharmacy, 2021, 43, 1237-1244.	2.1	8
130	Adherence to Oseltamivir Guidelines during Influenza Pandemic, the Netherlands. Emerging Infectious Diseases, 2012, 18, 534-535.	4.3	7
131	Relationship between Age and the Ability to Break Scored Tablets. Frontiers in Pharmacology, 2016, 7, 222.	3.5	7
132	"These patients look lost―– Community pharmacy staff's identification and support of patients with limited health literacy. International Journal of Pharmacy Practice, 2016, 24, 403-410.	0.6	7
133	Potential normalization of an asthma mHealth intervention in community pharmacies: Applying a theory-based framework. Research in Social and Administrative Pharmacy, 2020, 16, 195-201.	3.0	7
134	Adherence to National Recommendations for Safe Methotrexate Dispensing in Community Pharmacies. Journal of Managed Care Pharmacy, 2014, 20, 194-200.	2.2	6
135	Prescribing with indication: uptake of regulations in current practice and patients opinions in the Netherlands. International Journal of Clinical Pharmacy, 2014, 36, 282-286.	2.1	6
136	Nature and management of duplicate medication alerts. Journal of the American Medical Informatics Association: JAMIA, 2015, 22, 831-837.	4.4	6
137	Information Patients With Melanoma Spontaneously Report About Health-Related Quality of Life on Web-Based Forums: Case Study. Journal of Medical Internet Research, 2021, 23, e27497.	4.3	6
138	Self-reported uptake of recommendations after dissemination of medication incident alerts. BMJ Quality and Safety, 2012, 21, 1009-1018.	3.7	5
139	Pharmacy Technicians' Attention to Problems With Opening Medicine Packaging. Journal of Pharmacy Technology, 2014, 30, 3-7.	1.0	5
140	Do the benefits of statins outweigh their drawbacks? Assessing patients' trade-off preferences with conjoint analysis. International Journal of Cardiology, 2014, 176, 1220-1222.	1.7	5
141	Balancing traditional activities and cognitive pharmaceutical services by community pharmacists: a work sampling study. International Journal of Clinical Pharmacy, 2019, 41, 872-879.	2.1	5
142	Adherence to guideline recommendations for urinary tract infections in adult women: a cross-sectional study. Primary Health Care Research and Development, 2021, 22, e11.	1.2	5
143	Statins After Ischemic Stroke in the Oldest. Stroke, 2021, 52, 1244-1252.	2.0	5
144	Pharmacy fall prevention services for the communityâ€dwelling elderly: Patient engagement and expectations. Health and Social Care in the Community, 2022, 30, 1450-1461.	1.6	5

#	Article	IF	CITATIONS
145	Preferences of patients regarding community pharmacy services: A discrete choice experiment. Health Policy, 2021, 125, 1415-1420.	3.0	5
146	Collaborative Services Among Community Pharmacies for Patients with Diabetes. Annals of Pharmacotherapy, 2005, 39, 1647-1653.	1.9	4
147	Clarity and Applicability of Drug-Drug Interaction Management Guidelines. Drug Safety, 2011, 34, 683-690.	3.2	4
148	Knowledge of actions of inhaled corticosteroids in patients who did not persist drug treatment early. International Journal of Clinical Pharmacy, 2012, 34, 277-281.	2.1	4
149	Immediate or deferred adjustment of drug regimens in multidose drug dispensing systems. Research in Social and Administrative Pharmacy, 2019, 15, 303-309.	3.0	4
150	Patterns of recurring dispensing of guideline antibiotics for uncomplicated urinary tract infection in women over a 5-year period: Longitudinal patterns of recurring dispensings of Dutch guideline UTI antibiotics. Family Practice, 2021, 38, 286-291.	1.9	4
151	Using pharmacy dispensing data to predict falls in older individuals. British Journal of Clinical Pharmacology, 2021, 87, 1282-1290.	2.4	4
152	Community pharmacists' perceptions on providing fall prevention services: a mixed-methods study. International Journal of Clinical Pharmacy, 2021, 43, 1533-1545.	2.1	4
153	Long-term therapy with spironolactone. International Journal of Clinical Pharmacy, 2001, 23, 132-134.	1.4	3
154	Influence of Therapeutic Complexity on Medication Adherence in the Netherlands. Archives of Internal Medicine, 2011, 171, 864.	3.8	3
155	Aspects influencing patients' preferences for the management of drug–drug interactions: A focus group study. Patient Education and Counseling, 2018, 101, 723-729.	2.2	3
156	Statins After Myocardial Infarction in the Oldest: A Cohort Study in the Clinical Practice Research Datalink Database. Journal of the American Geriatrics Society, 2020, 68, 329-336.	2.6	3
157	Effect of multidose drug dispensing on the time in therapeutic range in patients using vitaminâ€K antagonists: A randomized controlled trial. Journal of Thrombosis and Haemostasis, 2020, 18, 70-78.	3.8	3
158	Nature and frequency of prescription modifications in community pharmacies: A nationwide study in the Netherlands. British Journal of Clinical Pharmacology, 2021, 87, 1455-1465.	2.4	3
159	Allergic rhinitis self-care advice in community pharmacies: A simulated patient study. Exploratory Research in Clinical and Social Pharmacy, 2021, 4, 100086.	1.0	3
160	The CombiConsultation: a new concept of sequential consultation with the pharmacist and practice nurse/general practitioner for patients with a chronic condition International Journal of Clinical Pharmacy, 2022, 44, 580-584.	2.1	3
161	Determinants for successful smoking cessation with bupropion in daily practice. International Journal of Clinical Pharmacy, 2003, 25, 207-211.	1.4	2
162	Early Identification of Long-Term Poor Adherence in Ambulatory Patients. Annals of Pharmacotherapy, 2006, 40, 2277-2278.	1.9	2

#	Article	IF	CITATIONS
163	The ESPACOMP and its role in promoting knowledge and competencies in the matter of patient adherence. International Journal of Clinical Pharmacy, 2014, 36, 8-9.	2.1	2
164	Relevance of Foreign Alerts and Newsletters for the Medication Errors Reporting Programme in The Netherlands: An Explorative Retrospective Study. Drug Safety, 2014, 37, 981-987.	3.2	2
165	Integrating pharmacy services in primary care. International Journal of Pharmacy Practice, 2014, 22, 373-374.	0.6	2
166	Associations between personality traits and adequate home storage of drugs in older patients. Psychology, Health and Medicine, 2019, 24, 1255-1266.	2.4	2
167	Non-dispensing pharmacist integrated in the primary care team: effect on the quality of physician's prescribing, a non-randomised comparative study. International Journal of Clinical Pharmacy, 2020, 42, 1293-1303.	2.1	2
168	In search of patients for pharmaceutical care. International Journal of Pharmacy Practice, 2013, 21, 205-206.	0.6	1
169	Samenwerking bij verminderde nierfunctie. Huisarts En Wetenschap, 2018, 61, 60-60.	0.0	1
170	Drug utilisation among Dutch adolescents: a pharmacy prescription records study. Archives of Disease in Childhood, 2019, 104, 745-748.	1.9	1
171	Laxative co-medication and changes in defecation patterns during opioid use. Journal of Oncology Pharmacy Practice, 2019, 25, 1613-1621.	0.9	1
172	Survey on general practitioners' and pharmacists' opinions regarding patient-initiated treatment of recurring urinary tract infections. International Journal of Clinical Pharmacy, 2021, 43, 1630-1637.	2.1	1
173	Dutch situation is similar. BMJ: British Medical Journal, 2010, 341, c7018-c7018.	2.3	1
174	Bridging health technology assessment and healthcare quality improvement using international consortium of health outcomes measurement standard sets. International Journal of Technology Assessment in Health Care, 2022, 38, .	0.5	1
175	Validity evidence for summative performance evaluations in postgraduate community pharmacy education. Currents in Pharmacy Teaching and Learning, 2022, 14, 701-711.	1.0	1
176	What is keeping us busy in the Pharmacy?. International Journal of Pharmacy Practice, 2012, 20, 207-208.	0.6	0
177	Nonmedical Use of Attention-Deficit/Hyperactivity Disorder Medication Among Secondary School Students in The Netherlands. Journal of Child and Adolescent Psychopharmacology, 2015, 25, 649-652.	1.3	0
178	Home care nurses' perceptions about their role in interprofessional collaborative practice in clinical medication reviews. Journal of Interprofessional Education and Practice, 2022, 28, 100526.	0.4	0