Yunxia Zhu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4596454/publications.pdf Version: 2024-02-01



ΥΠΝΥΙΑ ΖΗΠ

#	Article	IF	CITATIONS
1	Rab31, a receptor of advanced glycation end products (RAGE) interacting protein, inhibits AGE induced pancreatic β-cell apoptosis through the pAKT/BCL2 pathway. Endocrine Journal, 2022, 69, 1015-1026.	1.6	3
2	miR-25 and miR-92b regulate insulin biosynthesis and pancreatic Î ² -cell apoptosis. Endocrine, 2022, 76, 526-535.	2.3	6
3	Expression of miRNA-29 in Pancreatic β Cells Promotes Inflammation and Diabetes via TRAF3. Cell Reports, 2021, 34, 108576.	6.4	67
4	M1 macrophage-derived exosomes impair beta cell insulin secretion via miR-212-5p by targeting SIRT2 and inhibiting Akt/GSK-3β/β-catenin pathway in mice. Diabetologia, 2021, 64, 2037-2051.	6.3	38
5	Inhibition of miR-153, an IL-1Î ² -responsive miRNA, prevents beta cell failure and inflammation-associated diabetes. Metabolism: Clinical and Experimental, 2020, 111, 154335.	3.4	15
6	Ets-1 deficiency alleviates nonalcoholic steatohepatitis via weakening TGF-β1 signaling-mediated hepatocyte apoptosis. Cell Death and Disease, 2019, 10, 458.	6.3	18
7	MicroRNA-24 promotes pancreatic beta cells toward dedifferentiation to avoid endoplasmic reticulum stress-induced apoptosis. Journal of Molecular Cell Biology, 2019, 11, 747-760.	3.3	33
8	SAD-A, a downstream mediator of GLP-1 signaling, promotes the phosphorylation of Bad S155 to regulate inÂvitro β-cell functions. Biochemical and Biophysical Research Communications, 2019, 509, 76-81.	2.1	6
9	Two Novel MicroRNA Biomarkers Related to β-Cell Damage and Their Potential Values for Early Diagnosis of Type 1 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 1320-1329.	3.6	18
10	MicroRNA-218 Negatively Regulates Osteoclastogenic Differentiation by Repressing the Nuclear Factor-κB Signaling Pathway and Targeting Tumor Necrosis Factor Receptor 1. Cellular Physiology and Biochemistry, 2018, 48, 339-347.	1.6	18
11	Glucolipotoxicity-Inhibited <i>miR-299-5p</i> Regulates Pancreatic β-Cell Function and Survival. Diabetes, 2018, 67, 2280-2292.	0.6	27
12	Bioluminescent Turn-On Probe for Sensing Hypochlorite in Vitro and in Tumors. Analytical Chemistry, 2017, 89, 5693-5696.	6.5	79
13	Luteolin improves non-alcoholic fatty liver disease in db/db mice by inhibition of liver X receptor activation to down-regulate expression of sterol regulatory element binding protein 1c. Biochemical and Biophysical Research Communications, 2017, 482, 720-726.	2.1	48
14	Boronic Acid-Modified Magnetic Fe3O4@mTiO2 Microspheres for Highly Sensitive and Selective Enrichment of N-Glycopeptides in Amniotic Fluid. Scientific Reports, 2017, 7, 4603.	3.3	16
15	Mechanistic study of CBT-Cys click reaction and its application for identifying bioactive N-terminal cysteine peptides in amniotic fluid. Chemical Science, 2017, 8, 214-222.	7.4	40
16	TIMP-1 and CD82, a promising combined evaluation marker for PDAC. Oncotarget, 2017, 8, 6496-6512.	1.8	17
17	Decrease in Circulating Fatty Acids Is Associated with Islet Dysfunction in Chronically Sleep-Restricted Rats. International Journal of Molecular Sciences, 2016, 17, 2102.	4.1	10
18	LXR activation causes G1/S arrest through inhibiting SKP2 expression in MIN6 pancreatic beta cells. Endocrine, 2016, 53, 689-700.	2.3	4

Υυνχία Ζηυ

#	Article	IF	CITATIONS
19	Adipocyte-derived microvesicles from obese mice induce M1 macrophage phenotype through secreted miR-155. Journal of Molecular Cell Biology, 2016, 8, 505-517.	3.3	133
20	Lentinan protects pancreatic β cells from <scp>STZ</scp> â€induced damage. Journal of Cellular and Molecular Medicine, 2016, 20, 1803-1812.	3.6	49
21	A Presenilin/Notch1 pathway regulated by miR-375, miR-30a, and miR-34a mediates glucotoxicity induced-pancreatic beta cell apoptosis. Scientific Reports, 2016, 6, 36136.	3.3	16
22	Transcription factor Ets-1 links glucotoxicity to pancreatic beta cell dysfunction through inhibiting PDX-1 expression in rodent models. Diabetologia, 2016, 59, 316-324.	6.3	39
23	Type 2 diabetes mitigation in the diabetic Goto–Kakizaki rat by elevated bile acids following a common-bile-duct surgery. Metabolism: Clinical and Experimental, 2016, 65, 78-88.	3.4	8
24	Pdcd2l Promotes Palmitate-Induced Pancreatic Beta-Cell Apoptosis as a FoxO1 Target Gene. PLoS ONE, 2016, 11, e0166692.	2.5	10
25	Inflamed macrophage microvesicles induce insulin resistance in human adipocytes. Nutrition and Metabolism, 2015, 12, 21.	3.0	62
26	Mitochondrial Proteomics Approach Reveals Voltage-Dependent Anion Channel 1 (VDAC1) as a Potential Biomarker of Gastric Cancer. Cellular Physiology and Biochemistry, 2015, 37, 2339-2354.	1.6	26
27	Forkhead box O1 mediates defects in palmitate-induced insulin granule exocytosis by downregulation of calcium/calmodulin-dependent serine protein kinase expression in INS-1 cells. Diabetologia, 2015, 58, 1272-1281.	6.3	15
28	Plasma membrane proteomic analysis of human Gastric Cancer tissues: revealing flotillin 1 as a marker for Gastric Cancer. BMC Cancer, 2015, 15, 367.	2.6	26
29	Increased androgen levels in rats impair glucose-stimulated insulin secretion through disruption of pancreatic beta cell mitochondrial function. Journal of Steroid Biochemistry and Molecular Biology, 2015, 154, 254-266.	2.5	44
30	Aldosterone induces clonal β-cell failure through glucocorticoid receptor. Scientific Reports, 2015, 5, 13215.	3.3	25
31	<i>MicroRNA-24/MODY</i> Gene Regulatory Pathway Mediates Pancreatic Î ² -Cell Dysfunction. Diabetes, 2013, 62, 3194-3206.	0.6	78
32	PPARÎ ³ Activation Attenuates Glycated-Serum Induced Pancreatic Beta-Cell Dysfunction through Enhancing Pdx1 and Mafa Protein Stability. PLoS ONE, 2013, 8, e56386.	2.5	8
33	Serotonin Receptor 2C and Insulin Secretion. PLoS ONE, 2013, 8, e54250.	2.5	46
34	Formononetin Attenuates IL-1β-Induced Apoptosis and NF-κB Activation in INS-1 Cells. Molecules, 2012, 17, 10052-10064.	3.8	54
35	Selection of Peptide Inhibitor to Matrix Metalloproteinase-2 Using Phage Display and Its Effects on Pancreatic Cancer Cell lines PANC-1 and CFPAC-1. International Journal of Biological Sciences, 2012, 8, 650-662.	6.4	24
36	Identification of PARP-1 as one of the transcription factors binding to the repressor element in the promoter region of COX-2. Archives of Biochemistry and Biophysics, 2011, 505, 123-129.	3.0	23

Υυνχία Ζηυ

#	Article	IF	CITATIONS
37	PP2A inhibitors induce apoptosis in pancreatic cancer cell line PANC-1 through persistent phosphorylation of IKKα and sustained activation of the NF-κB pathway. Cancer Letters, 2011, 304, 117-127.	7.2	48
38	Inhibition of the receptor for advanced glycation endproducts (RAGE) protects pancreatic β-cells. Biochemical and Biophysical Research Communications, 2011, 404, 159-165.	2.1	71
39	Dynamic Regulation of PDX-1 and FoxO1 Expression by FoxA2 in Dexamethasone-Induced Pancreatic β-cells Dysfunction. Endocrinology, 2011, 152, 1779-1788.	2.8	23
40	AGEs Decrease Insulin Synthesis in Pancreatic β-Cell by Repressing Pdx-1 Protein Expression at the Post-Translational Level. PLoS ONE, 2011, 6, e18782.	2.5	43
41	Inhibition of Forkhead Box O1 Protects Pancreatic β-Cells against Dexamethasone-Induced Dysfunction. Endocrinology, 2009, 150, 4065-4073.	2.8	32
42	Forkhead Box O1/Pancreatic and Duodenal Homeobox 1 Intracellular Translocation Is Regulated by c-Jun N-Terminal Kinase and Involved in Prostaglandin E2-Induced Pancreatic β-Cell Dysfunction. Endocrinology, 2009, 150, 5284-5293.	2.8	27
43	Gefitinib Inhibits the Proliferation of Pancreatic Cancer Cells via Cell Cycle Arrest. Anatomical Record, 2009, 292, 1122-1127.	1.4	36
44	IDENTIFICATION OF A NOVEL REPRESSOR ELEMENT IN THE CYCLOâ€OXYGENASEâ€2 PROMOTER AND ITS NUCL BINDING PROTEIN. Clinical and Experimental Pharmacology and Physiology, 2008, 35, 1204-1208.	EAR	2
45	Anti-inflammatory effect of resveratrol on TNF- $\hat{1}\pm$ -induced MCP-1 expression in adipocytes. Biochemical and Biophysical Research Communications, 2008, 369, 471-477.	2.1	141
46	Co-culture with fat cells induces cellular insulin resistance in primary hepatocytes. Biochemical and Biophysical Research Communications, 2006, 345, 976-983.	2.1	35
47	Expression of miRNA-29 in Pancreatic β-Cells Promotes Inflammation and Diabetes Via TRAF3. SSRN Electronic Journal, 0, , .	0.4	0