

Byung Hee Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4597575/publications.pdf>

Version: 2024-02-01

53
papers

940
citations

623734

14
h-index

477307

29
g-index

53
all docs

53
docs citations

53
times ranked

1077
citing authors

#	ARTICLE	IF	CITATIONS
1	Lipase-catalyzed synthesis of 2-ethylhexyl palmitate in a solvent free system using step changes in temperature. <i>Biochemical Engineering Journal</i> , 2022, 177, 108261.	3.6	6
2	Combined analysis of inorganic elements and sugars for the identification of red pepper powder containing undeclared ingredients. <i>Journal of Food Science</i> , 2022, 87, 1047-1057.	3.1	1
3	Enzymatic structural modification of monogalactosyldiacylglycerols for potential modulation of hydrophile-lipophile balance. <i>Food Chemistry</i> , 2022, 385, 132705.	8.2	1
4	Discriminant Analysis of the Geographical Origin of Asian Red Pepper Powders Using Second-Derivative FT-IR Spectroscopy. <i>Foods</i> , 2021, 10, 1034.	4.3	3
5	Preparation of Low-Diacylglycerol Cocoa Butter Equivalents by Hexane Fractionation of Palm Stearin and Shea Butter. <i>Molecules</i> , 2021, 26, 3231.	3.8	5
6	Lipase-mediated synthesis of neopentyl glycol diester using a combination of reduced and standard pressure. <i>JAOCs, Journal of the American Oil Chemists' Society</i> , 2021, 98, 1001-1007.	1.9	9
7	Distinguishing Korean and Chinese red pepper powder using inductively coupled plasma and X-ray fluorescence-based analysis. <i>Food Science and Biotechnology</i> , 2021, 30, 1497-1507.	2.6	1
8	Fat, Sugar, and Sodium Content in Commonly Consumed Bakery Bread in Korea. <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2021, 50, 1177-1187.	0.9	2
9	Enzymatic preparation of food-grade 1,3-bis-sn-glycero-3-phosphorylcholine from soy phosphatidylcholine or fractionated soy lecithin. <i>Biotechnology Progress</i> , 2020, 36, e2910.	2.6	12
10	Rubidium analysis as a possible approach for discriminating between Korean and Chinese perilla seeds distributed in Korea. <i>Food Chemistry</i> , 2020, 312, 126067.	8.2	7
11	Immobilized Phospholipase A ₁ -Catalyzed Preparation of 1,3-Glycerophosphorylcholine from Phosphatidylcholine. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 12375-12383.	5.2	5
12	Isolation and compositional analysis of galactoglycerolipids from perilla [<i>Perilla frutescens</i> (L.) Britton] leaves and comparison to the galactoglycerolipids from spinach and parsley. <i>Journal of Food Science</i> , 2020, 85, 4271-4280.	3.1	2
13	A comparison of the fat, sugar, and sodium contents in ready-to-heat type home meal replacements and restaurant foods in Korea. <i>Journal of Food Composition and Analysis</i> , 2020, 92, 103524.	3.9	13
14	Identification of the Geographical Origin of Asian Red Pepper (<i>Capsicum annuum</i> L.) Powders Using ¹ H NMR Spectroscopy. <i>Bulletin of the Korean Chemical Society</i> , 2020, 41, 317-322.	1.9	10
15	Discrimination of Red Pepper Powder (<i>Capsicum annuum</i> L.) with Added Seeds Using Inorganic Element and Fatty Acid Profiles in Combination with Canonical Discriminant Analysis. <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2020, 49, 716-728.	0.9	2
16	Production of stearidonic acid-rich triacylglycerol via a two-step enzymatic esterification. <i>Food Chemistry</i> , 2019, 270, 332-337.	8.2	11
17	A Second Derivative Fourier-Transform Infrared Spectroscopy Method to Discriminate Perilla Oil Authenticity. <i>Journal of Oleo Science</i> , 2019, 68, 389-398.	1.4	9
18	A Structured Pine Nut Oil Has Hypocholesterolemic Activity by Increasing LDLR Gene Expression in the Livers of Obese Mice. <i>European Journal of Lipid Science and Technology</i> , 2019, 121, 1900049.	1.5	1

#	ARTICLE	IF	CITATIONS
19	A 43 MHz Low-Field Benchtop ^1H Nuclear Magnetic Resonance Method to Discriminate Perilla Oil Authenticity. <i>Journal of Oleo Science</i> , 2018, 67, 507-513.	1.4	14
20	Synthesis of Fatty Acid Methyl Esters Using Mixed Enzyme in a Packed Bed Reactor. <i>Journal of Oleo Science</i> , 2018, 67, 321-326.	1.4	3
21	Preparation of Pinolenic Acid Concentrates from Pine Nut Oil Fatty Acids by Solvent Fractionation. <i>Journal of Oleo Science</i> , 2018, 67, 1373-1379.	1.4	5
22	Enzymatic Synthesis of Structured Monogalactosyldiacylglycerols Enriched in Pinolenic Acid. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 8079-8085.	5.2	15
23	Comparison of Carbon Stable Isotope and Fatty Acid Analyses for the Authentication of Perilla Oil. <i>European Journal of Lipid Science and Technology</i> , 2018, 120, 1700480.	1.5	6
24	Pinolenic Acid in Structured Triacylglycerols Exhibits Superior Intestinal Lymphatic Absorption As Compared to Pinolenic Acid in Natural Pine Nut Oil. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 1543-1549.	5.2	7
25	Modern analytical methods for the detection of food fraud and adulteration by food category. <i>Journal of the Science of Food and Agriculture</i> , 2017, 97, 3877-3896.	3.5	214
26	Selective Enrichment of Conjugated Linoleic Acid Isomers in Their Mixtures Using Combined Chemical and Enzymatic Methods. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2017, 94, 577-585.	1.9	1
27	Production of Phytosteryl Ester from Echium Oil in a Recirculating Packed Bed Reactor Using an Immobilized Lipase. <i>Journal of Oleo Science</i> , 2017, 66, 1329-1335.	1.4	11
28	Synthesis of $\hat{\pm}$ -linolenic acid-rich triacylglycerol using a newly prepared immobilized lipase. <i>Food Chemistry</i> , 2017, 237, 654-658.	8.2	18
29	Conjugated Linoleic Triacylglycerols Exhibit Superior Lymphatic Absorption Than Free Conjugate Linoleic Acids and Have Antiobesity Properties. <i>Journal of Medicinal Food</i> , 2016, 19, 486-494.	1.5	0
30	Substrate selectivity of Novozym 435 in the esterification of glycerol with an equimolar mixture of linoleic, conjugated linoleic, and pinolenic acids. <i>European Journal of Lipid Science and Technology</i> , 2016, 118, 928-937.	1.5	12
31	Phospholipase A 1 -catalyzed hydrolysis of soy phosphatidylcholine to prepare $\hat{\pm}$ -glycerylphosphorylcholine in organic-aqueous media. <i>Food Chemistry</i> , 2016, 190, 201-206.	8.2	23
32	Recent Research Trends on the Enzymatic Synthesis of Structured Lipids. <i>Journal of Food Science</i> , 2015, 80, C1713-24.	3.1	115
33	Combined Analysis of Stable Isotope, ^1H NMR, and Fatty Acid To Verify Sesame Oil Authenticity. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 8955-8965.	5.2	25
34	Synthesis of trans-10,cis-12 conjugated linoleic acid-enriched triacylglycerols via two-step lipase-catalyzed esterification. <i>LWT - Food Science and Technology</i> , 2015, 62, 249-256.	5.2	8
35	A triple-isotope approach for discriminating the geographic origin of Asian sesame oils. <i>Food Chemistry</i> , 2015, 167, 363-369.	8.2	22
36	Hypocholesterolemic Effects of the Cauliflower Culinary-Medicinal Mushroom, <i>Sparassis crispa</i> (Higher Basidiomycetes), in Diet-Induced Hypercholesterolemic Rats. <i>International Journal of Medicinal Mushrooms</i> , 2015, 17, 965-975.	1.5	10

#	ARTICLE	IF	CITATIONS
37	Immobilized phospholipase A1-catalyzed modification of phosphatidylcholine with ω^3 polyunsaturated fatty acid. <i>Food Chemistry</i> , 2014, 157, 132-140.	8.2	58
38	Enzymatic Production of Cocoa Butter Equivalents High in ω^3 -Palmitoyl- ω^3 -oleoyl- ω^3 -stearin in Continuous Packed Bed Reactors. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2014, 91, 747-757.	1.9	15
39	Liquid and gas chromatographic analyses of triacylglycerols for Asian sesame oil traceability. <i>European Journal of Lipid Science and Technology</i> , 2014, 116, 1354-1362.	1.5	10
40	Modeling and optimization of lipase-catalyzed esterification of policosanols with conjugated linoleic acid by response surface methodology. <i>Biocatalysis and Biotransformation</i> , 2013, 31, 114-122.	2.0	2
41	Discrimination of Origin of Sesame Oils Using Fatty Acid and Lignan Profiles in Combination with Canonical Discriminant Analysis. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2013, 90, 337-347.	1.9	17
42	Cocoa butter equivalents prepared by blending fractionated palm stearin and shea stearin. <i>Food Science and Biotechnology</i> , 2013, 22, 347-352.	2.6	22
43	Synthesis of Structured Lipids Containing Pinolenic Acid at the ω^2 Position via Lipase-Catalyzed Acidolysis. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2012, 89, 1449-1454.	1.9	9
44	Synthesis of monoacylglycerol containing pinolenic acid via stepwise esterification using a cold active lipase. <i>Biotechnology Progress</i> , 2012, 28, 1218-1224.	2.6	10
45	Lipase-catalysed production of triacylglycerols enriched in pinolenic acid at the ω^2 position from pine nut oil. <i>Journal of the Science of Food and Agriculture</i> , 2012, 92, 870-876.	3.5	11
46	Enrichment of pinolenic acid from pine nut oil via lipase-catalyzed ethanolysis with an immobilized <i>Candida antarctica</i> lipase. <i>Biocatalysis and Biotransformation</i> , 2011, 29, 155-160.	2.0	11
47	The Effects of High Dietary Lard on Hypertension Development in Spontaneously Hypertensive Rats. <i>Journal of Medicinal Food</i> , 2010, 13, 1263-1272.	1.5	3
48	Dietary Structured Lipids and Phytosterol Esters: Blood Lipids and Cardiovascular Status in Spontaneously Hypertensive Rats. <i>Lipids</i> , 2008, 43, 55-64.	1.7	5
49	<i>trans</i> -Free Margarines Prepared with Canola Oil/Palm Stearin/Palm Kernel Oil-Based Structured Lipids. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 8195-8205.	5.2	49
50	Characteristics of Structured Lipid Prepared by Lipase-Catalyzed Acidolysis of Roasted Sesame Oil and Caprylic Acid in a Bench-Scale Continuous Packed Bed Reactor. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 5132-5141.	5.2	46
51	Modeling of Lipase-Catalyzed Acidolysis of Sesame Oil and Caprylic Acid by Response Surface Methodology: A Optimization of Reaction Conditions by Considering Both Acyl Incorporation and Migration. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 8033-8037.	5.2	46
52	Chemical and Physical Properties of Butterfat-Vegetable Oil Blend Spread Prepared with Enzymatically Transesterified Canola Oil and Caprylic Acid. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 4954-4961.	5.2	15
53	Determination of seed content in red pepper powders by ^1H NMR and second-derivative FT-IR spectroscopy combined with statistical analyses. <i>Bulletin of the Korean Chemical Society</i> , 0, , .	1.9	2