

Marianne Andersen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4599602/marianne-andersen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

244
papers

6,321
citations

42
h-index

67
g-index

270
ext. papers

7,654
ext. citations

4.7
avg, IF

5.81
L-index

#	Paper	IF	Citations
244	Prenatal Androgen Exposure and Traits of Autism Spectrum Disorder in the Offspring: Odense Child Cohort.. <i>Journal of Autism and Developmental Disorders</i> , 2022 , 1	4.6	
243	Maternal Testosterone Concentrations in Third Trimester and Offspring Handgrip Strength at 5 Years: Odense Child Cohort.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022 ,	5.6	1
242	Higher free thyroxine associated with PFAS exposure in first trimester. The Odense Child Cohort.. <i>Environmental Research</i> , 2022 , 212, 113492	7.9	
241	Adherence to Direct Oral Anticoagulants in Patients With Non-Valvular Atrial Fibrillation: A Cross-National Comparison in Six European Countries (2008-2015). <i>Frontiers in Pharmacology</i> , 2021 , 12, 682890	5.6	0
240	Adapting fasting plasma glucose threshold for GDM diagnosis according to the population distribution - An approach to the Danish paradox. <i>Diabetes Research and Clinical Practice</i> , 2021 , 175, 108832	7.4	2
239	Prenatal paraben exposure and anogenital distance and reproductive hormones during mini-puberty: A study from the Odense Child Cohort. <i>Science of the Total Environment</i> , 2021 , 769, 145119	10.2	6
238	Exposure to perfluoroalkyl substances and blood pressure in pregnancy among 1436 women from the Odense Child Cohort. <i>Environment International</i> , 2021 , 151, 106442	12.9	5
237	Free thyroxine in early pregnancy is an independent negative predictor of 3rd trimester HbA1c. Odense child cohort. <i>Clinical Endocrinology</i> , 2021 , 95, 508-519	3.4	1
236	Human induced pluripotent stem cells (BIONI010-C) generate tight cell monolayers with blood-brain barrier traits and functional expression of large neutral amino acid transporter 1 (SLC7A5). <i>European Journal of Pharmaceutical Sciences</i> , 2021 , 156, 105577	5.1	6
235	Sex differences in acromegaly at diagnosis: A nationwide cohort study and meta-analysis of the literature. <i>Clinical Endocrinology</i> , 2021 , 94, 625-635	3.4	4
234	Corticotroph Aggressive Pituitary Tumors and Carcinomas Frequently Harbor ATRX Mutations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 1183-1194	5.6	16
233	Higher blood pressure in normal weight women with PCOS compared to controls. <i>Endocrine Connections</i> , 2021 , 10, 154-163	3.5	2
232	Effects of testosterone therapy on constructs related to aggression in transgender men: A systematic review. <i>Hormones and Behavior</i> , 2021 , 128, 104912	3.7	5
231	Prenatal Exposure to Butyl Paraben Is Associated With Fat Percentage in 7-Year-Old Boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e2633-e2638	5.6	0
230	Gender incongruence in Denmark, a quantitative assessment. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 100, 1800-1805	3.8	0
229	Accelerated osteoarthritis in women with polycystic ovary syndrome: a prospective nationwide registry-based cohort study. <i>Arthritis Research and Therapy</i> , 2021 , 23, 225	5.7	1
228	MANAGEMENT OF ENDOCRINE DISEASE: Optimal feminizing hormone treatment in transgender people. <i>European Journal of Endocrinology</i> , 2021 , 185, R49-R63	6.5	5

227	Socioeconomic status in Danish transgender persons: a nationwide register-based cohort study. <i>Endocrine Connections</i> , 2021 , 10, 1155-1166	3.5	0
226	Maternal polycystic ovary syndrome and attention deficit hyperactivity disorder in offspring at 3½ years of age: Odense Child Cohort. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 2053-2065	3.8	0
225	Health anxiety symptoms in Danish children during the first lockdown period of the COVID-19 pandemic: an Odense Child Cohort study. <i>Nordic Journal of Psychiatry</i> , 2021 , 1-8	2.3	
224	Pregnancy exposure to perfluoroalkyl substances, prolactin concentrations and breastfeeding in the Odense Child Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	5
223	Recurrent autoimmune hypophysitis treated with rituximab: a case report.. <i>Journal of Medical Case Reports</i> , 2021 , 15, 591	1.2	2
222	Normal-range urinary albumin excretion associates with blood pressure and renal electrolyte handling in pregnancy. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 319, F1-F7	4.3	1
221	Blood pressure and hypertension during pregnancy in women with polycystic ovary syndrome: Odense Child Cohort. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 1354-1363	3.8	4
220	Perfluoroalkyl Substance Exposure Early In Pregnancy Was Negatively Associated With Late Pregnancy Cortisone Levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	3
219	Blood Pressure and Angiogenic Markers in Pregnancy: Contributors to Pregnancy-Induced Hypertension and Offspring Cardiovascular Risk. <i>Hypertension</i> , 2020 , 76, 901-909	8.5	10
218	Medical treatment and comorbidity in polycystic ovary syndrome: An updated review. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2020 , 12, 33-40	1.7	5
217	Disease Control and Gender Predict the Socioeconomic Effects of Acromegaly: A Nationwide Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	2
216	Prenatal Exposures to Perfluoroalkyl Acids and Associations with Markers of Adiposity and Plasma Lipids in Infancy: An Odense Child Cohort Study. <i>Environmental Health Perspectives</i> , 2020 , 128, 77001	8.4	9
215	Fibrin lysisability is associated with central obesity and inflammation in women with polycystic ovary syndrome. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 1078-1084	3.8	5
214	Prenatal exposure to perfluorodecanoic acid is associated with lower circulating concentration of adrenal steroid metabolites during mini puberty in human female infants. The Odense Child Cohort. <i>Environmental Research</i> , 2020 , 182, 109101	7.9	7
213	Phenotypic and genotypic features of a large kindred with a germline AIP variant. <i>Clinical Endocrinology</i> , 2020 , 93, 146-153	3.4	1
212	Metformin decreases miR-122, miR-223 and miR-29a in women with polycystic ovary syndrome. <i>Endocrine Connections</i> , 2020 , 9, 1075-1084	3.5	6
211	Testosterone replacement therapy of opioid-induced male hypogonadism improved body composition but not pain perception: a double-blind, randomized, and placebo-controlled trial. <i>European Journal of Endocrinology</i> , 2020 , 182, 539-548	6.5	9
210	Maternal prolactin is associated with glucose status and PCOS in pregnancy: Odense Child Cohort. <i>European Journal of Endocrinology</i> , 2020 , 183, 307-316	6.5	3

209	Effectiveness of One-Way Text Messaging on Attendance to Follow-Up Cervical Cancer Screening Among Human Papillomavirus-Positive Tanzanian Women (Connected2Care): Parallel-Group Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15863	7.6	8
208	MON-LB131 Perfluoroalkyl Substance Exposure Was Negatively Associated With Cortisone Levels in Pregnancy. <i>Journal of the Endocrine Society</i> , 2020 , 4,	0.4	78
207	Masculinising testosterone treatment and effects on preclinical cardiovascular disease, muscle strength and power, aggression, physical fitness and respiratory function in transgender men: protocol for a 10-year, prospective, observational cohort study in Denmark at the Body Identity Clinic (BIC). <i>BMJ Open</i> , 2020 , 10, e045714	3	2
206	Effect of long-term testosterone therapy on molecular regulators of skeletal muscle mass and fibre-type distribution in aging men with subnormal testosterone. <i>Metabolism: Clinical and Experimental</i> , 2020 , 112, 154347	12.7	2
205	Maternal phthalate exposure associated with decreased testosterone/LH ratio in male offspring during mini-puberty. Odense Child Cohort. <i>Environment International</i> , 2020 , 144, 106025	12.9	7
204	The genetic architecture of sporadic and multiple consecutive miscarriage. <i>Nature Communications</i> , 2020 , 11, 5980	17.4	11
203	Pregnancy or cord 25-hydroxyvitamin D is not associated with measures of body fat or adiposity in children from three months to three years of age. An Odense Child Cohort study. <i>Clinical Nutrition</i> , 2020 , 39, 1832-1839	5.9	1
202	Impaired Respiratory Function in Women With PCOS Compared With Matched Controls From a Population-Based Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	2
201	Vitamin D levels were significantly higher during and after lifestyle intervention in pregnancy: A randomized controlled trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 350-356	3.8	1
200	Anogenital distance in children born of mothers with polycystic ovary syndrome: the Odense Child Cohort. <i>Human Reproduction</i> , 2019 , 34, 2061-2070	5.7	13
199	One-way SMS and healthcare outcomes in Africa: Systematic review of randomised trials with meta-analysis. <i>PLoS ONE</i> , 2019 , 14, e0217485	3.7	17
198	Anti-Müllerian Hormone in PCOS: A Review Informing International Guidelines. <i>Trends in Endocrinology and Metabolism</i> , 2019 , 30, 467-478	8.8	67
197	Aldosterone, Salt, and Potassium Intakes as Predictors of Pregnancy Outcome, Including Preeclampsia. <i>Hypertension</i> , 2019 , 74, 391-398	8.5	12
196	The imprinted gene Delta like non-canonical notch ligand 1 (Dlk1) associates with obesity and triggers insulin resistance through inhibition of skeletal muscle glucose uptake. <i>EBioMedicine</i> , 2019 , 46, 368-380	8.8	9
195	Third trimester cortisol status is associated with offspring sex and polycystic ovary syndrome status: Odense Child Cohort. <i>Fertility and Sterility</i> , 2019 , 112, 764-772	4.8	4
194	Associations between serum and plasma brain-derived neurotrophic factor and influence of storage time and centrifugation strategy. <i>Scientific Reports</i> , 2019 , 9, 9655	4.9	49
193	Increased risk of thyroid disease in Danish women with polycystic ovary syndrome: a cohort study. <i>Endocrine Connections</i> , 2019 , 8, 1405-1415	3.5	7
192	Prolactin and breast increase during pregnancy in PCOS: linked to long-term metabolic health?. <i>European Journal of Endocrinology</i> , 2019 , 180, 373-380	6.5	3

191	Hair cortisol in the perinatal period mediates associations between maternal adversity and disrupted maternal interaction in early infancy. <i>Developmental Psychobiology</i> , 2019 , 61, 543-556	3	12
190	Awareness of polycystic ovary syndrome among obstetrician-gynecologists and endocrinologists in Northern Europe. <i>PLoS ONE</i> , 2019 , 14, e0226074	3.7	13
189	Motivational interviewing in obese women with polycystic ovary syndrome - a pilot study. <i>Gynecological Endocrinology</i> , 2019 , 35, 76-80	2.4	5
188	Socioeconomic status in Danish women with polycystic ovary syndrome: A register-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019 , 98, 440-450	3.8	5
187	Awareness of polycystic ovary syndrome among obstetrician-gynecologists and endocrinologists in Northern Europe 2019 , 14, e0226074		
186	Awareness of polycystic ovary syndrome among obstetrician-gynecologists and endocrinologists in Northern Europe 2019 , 14, e0226074		
185	Awareness of polycystic ovary syndrome among obstetrician-gynecologists and endocrinologists in Northern Europe 2019 , 14, e0226074		
184	Awareness of polycystic ovary syndrome among obstetrician-gynecologists and endocrinologists in Northern Europe 2019 , 14, e0226074		
183	Adrenal activity and metabolic risk during randomized escitalopram or placebo treatment in PCOS. <i>Endocrine Connections</i> , 2018 , 7, 479-489	3.5	5
182	Safety and convenience of once-weekly somapacitan in adult GH deficiency: a 26-week randomized, controlled trial. <i>European Journal of Endocrinology</i> , 2018 , 178, 491-499	6.5	27
181	Mitochondria, glycogen, and lipid droplets in skeletal muscle during testosterone treatment and strength training: a randomized, double-blinded, placebo-controlled trial. <i>Andrology</i> , 2018 , 6, 547-555	4.2	5
180	Perfluoroalkyl substances and glycemic status in pregnant Danish women: The Odense Child Cohort. <i>Environment International</i> , 2018 , 116, 101-107	12.9	24
179	Effect of 12-month treatment with metformin and/or oral contraceptives on health-related quality of life in polycystic ovary syndrome. <i>Gynecological Endocrinology</i> , 2018 , 34, 859-863	2.4	7
178	Does Metformin Treatment During Pregnancy Modify the Future Metabolic Profile in Women With PCOS?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 2408-2413	5.6	8
177	Response to Letter to the Editor: "Development and Risk Factors of Type 2 Diabetes in a Nationwide Population of Women With Polycystic Ovary Syndrome". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 362-363	5.6	3
176	Gene expression profiling of fast- and slow-growing non-functioning gonadotroph pituitary adenomas. <i>European Journal of Endocrinology</i> , 2018 , 178, 295-307	6.5	15
175	Cardiovascular disease in a nationwide population of Danish women with polycystic ovary syndrome. <i>Cardiovascular Diabetology</i> , 2018 , 17, 37	8.7	89
174	Metabolic Syndrome in Hyperprolactinemia. <i>Frontiers of Hormone Research</i> , 2018 , 49, 29-47	3.5	12

173	Polycystic ovary syndrome and hyperglycaemia in pregnancy. A narrative review and results from a prospective Danish cohort study. <i>Diabetes Research and Clinical Practice</i> , 2018 , 145, 167-177	7.4	21
172	Gestational Diabetes Mellitus: Does One Size Fit All? A Challenge to Uniform Worldwide Diagnostic Thresholds. <i>Diabetes Care</i> , 2018 , 41, 1339-1342	14.6	44
171	Targeting either GH or IGF-I during somatostatin analogue treatment in patients with acromegaly: a randomized multicentre study. <i>European Journal of Endocrinology</i> , 2018 , 178, 65-74	6.5	12
170	The Pharmacogenetics of Metformin in Women with Polycystic Ovary Syndrome: A Randomized Trial. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 122, 239-244	3.1	17
169	Lifestyle Intervention in Danish Obese Pregnant Women With Early Gestational Diabetes Mellitus According to WHO 2013 Criteria Does Not Change Pregnancy Outcomes: Results From the LiP (Lifestyle in Pregnancy) Study. <i>Diabetes Care</i> , 2018 , 41, 2079-2085	14.6	19
168	Recommendations from the international evidence-based guideline for the assessment and management of polycystic ovary syndrome. <i>Human Reproduction</i> , 2018 , 33, 1602-1618	5.7	55 ¹
167	Cancer Incidence in Patients With Acromegaly: A Cohort Study and Meta-Analysis of the Literature. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 2182-2188	5.6	59
166	Blood pressure in 3-year-old girls associates inversely with umbilical cord serum 25-hydroxyvitamin D: an Odense Child Cohort study. <i>Endocrine Connections</i> , 2018 , 7, 1236-1244	3.5	5
165	Diagnosis and follow-up of type 2 diabetes in women with PCOS: a role for OGTT?. <i>European Journal of Endocrinology</i> , 2018 , 179, D1-D14	6.5	12
164	Anogenital distance as a phenotypic signature through infancy. <i>Pediatric Research</i> , 2018 , 83, 573-579	3.2	17
163	Licorice-induced apparent mineralocorticoid excess compounded by excessive use of terbutaline and high water intake. <i>BMJ Case Reports</i> , 2018 , 2018,	0.9	3
162	Large-scale genome-wide meta-analysis of polycystic ovary syndrome suggests shared genetic architecture for different diagnosis criteria. <i>PLoS Genetics</i> , 2018 , 14, e1007813	6	166
161	Testosterone Levels in Third Trimester in Polycystic Ovary Syndrome: Odense Child Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 3819-3827	5.6	18
160	Tumoral MGMT content predicts survival in patients with aggressive pituitary tumors and pituitary carcinomas given treatment with temozolomide. <i>Endocrine</i> , 2018 , 62, 737-739	4	17
159	Intraoperative low field MRI in transsphenoidal pituitary surgery. <i>Endocrine Connections</i> , 2018 , 7, 897-906	5.5	4
158	General practitioners and nurses' views on medication reviews and potentially inappropriate medicines in elderly patients - a qualitative study of reports by educating pharmacists. <i>Scandinavian Journal of Primary Health Care</i> , 2018 , 36, 329-341	2.7	8
157	Sex Differences in Reproductive Hormones During Mini-Puberty in Infants With Normal and Disordered Sex Development. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 3028-3037	5.6	41
156	Normo- and hyperandrogenic women with polycystic ovary syndrome exhibit an adverse metabolic profile through life. <i>Fertility and Sterility</i> , 2017 , 107, 788-795.e2	4.8	60

155	Isolation and In Vitro Characterization of Epidermal Stem Cells. <i>Methods in Molecular Biology</i> , 2017 , 1553, 67-83	1.4	6
154	Genetic Screening of WNT4 and WNT5B in Two Populations with Deviating Bone Mineral Densities. <i>Calcified Tissue International</i> , 2017 , 100, 244-249	3.9	3
153	Brain-derived neurotrophic factor (BDNF) serum basal levels is not affected by power training in mobility-limited older adults - A randomized controlled trial. <i>Experimental Gerontology</i> , 2017 , 93, 29-35	4.5	11
152	Effect of oral contraceptives and/or metformin on GLP-1 secretion and reactive hypoglycaemia in polycystic ovary syndrome. <i>Endocrine Connections</i> , 2017 , 6, 267-277	3.5	13
151	MR spectroscopy of hepatic fat and adiponectin and leptin levels during testosterone therapy in type 2 diabetes: a randomized, double-blinded, placebo-controlled trial. <i>European Journal of Endocrinology</i> , 2017 , 177, 157-168	6.5	16
150	Reduction of calprotectin and phosphate during testosterone therapy in aging men: a randomized controlled trial. <i>Journal of Endocrinological Investigation</i> , 2017 , 40, 529-538	5.2	8
149	The prevalence of Type 2 diabetes is not increased in normal-weight women with PCOS. <i>Human Reproduction</i> , 2017 , 32, 2279-2286	5.7	27
148	Systematic genetic screening in a prospective group of Danish patients with pheochromocytoma. <i>Research and Reports in Urology</i> , 2017 , 9, 113-119	1.3	
147	Text messages to increase attendance to follow-up cervical cancer screening appointments among HPV-positive Tanzanian women (Connected2Care): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 555	2.8	18
146	Evaluation of ICD-10 algorithms to identify hypopituitary patients in the Danish National Patient Registry. <i>Clinical Epidemiology</i> , 2017 , 9, 75-82	5.9	2
145	Maternal use of mild analgesics during pregnancy associated with reduced anogenital distance in sons: a cohort study of 1027 mother-child pairs. <i>Human Reproduction</i> , 2017 , 32, 223-231	5.7	41
144	Development and Risk Factors of Type 2 Diabetes in a Nationwide Population of Women With Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 3848-3857	5.6	90
143	Testosterone therapy preserves muscle strength and power in aging men with type 2 diabetes-a randomized controlled trial. <i>Andrology</i> , 2017 , 5, 946-953	4.2	14
142	Medical comorbidity in polycystic ovary syndrome with special focus on cardiometabolic, autoimmune, hepatic and cancer diseases: an updated review. <i>Current Opinion in Obstetrics and Gynecology</i> , 2017 , 29, 390-396	2.4	13
141	Insulin resistance in pregnant women with and without polycystic ovary syndrome, and measures of body composition in offspring at birth and three years of age. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 1307-1314	3.8	13
140	Educational intervention on medication reviews aiming to reduce acute healthcare consumption in elderly patients with potentially inappropriate medicines-A pragmatic open-label cluster-randomized controlled trial in primary care. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1347-1356	2.6	12
139	Prenatal exposure to antifungal medication may change anogenital distance in male offspring: a preliminary study. <i>Environmental Health</i> , 2017 , 16, 68	6	14
138	MANAGEMENT OF ENDOCRINE DISEASE: Morbidity in polycystic ovary syndrome. <i>European Journal of Endocrinology</i> , 2017 , 176, R53-R65	6.5	28

137	Differential DNA methylation patterns of polycystic ovarian syndrome in whole blood of Chinese women. <i>Oncotarget</i> , 2017 , 8, 20656-20666	3.3	19
136	Microvesicles Correlated with Components of Metabolic Syndrome in Men with Type 2 Diabetes Mellitus and Lowered Testosterone Levels But Were Unaltered by Testosterone Therapy. <i>Journal of Diabetes Research</i> , 2017 , 2017, 4257875	3.9	7
135	Comparison of regional fat mass measurement by whole body DXA scans and anthropometric measures to predict insulin resistance in women with polycystic ovary syndrome and controls. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2016 , 95, 1235-1243	3.8	23
134	Reversible Albumin-Binding GH Possesses a Potential Once-Weekly Treatment Profile in Adult Growth Hormone Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 988-98	5.6	16
133	Acromegaly incidence, prevalence, complications and long-term prognosis: a nationwide cohort study. <i>European Journal of Endocrinology</i> , 2016 , 175, 181-90	6.5	94
132	Fracture Risk Is Decreased in Women With Polycystic Ovary Syndrome: A Register-Based and Population-Based Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2016 , 31, 709-17	6.3	20
131	Prevalence and possible mechanisms of reactive hypoglycemia in polycystic ovary syndrome. <i>Human Reproduction</i> , 2016 , 31, 1105-12	5.7	9
130	Effect of testosterone on insulin sensitivity, oxidative metabolism and body composition in aging men with type 2 diabetes on metformin monotherapy. <i>Diabetes, Obesity and Metabolism</i> , 2016 , 18, 980-9	6.7	37
129	The association between angiogenic markers and fetal sex: Implications for preeclampsia research. <i>Journal of Reproductive Immunology</i> , 2016 , 117, 24-9	4.2	15
128	Voluntary muscle activation improves with power training and is associated with changes in gait speed in mobility-limited older adults - A randomized controlled trial. <i>Experimental Gerontology</i> , 2016 , 80, 51-6	4.5	35
127	Should we individualize lipid profiling in women with polycystic ovary syndrome?. <i>Human Reproduction</i> , 2016 , 31, 2791-2795	5.7	5
126	Patient reported outcome in posttraumatic pituitary deficiency: results from The Danish National Study on posttraumatic hypopituitarism. <i>European Journal of Endocrinology</i> , 2015 , 172, 753-62	6.5	16
125	Morbidity and medicine prescriptions in a nationwide Danish population of patients diagnosed with polycystic ovary syndrome. <i>European Journal of Endocrinology</i> , 2015 , 172, 627-38	6.5	83
124	Hyperandrogenism and phenotypes of polycystic ovary syndrome are not associated with differences in obstetric outcomes. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2015 , 94, 204-11	3.8	26
123	Increased thrombin generation in women with polycystic ovary syndrome: A pilot study on the effect of metformin and oral contraceptives. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 1272-8	12.7	23
122	Peak muscle mass in young men and sarcopenia in the ageing male. <i>Osteoporosis International</i> , 2015 , 26, 749-56	5.3	11
121	The activity of satellite cells and myonuclei following 8 weeks of strength training in young men with suppressed testosterone levels. <i>Acta Physiologica</i> , 2015 , 213, 676-87	5.6	9
120	Wellbeing and resilience: mechanisms of transmission of health and risk in parents with complex mental health problems and their offspring--The WARM Study. <i>BMC Psychiatry</i> , 2015 , 15, 310	4.2	13

119	The robustness of diagnostic tests for GH deficiency in adults. <i>Growth Hormone and IGF Research</i> , 2015 , 25, 108-14	2	11
118	Long-term outcome and MGMT as a predictive marker in 24 patients with atypical pituitary adenomas and pituitary carcinomas given treatment with temozolomide. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1689-98	5.6	113
117	Differential effects of strength training and testosterone treatment on soluble CD36 in aging men: Possible relation to changes in body composition. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015 , 75, 659-66	2	6
116	Prevalence of posttraumatic growth hormone deficiency is highly dependent on the diagnostic set-up: results from The Danish National Study on Posttraumatic Hypopituitarism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 101-10	5.6	58
115	Prescription of antidepressants is increased in Danish patients with polycystic ovary syndrome and is associated with hyperandrogenism. A population-based cohort study. <i>Clinical Endocrinology</i> , 2014 , 80, 884-9	3.4	13
114	Prolactin is associated with metabolic risk and cortisol in 1007 women with polycystic ovary syndrome. <i>Human Reproduction</i> , 2014 , 29, 1773-9	5.7	26
113	Giant prolactinomas in women. <i>European Journal of Endocrinology</i> , 2014 , 170, 31-8	6.5	50
112	Adiponectin, interleukin-6, monocyte chemoattractant protein-1, and regional fat mass during 12-month randomized treatment with metformin and/or oral contraceptives in polycystic ovary syndrome. <i>Journal of Endocrinological Investigation</i> , 2014 , 37, 757-764	5.2	16
111	Effect of testosterone on markers of mitochondrial oxidative phosphorylation and lipid metabolism in muscle of aging men with subnormal bioavailable testosterone. <i>European Journal of Endocrinology</i> , 2014 , 171, 77-88	6.5	23
110	A rare cause of Cushing's syndrome: an ACTH-secreting pheochromocytoma. <i>BMJ Case Reports</i> , 2014 , 2014,	0.9	13
109	Management of endocrine disease: GH excess: diagnosis and medical therapy. <i>European Journal of Endocrinology</i> , 2014 , 170, R31-41	6.5	18
108	Research on drug safety and effectiveness using pharmacoepidemiological databases. <i>Journal of Internal Medicine</i> , 2014 , 275, 548-50	10.8	3
107	Body composition is improved during 12 months treatment with metformin alone or combined with oral contraceptives compared with treatment with oral contraceptives in polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 2584-91	5.6	55
106	The relationship between health-related quality of life, obesity and testosterone levels in older men. <i>Age and Ageing</i> , 2014 , 43, 280-4	3	15
105	Variation in the Kozak sequence of WNT16 results in an increased translation and is associated with osteoporosis related parameters. <i>Bone</i> , 2014 , 59, 57-65	4.7	34
104	Resistin polymorphisms show associations with obesity, but not with bone parameters in men: results from the Odense Androgen Study. <i>Molecular Biology Reports</i> , 2013 , 40, 2467-72	2.8	7
103	Acute presentation of craniopharyngioma in children and adults in a Danish national cohort. <i>Pituitary</i> , 2013 , 16, 528-35	4.3	17
102	Polymorphisms of muscle genes are associated with bone mass and incident osteoporotic fractures in Caucasians. <i>Calcified Tissue International</i> , 2013 , 92, 467-76	3.9	8

101	Genetic association study of WNT10B polymorphisms with BMD and adiposity parameters in Danish and Belgian males. <i>Endocrine</i> , 2013 , 44, 247-54	4	10
100	Mechanical muscle function and lean body mass during supervised strength training and testosterone therapy in aging men with low-normal testosterone levels. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 957-62	5.6	31
99	Birth weight and polycystic ovary syndrome in adult life: a register-based study on 523,757 Danish women born 1973-1991. <i>Fertility and Sterility</i> , 2013 , 99, 777-82	4.8	20
98	A common LRP4 haplotype is associated with bone mineral density and hip geometry in men-data from the Odense Androgen Study (OAS). <i>Bone</i> , 2013 , 53, 414-20	4.7	13
97	Effects of exercise and group counselling on body composition and VO2max in overweight women with polycystic ovary syndrome. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013 , 92, 272-7	3.8	17
96	Osteoprotegerin levels decrease during testosterone therapy in aging men and are associated with changed distribution of regional fat. <i>Hormone and Metabolic Research</i> , 2013 , 45, 308-13	3.1	10
95	Strength training and testosterone treatment have opposing effects on migration inhibitor factor levels in ageing men. <i>Mediators of Inflammation</i> , 2013 , 2013, 539156	4.3	15
94	Bone mineral density and vitamin D in PCOS and hirsutism. <i>Expert Review of Endocrinology and Metabolism</i> , 2013 , 8, 449-459	4.1	10
93	Clinical manifest x-linked recessive adrenoleukodystrophy in a female. <i>Case Reports in Neurological Medicine</i> , 2013 , 2013, 491790	0.7	3
92	Similar reference intervals for total testosterone in healthy young and elderly men: results from the Odense Androgen Study. <i>Clinical Endocrinology</i> , 2013 , 78, 743-51	3.4	34
91	Genetic alterations within the DENND1A gene in patients with polycystic ovary syndrome (PCOS). <i>PLoS ONE</i> , 2013 , 8, e77186	3.7	26
90	Plasma osteoprotegerin is associated with testosterone levels but unaffected by pioglitazone treatment in patients with polycystic ovary syndrome. <i>Journal of Endocrinological Investigation</i> , 2013 , 36, 460-5	5.2	4
89	Testosterone therapy increased muscle mass and lipid oxidation in aging men. <i>Age</i> , 2012 , 34, 145-56		51
88	Association study of polymorphisms in the SOST gene region and parameters of bone strength and body composition in both young and elderly men: data from the Odense Androgen Study. <i>Calcified Tissue International</i> , 2012 , 90, 30-9	3.9	17
87	The prevalence of endometrial hyperplasia and endometrial cancer in women with polycystic ovary syndrome or hyperandrogenism. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012 , 91, 1173-6	3.8	21
86	Association study of common variants in the sFRP1 gene region and parameters of bone strength and body composition in two independent healthy Caucasian male cohorts. <i>Molecular Genetics and Metabolism</i> , 2012 , 105, 508-15	3.7	5
85	Single nucleotide polymorphisms in sFRP4 are associated with bone and body composition related parameters in Danish but not in Belgian men. <i>Molecular Genetics and Metabolism</i> , 2012 , 106, 366-74	3.7	9
84	Association of polycystic ovary syndrome susceptibility single nucleotide polymorphism rs2479106 and PCOS in Caucasian patients with PCOS or hirsutism as referral diagnosis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012 , 163, 39-42	2.4	36

83	Positive associations between serum levels of IGF-I and subcutaneous fat depots in young men. The Odense Androgen Study. <i>Growth Hormone and IGF Research</i> , 2012 , 22, 139-45	2	6
82	Smoking is associated with increased adrenal responsiveness, decreased prolactin levels and a more adverse lipid profile in 650 white patients with polycystic ovary syndrome. <i>Gynecological Endocrinology</i> , 2012 , 28, 170-4	2.4	22
81	Chronic diseases in elderly men: underreporting and underdiagnosis. <i>Age and Ageing</i> , 2012 , 41, 177-83	3	42
80	Osteoporosis and vertebral fractures in men aged 60-74 years. <i>Age and Ageing</i> , 2012 , 41, 171-7	3	37
79	Age associated differences in prevalence of individual rotterdam criteria and metabolic risk factors during reproductive age in 446 caucasian women with polycystic ovary syndrome. <i>Hormone and Metabolic Research</i> , 2012 , 44, 694-8	3.1	18
78	Heart valve disease among patients with hyperprolactinemia: a nationwide population-based cohort study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 1629-34	5.6	12
77	Testosterone therapy decreases subcutaneous fat and adiponectin in aging men. <i>European Journal of Endocrinology</i> , 2012 , 166, 469-76	6.5	54
76	Supportive relationships--psychological effects of group counselling in women with polycystic ovary syndrome (PCOS). <i>Communication and Medicine</i> , 2012 , 9, 125-31	0	12
75	Hemoglobin A1c as a tool for the diagnosis of type 2 diabetes in 208 premenopausal women with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2011 , 96, 1275-80	4.8	31
74	F417 GROUP COUNSELLING AND PHYSICAL ACTIVITY OF PATIENTS WITH POLYCYSTIC OVARIAL SYNDROME (PCOS). <i>European Journal of Pain Supplements</i> , 2011 , 5, 156-156		1
73	Is glycyrrhizin sensitivity increased in anorexia nervosa and should licorice be avoided? Case report and review of the literature. <i>Nutrition</i> , 2011 , 27, 855-8	4.8	11
72	Incidence of craniopharyngioma in Denmark (n=89) and estimated world incidence of craniopharyngioma in children and adults. <i>Journal of Neuro-Oncology</i> , 2011 , 104, 755-63	4.8	98
71	Pegylated long-acting human growth hormone possesses a promising once-weekly treatment profile, and multiple dosing is well tolerated in adult patients with growth hormone deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 681-8	5.6	24
70	Vitamin D status and PTH in young men: a cross-sectional study on associations with bone mineral density, body composition and glucose metabolism. <i>Clinical Endocrinology</i> , 2010 , 73, 573-80	3.4	45
69	Ethnic differences in Rotterdam criteria and metabolic risk factors in a multiethnic group of women with PCOS studied in Denmark. <i>Clinical Endocrinology</i> , 2010 , 73, 732-8	3.4	47
68	The impact of the CAG repeat polymorphism of the androgen receptor gene on muscle and adipose tissues in 20-29-year-old Danish men: Odense Androgen Study. <i>European Journal of Endocrinology</i> , 2010 , 162, 795-804	6.5	33
67	Polymorphisms in the endocannabinoid receptor 1 in relation to fat mass distribution. <i>European Journal of Endocrinology</i> , 2010 , 163, 407-12	6.5	19
66	Thiazolidinedione treatment in PCOS--an update. <i>Gynecological Endocrinology</i> , 2010 , 26, 791-803	2.4	19

65	An update on the pathogenesis, inflammation, and metabolism in hirsutism and polycystic ovary syndrome. <i>Gynecological Endocrinology</i> , 2010 , 26, 281-96	2.4	103
64	Risk of impaired glucose tolerance in normal weight hirsute women during four years observation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010 , 89, 1091-5	3.8	3
63	Common genetic variation in the DKK1 gene is associated with hip axis length but not with bone mineral density and bone turnover markers in young adult men: results from the Odense Androgen Study. <i>Calcified Tissue International</i> , 2010 , 86, 271-81	3.9	14
62	Adiponectin and peak bone mass in men: a cross-sectional, population-based study. <i>Calcified Tissue International</i> , 2010 , 87, 36-43	3.9	10
61	Hypersecretion of the alpha-subunit in clinically non-functioning pituitary adenomas: Diagnostic accuracy is improved by adding alpha-subunit/gonadotropin ratio to levels of alpha-subunit. <i>Clinical and Investigative Medicine</i> , 2010 , 33, E203-12	0.9	2
60	Temozolomide treatment of a pituitary carcinoma and two pituitary macroadenomas resistant to conventional therapy. <i>European Journal of Endocrinology</i> , 2009 , 161, 631-7	6.5	92
59	Radiographic absorptiometry as a screening tool in male osteoporosis: results from the Odense Androgen Study. <i>Acta Radiologica</i> , 2009 , 50, 658-63	2	8
58	Subcutaneous rather than visceral adipose tissue is associated with adiponectin levels and insulin resistance in young men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 4010-5	5.6	73
57	Lipoatrophy in GH deficient patients treated with a long-acting pegylated GH. <i>European Journal of Endocrinology</i> , 2009 , 161, 533-40	6.5	51
56	Slow-growing craniopharyngioma masquerading as early-onset eating disorder: two cases. <i>International Journal of Eating Disorders</i> , 2009 , 42, 475-8	6.3	7
55	Plasma monocyte chemoattractant protein-1 (MCP-1) and macrophage inflammatory protein-1alpha are increased in patients with polycystic ovary syndrome (PCOS) and associated with adiposity, but unaffected by pioglitazone treatment. <i>Clinical Endocrinology</i> , 2009 , 71, 652-8	3.4	58
54	A randomized placebo-controlled study on the effects of pioglitazone on cortisol metabolism in polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2009 , 91, 842-50	4.8	21
53	A 12-month randomized crossover study on the effects of lanreotide Autogel and octreotide long-acting repeatable on GH and IGF-I in patients with acromegaly. <i>Clinical Endocrinology</i> , 2008 , 68, 473-80	3.4	63
52	Geographical variation in DXA bone mineral density in young European men and women. Results from the Network in Europe on Male Osteoporosis (NEMO) study. <i>Bone</i> , 2008 , 43, 332-339	4.7	34
51	Soluble CD36 and risk markers of insulin resistance and atherosclerosis are elevated in polycystic ovary syndrome and significantly reduced during pioglitazone treatment. <i>Diabetes Care</i> , 2008 , 31, 328-34	14.6	78
50	Morbidity and GH deficiency: a nationwide study. <i>European Journal of Endocrinology</i> , 2008 , 158, 447-57	6.5	37
49	Association of pioglitazone treatment with decreased bone mineral density in obese premenopausal patients with polycystic ovary syndrome: a randomized, placebo-controlled trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1696-701	5.6	114
48	Total and high molecular weight (HMW) adiponectin levels and measures of glucose and lipid metabolism following pioglitazone treatment in a randomized placebo-controlled study in polycystic ovary syndrome. <i>Clinical Endocrinology</i> , 2008 , 68, 165-74	3.4	29

47	Suppression of testosterone does not blunt mRNA expression of myoD, myogenin, IGF, myostatin or androgen receptor post strength training in humans. <i>Journal of Physiology</i> , 2007 , 578, 579-93	3.9	50
46	Dehydroepiandrosterone substitution in female adrenal failure: no impact on endothelial function and cardiovascular parameters despite normalization of androgen status. <i>Clinical Endocrinology</i> , 2007 , 66, 426-33	3.4	23
45	Polymorphisms in the low-density lipoprotein receptor-related protein 5 (LRP5) gene are associated with peak bone mass in non-sedentary men: results from the Odense androgen study. <i>Calcified Tissue International</i> , 2007 , 81, 421-9	3.9	29
44	Population-based reference values for bone mineral density in young men. <i>Osteoporosis International</i> , 2007 , 18, 1507-14	5.3	41
43	Visceral and subcutaneous adipose tissue assessed by magnetic resonance imaging in relation to circulating androgens, sex hormone-binding globulin, and luteinizing hormone in young men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2696-705	5.6	109
42	The impact of pegvisomant treatment on substrate metabolism and insulin sensitivity in patients with acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1724-8	5.6	81
41	Factors influencing the adrenocorticotropin test: role of contemporary cortisol assays, body composition, and oral contraceptive agents. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1326-33	5.6	105
40	Mortality and GH deficiency: a nationwide study. <i>European Journal of Endocrinology</i> , 2007 , 157, 9-18	6.5	80
39	The role of lanreotide Autogel in the treatment of acromegaly. <i>Expert Review of Endocrinology and Metabolism</i> , 2007 , 2, 433-441	4.1	1
38	Prevalence of overweight, obesity and physical inactivity in 20- to 29-year-old, Danish men. Relation to sociodemography, physical dysfunction and low socioeconomic status: the Odense Androgen Study. <i>International Journal of Obesity</i> , 2006 , 30, 805-15	5.5	38
37	Club foot: a twin study. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2006 , 88, 374-6		26
36	Suppression of endogenous testosterone production attenuates the response to strength training: a randomized, placebo-controlled, and blinded intervention study. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006 , 291, E1325-32	6	113
35	Incidence of GH deficiency - a nationwide study. <i>European Journal of Endocrinology</i> , 2006 , 155, 61-71	6.5	71
34	Evaluation of metabolic risk markers in polycystic ovary syndrome (PCOS). Adiponectin, ghrelin, leptin and body composition in hirsute PCOS patients and controls. <i>European Journal of Endocrinology</i> , 2006 , 155, 337-45	6.5	93
33	Effect of pioglitazone on glucose metabolism and luteinizing hormone secretion in women with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2006 , 86, 385-97	4.8	49
32	MTHFR c.677C>T polymorphism as an independent predictor of peak bone mass in Danish men--results from the Odense Androgen Study. <i>Bone</i> , 2006 , 38, 215-9	4.7	35
31	Higher bone mineral density in Caucasian, hirsute patients of reproductive age. Positive correlation of testosterone levels with bone mineral density in hirsutism. <i>Clinical Endocrinology</i> , 2005 , 62, 683-91	3.4	33
30	Discontinuation of estrogen replacement therapy in GH-treated hypopituitary women alters androgen status and IGF-I. <i>European Journal of Endocrinology</i> , 2005 , 152, 719-26	6.5	13

29	Very short term dehydroepiandrosterone treatment in female adrenal failure: impact on carbohydrate, lipid and protein metabolism. <i>European Journal of Endocrinology</i> , 2005 , 152, 77-85	6.5	25
28	Pioglitazone treatment increases spontaneous growth hormone (GH) secretion and stimulated GH levels in polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 5605-12	5.6	33
27	Diagnosis of growth hormone deficiency. <i>Frontiers of Hormone Research</i> , 2005 , 33, 68-85	3.5	
26	Significantly higher adrenocorticotropin-stimulated cortisol and 17-hydroxyprogesterone levels in 337 consecutive, premenopausal, caucasian, hirsute patients compared with healthy controls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 1347-53	5.6	34
25	Incisional local anaesthesia versus placebo for pain relief after appendectomy in children--a double-blinded controlled randomised trial. <i>European Journal of Pediatric Surgery</i> , 2004 , 14, 410-3	1.9	13
24	Graphical interpretation of confidence curves in rankit plots. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004 , 42, 715-24	5.9	20
23	Dose-, IGF-I- and sex-dependent changes in lipid profile and body composition during GH replacement therapy in adult onset GH deficiency. <i>European Journal of Endocrinology</i> , 2004 , 150, 671-9	6.5	14
22	Morphometric X-ray absorptiometry: reference data for vertebral dimensions in a population-based sample of young Danish men. <i>Acta Radiologica</i> , 2004 , 45, 859-65	2	2
21	Dehydroepiandrosterone supplementation in women with adrenal failure: impact on twenty-four hour GH secretion and IGF-related parameters. <i>Clinical Endocrinology</i> , 2004 , 60, 461-9	3.4	12
20	Prevalence of endocrine diseases and abnormal glucose tolerance tests in 340 Caucasian premenopausal women with hirsutism as the referral diagnosis. <i>Fertility and Sterility</i> , 2004 , 82, 1570-9	4.8	99
19	Development of acromegaly in patients with prolactinomas. <i>European Journal of Endocrinology</i> , 2003 , 149, 17-22	6.5	24
18	Evaluation of growth hormone stimulation tests in cured acromegalic patients. <i>Growth Hormone and IGF Research</i> , 2003 , 13, 347-52	2	8
17	Fracture risk is increased in patients with GH deficiency or untreated prolactinomas--a case-control study. <i>Clinical Endocrinology</i> , 2002 , 56, 159-67	3.4	65
16	Indirect evidence for decreased hypothalamic somatostatinergic tone in anorexia nervosa. <i>Clinical Endocrinology</i> , 2002 , 56, 391-6	3.4	25
15	Evaluation of the optimum dose of growth hormone (GH) for restoring bone mass in adult-onset GH deficiency: results from two 12-month randomized studies. <i>Clinical Endocrinology</i> , 2002 , 57, 273-81	3.4	20
14	In vivo secretory potential and the effect of combination therapy with octreotide and cabergoline in patients with clinically non-functioning pituitary adenomas. <i>Clinical Endocrinology</i> , 2001 , 54, 23-30	3.4	44
13	Fetal antigen 1 in healthy adults and patients with pituitary disease: relation to physiological, pathological, and pharmacological GH levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 5465-70	5.6	11
12	The effects of endogenous opioids and cortisol on thyrotropin and prolactin secretion in patients with Addison's disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999 , 84, 1595-601	5.6	15

11	Effects of citicoline combined with thrombolytic therapy in a rat embolic stroke model. <i>Stroke</i> , 1999 , 30, 1464-71	6.7	85
10	The effect of short-term cortisol changes on growth hormone responses to the pyridostigmine-growth-hormone-releasing-hormone test in healthy adults and patients with suspected growth hormone deficiency. <i>Clinical Endocrinology</i> , 1998 , 49, 241-9	3.4	11
9	Lack of effect of the dopamine D1 antagonist, NNC 01-0687, on unstimulated and stimulated release of anterior pituitary hormones in males. <i>Journal of Endocrinological Investigation</i> , 1998 , 21, 291-7	5.2	7
8	Evaluation of growth hormone assays using ratio plots. <i>Clinical Chemistry</i> , 1998 , 44, 1032-1038	5.5	19
7	Pulsatile Luteinizing Hormone Secretion in Patients with Addison's Disease. Impact of Glucocorticoid Substitution. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998 , 83, 736-743	5.6	9
6	Evaluation of growth hormone assays using ratio plots. <i>Clinical Chemistry</i> , 1998 , 44, 1032-8	5.5	11
5	The diagnosis of growth hormone deficiency in adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997 , 82, 3513-4	5.6	3
4	The Diagnosis of Growth Hormone Deficiency in Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997 , 82, 3513-3514	5.6	4
3	Pulsatile thyrotropin secretion in patients with Addison's disease during variable glucocorticoid therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 2502-2507	5.6	30
2	Effect of 4 weeks of octreotide treatment on prolactin, thyroid stimulating hormone and thyroid hormones in acromegalic patients. A double blind placebo-controlled cross-over study. <i>Journal of Endocrinological Investigation</i> , 1995 , 18, 840-6	5.2	8
1	Late complications of asymptomatic deep venous thrombosis. <i>The European Journal of Surgery</i> , 1991 , 157, 527-30		7