

Yvonne T Van Der Schouw

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4600334/yvonne-t-van-der-schouw-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

568
papers

43,115
citations

100
h-index

189
g-index

602
ext. papers

50,744
ext. citations

6.9
avg, IF

7.65
L-index

#	Paper	IF	Citations
568	Long-term exposure to low ambient air pollution concentrations and mortality among 28 million people: results from seven large European cohorts within the ELAPSE project.. <i>Lancet Planetary Health, The</i> , 2022 , 6, e9-e18	9.8	10
567	Is early menopause a potential criterion for cardiovascular risk screening to detect high risk in a multi-ethnic population? The Helius study.. <i>Maturitas</i> , 2022 , 162, 1-7	5	
566	Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPIC-CVD Case-Cohort Study Across Nine European Countries. <i>Journal of the American Heart Association</i> , 2021 , 10, e019814	6	3
565	Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003834	11.6	2
564	Improving early diagnosis of cardiovascular disease in patients with type 2 diabetes and COPD: protocol of the RED-CVD cluster randomised diagnostic trial. <i>BMJ Open</i> , 2021 , 11, e046330	3	
563	Milk intake and incident stroke and coronary heart disease in populations of European descent: A Mendelian Randomization study. <i>British Journal of Nutrition</i> , 2021 , 1-25	3.6	0
562	Substitution of pure fruit juice for fruit and sugar-sweetened beverages and cardiometabolic risk in European Prospective Investigation into Cancer and Nutrition (EPIC)-NL: a prospective cohort study. <i>Public Health Nutrition</i> , 2021 , 1-11	3.3	3
561	An elevated ankle-brachial index is not a valid proxy for peripheral medial arterial calcification. <i>Atherosclerosis</i> , 2021 , 323, 13-19	3.1	4
560	Long-Term Exposure to Fine Particle Elemental Components and Natural and Cause-Specific Mortality-a Pooled Analysis of Eight European Cohorts within the ELAPSE Project. <i>Environmental Health Perspectives</i> , 2021 , 129, 47009	8.4	14
559	Determinants of Food Choice and Perceptions of Supermarket-Based Nudging Interventions among Adults with Low Socioeconomic Position: The SUPREME NUDGE Project. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
558	Residential exposure to fast-food restaurants and its association with diet quality, overweight and obesity in the Netherlands: a cross-sectional analysis in the EPIC-NL cohort. <i>Nutrition Journal</i> , 2021 , 20, 56	4.3	1
557	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021 , 42, 2439-2454	9.5	58
556	Associations between dietary amino acid intakes and blood concentration levels. <i>Clinical Nutrition</i> , 2021 , 40, 3772-3779	5.9	0
555	Substitution among milk and yogurt products and the risk of incident type 2 diabetes in the EPIC-NL cohort. <i>Journal of Human Nutrition and Dietetics</i> , 2021 , 34, 54-63	3.1	1
554	Anti-Müllerian hormone levels and risk of type 2 diabetes in women. <i>Diabetologia</i> , 2021 , 64, 375-384	10.3	1
553	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. <i>Diabetes Care</i> , 2021 , 44, 98-106	14.6	21
552	Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2021 , 44, 416-424	14.6	2

551	Anti-Müllerian Hormone Levels and Risk of Cancer in Women. <i>Maturitas</i> , 2021 , 143, 216-222	5	0
550	Six months vitamin K treatment does not affect systemic arterial calcification or bone mineral density in diabetes mellitus 2. <i>European Journal of Nutrition</i> , 2021 , 60, 1691-1699	5.2	12
549	The association of the Mediterranean diet with heart failure risk in a Dutch population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 60-66	4.5	2
548	Age at Menopause and Risk of Ischemic and Hemorrhagic Stroke. <i>Stroke</i> , 2021 , 52, 2583-2591	6.7	2
547	Genetic insights into biological mechanisms governing human ovarian ageing. <i>Nature</i> , 2021 , 596, 393-397	5.4	28
546	Alcohol consumption in relation to cardiovascular diseases and mortality: a systematic review of Mendelian randomization studies. <i>European Journal of Epidemiology</i> , 2021 , 1	12.1	1
545	Consumption of ultra-processed foods associated with weight gain and obesity in adults: A multi-national cohort study. <i>Clinical Nutrition</i> , 2021 , 40, 5079-5088	5.9	8
544	Long-term exposure to low-level ambient air pollution and incidence of stroke and coronary heart disease: a pooled analysis of six European cohorts within the ELAPSE project. <i>Lancet Planetary Health, The</i> , 2021 , 5, e620-e632	9.8	18
543	Long term exposure to low level air pollution and mortality in eight European cohorts within the ELAPSE project: pooled analysis. <i>BMJ, The</i> , 2021 , 374, n1904	5.9	11
542	Reducing cardiometabolic risk in adults with a low socioeconomic position: protocol of the Supreme Nudge parallel cluster-randomised controlled supermarket trial. <i>Nutrition Journal</i> , 2020 , 19, 46	4.3	4
541	Proactive screening for symptoms: A simple method to improve early detection of unrecognized cardiovascular disease in primary care. Results from the Lifelines Cohort Study. <i>Preventive Medicine</i> , 2020 , 138, 106143	4.3	2
540	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. <i>BMJ, The</i> , 2020 , 370, m2194	5.9	24
539	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 631-643	7	10
538	Genome-wide Association Analysis in Humans Links Nucleotide Metabolism to Leukocyte Telomere Length. <i>American Journal of Human Genetics</i> , 2020 , 106, 389-404	11	40
537	Pure Fruit Juice and Fruit Consumption Are Not Associated with Incidence of Type 2 Diabetes after Adjustment for Overall Dietary Quality in the European Prospective Investigation into Cancer and Nutrition-Netherlands (EPIC-NL) Study. <i>Journal of Nutrition</i> , 2020 , 150, 1470-1477	4.1	8
536	Consumption of a diet high in dairy leads to higher 15:0 in cholesteryl esters of healthy people when compared to diets high in meat and grain. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 804-809	4.5	2
535	Genome-wide association study meta-analysis identifies three novel loci for circulating anti-Müllerian hormone levels in women 2020 ,		3
534	Autoimmunity plays a role in the onset of diabetes after 40 years of age. <i>Diabetologia</i> , 2020 , 63, 266-277	10.3	8

533	Adherence to the Dutch dietary guidelines and 15-year incidence of heart failure in the EPIC-NL cohort. <i>European Journal of Nutrition</i> , 2020 , 59, 3405-3413	5.2	3
532	Vasomotor menopausal symptoms and cardiovascular disease risk in midlife: A longitudinal study. <i>Maturitas</i> , 2020 , 133, 32-41	5	4
531	Age at menarche and heart failure risk: The EPIC-NL study. <i>Maturitas</i> , 2020 , 131, 34-39	5	1
530	The effects of nudges on purchases, food choice, and energy intake or content of purchases in real-life food purchasing environments: a systematic review and evidence synthesis. <i>Nutrition Journal</i> , 2020 , 19, 103	4.3	17
529	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: A meta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , 2020 , 17, e1003394	11.6	15
528	Intimal and medial calcification in relation to cardiovascular risk factors. <i>PLoS ONE</i> , 2020 , 15, e0235228	3.7	14
527	Early Onset of Coronary Artery Calcification in Women With Previous Preeclampsia. <i>Circulation: Cardiovascular Imaging</i> , 2020 , 13, e010340	3.9	7
526	Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. <i>Scientific Data</i> , 2020 , 7, 393	8.2	7
525	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020 , 43, 2660-2667	14.6	10
524	To what extent do dietary costs explain socio-economic differences in dietary behavior?. <i>Nutrition Journal</i> , 2020 , 19, 88	4.3	6
523	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ, The</i> , 2020 , 370, m3173	5.9	23
522	Trends in Risk of Limitations in Instrumental Activities of Daily Living Over Age in Older Persons With and Without Multiple Chronic Conditions. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 197-203	6.4	7
521	Prediction of individualized lifetime benefit from cholesterol lowering, blood pressure lowering, antithrombotic therapy, and smoking cessation in apparently healthy people. <i>European Heart Journal</i> , 2020 , 41, 1190-1199	9.5	33
520	Circulating phylloquinone, inactive Matrix Gla protein and coronary heart disease risk: A two-sample Mendelian Randomization study. <i>Clinical Nutrition</i> , 2020 , 39, 1131-1136	5.9	6
519	The cardiovascular risk profile of middle-aged women with polycystic ovary syndrome. <i>Clinical Endocrinology</i> , 2020 , 92, 150-158	3.4	15
518	Anti-Müllerian hormone levels and risk of cancer: A systematic review. <i>Maturitas</i> , 2020 , 135, 53-67	5	2
517	World Health Organization cardiovascular disease risk charts: revised models to estimate risk in 21 global regions. <i>The Lancet Global Health</i> , 2019 , 7, e1332-e1345	13.6	239
516	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019 , 139, 2835-2845	16.7	52

515	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1293-1303	5.6	17
514	Substitutions between dairy products and risk of stroke: results from the European Investigation into Cancer and Nutrition-Netherlands (EPIC-NL) cohort. <i>British Journal of Nutrition</i> , 2019 , 121, 1398-1404	3.6	8
513	Association of menopausal characteristics and risk of coronary heart disease: a pan-European case-cohort analysis. <i>International Journal of Epidemiology</i> , 2019 , 48, 1275-1285	7.8	23
512	Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. <i>Diabetes Care</i> , 2019 , 42, 568-575	14.6	16
511	Trajectories of Limitations in Instrumental Activities of Daily Living in Frail Older Adults With Vision, Hearing, or Dual Sensory Loss. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 936-942	6.4	12
510	The effect of menaquinone-7 supplementation on vascular calcification in patients with diabetes: a randomized, double-blind, placebo-controlled trial. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 883-890	7.9	40
509	Risk for Heart Failure: The Opportunity for Prevention With the American Heart Association's Life's Simple 7. <i>JACC: Heart Failure</i> , 2019 , 7, 637-647	7.9	13
508	Are our diets getting healthier and more sustainable? Insights from the European Prospective Investigation into Cancer and Nutrition - Netherlands (EPIC-NL) cohort. <i>Public Health Nutrition</i> , 2019 , 22, 2931-2940	3.3	5
507	Can Menopause Prediction Be Improved With Multiple AMH Measurements? Results From the Prospective Doetinchem Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 5024-5031	5.6	21
506	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 240	2.3	8
505	White cell counts in relation to mortality in a general population of cohort study in the Netherlands: a mediating effect or not?. <i>BMJ Open</i> , 2019 , 9, e030949	3	4
504	Fatty acids from dairy and meat and their association with risk of coronary heart disease. <i>European Journal of Nutrition</i> , 2019 , 58, 2639-2647	5.2	10
503	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019 , 40, 621-631	9.5	52
502	Pure fruit juice and fruit consumption and the risk of CVD: the European Prospective Investigation into Cancer and Nutrition-Netherlands (EPIC-NL) study. <i>British Journal of Nutrition</i> , 2019 , 121, 351-359	3.6	22
501	Cardiovascular Risk Factors Associated With Venous Thromboembolism. <i>JAMA Cardiology</i> , 2019 , 4, 163-173	17.2	102
500	Prediction of individual life-years gained without cardiovascular events from lipid, blood pressure, glucose, and aspirin treatment based on data of more than 500,000 patients with Type 2 diabetes mellitus. <i>European Heart Journal</i> , 2019 , 40, 2899-2906	9.5	28
499	Cardiovascular risk prediction models for women in the general population: A systematic review. <i>PLoS ONE</i> , 2019 , 14, e0210329	3.7	14
498	Cardiovascular risk model performance in women with and without hypertensive disorders of pregnancy. <i>Heart</i> , 2019 , 105, 330-336	5.1	6

497	Circulating Phylloquinone Concentrations and Risk of Type 2 Diabetes: A Mendelian Randomization Study. <i>Diabetes</i> , 2019 , 68, 220-225	0.9	12
496	Consumption of individual saturated fatty acids and the risk of myocardial infarction in a UK and a Danish cohort. <i>International Journal of Cardiology</i> , 2019 , 279, 18-26	3.2	17
495	Intake of dietary saturated fatty acids and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition-Netherlands cohort: associations by types, sources of fatty acids and substitution by macronutrients. <i>European Journal of Nutrition</i> , 2019 , 58, 1125-1136	5.2	21
494	Exploring causality of the association between smoking and Parkinson's disease. <i>International Journal of Epidemiology</i> , 2019 , 48, 912-925	7.8	38
493	Elements of the complete blood count associated with cardiovascular disease incidence: Findings from the EPIC-NL cohort study. <i>Scientific Reports</i> , 2018 , 8, 3290	4.9	44
492	A new selection method to increase the health benefits of CVD prevention strategies. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 642-650	3.9	10
491	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. <i>Lancet, The</i> , 2018 , 391, 1513-1523	4.0	53.0
490	Women-specific risk factors for heart failure: A genetic approach. <i>Maturitas</i> , 2018 , 109, 104-111	5	3
489	Annularity of Aorto-Iliac Arterial Calcification and Risk of All-Cause and Cardiovascular Mortality. <i>JACC: Cardiovascular Imaging</i> , 2018 , 11, 1718-1719	8.4	6
488	Identification of data-driven Dutch dietary patterns that benefit the environment and are healthy. <i>Climatic Change</i> , 2018 , 147, 571-583	4.5	7
487	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. <i>Diabetes</i> , 2018 , 67, 1200-1205	0.9	13
486	Challenge in interpretation of Mendelian randomization studies using lactase persistence as instrumental variable. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 179-180	5.2	1
485	Improving cardiometabolic health through nudging dietary behaviours and physical activity in low SES adults: design of the Supreme Nudge project. <i>BMC Public Health</i> , 2018 , 18, 899	4.1	12
484	Risk factors for atherosclerotic and medial arterial calcification of the intracranial internal carotid artery. <i>Atherosclerosis</i> , 2018 , 276, 44-49	3.1	28
483	Bone markers and cardiovascular risk in type 2 diabetes patients. <i>Cardiovascular Diabetology</i> , 2018 , 17, 45	8.7	14
482	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. <i>Diabetes Care</i> , 2018 , 41, 277-285	14.6	11
481	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , 2018 , 39, 397-406	9.5	146
480	Long-Term Exposure to Ultrafine Particles and Incidence of Cardiovascular and Cerebrovascular Disease in a Prospective Study of a Dutch Cohort. <i>Environmental Health Perspectives</i> , 2018 , 126, 127007	8.4	75

479	Does AMH relate to timing of menopause? Results of an Individual Patient Data meta- analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 ,	5.6	32
478	Matrix Gla Protein, Plaque Stability, and Cardiovascular Events in Patients with Severe Atherosclerotic Disease. <i>Cardiology</i> , 2018 , 141, 32-36	1.6	12
477	Fish consumption and risk of stroke, coronary heart disease, and cardiovascular mortality in a Dutch population with low fish intake. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 942-950	5.2	14
476	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. <i>BMJ, The</i> , 2018 , 361, k934	5.9	44
475	Links between Atherosclerosis and Osteoporosis in Middle Aged and Elderly Men. <i>Journal of Nutrition, Health and Aging</i> , 2018 , 22, 639-644	5.2	2
474	Anti-Müllerian Hormone Trajectories Are Associated With Cardiovascular Disease in Women: Results From the Doetinchem Cohort Study. <i>Circulation</i> , 2017 , 135, 556-565	16.7	30
473	Calcification of the splenic, iliac, and breast arteries and risk of all-cause and cardiovascular mortality. <i>Atherosclerosis</i> , 2017 , 259, 120-127	3.1	24
472	A quantitative comparison of anti-Müllerian hormone measurement and its shifting boundaries between two assays. <i>Maturitas</i> , 2017 , 101, 12-16	5	9
471	Trajectories of metabolic risk factors and biochemical markers prior to the onset of type 2 diabetes: the population-based longitudinal Doetinchem study. <i>Nutrition and Diabetes</i> , 2017 , 7, e270	4.7	11
470	PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology,the</i> , 2017 , 5, 97-105	18.1	225
469	Uniform data collection in routine clinical practice in cardiovascular patients for optimal care, quality control and research: The Utrecht Cardiovascular Cohort. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 840-847	3.9	7
468	An Expanded Genome-Wide Association Study of Type 2 Diabetes in Europeans. <i>Diabetes</i> , 2017 , 66, 2888-2902	29.0	414
467	Unraveling the associations of age and menopause with cardiovascular risk factors in a large population-based study. <i>BMC Medicine</i> , 2017 , 15, 2	11.4	65
466	A pro-inflammatory diet is associated with increased risk of developing hypertension among middle-aged women. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 564-570	4.5	20
465	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2017 , 12, e0173117	3.7	17
464	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2017 , 14, e1002409	11.6	39
463	Discovery and replication of SNP-SNP interactions for quantitative lipid traits in over 60,000 individuals. <i>BioData Mining</i> , 2017 , 10, 25	4.3	5
462	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. <i>BMC Medicine</i> , 2017 , 15, 203	11.4	30

461	Reproducibility and relative validity of a food frequency questionnaire to estimate intake of dietary phylloquinone and menaquinones. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 1423-1428	5.2	8
460	Association between age at menarche and cardiovascular disease: A systematic review on risk and potential mechanisms. <i>Maturitas</i> , 2017 , 104, 96-116	5	23
459	Does a better adherence to dietary guidelines reduce mortality risk and environmental impact in the Dutch sub-cohort of the European Prospective Investigation into Cancer and Nutrition?. <i>British Journal of Nutrition</i> , 2017 , 118, 69-80	3.6	28
458	Reproductive factors in relation to heart failure in women: A systematic review. <i>Maturitas</i> , 2017 , 106, 57-72	5	8
457	Fluidity of the dietary fatty acid profile and risk of coronary heart disease and ischemic stroke: Results from the EPIC-Netherlands cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 799-805	4.5	5
456	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 191 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55	40	1100
455	Vitamin K intake and all-cause and cause specific mortality. <i>Clinical Nutrition</i> , 2017 , 36, 1294-1300	5.9	20
454	Osteoporosis management in patients with breast cancer: EMAS position statement. <i>Maturitas</i> , 2017 , 95, 65-71	5	36
453	The relationship between the dietary inflammatory index and risk of total cardiovascular disease, ischemic heart disease and cerebrovascular disease: Findings from an Australian population-based prospective cohort study of women. <i>Atherosclerosis</i> , 2016 , 253, 164-170	3.1	39
452	Long-term effects of joint bleeding before starting prophylaxis in severe haemophilia. <i>Haemophilia</i> , 2016 , 22, 852-858	3.3	11
451	Dietary Saturated Fatty Acids and Coronary Heart Disease Risk in a Dutch Middle-Aged and Elderly Population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 2011-8	9.4	29
450	A genomic approach to therapeutic target validation identifies a glucose-lowering GLP1R variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016 , 8, 341ra76	17.5	77
449	Prediction models for cardiovascular disease risk in the general population: systematic review. <i>BMJ, The</i> , 2016 , 353, i2416	5.9	326
448	Novel Biomarkers to Improve the Prediction of Cardiovascular Event Risk in Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	44
447	Added Value of Female-Specific Factors Beyond Traditional Predictors for Future Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 2084-6	15.1	6
446	Association of High Ankle Brachial Index With Incident Cardiovascular Disease and Mortality in a High-Risk Population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 412-7	9.4	34
445	The association between dietary saturated fatty acids and ischemic heart disease depends on the type and source of fatty acid in the European Prospective Investigation into Cancer and Nutrition-Netherlands cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 356-65	7	97
444	Determinants of attaining and maintaining a low cardiovascular risk profile--the Doetinchem Cohort Study. <i>European Journal of Public Health</i> , 2016 , 26, 135-40	2.1	5

443	Adult height, coronary heart disease and stroke: a multi-locus Mendelian randomization meta-analysis. <i>International Journal of Epidemiology</i> , 2016 , 45, 1927-1937	7.8	65
442	EMAS recommendations for conditions in the workplace for menopausal women. <i>Maturitas</i> , 2016 , 85, 79-81	5	27
441	Lifestyle Changes in Young Adulthood and Middle Age and Risk of Cardiovascular Disease and All-Cause Mortality: The Doetinchem Cohort Study. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	43
440	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016 , 39, 572-81	14.6	48
439	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. <i>Nature Communications</i> , 2016 , 7, 10023	17.4	295
438	EMAS position statement: Testosterone replacement therapy in the aging male?. <i>Maturitas</i> , 2016 , 84, 94-9	5	37
437	Association between Cognition and Serum Insulin-Like Growth Factor-1 in Middle-Aged & Older Men: An 8 Year Follow-Up Study. <i>PLoS ONE</i> , 2016 , 11, e0154450	3.7	33
436	Trajectories of Metabolic Risk Factors and Biochemical Markers prior to the Onset of Cardiovascular Disease - The Doetinchem Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0155978	3.7	16
435	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0159025	3.7	58
434	Fatigue as a long-term risk factor for limitations in instrumental activities of daily living and/or mobility performance in older adults after 10 years. <i>Clinical Interventions in Aging</i> , 2016 , 11, 1579-1587	4	13
433	Discontinuing early prophylaxis in severe haemophilia leads to deterioration of joint status despite low bleeding rates. <i>Thrombosis and Haemostasis</i> , 2016 , 115, 931-8	7	29
432	Exposure to Famine at a Young Age and Unhealthy Lifestyle Behavior Later in Life. <i>PLoS ONE</i> , 2016 , 11, e0156609	3.7	15
431	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2016 , 13, e1002094	11.6	116
430	Can we predict age at natural menopause using ovarian reserve tests or mother's age at menopause? A systematic literature review. <i>Menopause</i> , 2016 , 23, 224-32	2.5	47
429	Is visual function associated with cognitive activity engagement in middle-aged and elderly individuals? A cross-sectional study. <i>Experimental Gerontology</i> , 2016 , 82, 104-11	4.5	2
428	The genetic architecture of type 2 diabetes. <i>Nature</i> , 2016 , 536, 41-47	50.4	704
427	The association of low ovarian reserve with cardiovascular disease risk: a cross-sectional population-based study. <i>Human Reproduction</i> , 2016 , 31, 1866-74	5.7	23
426	Obesity and Age-Related Changes in Markers of Oxidative Stress and Inflammation Across Four Generations. <i>Obesity</i> , 2016 , 24, 1389-96	8	23

425	Parity, breastfeeding and risk of coronary heart disease: A pan-European case-cohort study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1755-1765	3.9	39
424	Evaluating outcome of prophylaxis in haemophilia: objective and self-reported instruments should be combined. <i>Haemophilia</i> , 2016 , 22, e80-e86	3.3	19
423	Reproducibility and relative validity of a FFQ to estimate the intake of fatty acids. <i>British Journal of Nutrition</i> , 2016 , 115, 2154-61	3.6	8
422	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 192 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-1396 ⁴⁰	4.0	2787
421	Maintaining postreproductive health: A care pathway from the European Menopause and Andropause Society (EMAS). <i>Maturitas</i> , 2016 , 89, 63-72	5	50
420	Cystatin C and Cardiovascular Disease: A Mendelian Randomization Study. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 934-45	15.1	65
419	Association Between Low-Density Lipoprotein Cholesterol-Lowering Genetic Variants and Risk of Type 2 Diabetes: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 1383-1391 ⁴	27.4	225
418	Back to the basics of ovarian aging: a population-based study on longitudinal anti-Müllerian hormone decline. <i>BMC Medicine</i> , 2016 , 14, 151	11.4	66
417	The relationship between vitamin K and peripheral arterial disease. <i>Atherosclerosis</i> , 2016 , 252, 15-20	3.1	14
416	A model of care for healthy menopause and ageing: EMAS position statement. <i>Maturitas</i> , 2016 , 92, 1-6	5	12
415	Intake of phytosterols from natural sources and risk of cardiovascular disease in the European Prospective Investigation into Cancer and Nutrition-the Netherlands (EPIC-NL) population. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1067-75	3.9	33
414	Dietary patterns in relation to quality-adjusted life years in the EPIC-NL cohort. <i>Preventive Medicine</i> , 2015 , 77, 119-24	4.3	16
413	Association of Cardiometabolic Multimorbidity With Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 52-60	27.4	365
412	Diabetes and onset of natural menopause: results from the European Prospective Investigation into Cancer and Nutrition. <i>Human Reproduction</i> , 2015 , 30, 1491-8	5.7	37
411	Added value of anti-Müllerian hormone in prediction of menopause: results from a large prospective cohort study. <i>Human Reproduction</i> , 2015 , 30, 1974-81	5.7	29
410	Breast arterial calcifications and their association with incident cardiovascular disease and diabetes: the Prospect-EPIC cohort. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 859-860	15.1	23
409	The relationship between fermented food intake and mortality risk in the European Prospective Investigation into Cancer and Nutrition-Netherlands cohort. <i>British Journal of Nutrition</i> , 2015 , 113, 498-506 ³⁶	3.6	38
408	The impact of a healthy lifestyle on Disability-Adjusted Life Years: a prospective cohort study. <i>BMC Medicine</i> , 2015 , 13, 39	11.4	46

407	Impact of smoking and smoking cessation on cardiovascular events and mortality among older adults: meta-analysis of individual participant data from prospective cohort studies of the CHANCES consortium. <i>BMJ, The</i> , 2015 , 350, h1551	5.9	235
406	Identifying cardiovascular risk factor-related dietary patterns with reduced rank regression and random forest in the EPIC-NL cohort. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 146-54	7	19
405	Dietary intake of carotenoids and risk of type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 376-81	4.5	116
404	Mendelian randomization of blood lipids for coronary heart disease. <i>European Heart Journal</i> , 2015 , 36, 539-50	9.5	417
403	EMAS position statement: The ten point guide to the integral management of menopausal health. <i>Maturitas</i> , 2015 , 81, 88-92	5	57
402	Quantifying the benefits of achieving or maintaining long-term low risk profile for cardiovascular disease: The Doetinchem Cohort Study. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1307-16	3.9	8
401	Yearly hypertension screening in women with a history of pre-eclampsia: a cost-effectiveness analysis. <i>Netherlands Heart Journal</i> , 2015 , 23, 585-91	2.2	4
400	Earlier Age of Onset of Chronic Hypertension and Type 2 Diabetes Mellitus After a Hypertensive Disorder of Pregnancy or Gestational Diabetes Mellitus. <i>Hypertension</i> , 2015 , 66, 1116-22	8.5	83
399	Smoking and All-cause Mortality in Older Adults: Results From the CHANCES Consortium. <i>American Journal of Preventive Medicine</i> , 2015 , 49, e53-e63	6.1	41
398	Medial Arterial Calcification: Active Reversible Disease in Human Breast Arteries. <i>JACC: Cardiovascular Imaging</i> , 2015 , 8, 984-5	8.4	7
397	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , 2015 , 47, 1415-25	36.3	292
396	Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. <i>European Journal of Clinical Nutrition</i> , 2015 , 69, 455-61	5.2	27
395	Plasma advanced glycation end products are associated with incident cardiovascular events in individuals with type 2 diabetes: a case-cohort study with a median follow-up of 10 years (EPIC-NL). <i>Diabetes</i> , 2015 , 64, 257-65	0.9	94
394	The validation of cardiovascular risk scores for patients with type 2 diabetes mellitus. <i>Heart</i> , 2015 , 101, 222-9	5.1	40
393	HMG-coenzyme A reductase inhibition, type 2 diabetes, and bodyweight: evidence from genetic analysis and randomised trials. <i>Lancet, The</i> , 2015 , 385, 351-61	40	409
392	Gene-specific DNA methylation profiles and LINE-1 hypomethylation are associated with myocardial infarction risk. <i>Clinical Epigenetics</i> , 2015 , 7, 133	7.7	45
391	Ocular Straylight: A Determinant of Quality of Life in the Elderly?. <i>Gerontology and Geriatric Medicine</i> , 2015 , 1, 2333721415610193	2.3	3
390	Is an unfavourable cardiovascular risk profile a risk factor for vasomotor menopausal symptoms? Results of a population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 1252-8	3.7	4

389	Osteocalcin Is Not Associated with the Risk of Type 2 Diabetes: Findings from the EPIC-NL Study. <i>PLoS ONE</i> , 2015 , 10, e0138693	3.7	14
388	The Relationship Between Variation in Size of the Primordial Follicle Pool and Age at Natural Menopause. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E845-51	5.6	46
387	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. <i>Diabetes</i> , 2015 , 64, 3028-36	3.9	79
386	Association Between Vitamin K and the Metabolic Syndrome: A 10-Year Follow-Up Study in Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2472-9	5.6	38
385	Mortality and cancer incidence in the EPIC-NL cohort: impact of the healthy volunteer effect. <i>European Journal of Public Health</i> , 2015 , 25, 144-9	2.1	12
384	Rare coding variants and X-linked loci associated with age at menarche. <i>Nature Communications</i> , 2015 , 6, 7756	17.4	23
383	Breast arterial calcifications: a systematic review and meta-analysis of their determinants and their association with cardiovascular events. <i>Atherosclerosis</i> , 2015 , 239, 11-20	3.1	72
382	Anti-Müllerian Hormone as a marker of ovarian reserve in relation to cardio-metabolic health: a narrative review. <i>Maturitas</i> , 2015 , 80, 251-7	5	22
381	Age at menopause in women with type 1 diabetes mellitus: the OVADIA study. <i>Human Reproduction</i> , 2015 , 30, 441-6	5.7	19
380	EMAS position statement: The management of postmenopausal women with vertebral osteoporotic fracture. <i>Maturitas</i> , 2014 , 78, 131-7	5	6
379	Serum AMH levels in women with a history of preeclampsia suggest a role for vascular factors in ovarian aging. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 579-86	5.6	28
378	The significance of fragile X mental retardation gene 1 CGG repeat sizes in the normal and intermediate range in women with primary ovarian insufficiency. <i>Human Reproduction</i> , 2014 , 29, 1585-93	5.7	28
377	EMAS position statement: Fertility preservation. <i>Maturitas</i> , 2014 , 77, 85-9	5	8
376	Gene-centric meta-analyses for central adiposity traits in up to 57 412 individuals of European descent confirm known loci and reveal several novel associations. <i>Human Molecular Genetics</i> , 2014 , 23, 2498-510	5.6	22
375	Circulating desphospho-uncarboxylated matrix β -carboxyglutamate protein and the risk of coronary heart disease and stroke. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 1028-34	15.4	31
374	Phylloquinone concentrations and the risk of vascular calcification in healthy women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 1587-90	9.4	13
373	Adherence to dietary guidelines and cardiovascular disease risk in the EPIC-NL cohort. <i>International Journal of Cardiology</i> , 2014 , 176, 354-9	3.2	54
372	Today's adult generations are less healthy than their predecessors: generation shifts in metabolic risk factors: the Doetinchem Cohort Study. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 1134-44	3.9	38

371	EMAS position statement: individualized breast cancer screening versus population-based mammography screening programmes. <i>Maturitas</i> , 2014 , 79, 481-6	5	18
370	Novel cardiovascular biomarkers in women with a history of early preeclampsia. <i>Atherosclerosis</i> , 2014 , 237, 117-22	3.1	18
369	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 810-8	18.1	330
368	Reducing our environmental footprint and improving our health: greenhouse gas emission and land use of usual diet and mortality in EPIC-NL: a prospective cohort study. <i>Environmental Health</i> , 2014 , 13, 27	6	58
367	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 19-29	18.1	99
366	EMAS position statement: Menopause for medical students. <i>Maturitas</i> , 2014 , 78, 67-9	5	4
365	Causal effects of body mass index on cardiometabolic traits and events: a Mendelian randomization analysis. <i>American Journal of Human Genetics</i> , 2014 , 94, 198-208	11	156
364	Do subclinical vascular abnormalities precede impaired physical ability and ADL disability?. <i>Experimental Gerontology</i> , 2014 , 58, 1-7	4.5	12
363	Testosterone, sex hormone-binding globulin and the metabolic syndrome in men: an individual participant data meta-analysis of observational studies. <i>PLoS ONE</i> , 2014 , 9, e100409	3.7	131
362	Intakes of potassium, magnesium, and calcium and risk of stroke. <i>Stroke</i> , 2014 , 45, 1148-50	6.7	29
361	Gene-lifestyle interaction and type 2 diabetes: the EPIC interact case-cohort study. <i>PLoS Medicine</i> , 2014 , 11, e1001647	11.6	149
360	Dietary intakes of individual flavanols and flavonols are inversely associated with incident type 2 diabetes in European populations. <i>Journal of Nutrition</i> , 2014 , 144, 335-43	4.1	95
359	Intensification of medication and glycaemic control among patients with type 2 diabetes—the ADVANCE trial. <i>Diabetes, Obesity and Metabolism</i> , 2014 , 16, 426-32	6.7	13
358	FTO genetic variants, dietary intake and body mass index: insights from 177,330 individuals. <i>Human Molecular Genetics</i> , 2014 , 23, 6961-72	5.6	120
357	Anti-Mullerian hormone is a more accurate predictor of individual time to menopause than mother's age at menopause. <i>Human Reproduction</i> , 2014 , 29, 584-91	5.7	51
356	Smoking and long-term risk of type 2 diabetes: the EPIC-InterAct study in European populations. <i>Diabetes Care</i> , 2014 , 37, 3164-71	14.6	45
355	Glycated hemoglobin measurement and prediction of cardiovascular disease. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 1225-33	27.4	136
354	Effect of including nonfatal events in cardiovascular risk estimation, illustrated with data from The Netherlands. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 377-83	3.9	22

353	Dietary patterns in relation to disease burden expressed in Disability-Adjusted Life Years. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 1158-65	7	25
352	Adherence to the Dutch Guidelines for a Healthy Diet and cancer risk in the European Prospective Investigation into Cancer and Nutrition-Netherlands (EPIC-NL) cohort. <i>Public Health Nutrition</i> , 2014 , 17, 2546-53	3.3	6
351	Gene-centric meta-analysis in 87,736 individuals of European ancestry identifies multiple blood-pressure-related loci. <i>American Journal of Human Genetics</i> , 2014 , 94, 349-60	11	131
350	Vasomotor menopausal symptoms are not associated with incidence of breast cancer in a population-based cohort of mid-aged women. <i>European Journal of Cancer</i> , 2014 , 50, 824-30	7.5	8
349	Association between lifestyle factors and quality-adjusted life years in the EPIC-NL cohort. <i>PLoS ONE</i> , 2014 , 9, e111480	3.7	18
348	Association between physical performance characteristics and independence in activities of daily living in middle-aged and elderly men. <i>Geriatrics and Gerontology International</i> , 2013 , 13, 274-80	2.9	37
347	Atherosclerosis and physical functioning in older men, a longitudinal study. <i>Journal of Nutrition, Health and Aging</i> , 2013 , 17, 97-104	5.2	12
346	Associations of visceral fat, physical activity and muscle strength with the metabolic syndrome. <i>Maturitas</i> , 2013 , 76, 139-45	5	17
345	Bone mineral density and vitamin D status in Parkinson's disease patients. <i>Journal of Neurology</i> , 2013 , 260, 754-60	5.5	53
344	Endogenous female reproductive hormones and the risk of amyotrophic lateral sclerosis. <i>Journal of Neurology</i> , 2013 , 260, 507-12	5.5	32
343	The link between family history and risk of type 2 diabetes is not explained by anthropometric, lifestyle or genetic risk factors: the EPIC-InterAct study. <i>Diabetologia</i> , 2013 , 56, 60-9	10.3	158
342	Dietary patterns and the risk of type 2 diabetes in overweight and obese individuals. <i>European Journal of Nutrition</i> , 2013 , 52, 1127-34	5.2	29
341	Estimating the mediating effect of different biomarkers on the relation of alcohol consumption with the risk of type 2 diabetes. <i>Annals of Epidemiology</i> , 2013 , 23, 193-7	6.4	9
340	EMAS position statement: Late parenthood. <i>Maturitas</i> , 2013 , 76, 200-4	5	6
339	Dairy intake and coronary heart disease or stroke--a population-based cohort study. <i>International Journal of Cardiology</i> , 2013 , 167, 925-9	3.2	51
338	Loci influencing blood pressure identified using a cardiovascular gene-centric array. <i>Human Molecular Genetics</i> , 2013 , 22, 1663-78	5.6	119
337	The Relationship Between Anti-Müllerian Hormone in Women Receiving Fertility Assessments and Age at Menopause in Subfertile Women: Evidence From Large Population Studies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 1946-1953	5.6	45
336	Dietary patterns derived from principal component- and k-means cluster analysis: long-term association with coronary heart disease and stroke. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 250-6	4.5	60

335	Sex Differences in Smoking-related Risk of Vascular Disease and All-cause Mortality. <i>Current Cardiovascular Risk Reports</i> , 2013 , 7, 473-479	0.9	4
334	Longitudinal analysis of cardiovascular risk parameters in women with a history of hypertensive pregnancy disorders: the Doetinchem Cohort Study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 1333-9	3.7	13
333	Chronic idiopathic axonal polyneuropathy is associated with the metabolic syndrome. <i>Diabetes Care</i> , 2013 , 36, 817-22	14.6	37
332	Dietary glycemic index, glycemic load, and digestible carbohydrate intake are not associated with risk of type 2 diabetes in eight European countries. <i>Journal of Nutrition</i> , 2013 , 143, 93-9	4.1	66
331	Circulating species of matrix Gla protein and the risk of vascular calcification in healthy women. <i>International Journal of Cardiology</i> , 2013 , 168, e168-70	3.2	22
330	Vitamin D and muscle function: is there a threshold in the relation?. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 627.e13-8	5.9	17
329	Reproductive and lifestyle determinants of anti-Müllerian hormone in a large population-based study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 2106-15	5.6	117
328	Endogenous sex hormones and subclinical atherosclerosis in middle-aged and older men. <i>International Journal of Cardiology</i> , 2013 , 168, 574-6	3.2	5
327	Identification of high-risk individuals for the development of disability in activities of daily living. A ten-year follow-up study. <i>Experimental Gerontology</i> , 2013 , 48, 437-43	4.5	32
326	The contribution of diet and lifestyle to socioeconomic inequalities in cardiovascular morbidity and mortality. <i>International Journal of Cardiology</i> , 2013 , 168, 5190-5	3.2	101
325	Circulating matrix Gla protein is associated with coronary artery calcification and vitamin K status in healthy women. <i>Journal of Nutritional Biochemistry</i> , 2013 , 24, 624-8	6.3	81
324	Identification of heart rate-associated loci and their effects on cardiac conduction and rhythm disorders. <i>Nature Genetics</i> , 2013 , 45, 621-31	36.3	219
323	The association between vitamin D and cognition: a systematic review. <i>Ageing Research Reviews</i> , 2013 , 12, 1013-23	12	104
322	EMAS clinical guide: vulvar lichen sclerosus in peri and postmenopausal women. <i>Maturitas</i> , 2013 , 74, 279-82	5	28
321	Domains contributing to disability in activities of daily living. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 18-24	5.9	44
320	Determinants of vitamin D status in healthy men and women aged 40-80 years. <i>Maturitas</i> , 2013 , 74, 79-83	5	25
319	Physical functioning is related to both an impaired physical ability and ADL disability: a ten year follow-up study in middle-aged and older persons. <i>Maturitas</i> , 2013 , 74, 89-94	5	33
318	EMAS position statement: Diet and health in midlife and beyond. <i>Maturitas</i> , 2013 , 74, 99-104	5	28

317	Metabolic syndrome model definitions predicting type 2 diabetes and cardiovascular disease. <i>Diabetes Care</i> , 2013 , 36, 362-8	14.6	41
316	The association of CGG repeats in the FMR1 gene and timing of natural menopause. <i>Human Reproduction</i> , 2013 , 28, 496-501	5.7	19
315	Famine in childhood and postmenopausal coronary artery calcification: a cohort study. <i>BMJ Open</i> , 2013 , 3, e003818	3	3
314	Reference intervals for common carotid intima-media thickness measured with echotracking: relation with risk factors. <i>European Heart Journal</i> , 2013 , 34, 2368-80	9.5	178
313	Risk factors for night sweats and hot flushes in midlife: results from a prospective cohort study. <i>Menopause</i> , 2013 , 20, 953-9	2.5	33
312	Gene-centric meta-analyses of 108 912 individuals confirm known body mass index loci and reveal three novel signals. <i>Human Molecular Genetics</i> , 2013 , 22, 184-201	5.6	73
311	More vasomotor symptoms in menopause among women with a history of hypertensive pregnancy diseases compared with women with normotensive pregnancies. <i>Menopause</i> , 2013 , 20, 1006-11	2.5	17
310	Intake of dietary phylloquinone and menaquinones and risk of stroke. <i>Journal of the American Heart Association</i> , 2013 , 2, e000455	6	29
309	Matrix Gla protein species and risk of cardiovascular events in type 2 diabetic patients. <i>Diabetes Care</i> , 2013 , 36, 3766-71	14.6	76
308	Age at menopause, reproductive life span, and type 2 diabetes risk: results from the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 1012-9	14.6	141
307	The association between dietary flavonoid and lignan intakes and incident type 2 diabetes in European populations: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3961-70	14.6	89
306	Plasma uric acid is associated with increased risk of type 2 diabetes independent of diet and metabolic risk factors. <i>Journal of Nutrition</i> , 2013 , 143, 80-5	4.1	68
305	Age at menarche and type 2 diabetes risk: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3526-34	14.6	114
304	Interactions between genetic variants in AMH and AMHR2 may modify age at natural menopause. <i>PLoS ONE</i> , 2013 , 8, e59819	3.7	18
303	Development of methodology for disability-adjusted life years (DALYs) calculation based on real-life data. <i>PLoS ONE</i> , 2013 , 8, e74294	3.7	17
302	Famine in the young and risk of later hospitalization for COPD and asthma. <i>PLoS ONE</i> , 2013 , 8, e82636	3.7	11
301	An Overview of the Extent and Nature of Menopause and Its Physiological Basis 2013 , 3-16		
300	Vitamin K, Coronary Calcification and Risk of Cardiovascular Disease 2013 , 229-241		

299	Alcohol consumption and risk of type 2 diabetes in European men and women: influence of beverage type and body size The EPIC-InterAct study. <i>Journal of Internal Medicine</i> , 2012 , 272, 358-70	10.8	55
298	Parental history of type 2 diabetes and cardiometabolic biomarkers in offspring. <i>European Journal of Clinical Investigation</i> , 2012 , 42, 974-82	4.6	6
297	Weight changes and their predictors amongst 11 140 patients with type 2 diabetes in the ADVANCE trial. <i>Diabetes, Obesity and Metabolism</i> , 2012 , 14, 464-9	6.7	32
296	The interleukin-6 receptor as a target for prevention of coronary heart disease: a mendelian randomisation analysis. <i>Lancet, The</i> , 2012 , 379, 1214-24	4.0	658
295	Plasma HDL cholesterol and risk of myocardial infarction: a mendelian randomisation study. <i>Lancet, The</i> , 2012 , 380, 572-80	4.0	1523
294	The effect of menaquinone-7 supplementation on circulating species of matrix Gla protein. <i>Atherosclerosis</i> , 2012 , 225, 397-402	3.1	85
293	Testosterone, SHBG and differential white blood cell count in middle-aged and older men. <i>Maturitas</i> , 2012 , 71, 274-8	5	12
292	Effects of blood pressure lowering on cardiovascular outcomes in different cardiovascular risk groups among participants with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2012 , 98, 83-90	7.4	16
291	Single nucleotide polymorphisms (SNPs) involved in insulin resistance, weight regulation, lipid metabolism and inflammation in relation to metabolic syndrome: an epidemiological study. <i>Cardiovascular Diabetology</i> , 2012 , 11, 133	8.7	30
290	Meta-analyses identify 13 loci associated with age at menopause and highlight DNA repair and immune pathways. <i>Nature Genetics</i> , 2012 , 44, 260-8	36.3	243
289	Large-scale gene-centric meta-analysis across 32 studies identifies multiple lipid loci. <i>American Journal of Human Genetics</i> , 2012 , 91, 823-38	11	189
288	Electrocardiographic parameters in women ten years post-early preeclampsia. <i>Maturitas</i> , 2012 , 73, 148-51	5.1	6
287	EMAS clinical guide: low-dose vaginal estrogens for postmenopausal vaginal atrophy. <i>Maturitas</i> , 2012 , 73, 171-4	5	57
286	Dietary fibre intake and ischaemic heart disease mortality: the European Prospective Investigation into Cancer and Nutrition-Heart study. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 950-6	5.2	24
285	Cardiovascular risk factors in women 10 years post early preeclampsia: the Preeclampsia Risk Evaluation in FEMales study (PREVFEM). <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 1138-44	3.9	80
284	Mediterranean style diet and 12-year incidence of cardiovascular diseases: the EPIC-NL cohort study. <i>PLoS ONE</i> , 2012 , 7, e45458	3.7	95
283	Liver function tests and risk prediction of incident type 2 diabetes: evaluation in two independent cohorts. <i>PLoS ONE</i> , 2012 , 7, e51496	3.7	25
282	Large-scale gene-centric meta-analysis across 39 studies identifies type 2 diabetes loci. <i>American Journal of Human Genetics</i> , 2012 , 90, 410-25	11	214

281	Large-Scale Gene-Centric Meta-Analysis across 39 Studies Identifies Type 2 Diabetes Loci. <i>American Journal of Human Genetics</i> , 2012 , 90, 753	11	4
280	Meta-analysis of Dense Genecentric Association Studies Reveals Common and Uncommon Variants Associated with Height. <i>American Journal of Human Genetics</i> , 2012 , 90, 1116-1117	11	78
279	A genome-wide association meta-analysis of circulating sex hormone-binding globulin reveals multiple Loci implicated in sex steroid hormone regulation. <i>PLoS Genetics</i> , 2012 , 8, e1002805	6	116
278	Long-term risk of incident type 2 diabetes and measures of overall and regional obesity: the EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2012 , 9, e1001230	11.6	118
277	Postnatal acute famine and risk of overweight: the dutch hungerwinter study. <i>International Journal of Pediatrics (United Kingdom)</i> , 2012 , 2012, 936509	2.1	12
276	Voedingspatronen en het risico op type 2 diabetes in personen met overgewicht en obesitas. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012 , 10, 202-204	0	
275	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1445-53	7	65
274	Prediction models for risk of developing type 2 diabetes: systematic literature search and independent external validation study. <i>BMJ, The</i> , 2012 , 345, e5900	5.9	195
273	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 382-90	7	156
272	Prediction models for the risk of cardiovascular disease in patients with type 2 diabetes: a systematic review. <i>Heart</i> , 2012 , 98, 360-9	5.1	152
271	Famine exposure in the young and the risk of type 2 diabetes in adulthood. <i>Diabetes</i> , 2012 , 61, 2255-60	0.9	130
270	Cardiovascular consequences of famine in the young. <i>European Heart Journal</i> , 2012 , 33, 538-45	9.5	49
269	Common variants in the type 2 diabetes KCNQ1 gene are associated with impairments in insulin secretion during hyperglycaemic glucose clamp. <i>PLoS ONE</i> , 2012 , 7, e32148	3.7	30
268	Sources of pre-analytical variations in yield of DNA extracted from blood samples: analysis of 50,000 DNA samples in EPIC. <i>PLoS ONE</i> , 2012 , 7, e39821	3.7	26
267	Dietary fiber, carbohydrate quality and quantity, and mortality risk of individuals with diabetes mellitus. <i>PLoS ONE</i> , 2012 , 7, e43127	3.7	65
266	Climacteric commentaries. Type and timing of menopause and all-cause and cardiovascular mortality. <i>Climacteric</i> , 2012 , 15, 201-2	3.1	1
265	Genes involved in initial follicle recruitment may be associated with age at menopause. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E473-9	5.6	29
264	Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. <i>Nature</i> , 2011 , 478, 103-9	50.4	1564

263	Physical performance characteristics related to disability in older persons: a systematic review. <i>Maturitas</i> , 2011 , 69, 208-19	5	131
262	Hormone therapy and coronary heart disease risk by vasomotor menopausal symptoms. <i>Maturitas</i> , 2011 , 70, 373-8	5	4
261	Vasomotor menopausal symptoms are associated with increased risk of coronary heart disease. <i>Menopause</i> , 2011 , 18, 146-51	2.5	75
260	Associations of endogenous testosterone and SHBG with glycated haemoglobin in middle-aged and older men. <i>Clinical Endocrinology</i> , 2011 , 74, 572-8	3.4	33
259	Low testosterone concentrations and the symptoms of testosterone deficiency according to the Androgen Deficiency in Ageing Males (ADAM) and Ageing Males' Symptoms rating scale (AMS) questionnaires. <i>Clinical Endocrinology</i> , 2011 , 74, 488-94	3.4	23
258	Maternal and paternal transmission of type 2 diabetes: influence of diet, lifestyle and adiposity. <i>Journal of Internal Medicine</i> , 2011 , 270, 388-96	10.8	28
257	The sex-specific effects of famine on the association between placental size and later hypertension. <i>Placenta</i> , 2011 , 32, 694-698	3.4	83
256	Anthropometry, physical activity and hip fractures in the elderly. <i>Injury</i> , 2011 , 42, 188-93	2.5	19
255	Association study of POMC variants with body composition measures and nutrient choice. <i>European Journal of Pharmacology</i> , 2011 , 660, 220-5	5.3	6
254	Large-scale gene-centric analysis identifies novel variants for coronary artery disease. <i>PLoS Genetics</i> , 2011 , 7, e1002260	6	175
253	Meta-analysis of Dense Genecentric Association Studies Reveals Common and Uncommon Variants Associated with Height. <i>American Journal of Human Genetics</i> , 2011 , 88, 6-18	11	103
252	Non-fasting lipids and risk of cardiovascular disease in patients with diabetes mellitus. <i>Diabetologia</i> , 2011 , 54, 73-7	10.3	22
251	External validation of the UK Prospective Diabetes Study (UKPDS) risk engine in patients with type 2 diabetes. <i>Diabetologia</i> , 2011 , 54, 264-70	10.3	59
250	Design and cohort description of the InterAct Project: an examination of the interaction of genetic and lifestyle factors on the incidence of type 2 diabetes in the EPIC Study. <i>Diabetologia</i> , 2011 , 54, 2272-82	10.3	155
249	Mediterranean diet and type 2 diabetes risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study: the InterAct project. <i>Diabetes Care</i> , 2011 , 34, 1913-8	14.6	149
248	Cigarette smoking and endogenous sex hormones in postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 3184-92	5.6	54
247	Association between C reactive protein and coronary heart disease: mendelian randomisation analysis based on individual participant data. <i>BMJ, The</i> , 2011 , 342, d548	5.9	422
246	Red alert for women's heart: the urgent need for more research and knowledge on cardiovascular disease in women: proceedings of the workshop held in Brussels on gender differences in cardiovascular disease, 29 September 2010. <i>European Heart Journal</i> , 2011 , 32, 1362-8	9.5	190

245	Change in abdominal obesity and risk of coronary calcification. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, 287-8	5.1	10
244	Correction for Schumann et al., Genome-wide association and genetic functional studies identify autism susceptibility candidate 2 gene (AUTS2) in the regulation of alcohol consumption. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 9316-9316	11.5	2
243	PS9 - 50. Defining a single factor model for metabolic syndrome with good predictive power for type 2 diabetes and cardiovascular disease. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2011 , 9, 125-125	0	
242	Associations between general and abdominal adiposity and mortality in individuals with diabetes mellitus. <i>American Journal of Epidemiology</i> , 2011 , 174, 22-34	3.8	62
241	Low fertility and the risk of type 2 diabetes in women. <i>Human Reproduction</i> , 2011 , 26, 3472-8	5.7	4
240	Genome-wide association and genetic functional studies identify autism susceptibility candidate 2 gene (AUTS2) in the regulation of alcohol consumption. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 7119-24	11.5	218
239	Beneficial vascular risk profile is associated with amyotrophic lateral sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011 , 82, 638-42	5.5	90
238	Testosterone, sex hormone-binding globulin and the metabolic syndrome: a systematic review and meta-analysis of observational studies. <i>International Journal of Epidemiology</i> , 2011 , 40, 189-207	7.8	210
237	Age of mother and grandmother in relation to a subject's breast cancer risk. <i>British Journal of Cancer</i> , 2010 , 102, 1400-4	8.7	2
236	Cohort profile: the EPIC-NL study. <i>International Journal of Epidemiology</i> , 2010 , 39, 1170-8	7.8	141
235	PTPN1 polymorphisms are associated with total and low-density lipoprotein cholesterol. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 28-34		5
234	Dietary intake of total, animal, and vegetable protein and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition (EPIC)-NL study. <i>Diabetes Care</i> , 2010 , 33, 43-8	14.6	224
233	Carbohydrate quantity and quality and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition-Netherlands (EPIC-NL) study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 905-11	7	101
232	Human studies on genetics of the age at natural menopause: a systematic review. <i>Human Reproduction Update</i> , 2010 , 16, 364-77	15.8	51
231	Region-specific nutrient intake patterns exhibit a geographical gradient within and between European countries. <i>Journal of Nutrition</i> , 2010 , 140, 1280-6	4.1	86
230	Dietary phylloquinone and menaquinones intakes and risk of type 2 diabetes. <i>Diabetes Care</i> , 2010 , 33, 1699-705	14.6	104
229	Tea and coffee consumption and cardiovascular morbidity and mortality. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 1665-71	9.4	114
228	Vascular status and physical functioning: the association between vascular status and physical functioning in middle-aged and elderly men: a cross-sectional study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 211-6		10

227	Gender differences in risk factors for coronary heart disease. <i>Maturitas</i> , 2010 , 65, 149-60	5	73
226	Vasomotor symptoms, estradiol levels and cardiovascular risk profile in women. <i>Maturitas</i> , 2010 , 66, 285-90	5	47
225	Preeclampsia as a female-specific risk factor for chronic hypertension. <i>Maturitas</i> , 2010 , 67, 321-6	5	28
224	Menstrual cycle characteristics and risk of coronary heart disease and type 2 diabetes. <i>Fertility and Sterility</i> , 2010 , 94, 2379-81	4.8	38
223	The global burden of diabetes and its complications: an emerging pandemic. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17 Suppl 1, S3-8		433
222	Testosterone, SHBG and cardiovascular health in postmenopausal women. <i>International Journal of Impotence Research</i> , 2010 , 22, 91-104	2.3	45
221	Are recently identified genetic variants regulating BMI in the general population associated with anorexia nervosa?. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 695-699	3.5	15
220	Electrocardiogram abnormalities and coronary calcification in postmenopausal women. <i>The Journal of Tehran Heart Center</i> , 2010 , 5, 19-24	0.3	1
219	Ascertainment and verification of diabetes in the EPIC-NL study. <i>Netherlands Journal of Medicine</i> , 2010 , 68, 333-9	0.5	40
218	Dietary carotenoid intake is associated with lower prevalence of metabolic syndrome in middle-aged and elderly men. <i>Journal of Nutrition</i> , 2009 , 139, 987-92	4.1	87
217	Methodological challenges in the application of the glycemic index in epidemiological studies using data from the European Prospective Investigation into Cancer and Nutrition. <i>Journal of Nutrition</i> , 2009 , 139, 568-75	4.1	51
216	Genome-wide association study in premature ovarian failure patients suggests ADAMTS19 as a possible candidate gene. <i>Human Reproduction</i> , 2009 , 24, 2372-8	5.7	75
215	Physical activity and endogenous sex hormone levels in postmenopausal women: a cross-sectional study in the Prospect-EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 377-83	4	39
214	Effect of testosterone supplementation on sexual functioning in aging men: a 6-month randomized controlled trial. <i>International Journal of Impotence Research</i> , 2009 , 21, 129-38	2.3	21
213	Comment on: Perry et al. (2009) interrogating type 2 diabetes genome-wide association data using a biological pathway-based approach. <i>Diabetes</i> ;58:1463-1467. <i>Diabetes</i> , 2009 , 58, e9; author reply e10	0.9	3
212	Using genome-wide pathway analysis to unravel the etiology of complex diseases. <i>Genetic Epidemiology</i> , 2009 , 33, 419-31	2.6	159
211	Coffee and tea consumption and risk of type 2 diabetes. <i>Diabetologia</i> , 2009 , 52, 2561-9	10.3	94
210	Total dietary carbohydrate, sugar, starch and fibre intakes in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S37-60	5.2	75

209	Dietary fat intake in the European Prospective Investigation into Cancer and Nutrition: results from the 24-h dietary recalls. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S61-80	5.2	83
208	Alcohol consumption patterns, diet and body weight in 10 European countries. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S81-100	5.2	27
207	Dietary intakes of retinol, beta-carotene, vitamin D and vitamin E in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S150-78	5.2	46
206	Dietary glycaemic index and glycaemic load in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S188-205	5.2	48
205	Contribution of highly industrially processed foods to the nutrient intakes and patterns of middle-aged populations in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S206-25	5.2	116
204	Specific food group combinations explaining the variation in intakes of nutrients and other important food components in the European Prospective Investigation into Cancer and Nutrition: an application of the reduced rank regression method. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S263-74	5.2	17
203	Genome-wide association study identifies eight loci associated with blood pressure. <i>Nature Genetics</i> , 2009 , 41, 666-76	36.3	970
202	Loci at chromosomes 13, 19 and 20 influence age at natural menopause. <i>Nature Genetics</i> , 2009 , 41, 645-7	36.3	120
201	Genetic variation in the hypothalamic pathways and its role on obesity. <i>Obesity Reviews</i> , 2009 , 10, 593-609	10.6	16
200	A high menaquinone intake reduces the incidence of coronary heart disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009 , 19, 504-10	4.5	177
199	Cardiovascular disease prevention in women: Impact of dietary interventions. <i>Maturitas</i> , 2009 , 63, 20-7	5	9
198	Lifetime endogenous estrogen exposure and electrocardiographic frontal T axis changes in postmenopausal women. <i>Maturitas</i> , 2009 , 63, 347-51	5	4
197	Incidence and mortality of cardiovascular disease in postmenopausal women world-wide and relevance for preventive strategies. <i>Climacteric</i> , 2009 , 12 Suppl 1, 1-5	3.1	12
196	Obesity genes identified in genome-wide association studies are associated with adiposity measures and potentially with nutrient-specific food preference. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 951-9	7	157
195	High dietary menaquinone intake is associated with reduced coronary calcification. <i>Atherosclerosis</i> , 2009 , 203, 489-93	3.1	169
194	Vasomotor symptoms are associated with a lower bone mineral density. <i>Menopause</i> , 2009 , 16, 231-8	2.5	27
193	Phytoestrogens and the health of older women 2009 , 430-457		2
192	Variants in neuropeptide Y receptor 1 and 5 are associated with nutrient-specific food intake and are under recent selection in Europeans. <i>PLoS ONE</i> , 2009 , 4, e7070	3.7	9

191	No association of PTPN1 polymorphisms with macronutrient intake and measures of adiposity. <i>Obesity</i> , 2008 , 16, 2767-71	8	2
190	Prospective study on dietary intakes of folate, betaine, and choline and cardiovascular disease risk in women. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 386-94	5.2	90
189	HHEX gene polymorphisms are associated with type 2 diabetes in the Dutch Breda cohort. <i>European Journal of Human Genetics</i> , 2008 , 16, 652-6	5.3	18
188	Myocardial adipose tissue in healthy postmenopausal women: no relations with vascular risk. <i>European Journal of Clinical Investigation</i> , 2008 , 38, 786-7	4.6	
187	Endogenous sex hormones and C-reactive protein in healthy postmenopausal women. <i>Journal of Internal Medicine</i> , 2008 , 264, 245-53	10.8	37
186	Elevated blood pressure and electrocardiographic frontal T axis and spatial QRS-T angle changes in postmenopausal women. <i>Journal of Electrocardiology</i> , 2008 , 41, 360-4	1.4	9
185	High levels of urinary F2-isoprostanes predict cardiovascular mortality in postmenopausal women. <i>Journal of Clinical Lipidology</i> , 2008 , 2, 298-303	4.9	37
184	General and abdominal adiposity and risk of death in Europe. <i>New England Journal of Medicine</i> , 2008 , 359, 2105-20	59.2	1451
183	No added value of age at menopause and the lifetime cumulative number of menstrual cycles for cardiovascular risk prediction in postmenopausal women. <i>International Journal of Cardiology</i> , 2008 , 130, 190-5	3.2	7
182	Paraoxonase (PON1) and the risk for coronary heart disease and myocardial infarction in a general population of Dutch women. <i>Atherosclerosis</i> , 2008 , 199, 408-14	3.1	44
181	Variations in the uncoupling protein-3 gene are associated with specific obesity phenotypes. <i>European Journal of Endocrinology</i> , 2008 , 158, 669-76	6.5	11
180	Alpha-adducin Gly460Trp variant increases the risk of stroke in hypertensive Dutch women. <i>Hypertension</i> , 2008 , 51, 1665-70	8.5	20
179	Peri-coronary epicardial adipose tissue is related to cardiovascular risk factors and coronary artery calcification in post-menopausal women. <i>European Heart Journal</i> , 2008 , 29, 777-83	9.5	174
178	Relationship of serum antimüllerian hormone concentration to age at menopause. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 2129-34	5.6	204
177	Soy protein containing isoflavones and mammographic density in a randomized controlled trial in postmenopausal women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2632-8	4	37
176	Food frequency questionnaires and overnight urines are valid indicators of daidzein and genistein intake in U.S. women relative to multiple 24-h urine samples. <i>Nutrition and Cancer</i> , 2008 , 60, 619-26	2.8	13
175	Mutations in the HFE gene and cardiovascular disease risk: an individual patient data meta-analysis of 53 880 subjects. <i>Circulation: Cardiovascular Genetics</i> , 2008 , 1, 43-50		22
174	Pulse pressure amplification and risk of cardiovascular disease. <i>American Journal of Hypertension</i> , 2008 , 21, 388-92	2.3	34

173	Menopausal complaints are associated with cardiovascular risk factors. <i>Hypertension</i> , 2008 , 51, 1492-8	8.5	132
172	The M235T variant of the angiotensinogen gene is related to development of self-reported hypertension during pregnancy: the Prospect-EPIC cohort study. <i>Hypertension Research</i> , 2008 , 31, 1299-305	4.7	19
171	Effect of testosterone supplementation on functional mobility, cognition, and other parameters in older men: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 299, 39-52	27.4	360
170	Intake of vegetables, legumes, and fruit, and risk for all-cause, cardiovascular, and cancer mortality in a European diabetic population. <i>Journal of Nutrition</i> , 2008 , 138, 775-81	4.1	169
169	The association between vascular function-related genes and age at natural menopause. <i>Menopause</i> , 2008 , 15, 511-6	2.5	12
168	Reproductive factors, metabolic factors, and coronary artery calcification in older women. <i>Menopause</i> , 2008 , 15, 899-904	2.5	24
167	Lipid profile of women with premature ovarian failure. <i>Menopause</i> , 2008 , 15, 919-23	2.5	56
166	Peroxisome proliferator-activated receptor gamma-2 P12A polymorphism and risk of acute myocardial infarction, coronary heart disease and ischemic stroke: a case-cohort study and meta-analyses. <i>Vascular Health and Risk Management</i> , 2008 , 4, 427-36	4.4	29
165	T64A polymorphism in beta3-adrenergic receptor gene (ADRB3) and coronary heart disease: a case-cohort study and meta-analysis. <i>Journal of Internal Medicine</i> , 2008 , 263, 79-89	10.8	17
164	Lifetime cumulative number of menstrual cycles and serum sex hormone levels in postmenopausal women. <i>Breast Cancer Research and Treatment</i> , 2008 , 108, 101-12	4.4	25
163	Efficacy of tibolone and raloxifene for the maintenance of skeletal muscle strength, bone mineral density, balance, body composition, cognitive function, mood/depression, anxiety and quality of life/well-being in late postmenopausal women ≥ 70 years: study design of a randomized, double-blind, double-dummy, placebo-controlled, single-center trial. <i>Trials</i> , 2008 , 9, 32	2.8	7
162	Polymorphisms of the TUB gene are associated with body composition and eating behavior in middle-aged women. <i>PLoS ONE</i> , 2008 , 3, e1405	3.7	21
161	The M235T polymorphism in the AGT gene and CHD risk: evidence of a Hardy-Weinberg equilibrium violation and publication bias in a meta-analysis. <i>PLoS ONE</i> , 2008 , 3, e2533	3.7	25
160	High dietary glycemic load and glycemic index increase risk of cardiovascular disease among middle-aged women: a population-based follow-up study. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 14-21	15.1	125
159	Circulating sex hormone levels and aortic stiffness in men. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 621-2	5.6	2
158	Association of endogenous sex hormone with C-reactive protein levels in middle-aged and elderly men. <i>Clinical Endocrinology</i> , 2007 , 66, 394-8	3.4	30
157	Genetic and environmental determinants of the PON-1 phenotype. <i>European Journal of Clinical Investigation</i> , 2007 , 37, 187-96	4.6	44
156	Risk of acute ischemic heart disease in postmenopausal women depends on von Willebrand factor and fibrinogen concentrations, and blood group genotype. <i>Journal of Thrombosis and Haemostasis</i> , 2007 , 5, 189-91	15.4	7

155	EPIC-Heart: the cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , 2007 , 22, 129-41	12.1	69
154	Inter-scan reproducibility of coronary calcium measurement using Multi Detector-Row Computed Tomography (MDCT). <i>European Journal of Epidemiology</i> , 2007 , 22, 235-43	12.1	38
153	Modified Mediterranean diet and survival after myocardial infarction: the EPIC-Elderly study. <i>European Journal of Epidemiology</i> , 2007 , 22, 871-81	12.1	79
152	High blood pressure in pregnancy and coronary calcification. <i>Hypertension</i> , 2007 , 49, 813-7	8.5	34
151	C-reactive protein is independently associated with glucose but not with insulin resistance in healthy men. <i>Diabetes Care</i> , 2007 , 30, 1627-9	14.6	17
150	C-reactive protein and aortic stiffness and wave reflection in middle-aged and elderly men from the community. <i>Journal of Human Hypertension</i> , 2007 , 21, 949-55	2.6	38
149	Circulating homocysteine and large arterial stiffness and thickness in a population-based sample of middle-aged and elderly men. <i>Journal of Human Hypertension</i> , 2007 , 21, 942-8	2.6	24
148	Dietary patterns and survival of older Europeans: the EPIC-Elderly Study (European Prospective Investigation into Cancer and Nutrition). <i>Public Health Nutrition</i> , 2007 , 10, 590-8	3.3	111
147	Common genetic variations in CCK, leptin, and leptin receptor genes are associated with specific human eating patterns. <i>Diabetes</i> , 2007 , 56, 276-80	0.9	65
146	The association between H63D mutations in HFE and amyotrophic lateral sclerosis in a Dutch population. <i>Archives of Neurology</i> , 2007 , 64, 63-7		61
145	Variations in plasma phytoestrogen concentrations in European adults. <i>Journal of Nutrition</i> , 2007 , 137, 1294-300	4.1	68
144	Dietary phytoestrogen intake and cognitive function in older women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 556-62	6.4	38
143	A strategy to search for common obesity and type 2 diabetes genes. <i>Trends in Endocrinology and Metabolism</i> , 2007 , 18, 19-26	8.8	37
142	Oral testosterone supplementation and chronic low-grade inflammation in elderly men: a 26-week randomized, placebo-controlled trial. <i>American Heart Journal</i> , 2007 , 154, 1228.e1-7	4.9	21
141	Renin-angiotensin system and nitric oxide synthase gene polymorphisms in relation to stroke. <i>American Journal of Hypertension</i> , 2007 , 20, 764-70	2.3	7
140	Breast arterial calcifications are correlated with subsequent development of coronary artery calcifications, but their aetiology is predominantly different. <i>European Journal of Radiology</i> , 2007 , 63, 396-400	4.7	40
139	Vitamin K intake and calcifications in breast arteries. <i>Maturitas</i> , 2007 , 56, 273-9	5	21
138	Analysis of case-cohort data: a comparison of different methods. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 350-5	5.7	84

137	Cardiovascular disease and cognitive performance in middle-aged and elderly men. <i>Atherosclerosis</i> , 2007 , 190, 143-9	3.1	114
136	No relationship between circulating levels of sex steroids and mammographic breast density: the Prospect-EPIC cohort. <i>Breast Cancer Research</i> , 2007 , 9, R53	8.3	38
135	Reliability of biomarkers of iron status, blood lipids, oxidative stress, vitamin D, C-reactive protein and fructosamine in two Dutch cohorts. <i>Biomarkers</i> , 2006 , 11, 370-82	2.6	51
134	Arterial calcifications seen on mammograms: cardiovascular risk factors, pregnancy, and lactation. <i>Radiology</i> , 2006 , 240, 33-8	20.5	47
133	Effects of dehydroepiandrosterone and atamestane supplementation on frailty in elderly men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 3988-91	5.6	47
132	Response to Letter Regarding Article Effect Size Estimates of Lifestyle and Dietary Changes on All-Cause Mortality in Coronary Artery Disease Patients: A Systematic Review <i>Circulation</i> , 2006 , 114,	16.7	1
131	Serum sex hormone and plasma homocysteine levels in middle-aged and elderly men. <i>European Journal of Endocrinology</i> , 2006 , 155, 887-93	6.5	9
130	Role of genetic analyses in cardiology: part II: heritability estimation for gene searching in multifactorial diseases. <i>Circulation</i> , 2006 , 113, 1136-9	16.7	28
129	Calculation of bioavailable and free testosterone in men: a comparison of 5 published algorithms. <i>Clinical Chemistry</i> , 2006 , 52, 1777-84	5.5	105
128	Non-transferrin-bound iron and risk of coronary heart disease in postmenopausal women. <i>Circulation</i> , 2006 , 113, 1942-9	16.7	48
127	Non-invasively measured structural and functional arterial characteristics and coronary heart disease risk in middle aged and elderly men. <i>Atherosclerosis</i> , 2006 , 187, 110-5	3.1	16
126	Heart disease risk determines menopausal age rather than the reverse. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 1976-83	15.1	151
125	Use of hormones in the menopausal transition period in the Netherlands between 1993 and 1997. <i>Maturitas</i> , 2006 , 53, 462-75	5	11
124	Relations between body composition, functional and hormonal parameters and quality of life in healthy postmenopausal women. <i>Maturitas</i> , 2006 , 55, 82-92	5	25
123	HFE genotypes and dietary heme iron: no evidence of strong gene-nutrient interaction on serum ferritin concentrations in middle-aged women. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006 , 16, 60-8	4.5	25
122	Dietary patterns and survival in older Dutch women. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 1170-6		77
121	Fat mass rather than muscle strength is the major determinant of physical function and disability in postmenopausal women younger than 75 years of age. <i>Menopause</i> , 2006 , 13, 474-81	2.5	80
120	Cognitive function across the life course and the menopausal transition in a British birth cohort. <i>Menopause</i> , 2006 , 13, 19-27	2.5	89

119	Postmenopausal status and early menopause as independent risk factors for cardiovascular disease: a meta-analysis. <i>Menopause</i> , 2006 , 13, 265-79	2.5	483
118	Double blind randomized placebo-controlled trial on the effects of testosterone supplementation in elderly men with moderate to low testosterone levels: design and baseline characteristics [ISRCTN23688581]. <i>Trials</i> , 2006 , 7, 24	2.8	5
117	HFE mutations and risk of coronary heart disease in middle-aged women. <i>European Journal of Clinical Investigation</i> , 2006 , 36, 682-90	4.6	23
116	Arterial calcium on mammograms is not associated with inflammatory markers for heart disease risk. <i>Heart</i> , 2006 , 92, 541-2	5.1	7
115	Progression of calcifications in breast arteries in women at high risk for coronary heart disease events. <i>Netherlands Heart Journal</i> , 2006 , 14, 287-291	2.2	1
114	Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. <i>BMJ, The</i> , 2005 , 330, 991	5.9	499
113	Prospective study on usual dietary phytoestrogen intake and cardiovascular disease risk in Western women. <i>Circulation</i> , 2005 , 111, 465-71	16.7	119
112	Dietary haem iron and coronary heart disease in women. <i>European Heart Journal</i> , 2005 , 26, 257-62	9.5	48
111	Menopausal complaints, oestrogens, and heart disease risk: an explanation for discrepant findings on the benefits of post-menopausal hormone therapy. <i>European Heart Journal</i> , 2005 , 26, 1358-61	9.5	42
110	Dietary phytoestrogens and plasma lipids in Dutch postmenopausal women; a cross-sectional study. <i>Atherosclerosis</i> , 2005 , 178, 95-100	3.1	21
109	Effect size estimates of lifestyle and dietary changes on all-cause mortality in coronary artery disease patients: a systematic review. <i>Circulation</i> , 2005 , 112, 924-34	16.7	187
108	Best reproducibility of the ankle-arm index was calculated using Doppler and dividing highest ankle pressure by highest arm pressure. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 1282-8	5.7	19
107	Soy isoflavones, body composition, and physical performance. <i>Maturitas</i> , 2005 , 52, 102-10	5	20
106	Vascular risk factors and cognitive function in a sample of independently living men. <i>Neurobiology of Aging</i> , 2005 , 26, 485-90	5.6	37
105	Average blood pressure and cardiovascular disease-related mortality in middle-aged women. <i>American Journal of Hypertension</i> , 2005 , 18, 197-201	2.3	10
104	Randomized controlled trial of the effects of soy protein containing isoflavones on vascular function in postmenopausal women. <i>American Journal of Clinical Nutrition</i> , 2005 , 81, 189-95	7	90
103	Effect of Soy Protein Containing Isoflavones on Cognitive Function, Bone Mineral Density, and Plasma Lipids in Postmenopausal Women: A Randomized, Controlled Trial. <i>Obstetrical and Gynecological Survey</i> , 2005 , 60, 41-43	2.4	3
102	Serum ferritin is a risk factor for stroke in postmenopausal women. <i>Stroke</i> , 2005 , 36, 1637-41	6.7	74

101	A randomized, placebo-controlled trial on the effects of soy protein containing isoflavones on quality of life in postmenopausal women. <i>Menopause</i> , 2005 , 12, 56-62	2.5	27
100	Age at menopause, cause-specific mortality and total life expectancy. <i>Epidemiology</i> , 2005 , 16, 556-62	3.1	274
99	Serum levels of sex hormone-binding globulin (SHBG) are not associated with lower levels of non-SHBG-bound testosterone in male newborns and healthy adult men. <i>Clinical Endocrinology</i> , 2005 , 62, 498-503	3.4	36
98	Endogenous oestrogens are related to cognition in healthy elderly women. <i>Clinical Endocrinology</i> , 2005 , 63, 50-5	3.4	72
97	Alcohol and arterial wave reflections in middle aged and elderly men. <i>European Journal of Clinical Investigation</i> , 2005 , 35, 615-21	4.6	15
96	Higher dietary intake of lignans is associated with better cognitive performance in postmenopausal women. <i>Journal of Nutrition</i> , 2005 , 135, 1190-5	4.1	35
95	The usual intake of lignans but not that of isoflavones may be related to cardiovascular risk factors in U.S. men. <i>Journal of Nutrition</i> , 2005 , 135, 260-6	4.1	34
94	Authors' Response: Sex Hormones and Metabolic Syndrome in Aging Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 6339-6340	5.6	1
93	Endogenous sex hormone levels and cognitive function in aging men: is there an optimal level?. <i>Neurology</i> , 2005 , 64, 866-71	6.5	135
92	No association of estrogen receptor alpha and cytochrome P450c17alpha polymorphisms with age at menopause in a Dutch cohort. <i>Human Reproduction</i> , 2005 , 20, 536-42	5.7	23
91	Endogenous sex hormones and metabolic syndrome in aging men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 2618-23	5.6	368
90	Alcohol and endogenous sex steroid levels in postmenopausal women: a cross-sectional study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 1414-9	5.6	99
89	Associations of sex-hormone-binding globulin (SHBG) with non-SHBG-bound levels of testosterone and estradiol in independently living men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 157-62	5.6	63
88	Alcohol consumption and risk of type 2 diabetes among older women. <i>Diabetes Care</i> , 2005 , 28, 2933-8	14.6	60
87	Postmenopausal breast cancer risk and cumulative number of menstrual cycles. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 799-804	4	39
86	Genetic studies to identify genes underlying menopausal age. <i>Human Reproduction Update</i> , 2005 , 11, 483-93	15.8	72
85	Authors' Response: Endogenous Sex Hormones and Metabolic Syndrome in Aging Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 4979-4979	5.6	
84	Body mass index and short-term weight change in relation to mortality in Dutch women after age 50 y. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 231-6	7	43

83	Reply to M Messina. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 529-530	7	2
82	Endogenous sex hormones and progression of carotid atherosclerosis in elderly men. <i>Circulation</i> , 2004 , 109, 2074-9	16.7	255
81	Effect of soy protein containing isoflavones on cognitive function, bone mineral density, and plasma lipids in postmenopausal women: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 65-74	27.4	308
80	Indicators for the total duration of premenopausal endogenous estrogen exposure in relation to BMD. <i>Human Reproduction</i> , 2004 , 19, 2163-9	5.7	14
79	Alcohol consumption in relation to aortic stiffness and aortic wave reflections: a cross-sectional study in healthy postmenopausal women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 342-8	9.4	65
78	Visual perceptual impairment in children at 5 years of age with perinatal haemorrhagic or ischaemic brain damage in relation to cerebral magnetic resonance imaging. <i>Brain and Development</i> , 2004 , 26, 251-61	2.2	25
77	Prevalence and determinants of breast arterial calcium in women at high risk of cardiovascular disease. <i>American Journal of Cardiology</i> , 2004 , 94, 655-9	3	31
76	Estrogen, inflammation and cardiovascular risk in women: a critical appraisal. <i>Trends in Endocrinology and Metabolism</i> , 2004 , 15, 66-72	8.8	46
75	HRT and heart disease: problems and prospects. <i>Maturitas</i> , 2004 , 47, 255-8	5	7
74	Linkage analysis of extremely discordant and concordant sibling pairs identifies quantitative trait loci influencing variation in human menopausal age. <i>American Journal of Human Genetics</i> , 2004 , 74, 444-53	11	47
73	Age at natural menopause is not linked with the follicle-stimulating hormone receptor region: a sib-pair study. <i>Fertility and Sterility</i> , 2004 , 81, 611-6	4.8	6
72	Design and baseline characteristics of a trial on health effects of soy protein with isoflavones in postmenopausal women. <i>Maturitas</i> , 2004 , 47, 21-9	5	9
71	Dietary phytoestrogens and breast cancer risk. <i>American Journal of Clinical Nutrition</i> , 2004 , 79, 282-8	7	158
70	Rise and fall of hormone therapy in postmenopausal women with cardiovascular disease. <i>Menopause</i> , 2004 , 11, 228-35	2.5	21
69	Dietary phytoestrogens and vascular function in postmenopausal women: a cross-sectional study. <i>Journal of Hypertension</i> , 2004 , 22, 1381-8	1.9	27
68	Alcohol consumption and arterial stiffness in men. <i>Journal of Hypertension</i> , 2004 , 22, 357-62	1.9	52
67	Current smoking at menopause rather than duration determines the onset of natural menopause. <i>Epidemiology</i> , 2004 , 15, 634-9	3.1	50
66	A RANDOMIZED CONTROLLED TRIAL ON THE EFFECTS OF SOY PROTEIN CONTAINING ISOFLAVONES ON VASCULAR FUNCTION IN POSTMENOPAUSAL WOMEN. <i>Journal of Hypertension</i> , 2004 , 22, S255	1.9	

65	Isoflavones and Postmenopausal Women Reply. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 2338	27.4	4
64	Subfertility reflects accelerated ovarian ageing. <i>Human Reproduction</i> , 2003 , 18, 644-8	5.7	38
63	Endogenous sex hormones and cardiovascular disease in men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 5076-86	5.6	92
62	Factor V Leiden mutation accelerates the onset of natural menopause. <i>Menopause</i> , 2003 , 10, 477-81	2.5	31
61	Heterozygosity for the Cys282Tyr mutation in the HFE gene and the risk of colorectal cancer (Netherlands). <i>Cancer Causes and Control</i> , 2003 , 14, 541-5	2.8	18
60	Phytoestrogens and breast cancer risk. Review of the epidemiological evidence. <i>Breast Cancer Research and Treatment</i> , 2003 , 77, 171-83	4.4	180
59	Early prediction of seizure remission in children with occipital lobe epilepsy. <i>European Journal of Paediatric Neurology</i> , 2003 , 7, 161-5	3.8	2
58	Treatment with hormone replacement therapy lowers remnant lipoprotein particles in healthy postmenopausal women: results from a randomized trial. <i>European Journal of Clinical Investigation</i> , 2003 , 33, 376-82	4.6	17
57	Plasma and urinary sex hormones are differently related to lipids in healthy postmenopausal women. <i>Maturitas</i> , 2003 , 44, 181-7	5	5
56	Does the beneficial effect of HRT on endothelial function depend on lipid changes. <i>Maturitas</i> , 2003 , 45, 47-54	5	4
55	Sex hormones and male health: effects on components of the frailty syndrome. <i>Trends in Endocrinology and Metabolism</i> , 2003 , 14, 289-96	8.8	31
54	Endogenous sex hormones in men aged 40-80 years. <i>European Journal of Endocrinology</i> , 2003 , 149, 583-96	5	256
53	Hormone replacement therapy and heart disease: the remains of the oestrogen hypothesis. <i>Netherlands Heart Journal</i> , 2003 , 11, 459-464	2.2	
52	Intake of dietary phytoestrogens by Dutch women. <i>Journal of Nutrition</i> , 2002 , 132, 1319-28	4.1	147
51	Quality and quantity of DNA isolated from frozen urine in population-based research. <i>Analytical Biochemistry</i> , 2002 , 304, 206-11	3.1	43
50	Higher usual dietary intake of phytoestrogens is associated with lower aortic stiffness in postmenopausal women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 1316-22	9.4	86
49	Endogenous estrogen exposure and cardiovascular mortality risk in postmenopausal women. <i>American Journal of Epidemiology</i> , 2002 , 155, 339-45	3.8	147
48	Arterial stiffness in postmenopausal women: determinants of pulse wave velocity. <i>Journal of Hypertension</i> , 2002 , 20, 2165-72	1.9	60

47	Soy product consumption in 10 European countries: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2002 , 5, 1217-26	3.3	84
46	Dietary intake of phytoestrogens is associated with a favorable metabolic cardiovascular risk profile in postmenopausal U.S.women: the Framingham study. <i>Journal of Nutrition</i> , 2002 , 132, 276-82	4.1	157
45	Does Menopause Increase the Incidence of Coronary Heart Disease?. <i>Medical Science Symposia Series</i> , 2002 , 117-122		
44	Neural network-based screening (NNS) in cervical cytology: no need for the light microscope?. <i>Diagnostic Cytopathology</i> , 2001 , 24, 426-34	1.4	11
43	Prospect-EPIC Utrecht: study design and characteristics of the cohort population. European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Epidemiology</i> , 2001 , 17, 1047-53	12.1	118
42	Prevalence of cerebral palsy in The Netherlands (1977-1988). <i>European Journal of Epidemiology</i> , 2001 , 17, 527-32	12.1	31
41	Excessive urinary albumin levels are associated with future cardiovascular mortality in postmenopausal women. <i>Circulation</i> , 2001 , 103, 3057-61	16.7	119
40	Oral contraceptive use in relation to age at menopause in the DOM cohort. <i>Human Reproduction</i> , 2001 , 16, 1657-62	5.7	58
39	Methylenetetrahydrofolate reductase 677 C/T genotype and cardiovascular disease mortality in postmenopausal women. <i>American Journal of Epidemiology</i> , 2001 , 153, 673-9	3.8	14
38	Hormone replacement therapy and endothelial function. Results of a randomized controlled trial in healthy postmenopausal women. <i>Atherosclerosis</i> , 2001 , 159, 357-65	3.1	51
37	Effect of hormone replacement therapy on lipids in perimenopausal and early postmenopausal women. <i>Maturitas</i> , 2001 , 39, 209-16	5	15
36	Cost analysis of PAPNET-assisted vs. conventional Pap smear evaluation in primary screening of cervical smears. <i>Acta Cytologica</i> , 2001 , 45, 28-35	3	7
35	Intake of dietary phytoestrogens is low in postmenopausal women in the United States: the Framingham study(1-4). <i>Journal of Nutrition</i> , 2001 , 131, 1826-32	4.1	229
34	Reproducibility in double scanning of cervical smears with the PAPNET system. <i>Acta Cytologica</i> , 2000 , 44, 604-10	3	6
33	Learning in medicine: chorionic villus sampling. <i>Prenatal Diagnosis</i> , 2000 , 20, 241-246	3.2	59
32	Plasminogen activator inhibitor 4G polymorphism is associated with decreased risk of cerebrovascular mortality in older women. <i>Circulation</i> , 2000 , 101, 67-70	16.7	77
31	Homozygosity for 807 T polymorphism in alpha(2) subunit of platelet alpha(2)beta(1) is associated with increased risk of cardiovascular mortality in high-risk women. <i>Circulation</i> , 2000 , 102, 1645-50	16.7	73
30	Lipoprotein (a) is associated with endothelial function in healthy postmenopausal women. <i>Atherosclerosis</i> , 2000 , 153, 249-54	3.1	22

29	Relation between visual perceptual impairment and neonatal ultrasound diagnosis of haemorrhagic-ischæmic brain lesions in 5-year-old children. <i>Developmental Medicine and Child Neurology</i> , 2000 , 42, 376-86	3.3	32
28	Age at menopause, body mass index, and the risk of colorectal cancer mortality in the Dutch Diagnostisch Onderzoek Mammacarcinoom (DOM) cohort. <i>Epidemiology</i> , 2000 , 11, 304-8	3.1	44
27	Phyto-oestrogens and cardiovascular disease risk. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2000 , 10, 154-67	4.5	42
26	Factor V Arg506Gln mutation is not associated with cardiovascular mortality in older women. <i>American Journal of Epidemiology</i> , 1999 , 149, 665-70	3.8	16
25	Heterozygosity for a hereditary hemochromatosis gene is associated with cardiovascular death in women. <i>Circulation</i> , 1999 , 100, 1268-73	16.7	206
24	Early age at menopause and breast cancer: are leaner women more protected? A prospective analysis of the Dutch DOM cohort. <i>Breast Cancer Research and Treatment</i> , 1999 , 55, 285-91	4.4	54
23	Observer variation in cytologic grading for cervical dysplasia of Papanicolaou smears with the PAPNET testing system. <i>Cancer</i> , 1999 , 87, 178-83	6.4	12
22	Reproductive history and cardiovascular disease risk in postmenopausal women: a review of the literature. <i>Maturitas</i> , 1999 , 33, 7-36	5	85
21	Adverse obstetric outcome in low- and high- risk pregnancies: predictive value of maternal serum screening. <i>Obstetrics and Gynecology</i> , 1999 , 94, 929-34	4.9	30
20	Added value of CT criteria compared to the clinical SAP score in patients with acute pancreatitis. <i>Abdominal Imaging</i> , 1998 , 23, 622-6		32
19	Progression to AIDS in Relation to Clinical Factors and Clotting Product Consumption. <i>Vox Sanguinis</i> , 1998 , 75, 261-266	3.1	1
18	A new behavioral visual field test for clinical use in pediatric neuro-ophthalmology. <i>Neuro-Ophthalmology</i> , 1998 , 19, 205-214	0.9	11
17	Visual, cognitive, and neurodevelopmental outcome at 5 1/2 years in children with perinatal haemorrhagic-ischæmic brain lesions. <i>Developmental Medicine and Child Neurology</i> , 1998 , 40, 820-8	3.3	12
16	Apolipoprotein B and coronary artery disease in women: a cross-sectional study in women undergoing their first coronary angiography. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998 , 18, 1101-7	9.4	56
15	Menopause and cardiovascular disease. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 1997 , 18, 113-20	3.6	22
14	CT prediction of irresectability in esophageal carcinoma: value of additional patient positions and relation to patient outcome. <i>Abdominal Imaging</i> , 1997 , 22, 132-7		7
13	Age at menopause as a risk factor for cardiovascular mortality. <i>Lancet, The</i> , 1996 , 347, 714-8	4.0	492
12	Problems in selecting the adequate patient population from existing data files for assessment studies of new diagnostic tests. <i>Journal of Clinical Epidemiology</i> , 1995 , 48, 417-22	5.7	26

11	Guidelines for the assessment of new diagnostic tests. <i>Investigative Radiology</i> , 1995 , 30, 334-40	10.1	49
10	ROC curves and the areas under them for dichotomized tests: empirical findings for logistically and normally distributed diagnostic test results. <i>Medical Decision Making</i> , 1994 , 14, 374-81	2.5	18
9	Diagnosis of hypertrophic pyloric stenosis: value of sonography when used in conjunction with clinical findings and laboratory data. <i>American Journal of Roentgenology</i> , 1994 , 163, 905-9	5.4	20
8	Ultrasonography versus clinical examination in evaluation of testicular tumors. <i>Journal of Clinical Ultrasound</i> , 1994 , 22, 179-82	1	12
7	Item assessment in the development of a diagnostic motor performance test for myopathy in children. <i>Developmental Medicine and Child Neurology</i> , 1993 , 35, 608-13	3.3	8
6	ROC curves for the initial assessment of new diagnostic tests. <i>Family Practice</i> , 1992 , 9, 506-11	1.9	81
5	Comparison of four serum tumour markers in the diagnosis of colorectal carcinoma. <i>British Journal of Cancer</i> , 1992 , 66, 148-54	8.7	42
4	Fatty acid composition of serum lipids of mothers and their babies after normal and hypertensive pregnancies. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1991 , 44, 247-52	2.8	25
3	Biochemical EFA status of mothers and their neonates after normal pregnancy. <i>Early Human Development</i> , 1990 , 24, 239-48	2.2	91
2	Iron status in the acute phase and six weeks after myocardial infarction. <i>Free Radical Biology and Medicine</i> , 1990 , 8, 47-53	7.8	21
1	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9		1