

David P Fenning

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4602515/publications.pdf>

Version: 2024-02-01

77
papers

2,866
citations

304743

22
h-index

175258

52
g-index

77
all docs

77
docs citations

77
times ranked

3871
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Constructive molecular configurations for surface-defect passivation of perovskite photovoltaics. Science, 2019, 366, 1509-1513. | 12.6 | 846 |
| 2 | A fabrication process for flexible single-crystal perovskite devices. Nature, 2020, 583, 790-795. | 27.8 | 278 |
| 3 | Homogenized halides and alkali cation segregation in alloyed organic-inorganic perovskites. Science, 2019, 363, 627-631. | 12.6 | 258 |
| 4 | Microscopic Degradation in Formamidinium-Cesium Lead Iodide Perovskite Solar Cells under Operational Stressors. Joule, 2020, 4, 1743-1758. | 24.0 | 156 |
| 5 | Understanding Detrimental and Beneficial Grain Boundary Effects in Halide Perovskites. Advanced Materials, 2018, 30, e1804792. | 21.0 | 128 |
| 6 | Direct Observation of Halide Migration and its Effect on the Photoluminescence of Methylammonium Lead Bromide Perovskite Single Crystals. Advanced Materials, 2017, 29, 1703451. | 21.0 | 83 |
| 7 | Nickel: A very fast diffuser in silicon. Journal of Applied Physics, 2013, 113, . | 2.5 | 81 |
| 8 | Nanoprobe X-ray fluorescence characterization of defects in large-area solar cells. Energy and Environmental Science, 2011, 4, 4252. | 30.8 | 69 |
| 9 | Residual Nanoscale Strain in Cesium Lead Bromide Perovskite Reduces Stability and Shifts Local Luminescence. Chemistry of Materials, 2019, 31, 2778-2785. | 6.7 | 53 |
| 10 | Improved iron gettering of contaminated multicrystalline silicon by high-temperature phosphorus diffusion. Journal of Applied Physics, 2013, 113, 214504. | 2.5 | 52 |
| 11 | X-ray Microscopy of Halide Perovskites: Techniques, Applications, and Prospects. Advanced Energy Materials, 2020, 10, 1903170. | 19.5 | 49 |
| 12 | Impurity-to-efficiency simulator: predictive simulation of silicon solar cell performance based on iron content and distribution. Progress in Photovoltaics: Research and Applications, 2011, 19, 487-497. | 8.1 | 47 |
| 13 | Charge Collection in Hybrid Perovskite Solar Cells: Relation to the Nanoscale Elemental Distribution. IEEE Journal of Photovoltaics, 2017, 7, 590-597. | 2.5 | 45 |
| 14 | Iron distribution in silicon after solar cell processing: Synchrotron analysis and predictive modeling. Applied Physics Letters, 2011, 98, . | 3.3 | 41 |
| 15 | Spatially Heterogeneous Chlorine Incorporation in Organic-Inorganic Perovskite Solar Cells. Chemistry of Materials, 2016, 28, 6536-6543. | 6.7 | 39 |
| 16 | Influence of defect type on hydrogen passivation efficacy in multicrystalline silicon solar cells. Progress in Photovoltaics: Research and Applications, 2011, 19, 187-191. | 8.1 | 33 |
| 17 | Analyses of the Evolution of Iron-Silicide Precipitates in Multicrystalline Silicon During Solar Cell Processing. IEEE Journal of Photovoltaics, 2013, 3, 131-137. | 2.5 | 32 |
| 18 | Comparison of the Mechanical Properties of a Conjugated Polymer Deposited Using Spin Coating, Interfacial Spreading, Solution Shearing, and Spray Coating. ACS Applied Materials & Interfaces, 2021, 13, 51436-51446. | 8.0 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Effective lifetimes exceeding 300 μ s in gettered <i>p</i> -type epitaxial kerfless silicon for photovoltaics. Applied Physics Letters, 2013, 103, . | 3.3 | 28 |
| 20 | The Relationship between Chemical Flexibility and Nanoscale Charge Collection in Hybrid Halide Perovskites. Advanced Functional Materials, 2018, 28, 1706995. | 14.9 | 28 |
| 21 | Enhancing $C_{2\rightarrow 3}$ Production from CO_2 on Copper Electrocatalysts via a Potential-Dependent Mesosstructure. ACS Applied Energy Materials, 2018, 1, 1965-1972. | 5.1 | 26 |
| 22 | Synchrotron-based analysis of chromium distributions in multicrystalline silicon for solar cells. Applied Physics Letters, 2015, 106, . | 3.3 | 24 |
| 23 | Epitaxial ferroelectric oxides on silicon with perspectives for future device applications. APL Materials, 2021, 9, . | 5.1 | 23 |
| 24 | How Strain Alters CO_2 Electroreduction on Model Cu(001) Surfaces. ACS Catalysis, 2021, 11, 6662-6671. | 11.2 | 23 |
| 25 | Synchrotron-based investigation of transition-metal getterability in <i>n</i> -type multicrystalline silicon. Applied Physics Letters, 2016, 108, . | 3.3 | 22 |
| 26 | Effects of X-rays on Perovskite Solar Cells. Journal of Physical Chemistry C, 2020, 124, 17949-17956. | 3.1 | 21 |
| 27 | Retrograde Melting and Internal Liquid Gettering in Silicon. Advanced Materials, 2010, 22, 3948-3953. | 21.0 | 19 |
| 28 | Sorting Metrics for Customized Phosphorus Diffusion Gettering. IEEE Journal of Photovoltaics, 2014, 4, 1421-1428. | 2.5 | 19 |
| 29 | The Role of Water in the Reversible Optoelectronic Degradation of Hybrid Perovskites at Low Pressure. Journal of Physical Chemistry C, 2017, 121, 25659-25665. | 3.1 | 19 |
| 30 | Design and fabrication of porous polymer wick structures. Sensors and Actuators B: Chemical, 2010, 150, 556-563. | 7.8 | 18 |
| 31 | Engineering metal precipitate size distributions to enhance gettering in multicrystalline silicon. Physica Status Solidi (A) Applications and Materials Science, 2012, 209, 1861-1865. | 1.8 | 17 |
| 32 | Impacts of the Hole Transport Layer Deposition Process on Buried Interfaces in Perovskite Solar Cells. Cell Reports Physical Science, 2020, 1, 100103. | 5.6 | 17 |
| 33 | Passivation Properties and Formation Mechanism of Amorphous Halide Perovskite Thin Films. Advanced Functional Materials, 2021, 31, 2010330. | 14.9 | 17 |
| 34 | Correlated Octahedral Rotation and Organic Cation Reorientation Assist Halide Ion Migration in Lead Halide Perovskites. Chemistry of Materials, 2021, 33, 4672-4678. | 6.7 | 16 |
| 35 | Enhanced Environmental Stability Coupled with a 12.5% Power Conversion Efficiency in an Aluminum Oxide-Encapsulated n-Graphene/p-Silicon Solar Cell. ACS Applied Materials & Interfaces, 2018, 10, 37181-37187. | 8.0 | 13 |
| 36 | Ferroelectric Modulation of Surface Electronic States in $BaTiO_3$ for Enhanced Hydrogen Evolution Activity. Nano Letters, 2022, 22, 4276-4284. | 9.1 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Darwin at High Temperature: Advancing Solar Cell Material Design Using Defect Kinetics Simulations and Evolutionary Optimization. <i>Advanced Energy Materials</i> , 2014, 4, 1400459. | 19.5 | 12 |
| 38 | Imaging Real-Time Amorphization of Hybrid Perovskite Solar Cells under Electrical Biasing. <i>ACS Energy Letters</i> , 2021, 6, 3530-3537. | 17.4 | 12 |
| 39 | Towards the Tailoring of P Diffusion Gettering to As-Grown Silicon Material Properties. <i>Solid State Phenomena</i> , 0, 178-179, 158-165. | 0.3 | 11 |
| 40 | Investigation of Lifetime-Limiting Defects After High-Temperature Phosphorus Diffusion in High-Iron-Content Multicrystalline Silicon. <i>IEEE Journal of Photovoltaics</i> , 2014, 4, 866-873. | 2.5 | 11 |
| 41 | Impact of Iron Precipitation on Phosphorus-Implanted Silicon Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2016, 6, 1094-1102. | 2.5 | 11 |
| 42 | Postpassivation of Multication Perovskite with Rubidium Butyrate. <i>ACS Photonics</i> , 2020, 7, 2282-2291. | 6.6 | 11 |
| 43 | Local melting in silicon driven by retrograde solubility. <i>Acta Materialia</i> , 2013, 61, 4320-4328. | 7.9 | 10 |
| 44 | Dimethylammonium Addition to Halide Perovskite Precursor Increases Vertical and Lateral Heterogeneity. <i>ACS Energy Letters</i> , 2022, 7, 204-210. | 17.4 | 10 |
| 45 | Quantitative Determination of Moisture Content in Solar Modules by Short-Wave Infrared Reflectometry. <i>IEEE Journal of Photovoltaics</i> , 2019, 9, 1748-1753. | 2.5 | 9 |
| 46 | Enhanced iron gettering by short, optimized low-temperature annealing after phosphorus emitter diffusion for industrial silicon solar cell processing. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2011, 8, 759-762. | 0.8 | 8 |
| 47 | Opportunities for machine learning to accelerate halide-perovskite commercialization and scale-up. <i>Matter</i> , 2022, 5, 1353-1366. | 10.0 | 8 |
| 48 | Iron Management in Multicrystalline Silicon through Predictive Simulation: Point Defects, Precipitates, and Structural Defect Interactions. <i>Solid State Phenomena</i> , 0, 205-206, 15-25. | 0.3 | 6 |
| 49 | Glass vs. Backsheet: Deconvoluting the Role of Moisture in Power Loss in Silicon Photovoltaics With Correlated Imaging During Accelerated Testing. <i>IEEE Journal of Photovoltaics</i> , 2022, 12, 285-292. | 2.5 | 6 |
| 50 | Synchrotron-based microprobe investigation of impurities in raw quartz-bearing and carbon-bearing feedstock materials for photovoltaic applications. <i>Progress in Photovoltaics: Research and Applications</i> , 2012, 20, 217-225. | 8.1 | 5 |
| 51 | Europium Addition Reduces Local Structural Disorder and Enhances Photoluminescent Yield in Perovskite CsPbBr ₃ . <i>Advanced Optical Materials</i> , 2021, 9, 2002221. | 7.3 | 5 |
| 52 | Stability of Perovskite Films Encapsulated in Single- and Multi-Layer Graphene Barriers. <i>ACS Applied Energy Materials</i> , 2021, 4, 10314-10322. | 5.1 | 5 |
| 53 | Electrochemical Screening of Contact Layers for Metal Halide Perovskites. <i>ACS Energy Letters</i> , 2022, 7, 683-689. | 17.4 | 5 |
| 54 | Quantitative Specifications to Avoid Degradation during E-Beam and Induced Current Microscopy of Halide Perovskite Devices. <i>Journal of Physical Chemistry C</i> , 2020, 124, 18961-18967. | 3.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Seeding of Silicon Wire Growth by Out-Diffused Metal Precipitates. Small, 2011, 7, 563-567. | 10.0 | 3 |
| 56 | Simulated co-optimization of crystalline silicon solar cell throughput and efficiency using continuously ramping phosphorus diffusion profiles. , 2012, , . | | 3 |
| 57 | Elucidating and engineering recombination-active metal-rich precipitates in n-type multicrystalline silicon. , 2014, , . | | 3 |
| 58 | Halide Perovskites – Optoelectronic and Structural Characterization Methods. Advanced Energy Materials, 2020, 10, 2001812. | 19.5 | 3 |
| 59 | Insights into Na ⁺ Diffusion in Silicon Modules under Operating Conditions: Measuring Low Concentrations by D-SIMS. , 2020, , . | | 3 |
| 60 | Design Concept for the In Situ Nanoprobe Beamline for the APS Upgrade. Microscopy and Microanalysis, 2018, 24, 194-195. | 0.4 | 2 |
| 61 | Exploring Frontiers in Research and Teaching: NanoEngineering and Chemical Engineering at UC San Diego. ACS Nano, 2020, 14, 9203-9216. | 14.6 | 2 |
| 62 | Quantification of Sodium-Ion Migration in Silicon Nitride by Flatband-Potential Monitoring at Device-Operating Temperatures. Physica Status Solidi (A) Applications and Materials Science, 2020, 217, 2000212. | 1.8 | 2 |
| 63 | First principles modeling of polymer encapsulant degradation in Si photovoltaic modules. Physical Chemistry Chemical Physics, 2021, 23, 10357-10364. | 2.8 | 2 |
| 64 | Toward Exotic Silicon Doping with a Low Thermal Budget and Flexible Profile Control by Liquid-Phase Epitaxy. ACS Applied Materials & Interfaces, 2021, 13, 18202-18208. | 8.0 | 2 |
| 65 | Finite Element Simulation of Potential-Induced Degradation Kinetics in p-Type Silicon Solar Modules. IEEE Journal of Photovoltaics, 2022, 12, 45-52. | 2.5 | 2 |
| 66 | Electrocatalytic Hydrogen Evolution on Ferroelectric Perovskite Heterostructures. ECS Meeting Abstracts, 2022, MA2022-01, 1691-1691. | 0.0 | 2 |
| 67 | Modeling the size distribution of iron silicide precipitates in multicrystalline silicon. , 2012, , . | | 1 |
| 68 | Finite- vs. infinite-source emitters in silicon photovoltaics: Effect on transition metal gettering. , 2016, , . | | 1 |
| 69 | The Role of Water on the Interfacial Adhesion in Si Solar Modules. , 2021, , . | | 1 |
| 70 | In-Situ Polymerized Wicks for Passive Water Management in PEM Fuel Cell Systems. , 2009, , . | | 0 |
| 71 | X-ray Microprobe Investigation of Iron During a Simulated Silicon Feedstock Extraction Process. Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science, 2016, 47, 3565-3574. | 2.1 | 0 |
| 72 | Influence of Module Architecture and Humidity on Local Module Degradation. , 2021, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Accounting for sample morphology in correlative X-ray microscopy via ray tracing. MRS Advances, 2021, 6, 547-553. | 0.9 | 0 |
| 74 | Synchrotron-Based Investigation of Metal Impurity Diffusion in Silicon Solar Cell Materials. , 2009, , . | | 0 |
| 75 | Elucidating the Role of Strain in Promoting C-C Coupling on Cu Surfaces. ECS Meeting Abstracts, 2020, MA2020-02, 3197-3197. | 0.0 | 0 |
| 76 | A Poissonâ€Nernstâ€Planck Model of Ion Transport and Interface Segregation in Metalâ€Insulatorâ€Semiconductor Structures and Solar Cells. Physica Status Solidi (B): Basic Research, 2022, 259, . | 1.5 | 0 |
| 77 | (Digital Presentation) Electrochemical CO ₂ -to-Formate Conversion on Metastable Tin Oxide Catalyst in a Catholyte-Free Electrolyzer. ECS Meeting Abstracts, 2022, MA2022-01, 2104-2104. | 0.0 | 0 |