

# David P Fenning

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4602515/publications.pdf>

Version: 2024-02-01

77  
papers

2,866  
citations

304368

22  
h-index

174990

52  
g-index

77  
all docs

77  
docs citations

77  
times ranked

3871  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Glass vs. Backsheet: Deconvoluting the Role of Moisture in Power Loss in Silicon Photovoltaics With Correlated Imaging During Accelerated Testing. IEEE Journal of Photovoltaics, 2022, 12, 285-292. | 1.5 | 6         |
| 2  | Electrochemical Screening of Contact Layers for Metal Halide Perovskites. ACS Energy Letters, 2022, 7, 683-689.  | 8.8 | 5         |
| 3  | Finite Element Simulation of Potential-Induced Degradation Kinetics in p-Type Silicon Solar Modules. IEEE Journal of Photovoltaics, 2022, 12, 45-52.   | 1.5 | 2         |
| 4  | A Poisson-Nernst-Planck Model of Ion Transport and Interface Segregation in Metal-Insulator-Semiconductor Structures and Solar Cells. Physica Status Solidi (B): Basic Research, 2022, 259, .        | 0.7 | 0         |
| 5  | Dimethylammonium Addition to Halide Perovskite Precursor Increases Vertical and Lateral Heterogeneity. ACS Energy Letters, 2022, 7, 204-210.   | 8.8 | 10        |
| 6  | Ferroelectric Modulation of Surface Electronic States in BaTiO <sub>3</sub> for Enhanced Hydrogen Evolution Activity. Nano Letters, 2022, 22, 4276-4284.   | 4.5 | 13        |
| 7  | Opportunities for machine learning to accelerate halide-perovskite commercialization and scale-up. Matter, 2022, 5, 1353-1366.   | 5.0 | 8         |
| 8  | Electrocatalytic Hydrogen Evolution on Ferroelectric Perovskite Heterostructures. ECS Meeting Abstracts, 2022, MA2022-01, 1691-1691.   | 0.0 | 2         |
| 9  | (Digital Presentation) Electrochemical CO <sub>2</sub> -to-Formate Conversion on Metastable Tin Oxide Catalyst in a Catholyte-Free Electrolyzer. ECS Meeting Abstracts, 2022, MA2022-01, 2104-2104.  | 0.0 | 0         |
| 10 | First principles modeling of polymer encapsulant degradation in Si photovoltaic modules. Physical Chemistry Chemical Physics, 2021, 23, 10357-10364.   | 1.3 | 2         |
| 11 | Passivation Properties and Formation Mechanism of Amorphous Halide Perovskite Thin Films. Advanced Functional Materials, 2021, 31, 2010330.  | 7.8 | 17        |
| 12 | Europium Addition Reduces Local Structural Disorder and Enhances Photoluminescent Yield in Perovskite CsPbBr <sub>3</sub> . Advanced Optical Materials, 2021, 9, 2002221.                            | 3.6 | 5         |
| 13 | Toward Exotic Silicon Doping with a Low Thermal Budget and Flexible Profile Control by Liquid-Phase Epitaxy. ACS Applied Materials & Interfaces, 2021, 13, 18202-18208.                              | 4.0 | 2         |
| 14 | Epitaxial ferroelectric oxides on silicon with perspectives for future device applications. APL Materials, 2021, 9, .  | 2.2 | 23        |
| 15 | How Strain Alters CO <sub>2</sub> Electroreduction on Model Cu(001) Surfaces. ACS Catalysis, 2021, 11, 6662-6671.  | 5.5 | 23        |
| 16 | Influence of Module Architecture and Humidity on Local Module Degradation. , 2021, , .   |     | 0         |
| 17 | Correlated Octahedral Rotation and Organic Cation Reorientation Assist Halide Ion Migration in Lead Halide Perovskites. Chemistry of Materials, 2021, 33, 4672-4678.                                 | 3.2 | 16        |
| 18 | The Role of Water on the Interfacial Adhesion in Si Solar Modules. , 2021, , .   |     | 1         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Accounting for sample morphology in correlative X-ray microscopy via ray tracing. MRS Advances, 2021, 6, 547-553.   | 0.5  | 0         |
| 20 | Stability of Perovskite Films Encapsulated in Single- and Multi-Layer Graphene Barriers. ACS Applied Energy Materials, 2021, 4, 10314-10322.  | 2.5  | 5         |
| 21 | Imaging Real-Time Amorphization of Hybrid Perovskite Solar Cells under Electrical Biasing. ACS Energy Letters, 2021, 6, 3530-3537.  | 8.8  | 12        |
| 22 | Comparison of the Mechanical Properties of a Conjugated Polymer Deposited Using Spin Coating, Interfacial Spreading, Solution Shearing, and Spray Coating. ACS Applied Materials & Interfaces, 2021, 13, 51436-51446. | 4.0  | 32        |
| 23 | Effects of X-rays on Perovskite Solar Cells. Journal of Physical Chemistry C, 2020, 124, 17949-17956.   | 1.5  | 21        |
| 24 | Postpassivation of Multication Perovskite with Rubidium Butyrate. ACS Photonics, 2020, 7, 2282-2291.  | 3.2  | 11        |
| 25 | Halide Perovskites " Optoelectronic and Structural Characterization Methods. Advanced Energy Materials, 2020, 10, 2001812.  | 10.2 | 3         |
| 26 | A fabrication process for flexible single-crystal perovskite devices. Nature, 2020, 583, 790-795.   | 13.7 | 278       |
| 27 | Quantitative Specifications to Avoid Degradation during E-Beam and Induced Current Microscopy of Halide Perovskite Devices. Journal of Physical Chemistry C, 2020, 124, 18961-18967.                                  | 1.5  | 4         |
| 28 | Exploring Frontiers in Research and Teaching: NanoEngineering and Chemical Engineering at UC San Diego. ACS Nano, 2020, 14, 9203-9216.  | 7.3  | 2         |
| 29 | Quantification of Sodium Ion Migration in Silicon Nitride by Flatband Potential Monitoring at Device Operating Temperatures. Physica Status Solidi (A) Applications and Materials Science, 2020, 217, 2000212.        | 0.8  | 2         |
| 30 | Impacts of the Hole Transport Layer Deposition Process on Buried Interfaces in Perovskite Solar Cells. Cell Reports Physical Science, 2020, 1, 100103.  | 2.8  | 17        |
| 31 | Microscopic Degradation in Formamidinium-Cesium Lead Iodide Perovskite Solar Cells under Operational Stressors. Joule, 2020, 4, 1743-1758.  | 11.7 | 156       |
| 32 | X-Ray Microscopy of Halide Perovskites: Techniques, Applications, and Prospects. Advanced Energy Materials, 2020, 10, 1903170.  | 10.2 | 49        |
| 33 | Insights into Na <sup>+</sup> Diffusion in Silicon Modules under Operating Conditions: Measuring Low Concentrations by D-SIMS. , 2020, , .  |      | 3         |
| 34 | Elucidating the Role of Strain in Promoting C-C Coupling on Cu Surfaces. ECS Meeting Abstracts, 2020, MA2020-02, 3197-3197.   | 0.0  | 0         |
| 35 | Residual Nanoscale Strain in Cesium Lead Bromide Perovskite Reduces Stability and Shifts Local Luminescence. Chemistry of Materials, 2019, 31, 2778-2785.   | 3.2  | 53        |
| 36 | Homogenized halides and alkali cation segregation in alloyed organic-inorganic perovskites. Science, 2019, 363, 627-631.  | 6.0  | 258       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Constructive molecular configurations for surface-defect passivation of perovskite photovoltaics. <i>Science</i> , 2019, 366, 1509-1513.  | 6.0  | 846       |
| 38 | Quantitative Determination of Moisture Content in Solar Modules by Short-Wave Infrared Reflectometry. <i>IEEE Journal of Photovoltaics</i> , 2019, 9, 1748-1753.  | 1.5  | 9         |
| 39 | Enhancing $C_{2\rightarrow 3}$ Production from $CO_2$ on Copper Electrocatalysts via a Potential-Dependent Mesosstructure. <i>ACS Applied Energy Materials</i> , 2018, 1, 1965-1972.  | 2.5  | 26        |
| 40 | The Relationship between Chemical Flexibility and Nanoscale Charge Collection in Hybrid Halide Perovskites. <i>Advanced Functional Materials</i> , 2018, 28, 1706995.   | 7.8  | 28        |
| 41 | Enhanced Environmental Stability Coupled with a 12.5% Power Conversion Efficiency in an Aluminum Oxide-Encapsulated n-Graphene/p-Silicon Solar Cell. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 37181-37187.   | 4.0  | 13        |
| 42 | Understanding Detrimental and Beneficial Grain Boundary Effects in Halide Perovskites. <i>Advanced Materials</i> , 2018, 30, e1804792.  | 11.1 | 128       |
| 43 | Design Concept for the In Situ Nanoprobe Beamline for the APS Upgrade. <i>Microscopy and Microanalysis</i> , 2018, 24, 194-195.   | 0.2  | 2         |
| 44 | Charge Collection in Hybrid Perovskite Solar Cells: Relation to the Nanoscale Elemental Distribution. <i>IEEE Journal of Photovoltaics</i> , 2017, 7, 590-597.  | 1.5  | 45        |
| 45 | The Role of Water in the Reversible Optoelectronic Degradation of Hybrid Perovskites at Low Pressure. <i>Journal of Physical Chemistry C</i> , 2017, 121, 25659-25665.  | 1.5  | 19        |
| 46 | Direct Observation of Halide Migration and its Effect on the Photoluminescence of Methylammonium Lead Bromide Perovskite Single Crystals. <i>Advanced Materials</i> , 2017, 29, 1703451.                                      | 11.1 | 83        |
| 47 | Synchrotron-based investigation of transition-metal getterability in <i>n</i> -type multicrystalline silicon. <i>Applied Physics Letters</i> , 2016, 108, .   | 1.5  | 22        |
| 48 | Finite- vs. infinite-source emitters in silicon photovoltaics: Effect on transition metal gettering. , 2016, , .  |      | 1         |
| 49 | X-ray Microprobe Investigation of Iron During a Simulated Silicon Feedstock Extraction Process. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2016, 47, 3565-3574. | 1.0  | 0         |
| 50 | Spatially Heterogeneous Chlorine Incorporation in Organic-Inorganic Perovskite Solar Cells. <i>Chemistry of Materials</i> , 2016, 28, 6536-6543.  | 3.2  | 39        |
| 51 | Impact of Iron Precipitation on Phosphorus-Implanted Silicon Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2016, 6, 1094-1102.  | 1.5  | 11        |
| 52 | Synchrotron-based analysis of chromium distributions in multicrystalline silicon for solar cells. <i>Applied Physics Letters</i> , 2015, 106, .   | 1.5  | 24        |
| 53 | Elucidating and engineering recombination-active metal-rich precipitates in n-type multicrystalline silicon. , 2014, , .  |      | 3         |
| 54 | Sorting Metrics for Customized Phosphorus Diffusion Gettering. <i>IEEE Journal of Photovoltaics</i> , 2014, 4, 1421-1428.   | 1.5  | 19        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Darwin at High Temperature: Advancing Solar Cell Material Design Using Defect Kinetics Simulations and Evolutionary Optimization. <i>Advanced Energy Materials</i> , 2014, 4, 1400459.   | 10.2 | 12        |
| 56 | Investigation of Lifetime-Limiting Defects After High-Temperature Phosphorus Diffusion in High-Iron-Content Multicrystalline Silicon. <i>IEEE Journal of Photovoltaics</i> , 2014, 4, 866-873.   | 1.5  | 11        |
| 57 | Analyses of the Evolution of Iron-Silicide Precipitates in Multicrystalline Silicon During Solar Cell Processing. <i>IEEE Journal of Photovoltaics</i> , 2013, 3, 131-137.   | 1.5  | 32        |
| 58 | Improved iron gettering of contaminated multicrystalline silicon by high-temperature phosphorus diffusion. <i>Journal of Applied Physics</i> , 2013, 113, 214504.  | 1.1  | 52        |
| 59 | Nickel: A very fast diffuser in silicon. <i>Journal of Applied Physics</i> , 2013, 113, .  | 1.1  | 81        |
| 60 | Local melting in silicon driven by retrograde solubility. <i>Acta Materialia</i> , 2013, 61, 4320-4328.  | 3.8  | 10        |
| 61 | Effective lifetimes exceeding 300 $\mu$ s in gettered <i>p</i> -type epitaxial kerfless silicon for photovoltaics. <i>Applied Physics Letters</i> , 2013, 103, .   | 1.5  | 28        |
| 62 | Simulated co-optimization of crystalline silicon solar cell throughput and efficiency using continuously ramping phosphorus diffusion profiles. , 2012, , .  |      | 3         |
| 63 | Modeling the size distribution of iron silicide precipitates in multicrystalline silicon. , 2012, , .  |      | 1         |
| 64 | Engineering metal precipitate size distributions to enhance gettering in multicrystalline silicon. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 1861-1865.   | 0.8  | 17        |
| 65 | Synchrotron-based microprobe investigation of impurities in raw quartz-bearing and carbon-bearing feedstock materials for photovoltaic applications. <i>Progress in Photovoltaics: Research and Applications</i> , 2012, 20, 217-225.            | 4.4  | 5         |
| 66 | Nanoprobe X-ray fluorescence characterization of defects in large-area solar cells. <i>Energy and Environmental Science</i> , 2011, 4, 4252.   | 15.6 | 69        |
| 67 | Iron distribution in silicon after solar cell processing: Synchrotron analysis and predictive modeling. <i>Applied Physics Letters</i> , 2011, 98, .   | 1.5  | 41        |
| 68 | Influence of defect type on hydrogen passivation efficacy in multicrystalline silicon solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2011, 19, 187-191.  | 4.4  | 33        |
| 69 | Impurity-efficiency simulator: predictive simulation of silicon solar cell performance based on iron content and distribution. <i>Progress in Photovoltaics: Research and Applications</i> , 2011, 19, 487-497.                                  | 4.4  | 47        |
| 70 | Seeding of Silicon Wire Growth by Out-Diffused Metal Precipitates. <i>Small</i> , 2011, 7, 563-567.  | 5.2  | 3         |
| 71 | Enhanced iron gettering by short, optimized low-temperature annealing after phosphorus emitter diffusion for industrial silicon solar cell processing. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2011, 8, 759-762. | 0.8  | 8         |
| 72 | Retrograde Melting and Internal Liquid Gettering in Silicon. <i>Advanced Materials</i> , 2010, 22, 3948-3953.  | 11.1 | 19        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Design and fabrication of porous polymer wick structures. Sensors and Actuators B: Chemical, 2010, 150, 556-563.  | 4.0 | 18        |
| 74 | In-Situ Polymerized Wicks for Passive Water Management in PEM Fuel Cell Systems. , 2009, , .  |     | 0         |
| 75 | Synchrotron-Based Investigation of Metal Impurity Diffusion in Silicon Solar Cell Materials. , 2009, , .  |     | 0         |
| 76 | Towards the Tailoring of P Diffusion Gettering to As-Grown Silicon Material Properties. Solid State Phenomena, 0, 178-179, 158-165.   | 0.3 | 11        |
| 77 | Iron Management in Multicrystalline Silicon through Predictive Simulation: Point Defects, Precipitates, and Structural Defect Interactions. Solid State Phenomena, 0, 205-206, 15-25. | 0.3 | 6         |