Patrick Bach

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/460405/publications.pdf

Version: 2024-02-01

39 papers 1,075 citations

16 h-index 434195 31 g-index

41 all docs

41 docs citations

times ranked

41

1553 citing authors

#	Article	IF	CITATIONS
1	Test–retest reliability of neural alcohol cueâ€reactivity: Is there light at the end of the magnetic resonance imaging tube?. Addiction Biology, 2022, 27, e13069.	2.6	9
2	Increased network centrality of the anterior insula in early abstinence from alcohol. Addiction Biology, 2022, 27, e13096.	2.6	14
3	A methodological checklist for fMRI drug cue reactivity studies: development and expert consensus. Nature Protocols, 2022, 17, 567-595.	12.0	26
4	ON-ICE trial: Investigation of the combined effects of oxytocin and naltrexone on stress-induced and alcohol cue-induced craving in alcohol use disorder–Study protocol of a phase II randomised double-blind placebo-controlled parallel-group trial. BMJ Open, 2022, 12, e059672.	1.9	1
5	A History of Childhood Maltreatment Has Substance- and Sex-Specific Effects on Craving During Treatment for Substance Use Disorders. Frontiers in Psychiatry, 2022, 13, 866019.	2.6	5
6	Impaired working memory performance in opioid-dependent patients is related to reduced insula gray matter volume: a voxel-based morphometric study. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 813-822.	3.2	16
7	Oxytocin attenuates neural response to emotional faces in social drinkers: an fMRI study. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 873-882.	3.2	8
8	The Impact of Appetite-Regulating Neuropeptide Leptin on Alcohol Use, Alcohol Craving and Addictive Behavior: A Systematic Review of Preclinical and Clinical Data. Alcohol and Alcoholism, 2021, 56, 149-165.	1.6	18
9	Calcium Carbonate Attenuates Withdrawal and Reduces Craving: A Randomized Controlled Trial in Alcohol-Dependent Patients. European Addiction Research, 2021, 27, 332-340.	2.4	4
10	Plasma calcium concentration during detoxification predicts neural cue-reactivity and craving during early abstinence in alcohol-dependent patients. European Archives of Psychiatry and Clinical Neuroscience, 2021, , 1.	3.2	1
11	FMRI-based prediction of naltrexone response in alcohol use disorder: a replication study. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 915-927.	3.2	11
12	Nalmefene attenuates neural alcohol cue-reactivity in the ventral striatum and subjective alcohol craving in patients with alcohol use disorder. Psychopharmacology, 2021, 238, 2179-2189.	3.1	14
13	Reliability of the fMRI-based assessment of self-evaluation in individuals with internet gaming disorder. European Archives of Psychiatry and Clinical Neuroscience, 2021, , 1.	3.2	1
14	Predictors of weight loss in participants with obesity following bariatric surgery – A prospective longitudinal fMRI study. Appetite, 2021, 163, 105237.	3.7	9
15	Oxytocin blood concentrations in alcohol use disorder: A cross-sectional, longitudinal, and sex-separated study. European Neuropsychopharmacology, 2021, 51, 55-67.	0.7	11
16	BDNF influences neural cue-reactivity to food stimuli and food craving in obesity. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 963-974.	3.2	11
17	Reliability of neural food cue-reactivity in participants with obesity undergoing bariatric surgery: a 26-week longitudinal fMRI study. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 951-962.	3.2	6
18	Incubation of neural alcohol cue reactivity after withdrawal and its blockade by naltrexone. Addiction Biology, 2020, 25, e12717.	2.6	57

#	Article	IF	Citations
19	Leptin predicts cortical and subcortical gray matter volume recovery in alcohol dependent patients: A longitudinal structural magnetic resonance imaging study. Hormones and Behavior, 2020, 124, 104749.	2.1	7
20	Chronic alcohol consumption alters extracellular space geometry and transmitter diffusion in the brain. Science Advances, 2020, 6, eaba0154.	10.3	34
21	Ghrelin modulates mesolimbic reactivity to alcohol cues in alcoholâ€addicted subjects: a functional imaging study. Addiction Biology, 2019, 24, 1066-1076.	2.6	33
22	Oxytocin modulates alcohol-cue induced functional connectivity in the nucleus accumbens of social drinkers. Psychoneuroendocrinology, 2019, 109, 104385.	2.7	22
23	Microstructural White Matter Alterations in Men With Alcohol Use Disorder and Rats With Excessive Alcohol Consumption During Early Abstinence. JAMA Psychiatry, 2019, 76, 749.	11.0	41
24	Higher Social Rejection Sensitivity in Opioid-Dependent Patients Is Related to Smaller Insula Gray Matter Volume: A Voxel-Based Morphometric Study. Social Cognitive and Affective Neuroscience, 2019, 14, 1187-1195.	3.0	10
25	Effects of social exclusion and physical pain in chronic opioid maintenance treatment: fMRI correlates. European Neuropsychopharmacology, 2019, 29, 291-305.	0.7	16
26	Effects of leptin and ghrelin on neural cue-reactivity in alcohol addiction: Two streams merge to one river?. Psychoneuroendocrinology, 2019, 100, 1-9.	2.7	28
27	Association of the alcohol dehydrogenase gene polymorphism rs1789891 with gray matter brain volume, alcohol consumption, alcohol craving and relapse risk. Addiction Biology, 2019, 24, 110-120.	2.6	13
28	Massive Creatine Kinase Elevation in 2 Patients During Short-Term and Low-Dose Antipsychotic Monotherapy With Quetiapine. Journal of Clinical Psychopharmacology, 2018, 38, 385-387.	1.4	4
29	Drinking water to reduce alcohol craving? A randomized controlled study on the impact of ghrelin in mediating the effects of forced water intake in alcohol addiction. Psychoneuroendocrinology, 2017, 85, 56-62.	2.7	15
30	GATA4 variant interaction with brain limbic structure and relapse risk: A voxel-based morphometry study. European Neuropsychopharmacology, 2016, 26, 1431-1437.	0.7	11
31	The effects of single nucleotide polymorphisms in glutamatergic neurotransmission genes on neural response to alcohol cues and craving. Addiction Biology, 2015, 20, 1022-1032.	2.6	30
32	Increased mesolimbic cue-reactivity in carriers of the mu-opioid-receptor gene OPRM1 A118G polymorphism predicts drinking outcome: A functional imaging study in alcohol dependent subjects. European Neuropsychopharmacology, 2015, 25, 1128-1135.	0.7	46
33	Effects of d-cycloserine on extinction of mesolimbic cue reactivity in alcoholism: a randomized placebo-controlled trial. Psychopharmacology, 2015, 232, 2353-2362.	3.1	57
34	Genetic Variation in the Atrial Natriuretic Peptide Transcription Factor GATA4 Modulates Amygdala Responsiveness in Alcohol Dependence. Biological Psychiatry, 2014, 75, 790-797.	1.3	37
35	Diminished Brain Functional Magnetic Resonance Imaging Activation in Patients on Opiate Maintenance Despite Normal Spatial Working Memory Task Performance. Clinical Neuropharmacology, 2012, 35, 153-160.	0.7	14
36	Association of Leptin With Food Cue–Induced Activation in Human Reward Pathways. Archives of General Psychiatry, 2012, 69, 529.	12.3	87

PATRICK BACH

#	Article	IF	CITATIONS
37	Validating incentive salience with functional magnetic resonance imaging: association between mesolimbic cue reactivity and attentional bias in alcoholâ€dependent patients. Addiction Biology, 2012, 17, 807-816.	2.6	121
38	Effects of Cue-Exposure Treatment on Neural Cue Reactivity in Alcohol Dependence: A Randomized Trial. Biological Psychiatry, 2011, 69, 1060-1066.	1.3	178
39	The thermal grill illusion and what is painful about it. Neuroscience Letters, 2011, 505, 31-35.	2.1	43