Cristina Pr Xavier

List of Publications by Citations

Source: https://exaly.com/author-pdf/4604095/cristina-pr-xavier-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28 4,779 14 40 h-index g-index citations papers 6.8 5,663 40 4.34 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
28	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). Autophagy, 2016 , 12, 1-222	10.2	3838
27	The multi-factorial nature of clinical multidrug resistance in cancer. <i>Drug Resistance Updates</i> , 2019 , 46, 100645	23.2	155
26	Luteolin, quercetin and ursolic acid are potent inhibitors of proliferation and inducers of apoptosis in both KRAS and BRAF mutated human colorectal cancer cells. <i>Cancer Letters</i> , 2009 , 281, 162-70	9.9	128
25	Salvia fruticosa, Salvia officinalis, and rosmarinic acid induce apoptosis and inhibit proliferation of human colorectal cell lines: the role in MAPK/ERK pathway. <i>Nutrition and Cancer</i> , 2009 , 61, 564-71	2.8	109
24	Quercetin enhances 5-fluorouracil-induced apoptosis in MSI colorectal cancer cells through p53 modulation. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 68, 1449-57	3.5	96
23	Ursolic acid induces cell death and modulates autophagy through JNK pathway in apoptosis-resistant colorectal cancer cells. <i>Journal of Nutritional Biochemistry</i> , 2013 , 24, 706-12	6.3	78
22	Ursolic acid, a dietary phytochemical, decreases KRAS signaling and modulates cell death pathways in resistant CRC cells. <i>BMC Proceedings</i> , 2012 , 6, P38	2.3	78
21	Extracellular vesicles as a novel source of biomarkers in liquid biopsies for monitoring cancer progression and drug resistance. <i>Drug Resistance Updates</i> , 2019 , 47, 100647	23.2	61
20	The Role of Extracellular Vesicles in the Hallmarks of Cancer and Drug Resistance. <i>Cells</i> , 2020 , 9,	7.9	45
19	Chitinase 3-like-1 and fibronectin in the cargo of extracellular vesicles shed by human macrophages influence pancreatic cancer cellular response to gemcitabine. <i>Cancer Letters</i> , 2021 , 501, 210-223	9.9	20
18	Hypericum androsaemum water extract inhibits proliferation in human colorectal cancer cells through effects on MAP kinases and PI3K/Akt pathway. <i>Food and Function</i> , 2012 , 3, 844-52	6.1	19
17	Characterisation of CCT271850, a selective, oral and potent MPS1 inhibitor, used to directly measure in vivo MPS1 inhibition vs therapeutic efficacy. <i>British Journal of Cancer</i> , 2017 , 116, 1166-1176	8.7	18
16	Understanding Cancer Drug Resistance by Developing and Studying Resistant Cell Line Models. <i>Current Cancer Drug Targets</i> , 2016 , 16, 226-37	2.8	18
15	Melissa officinalis L. ethanolic extract inhibits the growth of a lung cancer cell line by interfering with the cell cycle and inducing apoptosis. <i>Food and Function</i> , 2018 , 9, 3134-3142	6.1	14
14	Synthesis of New Proteomimetic Quinazolinone Alkaloids and Evaluation of Their Neuroprotective and Antitumor Effects. <i>Molecules</i> , 2019 , 24,	4.8	10
13	Quizartinib-resistant FLT3-ITD acute myeloid leukemia cells are sensitive to the FLT3-Aurora kinase inhibitor CCT241736. <i>Blood Advances</i> , 2020 , 4, 1478-1491	7.8	9
12	3D Cell Culture Models as Recapitulators of the Tumor Microenvironment for the Screening of Anti-Cancer Drugs <i>Cancers</i> , 2021 , 14,	6.6	8

LIST OF PUBLICATIONS

11	An Aqueous Extract of Tuberaria lignosa Inhibits Cell Growth, Alters the Cell Cycle Profile, and Induces Apoptosis of NCI-H460 Tumor Cells. <i>Molecules</i> , 2016 , 21,	4.8	7
10	Development of potent CPP6-gemcitabine conjugates against human prostate cancer cell line (PC-3). <i>RSC Medicinal Chemistry</i> , 2020 , 11, 268-273	3.5	6
9	Eucalyptus globulus Labill. decoction extract inhibits the growth of NCI-H460 cells by increasing the p53 levels and altering the cell cycle profile. <i>Food and Function</i> , 2019 , 10, 3188-3197	6.1	4
8	Medicinal plants of the genuses Salvia and Hypericum are sources of anticolon cancer compounds: Effects on PI3K/Akt and MAP kinases pathways. <i>PharmaNutrition</i> , 2016 , 4, 112-122	2.9	4
7	ALIX protein analysis: storage temperature may impair results. <i>Journal of Molecular and Clinical Medicine</i> , 2019 , 2, 29	0.4	3
6	Impact of cancer metabolism on therapy resistance - Clinical implications <i>Drug Resistance Updates</i> , 2021 , 100797	23.2	3
5	Drug Repurposing Opportunities in Pancreatic Ductal Adenocarcinoma. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	2
4	Is P-glycoprotein relevant for the release of microvesicles by tumor cells?:. <i>Porto Biomedical Journal</i> , 2017 , 2, 226	1.1	1
3	Different Ability of Multidrug-Resistant and -Sensitive Counterpart Cells to Release and Capture Extracellular Vesicles. <i>Cells</i> , 2021 , 10,	7.9	1
2	The role of extracellular vesicles in the transfer of drug resistance competences to cancer cells Drug Resistance Updates, 2022 , 62, 100833	23.2	1
1	Is there horizontal transfer of the oncogene BCR-ABL mediated by extracellular vesicles released by chronic myeloid leukemia cells?:. <i>Porto Biomedical Journal</i> , 2017 , 2, 192-193	1.1	