

Norman M White

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4605695/norman-m-white-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

8,101
citations

41
h-index

89
g-index

136
ext. papers

8,456
ext. citations

4
avg. IF

6.1
L-index

#	Paper	IF	Citations
109	Peter M. Milner, 1919-2018. <i>Journal of Psychiatry and Neuroscience</i> , 2018 , 43, 428-429	4.5	
108	Multiple Memory Systems in Humans and Rodents 2017 ,		
107	Learning not to respond: Role of the hippocampus in withholding responses during omission training. <i>Behavioural Brain Research</i> , 2017 , 318, 61-70	3.4	4
106	Parallel learning in an autoshaping paradigm. <i>Behavioral Neuroscience</i> , 2016 , 130, 376-92	2.1	12
105	Parallel processing of information about location in the amygdala, entorhinal cortex and hippocampus. <i>Hippocampus</i> , 2013 , 23, 1075-83	3.5	7
104	A triple dissociation of memory systems: Hippocampus, amygdala, and dorsal striatum. <i>Behavioral Neuroscience</i> , 2013 , 127, 835-53	2.1	24
103	Effects of post-training heroin and d-amphetamine on consolidation of win-stay learning and fear conditioning. <i>Journal of Psychopharmacology</i> , 2013 , 27, 292-301	4.6	15
102	Dissociation of memory systems: The story unfolds. <i>Behavioral Neuroscience</i> , 2013 , 127, 813-34	2.1	121
101	Memory enhancement produced by post-training exposure to sucrose-conditioned cues. <i>F1000Research</i> , 2013 , 2, 22	3.6	3
100	Ultrasonic vocalization ratios reflect the influence of motivational state and amygdala lesions on different types of taste avoidance learning. <i>Behavioural Brain Research</i> , 2011 , 217, 88-98	3.4	6
99	Lesions of basolateral and central amygdala differentiate conditioned cue preference learning with and without unreinforced preexposure. <i>Behavioral Neuroscience</i> , 2011 , 125, 84-92	2.1	2
98	Reward. <i>Frontiers in Neuroscience</i> , 2011 , 45-60		3
97	Temporary inactivation of the dorsal entorhinal cortex impairs acquisition and retrieval of spatial information. <i>Neurobiology of Learning and Memory</i> , 2010 , 93, 203-7	3.1	13
96	Some highlights of research on the effects of caudate nucleus lesions over the past 200 years. <i>Behavioural Brain Research</i> , 2009 , 199, 3-23	3.4	93
95	Roles of learning and motivation in preference behavior: mediation by entorhinal cortex, dorsal and ventral hippocampus. <i>Hippocampus</i> , 2007 , 17, 147-60	3.5	13
94	Unreinforced spatial (latent) learning is mediated by a circuit that includes dorsal entorhinal cortex and fimbria fornix. <i>Hippocampus</i> , 2007 , 17, 586-94	3.5	19
93	Cooperation and competition between the dorsal hippocampus and lateral amygdala in spatial discrimination learning. <i>Hippocampus</i> , 2006 , 16, 577-85	3.5	16

92	Dorsal hippocampus function in learning and expressing a spatial discrimination. <i>Learning and Memory</i> , 2006 , 13, 119-22	2.8	20
91	Neural circuits mediating latent learning and conditioning for salt in the rat. <i>Neurobiology of Learning and Memory</i> , 2006 , 86, 91-9	3.1	5
90	Effect of Muscimol Inactivation of the Basolateral or Central Amygdala on Shock-Conditioned Responses. <i>Annals of the New York Academy of Sciences</i> , 2006 , 985, 525-527	6.5	2
89	How independent are parallel memory systems? A theoretical comment on Gibson and Shettleworth (2005). <i>Behavioral Neuroscience</i> , 2005 , 119, 1158-64	2.1	3
88	Learning the morphine conditioned cue preference: cue configuration determines effects of lesions. <i>Pharmacology Biochemistry and Behavior</i> , 2005 , 81, 786-96	3.9	26
87	Inactivation of the dorsal hippocampus does not affect learning during exploration of a novel environment. <i>Hippocampus</i> , 2005 , 15, 1085-93	3.5	29
86	A latent cue preference based on sodium depletion in rats. <i>Learning and Memory</i> , 2005 , 12, 549-52	2.8	13
85	Intra-amygdala muscimol injections impair freezing and place avoidance in aversive contextual conditioning. <i>Learning and Memory</i> , 2004 , 11, 436-46	2.8	20
84	Amygdala c-Fos induction corresponds to unconditioned and conditioned aversive stimuli but not to freezing. <i>Behavioural Brain Research</i> , 2004 , 152, 109-20	3.4	32
83	The role of stimulus ambiguity and movement in spatial navigation: a multiple memory systems analysis of location discrimination. <i>Neurobiology of Learning and Memory</i> , 2004 , 82, 216-29	3.1	40
82	Effects of fimbria-fornix, hippocampus, and amygdala lesions on discrimination between proximal locations. <i>Behavioral Neuroscience</i> , 2004 , 118, 770-84	2.1	26
81	Amygdala inactivation blocks expression of conditioned memory modulation and the promotion of avoidance and freezing. <i>Behavioral Neuroscience</i> , 2004 , 118, 24-35	2.1	21
80	Involuntary, unreinforced (pure) spatial learning is impaired by fimbria-fornix but not by dorsal hippocampus lesions. <i>Hippocampus</i> , 2003 , 13, 324-33	3.5	15
79	Mnemonic functions of dorsal striatum and hippocampus in aversive conditioning. <i>Behavioural Brain Research</i> , 2003 , 142, 99-107	3.4	54
78	Multiple parallel memory systems in the brain of the rat. <i>Neurobiology of Learning and Memory</i> , 2002 , 77, 125-84	3.1	73 ²
77	Conditioned memory modulation, freezing, and avoidance as measures of amygdala-mediated conditioned fear. <i>Neurobiology of Learning and Memory</i> , 2002 , 77, 250-75	3.1	41
76	Dorsal hippocampal function in unreinforced spatial learning. <i>Hippocampus</i> , 2000 , 10, 226-35	3.5	25
75	Impaired preference conditioning after anterior temporal lobe resection in humans. <i>Journal of Neuroscience</i> , 2000 , 20, 2649-56	6.6	98

74	Parallel information processing in the dorsal striatum: relation to hippocampal function. <i>Journal of Neuroscience</i> , 1999 , 19, 2789-98	6.6	334
73	Conditioned Preference in Humans: A Novel Experimental Approach. <i>Learning and Motivation</i> , 1999 , 30, 250-264	1.3	31
72	Contributions of the hippocampus, amygdala, and dorsal striatum to the response elicited by reward reduction.. <i>Behavioral Neuroscience</i> , 1998 , 112, 812-826	2.1	44
71	Cognitive Enhancement: An Everyday Event?. <i>International Journal of Psychology</i> , 1998 , 33, 95-105	1.9	11
70	Pharmacological Approaches to the Study of Learning and Memory 1998 , 143-176		2
69	Mnemonic functions of the basal ganglia. <i>Current Opinion in Neurobiology</i> , 1997 , 7, 164-9	7.6	190
68	Dopamine D3 receptor mutant mice exhibit increased behavioral sensitivity to concurrent stimulation of D1 and D2 receptors. <i>Neuron</i> , 1997 , 19, 837-48	13.9	282
67	Systematic comparison of the effects of hippocampal and fornix-fimbria lesions on acquisition of three configural discriminations. <i>Hippocampus</i> , 1997 , 7, 371-88	3.5	74
66	Roles of movement and temporal factors in spatial learning. <i>Hippocampus</i> , 1997 , 7, 501-10	3.5	22
65	Effects of NMDA receptor blockade on behaviors differentially affected by fimbria/fornix and amygdala lesions. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1997 , 25, 109-117		2
64	Addictive drugs as reinforcers: multiple partial actions on memory systems. <i>Addiction</i> , 1996 , 91, 921-950	4.6	22
63	Beyond reward and dopamine to multiple causes and individual differences. <i>Addiction</i> , 1996 , 91, 960-965	4.6	
62	Addictive drugs as reinforcers: multiple partial actions on memory systems. <i>Addiction</i> , 1996 , 91, 921-950	4.6	293
61	Hippocampal and nonhippocampal contributions to place learning in rats.. <i>Behavioral Neuroscience</i> , 1995 , 109, 579-593	2.1	191
60	Information acquired by the hippocampus interferes with acquisition of the amygdala-based conditioned-cue preference in the rat. <i>Hippocampus</i> , 1995 , 5, 189-97	3.5	84
59	Parallel information processing in the water maze: evidence for independent memory systems involving dorsal striatum and hippocampus. <i>Behavioral and Neural Biology</i> , 1994 , 61, 260-70		597
58	A triple dissociation of memory systems: Hippocampus, amygdala, and dorsal striatum.. <i>Behavioral Neuroscience</i> , 1993 , 107, 3-22	2.1	1063
57	The ventral pallidum area is involved in the acquisition but not expression of the amphetamine conditioned place preference. <i>Neuroscience Letters</i> , 1993 , 156, 9-12	3.3	55

56	Amphetamine conditioned cue preference and the neurobiology of drug-seeking. <i>Seminars in Neuroscience</i> , 1993 , 5, 329-336		25
55	Memory enhancement by post-training peripheral administration of low doses of dopamine agonists: possible autoreceptor effect. <i>Behavioral and Neural Biology</i> , 1993 , 59, 230-41		48
54	Pipradrol conditioned place preference is blocked by SCH23390. <i>Pharmacology Biochemistry and Behavior</i> , 1992 , 43, 377-80	3.9	13
53	The caudate nucleus and acquisition of win-shift radial-maze behavior: Effect of exposure to the reinforcer during maze adaptation. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1992 , 20, 127-132		5
52	Dissociation of hippocampus and caudate nucleus memory systems by posttraining intracerebral injection of dopamine agonists.. <i>Behavioral Neuroscience</i> , 1991 , 105, 295-306	2.1	391
51	Place conditioning with dopamine D1 and D2 agonists injected peripherally or into nucleus accumbens. <i>Psychopharmacology</i> , 1991 , 103, 271-6	4.7	123
50	Localized intracaudate dopamine D2 receptor activation during the post-training period improves memory for visual or olfactory conditioned emotional responses in rats. <i>Behavioral and Neural Biology</i> , 1991 , 55, 255-69		79
49	The amphetamine conditioned place preference: differential involvement of dopamine receptor subtypes and two dopaminergic terminal areas. <i>Brain Research</i> , 1991 , 552, 141-52	3.7	138
48	Post-training injection of the acetylcholine M2 receptor antagonist AF-DX 116 improves memory. <i>Brain Research</i> , 1990 , 524, 72-6	3.7	64
47	The reserpine-sensitive dopamine pool mediates (+)-amphetamine-conditioned reward in the place preference paradigm. <i>Brain Research</i> , 1990 , 510, 33-42	3.7	59
46	Lesions of the caudate nucleus selectively impair "reference memory" acquisition in the radial maze. <i>Behavioral and Neural Biology</i> , 1990 , 53, 39-50		90
45	6-Hydroxydopamine lesions of the olfactory tubercle do not alter (+)-amphetamine-conditioned place preference. <i>Behavioural Brain Research</i> , 1990 , 36, 185-8	3.4	22
44	Effect of posttraining injections of glucose on acquisition of two appetitive learning tasks. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1990 , 18, 282-286		21
43	Conditioned stereotypy: behavioral specification of the UCS and pharmacological investigation of the neural change. <i>Pharmacology Biochemistry and Behavior</i> , 1989 , 32, 249-58	3.9	26
42	Memory facilitation produced by dopamine agonists: role of receptor subtype and mnemonic requirements. <i>Pharmacology Biochemistry and Behavior</i> , 1989 , 33, 511-8	3.9	117
41	Reward or reinforcement: what's the difference?. <i>Neuroscience and Biobehavioral Reviews</i> , 1989 , 13, 181-6		150
40	Dissociation of visual and olfactory conditioning in the neostriatum of rats. <i>Behavioural Brain Research</i> , 1989 , 32, 31-42	3.4	68
39	A functional hypothesis concerning the striatal matrix and patches: mediation of S-R memory and reward. <i>Life Sciences</i> , 1989 , 45, 1943-57	6.8	86

38	Effect of nigrostriatal dopamine depletion on the post-training, memory-improving action of amphetamine. <i>Life Sciences</i> , 1988 , 43, 7-12	6.8	49
37	Effects of adrenal demedullation on the conditioned emotional response and on the memory improving action of glucose.. <i>Behavioral Neuroscience</i> , 1988 , 102, 499-503	2.1	17
36	Memory improvement by glucose, fructose, and two glucose analogs: a possible effect on peripheral glucose transport. <i>Behavioral and Neural Biology</i> , 1987 , 48, 104-27		126
35	Effects of systemic and intracranial amphetamine injections on behavior in the open field: a detailed analysis. <i>Pharmacology Biochemistry and Behavior</i> , 1987 , 27, 113-22	3.9	68
34	Operationalizing and Measuring the Organizing Influence of Drugs on Behavior 1987 , 591-617		13
33	Control of sensorimotor function by dopaminergic nigrostriatal neurons: influence on eating and drinking. <i>Neuroscience and Biobehavioral Reviews</i> , 1986 , 10, 15-36	9	108
32	Anatomical disassociation of amphetamine's rewarding and aversive effects: an intracranial microinjection study. <i>Psychopharmacology</i> , 1986 , 89, 340-6	4.7	178
31	Contributions of dopamine terminal areas to amphetamine-induced anorexia and adipsia. <i>Pharmacology Biochemistry and Behavior</i> , 1986 , 25, 17-22	3.9	26
30	Effect of glucose on amphetamine-induced motor behavior. <i>Life Sciences</i> , 1986 , 38, 2255-62	6.8	11
29	The conditioned place preference is affected by two independent reinforcement processes. <i>Pharmacology Biochemistry and Behavior</i> , 1985 , 23, 37-42	3.9	121
28	The relationship between stereotypy and memory improvement produced by amphetamine. <i>Psychopharmacology</i> , 1984 , 82, 203-9	4.7	60
27	Contingent and non-contingent actions of sucrose and saccharin reinforcers: effects on taste preference and memory. <i>Physiology and Behavior</i> , 1984 , 32, 195-203	3.5	127
26	Effect of posttraining exposure to an aversive stimulus on retention. <i>Physiological Psychology</i> , 1984 , 12, 233-236		15
25	Conditioned place preference from intra-accumbens but not intra-caudate amphetamine injections. <i>Life Sciences</i> , 1983 , 33, 2551-7	6.8	224
24	The effect of post-training hypothalamic self-stimulation on sensory preconditioning in rats. <i>Canadian Journal of Psychology</i> , 1982 , 36, 57-66		22
23	Posttraining self-stimulation and memory: A study of some parameters. <i>Physiological Psychology</i> , 1982 , 10, 343-349		7
22	Algebraic summation of the affective properties of a rewarding and an aversive stimulus in the rat. <i>Physiology and Behavior</i> , 1982 , 28, 873-7	3.5	12
21	Response involvement in brain stimulation reward. <i>Physiology and Behavior</i> , 1981 , 27, 641-7	3.5	15

20	Pimozide attenuates conditioned taste preferences induced by self-stimulation in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1981 , 15, 915-9	3.9	33
19	Lithium increases selective attention in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1981 , 15, 81-8	3.9	10
18	Performance effects with repeated-response measures during pimozide-produced dopamine receptor blockade. <i>Pharmacology Biochemistry and Behavior</i> , 1979 , 11, 557-61	3.9	65
17	Memory or learned association?. <i>Trends in Neurosciences</i> , 1979 , 2, 244	13.3	1
16	Effects of catecholamine manipulations on three different self-stimulation behaviors. <i>Pharmacology Biochemistry and Behavior</i> , 1978 , 9, 603-8	3.9	33
15	Effects of catecholamine manipulations on three different self-stimulation behaviors. <i>Pharmacology Biochemistry and Behavior</i> , 1978 , 9, 273-8	3.9	12
14	Effect of pimozide on the improvement in learning produced by self-stimulation and by water reinforcement. <i>Pharmacology Biochemistry and Behavior</i> , 1978 , 8, 565-71	3.9	25
13	Exploration evoked by electrical stimulation of the amygdala of rats. <i>Physiological Psychology</i> , 1978 , 6, 229-235		11
12	Effects of lesions of the amygdala, pyriform cortex, and stria terminalis on two types of exploration by rats. <i>Physiological Psychology</i> , 1978 , 6, 319-324		5
11	Effects of morphine on one-trial appetitive learning. <i>Life Sciences</i> , 1978 , 23, 1967-71	6.8	26
10	Facilitation of retention by self-stimulation and by experimenter-administered stimulation. <i>Canadian Journal of Psychology</i> , 1978 , 32, 116-23		11
9	Effects of lesions of various medial forebrain bundle components on lateral hypothalamic self-stimulation. <i>Brain Research</i> , 1977 , 133, 45-63	3.7	15
8	The reinforcing action of morphine and its paradoxical side effect. <i>Psychopharmacology</i> , 1977 , 52, 63-6	4.7	125
7	Strength-duration analysis of the organization of reinforcement pathways in the medial forebrain bundle of rats. <i>Brain Research</i> , 1976 , 110, 575-91	3.7	44
6	Effects of anterior medial forebrain bundle lesions on self-stimulation with two different operant responses. <i>Behavioral Biology</i> , 1975 , 14, 221-30		12
5	Effects of septal lesions on responding for delayed brain stimulation reinforcement. <i>Brain Research</i> , 1974 , 65, 185-93	3.7	9
4	Enhancement of feeding produced by stimulation of the ventromedial hypothalamus. <i>Journal of Comparative and Physiological Psychology</i> , 1974 , 86, 414-9		12
3	Self-stimulation and suppression of feeding observed at the same site in the amygdala. <i>Physiology and Behavior</i> , 1973 , 10, 215-9	3.5	10

- 2 Perseveration by rats with amygdaloid lesions. *Journal of Comparative and Physiological Psychology*, **1971**, 77, 416-26 19
- 1 Relationship between amygdala and hypothalamus in the control of eating behavior. *Physiology and Behavior*, **1969**, 4, 199-205 3-5 48