## Jiayan Luo

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4607191/jiayan-luo-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 6,650 43 81 g-index

99 8,084 15.2 6.42 ext. papers ext. citations avg, IF L-index

| #  | Paper   | IF   | Citations |
|----|---|------|-----------|
| 89 | Nonreactive Electrolyte Additives for Stable Lithium Metal Anodes. <i>ACS Applied Energy Materials</i> , <b>2022</b> , 5, 3-13  | 6.1  | 4         |
| 88 | Revealing the solid electrolyte interface on calcium metal anodes. <i>Journal of Energy Chemistry</i> , <b>2022</b> , 70, 174-190   | 12   | О         |
| 87 | Recent developments and progress of halogen elements in enhancing the performance of all-solid-state lithium metal batteries. <i>Energy Storage Materials</i> , <b>2022</b> , 49, 19-57   | 19.4 | 1         |
| 86 | In situ built interphase with high interface energy and fast kinetics for high performance Zn metal anodes. <i>Energy and Environmental Science</i> , <b>2021</b> , 14, 3609-3620   | 35.4 | 79        |
| 85 | High Energy Density Solid State Lithium Metal Batteries Enabled by Sub-5 ឯm Solid Polymer Electrolytes. <i>Advanced Materials</i> , <b>2021</b> , 33, e2105329  | 24   | 26        |
| 84 | Stabilizing zinc metal anodes by artificial solid electrolyte interphase through a surface ion-exchanging strategy. <i>Chemical Engineering Journal</i> , <b>2020</b> , 396, 125363   | 14.7 | 43        |
| 83 | Composite sodium metal anodes for practical applications. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 15399-15416  | 13   | 20        |
| 82 | Long Cycling Life Solid-State Li Metal Batteries with Stress Self-Adapted Li/Garnet Interface. <i>Nano Letters</i> , <b>2020</b> , 20, 2871-2878  | 11.5 | 24        |
| 81 | Stabilizing Solid Electrolyte Interphases on Both Anode and Cathode for High Areal Capacity, High-Voltage Lithium Metal Batteries with High Li Utilization and Lean Electrolyte. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 2002824   | 15.6 | 36        |
| 80 | Skin care design for lithium metal protection with cosmetics introduction. <i>Journal of Energy Chemistry</i> , <b>2020</b> , 48, 383-389   | 12   | 3         |
| 79 | Electricity generation based on a photothermally driven Ti3C2Tx MXene nanofluidic water pump. <i>Nano Energy</i> , <b>2020</b> , 70, 104481   | 17.1 | 22        |
| 78 | MXene-Based Mesoporous Nanosheets Toward Superior Lithium Ion Conductors. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 1903534  | 21.8 | 50        |
| 77 | A Safe Polyzwitterionic Hydrogel Electrolyte for Long-Life Quasi-Solid State Zinc Metal Batteries. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 2001317   | 15.6 | 72        |
| 76 | Reversible Photodriven Droplet Motion on TiC MXene Film for Diverse Liquids. <i>ACS Applied Materials &amp; ACS Applied</i> Materials & | 9.5  | 4         |
| 75 | Rechargeable Mg metal batteries enabled by a protection layer formed in vivo. <i>Energy Storage Materials</i> , <b>2020</b> , 26, 408-413   | 19.4 | 38        |
| 74 | Revisiting the Electroplating Process for Lithium-Metal Anodes for Lithium-Metal Batteries. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 6730-6739   | 3.6  | 13        |
| 73 | Revisiting the Electroplating Process for Lithium-Metal Anodes for Lithium-Metal Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 6665-6674  | 16.4 | 62        |

| 72 | Enabling Mg metal anodes rechargeable in conventional electrolytes by fast ionic transport interphase. <i>National Science Review</i> , <b>2020</b> , 7, 333-341  | 10.8           | 49  |
|----|---|----------------|-----|
| 71 | Recent Progress of Electrolyte Design for Lithium Metal Batteries. <i>Batteries and Supercaps</i> , <b>2020</b> , 3, 33   | 1-3.85         | 23  |
| 7° | Redox mediators as charge agents for changing electrochemical reactions. <i>Chemical Society Reviews</i> , <b>2020</b> , 49, 7454-7478  | 58.5           | 30  |
| 69 | A high rate and long cycling life lithium metal anode with a self-repairing alloy coating. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 17415-17419                                       | 13             | 15  |
| 68 | Challenges and Opportunities for Multivalent Metal Anodes in Rechargeable Batteries. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 2004187   | 15.6           | 30  |
| 67 | A bio-inspired transpiration ion pump based on MXene. <i>Materials Chemistry Frontiers</i> , <b>2020</b> , 4, 3361-336  | 5 <b>7</b> 7.8 | 7   |
| 66 | The Features and Progress of Electrolyte for Potassium Ion Batteries. Small, 2020, 16, e2004096   | 11             | 37  |
| 65 | Fast and all-weather cleanup of viscous crude-oil spills with Ti3C2TX MXene wrapped sponge.<br>Journal of Materials Chemistry A, <b>2020</b> , 8, 20162-20167   | 13             | 30  |
| 64 | Cations and anions regulation through zwitterionic gel electrolytes for stable lithium metal anodes. <i>Energy Storage Materials</i> , <b>2020</b> , 24, 574-578  | 19.4           | 27  |
| 63 | Dendrites in Lithium Metal Anodes: Suppression, Regulation, and Elimination. <i>Accounts of Chemical Research</i> , <b>2019</b> , 52, 3223-3232   | 24.3           | 185 |
| 62 | Bio-Inspired Stable Lithium-Metal Anodes by Co-depositing Lithium with a 2D Vermiculite Shuttle.<br>Angewandte Chemie - International Edition, <b>2019</b> , 58, 6200-6206                              | 16.4           | 65  |
| 61 | Building an Interfacial Framework: Li/Garnet Interface Stabilization through a Cu6Sn5 Layer. <i>ACS Energy Letters</i> , <b>2019</b> , 4, 1725-1731   | 20.1           | 52  |
| 60 | Eliminating Tip Dendrite Growth by Lorentz Force for Stable Lithium Metal Anodes. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1902630  | 15.6           | 51  |
| 59 | Bulk Nanostructured Li: Bulk Nanostructured Materials Design for Fracture-Resistant Lithium Metal Anodes (Adv. Mater. 15/2019). <i>Advanced Materials</i> , <b>2019</b> , 31, 1970109                   | 24             | 2   |
| 58 | Mixed Ion and Electron-Conducting Scaffolds for High-Rate Lithium Metal Anodes. <i>Advanced Energy Materials</i> , <b>2019</b> , 9, 1900193   | 21.8           | 56  |
| 57 | Bio-Inspired Stable Lithium-Metal Anodes by Co-depositing Lithium with a 2D Vermiculite Shuttle. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 6266-6272  | 3.6            | 5   |
| 56 | Bulk Nanostructured Materials Design for Fracture-Resistant Lithium Metal Anodes. <i>Advanced Materials</i> , <b>2019</b> , 31, e1807585  | 24             | 60  |
| 55 | ZnO nanoconfined 3D porous carbon composite microspheres to stabilize lithium nucleation/growth for high-performance lithium metal anodes. <i>Journal of Materials Chemistry A</i> , 2019 7 19442-19452 | 13             | 25  |

| 54 | Interfacial Incompatibility and Internal Stresses in All-Solid-State Lithium Ion Batteries. <i>Advanced Energy Materials</i> , <b>2019</b> , 9, 1901810   | 21.8   | 46  |
|----|---|--------|-----|
| 53 | Controlling Li Ion Flux through Materials Innovation for Dendrite-Free Lithium Metal Anodes. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1905940   | 15.6   | 80  |
| 52 | Synergistic Effects of Salt Concentration and Working Temperature towards Dendrite-Free Lithium Deposition. <i>Research</i> , <b>2019</b> , 2019, 7481319   | 7.8    | 5   |
| 51 | High-Performance Solid Polymer Electrolytes Filled with Vertically Aligned 2D Materials. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1900648   | 15.6   | 96  |
| 50 | Ambient oxidation of TiC MXene initialized by atomic defects. <i>Nanoscale</i> , <b>2019</b> , 11, 23330-23337  | 7.7    | 55  |
| 49 | A corrosion-resistant current collector for lithium metal anodes. <i>Energy Storage Materials</i> , <b>2019</b> , 18, 199   | 9-2014 | 33  |
| 48 | Multistimuli Responsive Core-Shell Nanoplatform Constructed from Fe O @MOF Equipped with Pillar[6]arene Nanovalves. <i>Small</i> , <b>2018</b> , 14, e1704440   | 11     | 109 |
| 47 | Robust Production of Ultrahigh Surface Area Carbon Sheets for Energy Storage. Small, 2018, 14, e1800  | 133    | 16  |
| 46 | Lithium-Metal Anodes: Bending-Tolerant Anodes for Lithium-Metal Batteries (Adv. Mater. 1/2018). <i>Advanced Materials</i> , <b>2018</b> , 30, 1870005   | 24     | 2   |
| 45 | Dense Graphene Monolith for High Volumetric Energy Density Liß Batteries. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1703438   | 21.8   | 78  |
| 44 | Dendrite-free Li metal anode by lowering deposition interface energy with Cu99Zn alloy coating. <i>Energy Storage Materials</i> , <b>2018</b> , 14, 143-148   | 19.4   | 72  |
| 43 | Crumpled Graphene Balls Stabilized Dendrite-free Lithium Metal Anodes. <i>Joule</i> , <b>2018</b> , 2, 184-193  | 27.8   | 241 |
| 42 | Incorporating Ionic Paths into 3D Conducting Scaffolds for High Volumetric and Areal Capacity, High Rate Lithium-Metal Anodes. <i>Advanced Materials</i> , <b>2018</b> , 30, e1801328                                     | 24     | 112 |
| 41 | Simultaneously Enhancing the Thermal Stability, Mechanical Modulus, and Electrochemical Performance of Solid Polymer Electrolytes by Incorporating 2D Sheets. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1800866 | 21.8   | 132 |
| 40 | Horizontal Centripetal Plating in the Patterned Voids of Li/Graphene Composites for Stable Lithium-Metal Anodes. <i>CheM</i> , <b>2018</b> , 4, 2192-2200   | 16.2   | 90  |
| 39 | Controlling Nucleation in Lithium Metal Anodes. Small, 2018, 14, e1801423   | 11     | 110 |
| 38 | Bending-Tolerant Anodes for Lithium-Metal Batteries. <i>Advanced Materials</i> , <b>2018</b> , 30, 1703891  | 24     | 95  |
| 37 | Frontispiece: MXene Aerogel Scaffolds for High-Rate Lithium Metal Anodes. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57,  | 16.4   | 2   |

## (2015-2018)

| 36 | Frontispiz: MXene Aerogel Scaffolds for High-Rate Lithium Metal Anodes. <i>Angewandte Chemie</i> , <b>2018</b> , 130,  | 3.6                         | 1   |
|----|--|-----------------------------|-----|
| 35 | Aqueous Stable TiC MXene Membrane with Fast and Photoswitchable Nanofluidic Transport. <i>ACS Nano</i> , <b>2018</b> , 12, 12464-12471   | 16.7                        | 88  |
| 34 | 2D Materials for Lithium/Sodium Metal Anodes. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1802833  | 21.8                        | 72  |
| 33 | Lithium-Metal Anodes: Incorporating Ionic Paths into 3D Conducting Scaffolds for High Volumetric and Areal Capacity, High Rate Lithium-Metal Anodes (Adv. Mater. 33/2018). <i>Advanced Materials</i> , <b>2018</b> , 30, 1870248 | 24                          | 4   |
| 32 | MXene Aerogel Scaffolds for High-Rate Lithium Metal Anodes. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 15248-1  | 5 <sub>2</sub> 2 <b>6</b> 3 | 37  |
| 31 | MXene Aerogel Scaffolds for High-Rate Lithium Metal Anodes. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 15028-15033   | 16.4                        | 194 |
| 30 | Crumpled graphene-encapsulated sulfur for lithium-sulfur batteries RSC Advances, 2018, 8, 18502-185  | <b>03</b> .7                | 5   |
| 29 | Biomass Carbonization: Biomass Organs Control the Porosity of Their Pyrolyzed Carbon (Adv. Funct. Mater. 3/2017). <i>Advanced Functional Materials</i> , <b>2017</b> , 27,   | 15.6                        | 4   |
| 28 | Dual electronic-ionic conductivity of pseudo-capacitive filler enables high volumetric capacitance from dense graphene micro-particles. <i>Nano Energy</i> , <b>2017</b> , 36, 349-355   | 17.1                        | 32  |
| 27 | Biomass Organs Control the Porosity of Their Pyrolyzed Carbon. <i>Advanced Functional Materials</i> , <b>2017</b> , 27, 1604687  | 15.6                        | 113 |
| 26 | Porous Al Current Collector for Dendrite-Free Na Metal Anodes. <i>Nano Letters</i> , <b>2017</b> , 17, 5862-5868   | 11.5                        | 179 |
| 25 | Processable and Moldable Sodium-Metal Anodes. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 11921-11926   | 16.4                        | 141 |
| 24 | Processable and Moldable Sodium-Metal Anodes. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 12083-12088  | 3.6                         | 52  |
| 23 | Graphene Oxide Sheets in Solvents: To Crumple or Not To Crumple?. ACS Omega, 2017, 2, 8005-8009  | 3.9                         | 22  |
| 22 | Aerosol-assisted extraction of silicon nanoparticles from wafer slicing waste for lithium ion batteries. <i>Scientific Reports</i> , <b>2015</b> , 5, 9431   | 4.9                         | 43  |
| 21 | Bulk Nanostructured Materials Based on Two-Dimensional Building Blocks: A Roadmap. <i>ACS Nano</i> , <b>2015</b> , 9, 9432-6   | 16.7                        | 40  |
| 20 | Carbon: Two-Dimensional Porous Carbon: Synthesis and Ion-Transport Properties (Adv. Mater. 36/2015). <i>Advanced Materials</i> , <b>2015</b> , 27, 5254-5254   | 24                          | 4   |
| 19 | Supercapacitors: A Metal-Free Supercapacitor Electrode Material with a Record High Volumetric Capacitance over 800 F cmB (Adv. Mater. 48/2015). <i>Advanced Materials</i> , <b>2015</b> , 27, 7898-7898                          | 24                          | 8   |

| 18          | Two-Dimensional Porous Carbon: Synthesis and Ion-Transport Properties. <i>Advanced Materials</i> , <b>2015</b> , 27, 5388-95   | 24                   | 263                    |
|-------------|--|----------------------|------------------------|
| 17          | A Metal-Free Supercapacitor Electrode Material with a Record High Volumetric Capacitance over 800 F cm(-3). <i>Advanced Materials</i> , <b>2015</b> , 27, 8082-7   | 24                   | 182                    |
| 16          | Isotropic to Anisotropic Transition Observed in Si Nanoparticles Lithiation by in situ TEM. <i>Microscopy and Microanalysis</i> , <b>2014</b> , 20, 1652-1653  | 0.5                  |                        |
| 15          | Dynamics of electrochemical lithiation/delithiation of graphene-encapsulated silicon nanoparticles studied by in-situ TEM. <i>Scientific Reports</i> , <b>2014</b> , 4, 3863   | 4.9                  | 70                     |
| 14          | Effect of sheet morphology on the scalability of graphene-based ultracapacitors. <i>ACS Nano</i> , <b>2013</b> , 7, 1464-71  | 16.7                 | 446                    |
| 13          | Material processing of chemically modified graphene: some challenges and solutions. <i>Accounts of Chemical Research</i> , <b>2013</b> , 46, 2225-34   | 24.3                 | 141                    |
| 12          | One-Step Synthesis of Pt-Nanoparticles-Laden Graphene Crumples by Aerosol Spray Pyrolysis and Evaluation of Their Electrocatalytic Activity. <i>Aerosol Science and Technology</i> , <b>2013</b> , 47, 93-98   | 3.4                  | 43                     |
| 11          | Graphene oxide based conductive glue as a binder for ultracapacitor electrodes. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 12993  |                      | 36                     |
| 10          | Crumpled Graphene-Encapsulated Si Nanoparticles for Lithium Ion Battery Anodes. <i>Journal of Physical Chemistry Letters</i> , <b>2012</b> , 3, 1824-9   | 6.4                  | 419                    |
| 9           | Compression and aggregation-resistant particles of crumpled soft sheets. <i>ACS Nano</i> , <b>2011</b> , 5, 8943-9   | 16.7                 | 424                    |
| 8           | Graphene Oxide as a Two-dimensional Surfactant. Materials Research Society Symposia Proceedings,   |                      |                        |
|             | <b>2011</b> , 1344, 1  |                      | 2                      |
| 7           |  | 2.1                  | 326                    |
| 7           | <b>2011</b> , 1344, 1  | 2.1                  | 326                    |
|             | 2011, 1344, 1  Graphene oxide as surfactant sheets. <i>Pure and Applied Chemistry</i> , 2010, 83, 95-110   |                      | 326                    |
| 6           | 2011, 1344, 1  Graphene oxide as surfactant sheets. <i>Pure and Applied Chemistry</i> , 2010, 83, 95-110  Graphene oxide nanocolloids. <i>Journal of the American Chemical Society</i> , 2010, 132, 17667-9  Self-Propagating Domino-like Reactions in Oxidized Graphite. <i>Advanced Functional Materials</i> , 2010,   | 16.4                 | 326<br>320             |
| 6<br>5      | 2011, 1344, 1  Graphene oxide as surfactant sheets. <i>Pure and Applied Chemistry</i> , 2010, 83, 95-110  Graphene oxide nanocolloids. <i>Journal of the American Chemical Society</i> , 2010, 132, 17667-9  Self-Propagating Domino-like Reactions in Oxidized Graphite. <i>Advanced Functional Materials</i> , 2010, 20, 2867-2873  Self-Propagating Domino-like Reactions in Oxidized Graphite. <i>Advanced Functional Materials</i> , 2010,  | 16.4<br>15.6<br>15.6 | 326<br>320<br>271      |
| 6<br>5<br>4 | Graphene oxide as surfactant sheets. <i>Pure and Applied Chemistry</i> , <b>2010</b> , 83, 95-110  Graphene oxide nanocolloids. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 17667-9  Self-Propagating Domino-like Reactions in Oxidized Graphite. <i>Advanced Functional Materials</i> , <b>2010</b> , 20, 2867-2873  Self-Propagating Domino-like Reactions in Oxidized Graphite. <i>Advanced Functional Materials</i> , <b>2010</b> , 20, n/a-n/a  Stacked Lamellar Matrix Enabling Regulated Deposition and Superior Thermo-Kinetics for | 16.4<br>15.6<br>15.6 | 326<br>320<br>271<br>1 |