
Ahmad F Ahmeda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/460833/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Proteomic identification of tyrosine nitration targets in kidney of spontaneously hypertensive rats. Proteomics, 2007, 7, 4555-4564.	1.3	39
2	Punicalagin prevents cisplatin-induced nephrotoxicity by attenuating oxidative stress, inflammatory response, and apoptosis in rats. Life Sciences, 2021, 286, 120071.	2.0	31
3	Telmisartan attenuates diabetic nephropathy by mitigating oxidative stress and inflammation, and upregulating Nrf2/HO-1 signaling in diabetic rats. Life Sciences, 2022, 291, 120260.	2.0	31
4	<p>Umbelliferone Inhibits Spermatogenic Defects and Testicular Injury in Lead-Intoxicated Rats by Suppressing Oxidative Stress and Inflammation, and Improving Nrf2/HO-1 Signaling</p> . Drug Design, Development and Therapy, 2020, Volume 14, 4003-4019.	2.0	30
5	Proteomic Profiling of Perturbed Protein Sulfenation in Renal Medulla of the Spontaneously Hypertensive Rat. Journal of Proteome Research, 2010, 9, 2678-2687.	1.8	28
6	The regulation of blood perfusion in the renal cortex and medulla by reactive oxygen species and nitric oxide in the anaesthetised rat. Acta Physiologica, 2012, 204, 443-450.	1.8	28
7	A Comparison of the Gene Expression Profiles of Non-Alcoholic Fatty Liver Disease between Animal Models of a High-Fat Diet and Methionine-Choline-Deficient Diet. Molecules, 2022, 27, 858.	1.7	26
8	Hyperpolarization-activated cyclic nucleotide–gated channels contribute to spontaneous activity in L4 C-fiber nociceptors, but not Aβ-non-nociceptors, after axotomy of L5-spinal nerve in the rat in vivo. Pain, 2018, 159, 1392-1402.	2.0	23
9	Apocynin and catalase prevent hypertension and kidney injury in Cyclosporine A-induced nephrotoxicity in rats. PLoS ONE, 2020, 15, e0231472.	1.1	16
10	Galangin Attenuates Liver Injury, Oxidative Stress and Inflammation, and Upregulates Nrf2/HO-1 Signaling in Streptozotocin-Induced Diabetic Rats. Processes, 2021, 9, 1562.	1.3	14
11	Upregulation of Nrf2/HO-1 Signaling and Attenuation of Oxidative Stress, Inflammation, and Cell Death Mediate the Protective Effect of Apigenin against Cyclophosphamide Hepatotoxicity. Metabolites, 2022, 12, 648.	1.3	11
12	Effect of reactive oxygen species and nitric oxide in the neural control of intrarenal haemodynamics in anaesthetized normotensive rats. Acta Physiologica, 2013, 209, 156-166.	1.8	10
13	Factors regulating the renal circulation in spontaneously hypertensive rats. Saudi Journal of Biological Sciences, 2016, 23, 441-451.	1.8	9
14	A flavonoid-rich fraction of Monolluma quadrangula inhibits xanthine oxidase and ameliorates potassium oxonate-induced hyperuricemia in rats. Environmental Science and Pollution Research, 2022, 29, 63520-63532.	2.7	4
15	The vascular glycocalyx is not a mechanosensor in conduit arteries in the anesthetized pig. PeerJ, 2020, 8, e8725.	0.9	3
16	Effect of tempol and tempol plus catalase on intra-renal haemodynamics in spontaneously hypertensive stroke-prone (SHSP) and Wistar rats. Journal of Physiology and Biochemistry, 2017, 73, 207-214.	1.3	2
17	The awareness of water intake and its correlation with BMI among students attending national and international secondary schools in Riyadh, Saudi Arabia. Libyan Journal of Medicine, 2021, 16, 1918903.	0.8	1

