Ahmad F Ahmeda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/460833/publications.pdf Version: 2024-02-01



ΔΗΜΑΟ Ε ΔΗΜΕΟΑ

#	Article	IF	CITATIONS
1	Telmisartan attenuates diabetic nephropathy by mitigating oxidative stress and inflammation, and upregulating Nrf2/HO-1 signaling in diabetic rats. Life Sciences, 2022, 291, 120260.	2.0	31
2	A Comparison of the Gene Expression Profiles of Non-Alcoholic Fatty Liver Disease between Animal Models of a High-Fat Diet and Methionine-Choline-Deficient Diet. Molecules, 2022, 27, 858.	1.7	26
3	A flavonoid-rich fraction of Monolluma quadrangula inhibits xanthine oxidase and ameliorates potassium oxonate-induced hyperuricemia in rats. Environmental Science and Pollution Research, 2022, 29, 63520-63532.	2.7	4
4	Upregulation of Nrf2/HO-1 Signaling and Attenuation of Oxidative Stress, Inflammation, and Cell Death Mediate the Protective Effect of Apigenin against Cyclophosphamide Hepatotoxicity. Metabolites, 2022, 12, 648.	1.3	11
5	The awareness of water intake and its correlation with BMI among students attending national and international secondary schools in Riyadh, Saudi Arabia. Libyan Journal of Medicine, 2021, 16, 1918903.	0.8	1
6	Galangin Attenuates Liver Injury, Oxidative Stress and Inflammation, and Upregulates Nrf2/HO-1 Signaling in Streptozotocin-Induced Diabetic Rats. Processes, 2021, 9, 1562.	1.3	14
7	Punicalagin prevents cisplatin-induced nephrotoxicity by attenuating oxidative stress, inflammatory response, and apoptosis in rats. Life Sciences, 2021, 286, 120071.	2.0	31
8	<p>Umbelliferone Inhibits Spermatogenic Defects and Testicular Injury in Lead-Intoxicated Rats by Suppressing Oxidative Stress and Inflammation, and Improving Nrf2/HO-1 Signaling</p> . Drug Design, Development and Therapy, 2020, Volume 14, 4003-4019.	2.0	30
9	Apocynin and catalase prevent hypertension and kidney injury in Cyclosporine A-induced nephrotoxicity in rats. PLoS ONE, 2020, 15, e0231472.	1.1	16
10	The vascular glycocalyx is not a mechanosensor in conduit arteries in the anesthetized pig. PeerJ, 2020, 8, e8725.	0.9	3
11	Title is missing!. , 2020, 15, e0231472.		0
12	Title is missing!. , 2020, 15, e0231472.		0
13	Title is missing!. , 2020, 15, e0231472.		0
14	Title is missing!. , 2020, 15, e0231472.		0
15	Title is missing!. , 2020, 15, e0231472.		0
16	Title is missing!. , 2020, 15, e0231472.		0
17	Hyperpolarization-activated cyclic nucleotide–gated channels contribute to spontaneous activity in L4 C-fiber nociceptors, but not Aβ-non-nociceptors, after axotomy of L5-spinal nerve in the rat in vivo. Pain, 2018, 159, 1392-1402.	2.0	23
18	Effect of tempol and tempol plus catalase on intra-renal haemodynamics in spontaneously hypertensive stroke-prone (SHSP) and Wistar rats. Journal of Physiology and Biochemistry, 2017, 73, 207-214.	1.3	2

Ahmad F Ahmeda

#	Article	IF	CITATIONS
19	Factors regulating the renal circulation in spontaneously hypertensive rats. Saudi Journal of Biological Sciences, 2016, 23, 441-451.	1.8	9
20	Effect of reactive oxygen species and nitric oxide in the neural control of intrarenal haemodynamics in anaesthetized normotensive rats. Acta Physiologica, 2013, 209, 156-166.	1.8	10
21	The regulation of blood perfusion in the renal cortex and medulla by reactive oxygen species and nitric oxide in the anaesthetised rat. Acta Physiologica, 2012, 204, 443-450.	1.8	28
22	Proteomic Profiling of Perturbed Protein Sulfenation in Renal Medulla of the Spontaneously Hypertensive Rat. Journal of Proteome Research, 2010, 9, 2678-2687.	1.8	28
23	Proteomic identification of tyrosine nitration targets in kidney of spontaneously hypertensive rats. Proteomics, 2007, 7, 4555-4564.	1.3	39