

Mats P Lambe

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4609496/mats-p-lambe-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

225
papers

8,743
citations

53
h-index

82
g-index

231
ext. papers

10,136
ext. citations

6.2
avg, IF

5.74
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 225 | Reply to Assoc. Prof. Kocak.. <i>Acta Oncologica</i> , 2022 , 1 | 3.2 | |
| 224 | Sex Differences in Lymphoma Incidence and Excess Mortality By Subtype: A Comprehensive National Study. <i>Blood</i> , 2021 , 138, 2534-2534 | 2.2 | |
| 223 | Are older patients with non-small cell lung cancer receiving optimal care? A population-based study. <i>Acta Oncologica</i> , 2021 , 1-9 | 3.2 | 2 |
| 222 | Prostate cancer diagnosis, staging, and treatment in Sweden during the first phase of the COVID-19 pandemic. <i>Scandinavian Journal of Urology</i> , 2021 , 55, 184-191 | 1.6 | 7 |
| 221 | An Aggregated Comorbidity Measure Based on History of Filled Drug Prescriptions: Development and Evaluation in Two Separate Cohorts. <i>Epidemiology</i> , 2021 , 32, 607-615 | 3.1 | 5 |
| 220 | Risk of second HPV-associated cancers in men with penile cancer. <i>Acta Oncologica</i> , 2021 , 60, 667-671 | 3.2 | 2 |
| 219 | Use of Warfarin or Direct Oral Anticoagulants and Risk of Prostate Cancer in PCBaSe: A Nationwide Case-Control Study. <i>Frontiers in Oncology</i> , 2020 , 10, 571838 | 5.3 | 0 |
| 218 | Set-up and preliminary results from the Patient-overview Prostate Cancer. Longitudinal registration of treatment of advanced prostate cancer in the National Prostate Cancer Register of Sweden. <i>Scandinavian Journal of Urology</i> , 2020 , 54, 227-234 | 1.6 | 5 |
| 217 | Impact of chemotherapy, radiotherapy, and endocrine therapy on sick leave in women with early-stage breast cancer during a 5-year period: a population-based cohort study. <i>Breast Cancer Research and Treatment</i> , 2020 , 182, 699-707 | 4.4 | 3 |
| 216 | Trends in life expectancy: did the gap between the healthy and the ill widen or close?. <i>BMC Medicine</i> , 2020 , 18, 41 | 11.4 | 24 |
| 215 | Can body size explain the excess cancer risk in men?. <i>Journal of Clinical Oncology</i> , 2020 , 38, e13593-e13593 | | |
| 214 | Reproductive patterns and maternal and pregnancy outcomes in women with psoriasis-A population-based study. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 1109-1116 | 4.5 | 7 |
| 213 | Educational level, management and outcomes in small-cell lung cancer (SCLC): A population-based cohort study. <i>Lung Cancer</i> , 2020 , 139, 111-117 | 5.9 | 5 |
| 212 | Sex Differences in Urothelial Bladder Cancer Survival. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 26-34.e6 | 3.3 | 22 |
| 211 | Breast reconstruction patterns from a Swedish nation-wide survey. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1867-1873 | 3.6 | 2 |
| 210 | Trends in cancer survival in the Nordic countries 1990-2016: the NORDCAN survival studies. <i>Acta Oncologica</i> , 2020 , 59, 1266-1274 | 3.2 | 14 |
| 209 | Estimates of lung and pancreatic cancer survival in Sweden with and without inclusion of death certificate initiated (DCI) cases. <i>Acta Oncologica</i> , 2020 , 59, 1322-1328 | 3.2 | 1 |

| | | | |
|-----|--|-----|----|
| 208 | Duration of sick leave after active surveillance, surgery or radiotherapy for localised prostate cancer: a nationwide cohort study. <i>BMJ Open</i> , 2020 , 10, e032914 | 3 | 1 |
| 207 | Causes of sick leave, disability pension, and death following a breast cancer diagnosis in women of working age. <i>Breast</i> , 2019 , 45, 48-55 | 3.6 | 5 |
| 206 | Potential gain in life years for Swedish women with breast cancer if stage and survival differences between education groups could be eliminated - Three what-if scenarios. <i>Breast</i> , 2019 , 45, 75-81 | 3.6 | 8 |
| 205 | Educational level and management and outcomes in non-small cell lung cancer. A nationwide population-based study. <i>Lung Cancer</i> , 2019 , 131, 40-46 | 5.9 | 13 |
| 204 | Metabolic profiles to predict long-term cancer and mortality: the use of latent class analysis. <i>BMC Molecular and Cell Biology</i> , 2019 , 20, 28 | 2.7 | 1 |
| 203 | Sex and survival in non-small cell lung cancer: A nationwide cohort study. <i>PLoS ONE</i> , 2019 , 14, e0219206 | 3.7 | 36 |
| 202 | Data must be shared-also with researchers outside of Europe. <i>Lancet, The</i> , 2019 , 394, 1902-1903 | 4.0 | 3 |
| 201 | Time intervals and routes to diagnosis for lung cancer in 10 jurisdictions: cross-sectional study findings from the International Cancer Benchmarking Partnership (ICBP). <i>BMJ Open</i> , 2019 , 9, e025895 | 3 | 10 |
| 200 | Sharing data safely while preserving privacy. <i>Lancet, The</i> , 2019 , 394, 1902 | 4.0 | 3 |
| 199 | Diagnostic pathways and management in women with pregnancy-associated breast cancer (PABC): no evidence of treatment delays following a first healthcare contact. <i>Breast Cancer Research and Treatment</i> , 2019 , 174, 489-503 | 4.4 | 8 |
| 198 | Serum glucose, triglycerides, and cholesterol in relation to prostate cancer death in the Swedish AMORIS study. <i>Cancer Causes and Control</i> , 2019 , 30, 195-206 | 2.8 | 6 |
| 197 | Impact of variation in cancer registration practice on observed international cancer survival differences between International Cancer Benchmarking Partnership (ICBP) jurisdictions. <i>Cancer Epidemiology</i> , 2019 , 58, 184-192 | 2.8 | 9 |
| 196 | Temporal trends in incidence and outcome of hydatidiform mole: a retrospective cohort study. <i>Acta Oncologica</i> , 2018 , 57, 1094-1099 | 3.2 | 8 |
| 195 | Adjusting Expected Mortality Rates Using Information From a Control Population: An Example Using Socioeconomic Status. <i>American Journal of Epidemiology</i> , 2018 , 187, 828-836 | 3.8 | 10 |
| 194 | Socioeconomic status and diagnosis, treatment, and mortality in men with prostate cancer. Nationwide population-based study. <i>International Journal of Cancer</i> , 2018 , 142, 2478-2484 | 7.5 | 29 |
| 193 | Nationwide population-based study on the use of novel antiandrogens in men with prostate cancer in Sweden. <i>Scandinavian Journal of Urology</i> , 2018 , 52, 143-150 | 1.6 | 7 |
| 192 | Loss in working years after a breast cancer diagnosis. <i>British Journal of Cancer</i> , 2018 , 118, 738-743 | 8.7 | 6 |
| 191 | Public online reporting from a nationwide population-based clinical prostate cancer register. <i>BJU International</i> , 2018 , 122, 8-10 | 5.6 | 7 |

| | | | |
|-----|---|-----|-----|
| 190 | Prognostic scoring systems for myelodysplastic syndromes (MDS) in a population-based setting: a report from the Swedish MDS register. <i>British Journal of Haematology</i> , 2018 , 181, 614-627 | 4.5 | 20 |
| 189 | Thyroid cancer risk in the Swedish AMORIS study: the role of inflammatory biomarkers in serum. <i>Oncotarget</i> , 2018 , 9, 774-782 | 3.3 | 5 |
| 188 | Tumor characteristics and prognosis in women with pregnancy-associated breast cancer. <i>International Journal of Cancer</i> , 2018 , 142, 1343-1354 | 7.5 | 40 |
| 187 | Nordic Cancer Registries - an overview of their procedures and data comparability. <i>Acta Oncologica</i> , 2018 , 57, 440-455 | 3.2 | 144 |
| 186 | Diagnostic routes and time intervals for patients with colorectal cancer in 10 international jurisdictions; findings from a cross-sectional study from the International Cancer Benchmarking Partnership (ICBP). <i>BMJ Open</i> , 2018 , 8, e023870 | 3 | 24 |
| 185 | No association between low-dose aspirin use and breast cancer outcomes overall: a Swedish population-based study. <i>Breast Cancer Research</i> , 2018 , 20, 142 | 8.3 | 18 |
| 184 | The role of comorbidity in the management and prognosis in nonsmall cell lung cancer: a population-based study. <i>Acta Oncologica</i> , 2017 , 56, 949-956 | 3.2 | 25 |
| 183 | Serum inflammatory markers and colorectal cancer risk and survival. <i>British Journal of Cancer</i> , 2017 , 116, 1358-1365 | 8.7 | 42 |
| 182 | Circulating uric acid levels and subsequent development of cancer in 493,281 individuals: findings from the AMORIS Study. <i>Oncotarget</i> , 2017 , 8, 42332-42342 | 3.3 | 19 |
| 181 | Testosterone Replacement Therapy and Risk of Favorable and Aggressive Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1430-1436 | 2.2 | 44 |
| 180 | Serum biomarkers to predict risk of testicular and penile cancer in AMORIS. <i>Ecancermedicalscience</i> , 2017 , 11, 762 | 2.7 | 4 |
| 179 | Cohort Profile: The AMORIS cohort. <i>International Journal of Epidemiology</i> , 2017 , 46, 1103-1103i | 7.8 | 23 |
| 178 | Sex differences in cancer risk and survival: A Swedish cohort study. <i>European Journal of Cancer</i> , 2017 , 84, 130-140 | 7.5 | 56 |
| 177 | Glucose and lipoprotein biomarkers and breast cancer severity using data from the Swedish AMORIS cohort. <i>BMC Cancer</i> , 2017 , 17, 246 | 4.8 | 7 |
| 176 | Circulating gamma-glutamyl transferase and development of specific breast cancer subtypes: findings from the Apolipoprotein Mortality Risk (AMORIS) cohort. <i>Breast Cancer Research</i> , 2017 , 19, 22 | 8.3 | 3 |
| 175 | Socioeconomic factors and penile cancer risk and mortality; a population-based study. <i>BJU International</i> , 2017 , 119, 254-260 | 5.6 | 26 |
| 174 | Loss in working years after a breast cancer diagnosis: A population-based study (Sweden).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 209-209 | 2.2 | |
| 173 | Sex differences in cancer risk and survival.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e13074-e13074 | 2.2 | |

| | | | |
|-----|---|------|----|
| 172 | Dashboard report on performance on select quality indicators to cancer care providers. <i>Scandinavian Journal of Urology</i> , 2016 , 50, 21-8 | 1.6 | 18 |
| 171 | An investigation of routes to cancer diagnosis in 10 international jurisdictions, as part of the International Cancer Benchmarking Partnership: survey development and implementation. <i>BMJ Open</i> , 2016 , 6, e009641 | 3 | 26 |
| 170 | Risk of malignant melanoma in men with prostate cancer: Nationwide, population-based cohort study. <i>International Journal of Cancer</i> , 2016 , 138, 2154-60 | 7.5 | 8 |
| 169 | Pregnancy history and risk of premenopausal breast cancer-a nested case-control study. <i>International Journal of Epidemiology</i> , 2016 , 45, 816-24 | 7.8 | 10 |
| 168 | Stress-Related Signaling Pathways in Lethal and Nonlethal Prostate Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 765-772 | 12.9 | 17 |
| 167 | Profiling cancer testis antigens in non-small-cell lung cancer. <i>JCI Insight</i> , 2016 , 1, e86837 | 9.9 | 65 |
| 166 | Educational level and outcome in small-cell lung cancer (SCLC): A population-based study.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e20096-e20096 | 2.2 | |
| 165 | Determinants of non-adherence to adjuvant endocrine treatment in early stage breast cancer patients: A Swedish population-based registry linkage study.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 535-535 | 2.2 | |
| 164 | No Increased Prevalence of Malignancies Among First-Degree Relatives of Patients with Chronic Myeloid Leukemia - Data from Population-Based Swedish Registries. <i>Blood</i> , 2016 , 128, 1896-1896 | 2.2 | |
| 163 | Swedish National Penile Cancer Register: incidence, tumour characteristics, management and survival. <i>BJU International</i> , 2016 , 117, 287-92 | 5.6 | 52 |
| 162 | Investigating the association between allergen-specific immunoglobulin E, cancer risk and survival. <i>Oncolmmunology</i> , 2016 , 5, e1154250 | 7.2 | 23 |
| 161 | Re: Editorial Comment on Use of Phosphodiesterase Type 5 Inhibitors for Erectile Dysfunction and Risk of Malignant Melanoma: D. F. Penson J Urol 2015;194:1710-1711. <i>Journal of Urology</i> , 2016 , 195, 1172-3 | 2.5 | |
| 160 | Work Disability After Robot-assisted or Open Radical Prostatectomy: A Nationwide, Population-based Study. <i>European Urology</i> , 2016 , 70, 64-71 | 10.2 | 13 |
| 159 | Association between baseline serum glucose, triglycerides and total cholesterol, and prostate cancer risk categories. <i>Cancer Medicine</i> , 2016 , 5, 1307-18 | 4.8 | 31 |
| 158 | Effect of preeclampsia on umbilical cord blood stem cells in relation to breast cancer susceptibility in the offspring. <i>Carcinogenesis</i> , 2015 , 36, 94-8 | 4.6 | 10 |
| 157 | Prediagnostic serum inflammatory markers in relation to breast cancer risk, severity at diagnosis and survival in breast cancer patients. <i>Carcinogenesis</i> , 2015 , 36, 1121-8 | 4.6 | 33 |
| 156 | The Risk of Distant Metastases and Cancer Specific Survival in Men with Serum Prostate Specific Antigen Values above 100 ng/ml. <i>Journal of Urology</i> , 2015 , 194, 1594-600 | 2.5 | 7 |
| 155 | Use of Phosphodiesterase Type 5 Inhibitors for Erectile Dysfunction and Risk of Malignant Melanoma. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 2449-55 | 27.4 | 62 |

| | | | |
|-----|---|------|----|
| 154 | Family history and risk of pregnancy-associated breast cancer (PABC). <i>Breast Cancer Research and Treatment</i> , 2015 , 151, 209-17 | 4.4 | 9 |
| 153 | The loss in expectation of life after colon cancer: a population-based study. <i>BMC Cancer</i> , 2015 , 15, 412 | 4.8 | 20 |
| 152 | Capture rate and representativity of The National Prostate Cancer Register of Sweden. <i>Acta Oncologica</i> , 2015 , 54, 158-63 | 3.2 | 50 |
| 151 | Serum lactate dehydrogenase and survival following cancer diagnosis. <i>British Journal of Cancer</i> , 2015 , 113, 1389-96 | 8.7 | 43 |
| 150 | Re: Giorgio Gandaglia, Freddie Bray, Matthew R. Cooperberg, et al. Prostate Cancer Registries: Current Status and Future Directions. <i>Eur Urol</i> 2015;68:e110. <i>European Urology</i> , 2015 , 68, e110 | 10.2 | 4 |
| 149 | Prediagnostic serum glucose and lipids in relation to survival in breast cancer patients: a competing risk analysis. <i>BMC Cancer</i> , 2015 , 15, 913 | 4.8 | 13 |
| 148 | Cancer during pregnancy and the postpartum period: A population-based study. <i>Cancer</i> , 2015 , 121, 2072-74 | 6.4 | 68 |
| 147 | Evaluation of data quality in the National Prostate Cancer Register of Sweden. <i>European Journal of Cancer</i> , 2015 , 51, 101-11 | 7.5 | 61 |
| 146 | Increased Prevalence of Prior Malignancies and Autoimmune Diseases in Patients Diagnosed with Chronic Myeloid Leukemia. <i>Blood</i> , 2015 , 126, 1586-1586 | 2.2 | 1 |
| 145 | Loss of a parent and the risk of cancer in early life: a nationwide cohort study. <i>Cancer Causes and Control</i> , 2014 , 25, 499-506 | 2.8 | 23 |
| 144 | Mortality in women with pregnancy-associated malignant melanoma. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 1093-101 | 4.5 | 38 |
| 143 | Birth size in the most recent pregnancy and maternal mortality in premenopausal breast cancer by tumor characteristics. <i>Breast Cancer Research and Treatment</i> , 2014 , 145, 471-80 | 4.4 | |
| 142 | Estimating the cure proportion of malignant melanoma, an alternative approach to assess long term survival: a population-based study. <i>Cancer Epidemiology</i> , 2014 , 38, 93-9 | 2.8 | 18 |
| 141 | Clinical characteristics, management and survival in young adults diagnosed with malignant melanoma: A population-based cohort study. <i>Acta Oncologica</i> , 2014 , 53, 688-96 | 3.2 | 12 |
| 140 | Sickness absence and disability pension following breast cancer - A population-based matched cohort study. <i>Breast</i> , 2014 , 23, 844-51 | 3.6 | 18 |
| 139 | Drug prescription for erectile dysfunction before and after diagnosis of localized prostate cancer. <i>Journal of Sexual Medicine</i> , 2014 , 11, 2100-8 | 1.1 | 7 |
| 138 | Hydatidiform mole and subsequent pregnancy outcome: a population-based cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 211, 681.e1-7 | 6.4 | 6 |
| 137 | Rehospitalization after radical prostatectomy in a nationwide, population based study. <i>Journal of Urology</i> , 2014 , 192, 112-9 | 2.5 | 22 |

| | | | |
|-----|--|------|-----|
| 136 | Recent childbirth is an adverse prognostic factor in breast cancer and melanoma, but not in Hodgkin lymphoma. <i>European Journal of Cancer</i> , 2013 , 49, 3686-93 | 7.5 | 37 |
| 135 | Serum calcium and risk of gastrointestinal cancer in the Swedish AMORIS study. <i>BMC Public Health</i> , 2013 , 13, 663 | 4.1 | 21 |
| 134 | Stage at diagnosis and mortality in women with pregnancy-associated breast cancer (PABC). <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 183-92 | 4.4 | 33 |
| 133 | Estimating the loss in expectation of life due to cancer using flexible parametric survival models. <i>Statistics in Medicine</i> , 2013 , 32, 5286-300 | 2.3 | 79 |
| 132 | Placental weight and mortality in premenopausal breast cancer by tumor characteristics. <i>Breast Cancer Research and Treatment</i> , 2013 , 137, 297-305 | 4.4 | 1 |
| 131 | Risk of localized and advanced prostate cancer among immigrants versus native-born Swedish men: a nation-wide population-based study. <i>Cancer Causes and Control</i> , 2013 , 24, 383-90 | 2.8 | 8 |
| 130 | Risk of suicide in men with low-risk prostate cancer. <i>European Journal of Cancer</i> , 2013 , 49, 1588-99 | 7.5 | 44 |
| 129 | Childbearing and the risk of bladder cancer: a nationwide population-based cohort study. <i>European Urology</i> , 2013 , 63, 733-8 | 10.2 | 19 |
| 128 | Reply to Silvia Selinski, Daniel Ovsianikov, Jan G. Hengstler and Klaus Golka Letter to the editor re: Caroline E. Weibull, Sandra Eloranta, Daniel Altman, Anna L.V. Johansson, Mats Lambe. Childbearing and the risk of bladder cancer: a nationwide population-based cohort study. <i>Eur Urol</i> 2013 ;63:733-8. <i>European Urology</i> , 2013 , 64, e81 | 10.2 | 2 |
| 127 | Screening preeclamptic cord plasma for proteins associated with decreased breast cancer susceptibility. <i>Genomics, Proteomics and Bioinformatics</i> , 2013 , 11, 335-44 | 6.5 | 7 |
| 126 | The prognostic relevance of tumour-infiltrating plasma cells and immunoglobulin kappa C indicates an important role of the humoral immune response in non-small cell lung cancer. <i>Cancer Letters</i> , 2013 , 333, 222-8 | 9.9 | 102 |
| 125 | Biomarker discovery in non-small cell lung cancer: integrating gene expression profiling, meta-analysis, and tissue microarray validation. <i>Clinical Cancer Research</i> , 2013 , 19, 194-204 | 12.9 | 219 |
| 124 | Prostate cancer imaging trends after a nationwide effort to discourage inappropriate prostate cancer imaging. <i>Journal of the National Cancer Institute</i> , 2013 , 105, 1306-13 | 9.7 | 36 |
| 123 | Cohort Profile: the National Prostate Cancer Register of Sweden and Prostate Cancer data Base Sweden 2.0. <i>International Journal of Epidemiology</i> , 2013 , 42, 956-67 | 7.8 | 160 |
| 122 | Changes in health-related quality of life by occupational status among women diagnosed with breast cancer--a population-based cohort study. <i>Psycho-Oncology</i> , 2013 , 22, 2321-31 | 3.9 | 19 |
| 121 | Serum glucose and fructosamine in relation to risk of cancer. <i>PLoS ONE</i> , 2013 , 8, e54944 | 3.7 | 18 |
| 120 | The interplay between lipid profiles, glucose, BMI and risk of kidney cancer in the Swedish AMORIS study. <i>International Journal of Cancer</i> , 2012 , 130, 2118-28 | 7.5 | 40 |
| 119 | Impact of comorbidity on management and mortality in women diagnosed with breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012 , 135, 281-9 | 4.4 | 58 |

| | | | |
|-----|---|------|-----|
| 118 | Reproductive history and risk of small bowel cancer by histologic type: a population-based study. <i>Cancer Causes and Control</i> , 2012 , 23, 2041-6 | 2.8 | 2 |
| 117 | Differences according to socioeconomic status in the management and mortality in men with high risk prostate cancer. <i>European Journal of Cancer</i> , 2012 , 48, 75-84 | 7.5 | 44 |
| 116 | Incidence of fractures causing hospitalisation in prostate cancer patients: results from the population-based PCBaSe Sweden. <i>European Journal of Cancer</i> , 2012 , 48, 1672-81 | 7.5 | 24 |
| 115 | CD99 is a novel prognostic stromal marker in non-small cell lung cancer. <i>International Journal of Cancer</i> , 2012 , 131, 2264-73 | 7.5 | 56 |
| 114 | Adherence and discontinuation of adjuvant hormonal therapy in breast cancer patients: a population-based study. <i>Breast Cancer Research and Treatment</i> , 2012 , 133, 367-73 | 4.4 | 78 |
| 113 | Lipid profiles and risk of breast and ovarian cancer in the Swedish AMORIS study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1381-4 | 4 | 56 |
| 112 | Preterm birth and psychiatric disorders in young adult life. <i>Archives of General Psychiatry</i> , 2012 , 69, E1-8 | | 286 |
| 111 | Smokeless tobacco (snus) and risk of heart failure: results from two Swedish cohorts. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 1120-7 | 3.9 | 33 |
| 110 | Social differences in lung cancer management and survival in South East England: a cohort study. <i>BMJ Open</i> , 2012 , 2, | 3 | 25 |
| 109 | Tumor stage affects risk and prognosis of contralateral breast cancer: results from a large Swedish-population-based study. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3478-85 | 2.2 | 42 |
| 108 | Change in working time in a population-based cohort of patients with breast cancer. <i>Journal of Clinical Oncology</i> , 2012 , 30, 2853-60 | 2.2 | 28 |
| 107 | A comprehensive analysis of human gene expression profiles identifies stromal immunoglobulin κ as a compatible prognostic marker in human solid tumors. <i>Clinical Cancer Research</i> , 2012 , 18, 2695-703 | 12.9 | 167 |
| 106 | Biomarker-based score to predict mortality in persons aged 50 years and older: a new approach in the Swedish AMORIS study. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2012 , 3, 66-76 | 0.9 | 24 |
| 105 | Lipid profiles and the risk of endometrial cancer in the Swedish AMORIS study. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2012 , 3, 122-33 | 0.9 | 20 |
| 104 | Gamma-glutamyl transferase and C-reactive protein as alternative markers of metabolic abnormalities and their associated comorbidities: a prospective cohort study. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2012 , 3, 276-85 | 0.9 | 4 |
| 103 | Differences according to educational level in the management and survival of colorectal cancer in Sweden. <i>European Journal of Cancer</i> , 2011 , 47, 1398-406 | 7.5 | 59 |
| 102 | Gamma-glutamyltransferase and risk of cancer in a cohort of 545,460 persons - the Swedish AMORIS study. <i>European Journal of Cancer</i> , 2011 , 47, 2033-41 | 7.5 | 71 |
| 101 | Psychiatric treatment in men with prostate cancer--results from a Nation-wide, population-based cohort study from PCBaSe Sweden. <i>European Journal of Cancer</i> , 2011 , 47, 2195-201 | 7.5 | 51 |

| | | | |
|-----|--|------|----|
| 100 | Breast cancer associated with primary hyperparathyroidism: a nested case control study. <i>Clinical Epidemiology</i> , 2011 , 3, 103-6 | 5.9 | 8 |
| 99 | Breast cancer, sickness absence, income and marital status. A study on life situation 1 year prior diagnosis compared to 3 and 5 years after diagnosis. <i>PLoS ONE</i> , 2011 , 6, e18040 | 3.7 | 57 |
| 98 | Gene copy number aberrations are associated with survival in histologic subgroups of non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2011 , 6, 1833-40 | 8.9 | 38 |
| 97 | Mortality among men with locally advanced prostate cancer managed with noncurative intent: a nationwide study in PCBaSe Sweden. <i>European Urology</i> , 2011 , 60, 554-63 | 10.2 | 52 |
| 96 | Low levels of apolipoprotein A-I and HDL are associated with risk of prostate cancer in the Swedish AMORIS study. <i>Cancer Causes and Control</i> , 2011 , 22, 1011-9 | 2.8 | 53 |
| 95 | Impaired glucose metabolism and diabetes and the risk of breast, endometrial, and ovarian cancer. <i>Cancer Causes and Control</i> , 2011 , 22, 1163-71 | 2.8 | 66 |
| 94 | Prostate cancer risk in the Swedish AMORIS study: the interplay among triglycerides, total cholesterol, and glucose. <i>Cancer</i> , 2011 , 117, 2086-95 | 6.4 | 72 |
| 93 | Risk of prostate cancer is not associated with levels of C-reactive protein and other commonly used markers of inflammation. <i>International Journal of Cancer</i> , 2011 , 129, 1485-92 | 7.5 | 33 |
| 92 | Health-related quality of life among women with breast cancer - a population-based study. <i>Acta Oncologica</i> , 2011 , 50, 1015-26 | 3.2 | 71 |
| 91 | Pancreatic cancer; reporting and long-term survival in Sweden. <i>Acta Oncologica</i> , 2011 , 50, 1220-7 | 3.2 | 25 |
| 90 | Reporting and incidence trends of hydatidiform mole in Sweden 1973-2004. <i>Acta Oncologica</i> , 2011 , 50, 367-72 | 3.2 | 23 |
| 89 | Similarities and differences in the characteristics and primary treatment of breast cancer in men and women - a population based study (Sweden). <i>Acta Oncologica</i> , 2011 , 50, 1083-8 | 3.2 | 24 |
| 88 | Comorbidity, treatment and mortality: a population based cohort study of prostate cancer in PCBaSe Sweden. <i>Journal of Urology</i> , 2011 , 185, 833-9 | 2.5 | 92 |
| 87 | Risk of infection-related cancers after the loss of a child: a follow-up study in Sweden. <i>Cancer Research</i> , 2011 , 71, 116-22 | 10.1 | 25 |
| 86 | Association between levels of C-reactive protein and leukocytes and cancer: three repeated measurements in the Swedish AMORIS study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 428-37 | 4 | 42 |
| 85 | Increased mortality in women with breast cancer detected during pregnancy and different periods postpartum. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1865-72 | 4 | 92 |
| 84 | Maternal smoking during pregnancy and intellectual performance in young adult Swedish male offspring. <i>Paediatric and Perinatal Epidemiology</i> , 2010 , 24, 79-87 | 2.7 | 51 |
| 83 | A quasi-experimental study of maternal smoking during pregnancy and offspring academic achievement. <i>Child Development</i> , 2010 , 81, 80-100 | 4.9 | 64 |

| | | | |
|----|---|------|-----|
| 82 | National comparisons of lung cancer survival in England, Norway and Sweden 2001-2004: differences occur early in follow-up. <i>Thorax</i> , 2010 , 65, 436-41 | 7.3 | 66 |
| 81 | Effects of prostate-specific antigen testing on familial prostate cancer risk estimates. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 1336-43 | 9.7 | 37 |
| 80 | Social inequalities in non-small cell lung cancer management and survival: a population-based study in central Sweden. <i>Thorax</i> , 2010 , 65, 327-33 | 7.3 | 60 |
| 79 | Excellent school performance at age 16 and risk of adult bipolar disorder: national cohort study. <i>British Journal of Psychiatry</i> , 2010 , 196, 109-15 | 5.4 | 211 |
| 78 | Familial confounding of the association between maternal smoking during pregnancy and offspring criminality: a population-based study in Sweden. <i>Archives of General Psychiatry</i> , 2010 , 67, 529-38 | | 86 |
| 77 | Absolute and relative risk of cardiovascular disease in men with prostate cancer: results from the Population-Based PCBaSe Sweden. <i>Journal of Clinical Oncology</i> , 2010 , 28, 3448-56 | 2.2 | 138 |
| 76 | Non-cigarette tobacco use among women and adverse pregnancy outcomes. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010 , 89, 454-464 | 3.8 | 43 |
| 75 | Risk of thromboembolic diseases in men with prostate cancer: results from the population-based PCBaSe Sweden. <i>Lancet Oncology</i> , 2010 , 11, 450-8 | 21.7 | 83 |
| 74 | Reductions in use of hormone replacement therapy: effects on Swedish breast cancer incidence trends only seen after several years. <i>Breast Cancer Research and Treatment</i> , 2010 , 121, 679-83 | 4.4 | 34 |
| 73 | Immunoglobulin E and cancer: a meta-analysis and a large Swedish cohort study. <i>Cancer Causes and Control</i> , 2010 , 21, 1657-67 | 2.8 | 45 |
| 72 | Suicide risk in men with prostate-specific antigen-detected early prostate cancer: a nationwide population-based cohort study from PCBaSe Sweden. <i>European Urology</i> , 2010 , 57, 390-5 | 10.2 | 73 |
| 71 | Reproductive Factors 2010 , 119-135 | | 2 |
| 70 | Placental weight and breast cancer survival in young women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 777-83 | 4 | 5 |
| 69 | Childbearing and salivary gland cancer: a population-based nested case-control study. <i>Epidemiology</i> , 2009 , 20, 780-2 | 3.1 | 1 |
| 68 | Increasing incidence of pregnancy-associated breast cancer in Sweden. <i>Obstetrics and Gynecology</i> , 2009 , 114, 568-572 | 4.9 | 143 |
| 67 | PCBaSe Sweden: a register-based resource for prostate cancer research. <i>Scandinavian Journal of Urology and Nephrology</i> , 2009 , 43, 342-9 | | 50 |
| 66 | Social differences in breast cancer survival in relation to patient management within a National Health Care System (Sweden). <i>International Journal of Cancer</i> , 2009 , 124, 180-7 | 7.5 | 52 |
| 65 | The Philip Morris Nordic journalist program: strategies, implementation and outcomes. <i>Health Policy</i> , 2009 , 89, 84-96 | 3.2 | 1 |

| | | | |
|----|---|------|-----|
| 64 | Regional differences in treatment and outcome in non-small cell lung cancer: a population-based study (Sweden). <i>Lung Cancer</i> , 2009 , 63, 16-22 | 5.9 | 31 |
| 63 | Snuff Use and Stroke. <i>Epidemiology</i> , 2009 , 20, 469-470 | 3.1 | |
| 62 | Mastitis and the risk of breast cancer. <i>Epidemiology</i> , 2009 , 20, 747-51 | 3.1 | 17 |
| 61 | Quantification of normal cell fraction and copy number neutral LOH in clinical lung cancer samples using SNP array data. <i>PLoS ONE</i> , 2009 , 4, e6057 | 3.7 | 17 |
| 60 | Smokeless tobacco and the risk of stroke. <i>Epidemiology</i> , 2008 , 19, 794-9 | 3.1 | 55 |
| 59 | Long-term inequalities in breast cancer survival--a ten year follow-up study of patients managed within a National Health Care System (Sweden). <i>Acta Oncologica</i> , 2008 , 47, 216-24 | 3.2 | 39 |
| 58 | Placental weight and risk of invasive epithelial ovarian cancer with an early age of onset. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2344-9 | 4 | 9 |
| 57 | Birth spacing and maternal risk of invasive epithelial ovarian cancer in a Swedish nationwide cohort. <i>Cancer Causes and Control</i> , 2008 , 19, 1131-7 | 2.8 | 3 |
| 56 | Predictors of ovarian cancer survival: a population-based prospective study in Sweden. <i>International Journal of Cancer</i> , 2008 , 123, 672-9 | 7.5 | 50 |
| 55 | Gestational age and fetal growth in relation to maternal ovarian cancer risk in a Swedish cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1828-32 | 4 | 13 |
| 54 | Fertility in women with type 1 diabetes: a population-based cohort study in Sweden. <i>Diabetes Care</i> , 2007 , 30, 2271-6 | 14.6 | 75 |
| 53 | Socioeconomic conditions, lifestyle factors, and self-rated health among men and women in Sweden. <i>European Journal of Public Health</i> , 2007 , 17, 125-33 | 2.1 | 220 |
| 52 | Gender of offspring and maternal risk of invasive epithelial ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2314-20 | 4 | 8 |
| 51 | Levels and correlates of alpha-fetoprotein in normal pregnancies among Caucasian and Chinese women. <i>European Journal of Cancer Prevention</i> , 2007 , 16, 178-83 | 2 | 1 |
| 50 | Swedish snus for tobacco harm reduction. <i>Lancet, The</i> , 2007 , 370, 1206; author reply 1206-7 | 40 | 11 |
| 49 | Use of hormone replacement therapy before and after ovarian cancer diagnosis and ovarian cancer survival. <i>International Journal of Cancer</i> , 2006 , 119, 2907-15 | 7.5 | 91 |
| 48 | Maternal smoking during pregnancy and school performance at age 15. <i>Epidemiology</i> , 2006 , 17, 524-30 | 3.1 | 96 |
| 47 | A prospective study of the transient decrease in ovarian cancer risk following childbirth. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2508-13 | 4 | 4 |

| | | | |
|----|---|------|-----|
| 46 | Will an adverse pregnancy outcome influence the risk of continued smoking in the next pregnancy?. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 1680-6 | 6.4 | 31 |
| 45 | Pregnancy characteristics and maternal risk of breast cancer. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 2474-80 | 27.4 | 57 |
| 44 | Seasonal variation in the diagnosis of Hodgkin lymphoma in Sweden. <i>International Journal of Cancer</i> , 2005 , 115, 127-30 | 7.5 | 13 |
| 43 | Socio-economic factors and breast cancer survival--a population-based cohort study (Sweden). <i>Cancer Causes and Control</i> , 2005 , 16, 419-30 | 2.8 | 68 |
| 42 | Childbearing and the risk of scleroderma: a population-based study in Sweden. <i>American Journal of Epidemiology</i> , 2004 , 159, 162-6 | 3.8 | 26 |
| 41 | Fecundity and twinning rates as measures of fertility before diagnosis of germ-cell testicular cancer. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 145-7 | 9.7 | 54 |
| 40 | Reproductive factors and extreme levels of maternal serum alpha-fetoprotein: a population-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004 , 83, 1147-51 | 3.8 | 3 |
| 39 | Maternal breast cancer risk after the death of a child. <i>International Journal of Cancer</i> , 2004 , 110, 763-6 | 7.5 | 12 |
| 38 | Birth order, sibship size, and risk for germ-cell testicular cancer. <i>Epidemiology</i> , 2004 , 15, 323-9 | 3.1 | 50 |
| 37 | Parental age, family size, and risk of multiple sclerosis. <i>Epidemiology</i> , 2004 , 15, 717-23 | 3.1 | 52 |
| 36 | Socio-economic status and chronic renal failure: a population-based case-control study in Sweden. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 82-8 | 4.3 | 87 |
| 35 | Ethnic differences in breast cancer risk: a possible role for pregnancy levels of alpha-fetoprotein?. <i>Epidemiology</i> , 2003 , 14, 85-9 | 3.1 | 13 |
| 34 | Survival in primary lung cancer potentially cured by operation: influence of tumor stage and clinical characteristics. <i>Annals of Thoracic Surgery</i> , 2003 , 75, 356-63 | 2.7 | 24 |
| 33 | Hyperemesis gravidarum and subsequent breast cancer risk. <i>British Journal of Cancer</i> , 2002 , 87, 974-6 | 8.7 | 9 |
| 32 | Childbearing and the risk of leukemia in Sweden. <i>Cancer Causes and Control</i> , 2002 , 13, 47-53 | 2.8 | 10 |
| 31 | Sociodemographic predictors of non-attendance at invitational mammography screening--a population-based register study (Sweden). <i>Cancer Causes and Control</i> , 2002 , 13, 73-82 | 2.8 | 119 |
| 30 | Transient increase in breast cancer risk after giving birth: postpartum period with the highest risk (Sweden). <i>Cancer Causes and Control</i> , 2002 , 13, 299-305 | 2.8 | 109 |
| 29 | Early life exposure to oestrogen and testicular cancer risk: evidence against an aetiological hypothesis. <i>British Journal of Cancer</i> , 2002 , 86, 1363-4 | 8.7 | 7 |

| | | | |
|----|---|------|-----|
| 28 | Pregnancy and risk of renal cell cancer: a population-based study in Sweden. <i>British Journal of Cancer</i> , 2002 , 86, 1425-9 | 8.7 | 62 |
| 27 | Siblings and the risk of inflammatory bowel disease. <i>Scandinavian Journal of Gastroenterology</i> , 2002 , 37, 1301-8 | 2.4 | 37 |
| 26 | Childbearing and the risk of parathyroid adenoma--a dominant cause for primary hyperparathyroidism. <i>Journal of Internal Medicine</i> , 2001 , 250, 43-9 | 10.8 | 6 |
| 25 | Breast cancer risk in women who have had children with different partners. <i>International Journal of Cancer</i> , 2001 , 93, 907-10 | 7.5 | 3 |
| 24 | Trends in lung cancer incidence in Sweden with special reference to period and birth cohorts. <i>Cancer Causes and Control</i> , 2001 , 12, 539-49 | 2.8 | 11 |
| 23 | Mortality after appendectomy in Sweden, 1987-1996. <i>Annals of Surgery</i> , 2001 , 233, 455-60 | 7.8 | 144 |
| 22 | Hydatidiform moles and the long-term risk of breast cancer (Sweden). <i>Cancer Causes and Control</i> , 2000 , 11, 117-20 | 2.8 | 6 |
| 21 | alpha-fetoprotein levels in maternal serum during pregnancy and maternal breast cancer incidence. <i>Journal of the National Cancer Institute</i> , 2000 , 92, 1001-5 | 9.7 | 49 |
| 20 | Attitudes, beliefs, and knowledge as predictors of nonattendance in a Swedish population-based mammography screening program. <i>Preventive Medicine</i> , 2000 , 31, 417-28 | 4.3 | 94 |
| 19 | Childbearing at older age and endometrial cancer risk (Sweden). <i>Cancer Causes and Control</i> , 1999 , 10, 43-9 | 2.8 | 58 |
| 18 | Delivery of premature newborns and maternal breast-cancer risk. <i>Lancet, The</i> , 1999 , 353, 1239 | 4.0 | 16 |
| 17 | Twinning and maternal risk of ovarian cancer. <i>Lancet, The</i> , 1999 , 353, 1941 | 4.0 | 16 |
| 16 | Fertility patterns after appendectomy: historical cohort study. <i>BMJ: British Medical Journal</i> , 1999 , 318, 963-7 | | 44 |
| 15 | Parity and the risk of pancreatic cancer: a nested case-control study. <i>International Journal of Cancer</i> , 1998 , 77, 224-7 | 7.5 | 30 |
| 14 | Parity, age at first birth and the risk of carcinoma in situ of the breast. <i>International Journal of Cancer</i> , 1998 , 77, 330-2 | 7.5 | 30 |
| 13 | Pregnancy and risk of non-Hodgkin's lymphoma: a prospective study. <i>International Journal of Cancer</i> , 1997 , 70, 155-8 | 7.5 | 32 |
| 12 | Reproductive factors and the risk of brain tumors: a population-based study in Sweden. <i>International Journal of Cancer</i> , 1997 , 72, 389-93 | 7.5 | 59 |
| 11 | Parity, age at first and last birth, and risk of breast cancer: a population-based study in Sweden. <i>Breast Cancer Research and Treatment</i> , 1996 , 38, 305-11 | 4.4 | 146 |

| | | | |
|----|---|------|-----|
| 10 | History of childbearing and colorectal cancer risk in women aged less than 60: an analysis of Swedish routine registry data 1960-1984. <i>International Journal of Cancer</i> , 1996 , 66, 170-5 | 7.5 | 18 |
| 9 | Maternal risk of breast cancer following multiple births: a nationwide study in Sweden. <i>Cancer Causes and Control</i> , 1996 , 7, 533-8 | 2.8 | 34 |
| 8 | Parity and risk of thyroid cancer: a nested case-control study of a nationwide Swedish cohort. <i>Cancer Causes and Control</i> , 1995 , 6, 37-44 | 2.8 | 32 |
| 7 | Childbearing and risk of ovarian cancer. <i>Lancet, The</i> , 1995 , 345, 789 | 40 | 1 |
| 6 | Cancers coinciding with childbearing: delayed diagnosis during pregnancy?. <i>BMJ: British Medical Journal</i> , 1995 , 311, 1607-8 | | 41 |
| 5 | Transient increase in the risk of breast cancer after giving birth. <i>New England Journal of Medicine</i> , 1994 , 331, 5-9 | 59.2 | 406 |
| 4 | Epidemiologic correlates of breast cancer laterality (Sweden). <i>Cancer Causes and Control</i> , 1994 , 5, 510-6 | 2.8 | 26 |
| 3 | Parity, age at first childbirth, and risk of ovarian cancer. <i>Lancet, The</i> , 1994 , 344, 1250-4 | 40 | 265 |
| 2 | Parity and cancers of the gall bladder and the extrahepatic bile ducts. <i>International Journal of Cancer</i> , 1993 , 54, 941-4 | 7.5 | 29 |
| 1 | Parity and hepatocellular carcinoma. A population-based study in Sweden. <i>International Journal of Cancer</i> , 1993 , 55, 745-7 | 7.5 | 12 |