

# Rafael Lucena

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4609924/publications.pdf>

Version: 2024-02-01

141  
papers

5,076  
citations

87401

40  
h-index

120465

65  
g-index

149  
all docs

149  
docs citations

149  
times ranked

4089  
citing authors

#	ARTICLE	IF	CITATIONS
1	Wooden-based materials: Eco-friendly materials for direct mass spectrometric analysis and microextraction. <i>Journal of Separation Science</i> , 2022, 45, 223-232.	1.3	9
2	Portable stirring device for the on-site extraction of environmental waters using magnetic hydrophilic-lipophilic balance tape. <i>Analytica Chimica Acta</i> , 2022, 1189, 339186.	2.6	11
3	Polymeric nanocomposites as sorbents in environmental water analysis, a close view to the synthesis and potential applications. <i>Current Opinion in Environmental Science and Health</i> , 2022, 25, 100320.	2.1	3
4	Pre-cleaned bare wooden toothpicks for the determination of drugs in oral fluid by mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2022, 414, 5287-5296.	1.9	10
5	Mechanochemically designed bismuth-based halide perovskites for efficient photocatalytic oxidation of vanillyl alcohol. <i>Journal of Materials Chemistry A</i> , 2022, 10, 11298-11305.	5.2	16
6	Potential of hydrophobic paper-based sorptive phase prepared by in-situ thermal imidization for the extraction of methadone from oral fluid samples. <i>Journal of Chromatography A</i> , 2022, 1675, 463166.	1.8	4
7	Fluorescent Sensors in Food Industry. , 2022, , .		0
8	Polydopamine inner wall-coated hypodermic needle as microextraction device and electrospray emitter for the direct analysis of illicit drugs in oral fluid by ambient mass spectrometry. <i>Talanta</i> , 2022, 249, 123693.	2.9	7
9	Dual-template molecularly imprinted paper for the determination of drugs of abuse in saliva samples by direct infusion mass spectrometry. <i>Microchemical Journal</i> , 2021, 160, 105686.	2.3	27
10	Polyamide-coated wooden tips coupled to direct infusion mass spectrometry, a high throughput alternative for the determination of methadone, cocaine and methamphetamine in oral fluid. <i>Microchemical Journal</i> , 2021, 162, 105843.	2.3	20
11	Polydopamine coated hypodermic needles as a microextraction device for the determination of tricyclic antidepressants in oral fluid by direct infusion MS/MS. <i>RSC Advances</i> , 2021, 11, 22683-22690.	1.7	8
12	Photocatalytic Cellulose-Paper: Deepening in the Sustainable and Synergic Combination of Sorption and Photodegradation. <i>ACS Omega</i> , 2021, 6, 9577-9586.	1.6	11
13	Magnetic paper-based sorptive phase for enhanced mass transference in stir membrane environmental samplers. <i>Talanta</i> , 2021, 228, 122217.	2.9	23
14	Synergistic combination of polyamide-coated paper-based sorptive phase for the extraction of antibiotics in saliva. <i>Analytica Chimica Acta</i> , 2021, 1164, 338512.	2.6	14
15	Unmodified cellulose filter paper, a sustainable and affordable sorbent for the isolation of biogenic amines from beer samples. <i>Journal of Chromatography A</i> , 2021, 1651, 462297.	1.8	20
16	Fan-based device for integrated air sampling and microextraction. <i>Talanta</i> , 2021, 230, 122290.	2.9	5
17	Carbon fibers as green and sustainable sorbent for the extraction of isoflavones from environmental waters. <i>Talanta</i> , 2021, 233, 122582.	2.9	8
18	Direct coupling of MEPS to ESI-QqTOF-MS for the simultaneous analysis of tricyclic antidepressants and benzodiazepines in postmortem blood. <i>Microchemical Journal</i> , 2021, 171, 106797.	2.3	14

#	ARTICLE	IF	CITATIONS
19	A paper-based polystyrene/nylon Janus platform for the microextraction of UV filters in water samples as proof-of-concept. <i>Mikrochimica Acta</i> , 2021, 188, 391.	2.5	10
20	Miniaturized solid-phase extraction. , 2021, , 13-31.		1
21	Selectivity-enhanced sorbents. , 2021, , 229-252.		1
22	Switchable solvents. , 2021, , 453-470.		1
23	Membrane sorptive phases. , 2021, , 199-228.		2
24	Ionic liquids. , 2021, , 427-451.		5
25	Polymeric nanocomposites. , 2021, , 377-392.		0
26	Unconfined liquid-phase microextraction. , 2021, , 79-96.		0
27	Direct coupling of microextraction with instrumental techniques. , 2021, , 159-198.		1
28	Analytical sample treatment: basics and trends. , 2021, , 1-11.		0
29	Solid-phase microextraction. , 2021, , 33-77.		0
30	Polymeric ionic liquid immobilized onto paper as sorptive phase in microextraction. <i>Analytica Chimica Acta</i> , 2020, 1094, 47-56.	2.6	42
31	Particle loaded membranes. , 2020, , 341-354.		1
32	Paramagnetic ionic liquid-coated SiO <sub>2</sub> @Fe <sub>3</sub> O <sub>4</sub> nanoparticlesâ€”The next generation of magnetically recoverable nanocatalysts applied in the glycolysis of PET. <i>Applied Catalysis B: Environmental</i> , 2020, 260, 118110.	10.8	94
33	Microextraction approaches for bioanalytical applications: An overview. <i>Journal of Chromatography A</i> , 2020, 1616, 460790.	1.8	58
34	<i>Heracleum Persicum</i> based biosorbent for the removal of paraquat and diquat from waters. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 104481.	3.3	15
35	Paper-based sorptive phases for microextraction and sensing. <i>Analytical Methods</i> , 2020, 12, 3074-3091.	1.3	21
36	Silver nanoflower-coated paper as dual substrate for surface-enhanced Raman spectroscopy and ambient pressure mass spectrometry analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 3547-3557.	1.9	35

#	ARTICLE	IF	CITATIONS
37	Cotton fibers functionalized with $\beta$ -cyclodextrins as selectivity enhancer for the direct infusion mass spectrometric determination of cocaine and methamphetamine in saliva samples. <i>Analytica Chimica Acta</i> , 2020, 1126, 133-143.	2.6	14
38	Returning to Nature for the Design of Sorptive Phases in Solid-Phase Microextraction. <i>Separations</i> , 2020, 7, 2.	1.1	39
39	Effervescence-Assisted Microextraction—One Decade of Developments. <i>Molecules</i> , 2020, 25, 6053.	1.7	23
40	Portable stir membrane device for on-site environmental sampling and extraction. <i>Journal of Chromatography A</i> , 2019, 1606, 360359.	1.8	15
41	Ultra-trace tellurium preconcentration and speciation analysis in environmental samples with a novel magnetic polymeric ionic liquid nanocomposite and magnetic dispersive micro-solid phase extraction with flow-injection hydride generation atomic fluorescence spectrometry detection. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2019, 162, 105705.	1.5	27
42	Recycled polystyrene-cotton composites, giving a second life to plastic residues for environmental remediation. <i>Journal of Environmental Chemical Engineering</i> , 2019, 7, 103424.	3.3	15
43	Magnetic Polyamide Nanocomposites for the Microextraction of Benzophenones from Water Samples. <i>Molecules</i> , 2019, 24, 953.	1.7	6
44	Molecularly imprinted paper-based analytical device obtained by a polymerization-free synthesis. <i>Sensors and Actuators B: Chemical</i> , 2019, 287, 138-146.	4.0	38
45	A high thermally stable oligomer-based supramolecular solvent for universal headspace Gas Chromatography: Proof-of-principle determination of residual solvents in drugs. <i>Analytica Chimica Acta</i> , 2019, 1046, 132-139.	2.6	17
46	Dispersive micro-solid phase extraction. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 112, 226-233.	5.8	242
47	Lab-on-a-Valve Mesofluidic Platform for On-Chip Handling of Carbon-Coated Titanium Dioxide Nanotubes in a Disposable Microsolid Phase-Extraction Mode. <i>Analytical Chemistry</i> , 2018, 90, 4783-4791.	3.2	6
48	Melamine Sponge Functionalized with Urea-Formaldehyde Co-Oligomers as a Sorbent for the Solid-Phase Extraction of Hydrophobic Analytes. <i>Molecules</i> , 2018, 23, 2595.	1.7	13
49	Efficient combined sorption/photobleaching of dyes promoted by cellulose/titania-based nanocomposite films. <i>Journal of Cleaner Production</i> , 2018, 194, 167-173.	4.6	32
50	Carbon Nanohorn Suprastructures on a Paper Support as a Sorptive Phase. <i>Molecules</i> , 2018, 23, 1252.	1.7	35
51	Tunable Polarity Carbon Fibers, a Holistic Approach to Environmental Protection. <i>Molecules</i> , 2018, 23, 1026.	1.7	9
52	Silica nanoparticles—nylon 6 composites: synthesis, characterization and potential use as sorbent. <i>RSC Advances</i> , 2017, 7, 2308-2314.	1.7	32
53	Integrated sampling and analysis unit for the determination of sexual pheromones in environmental air using fabric phase sorptive extraction and headspace-gas chromatography—mass spectrometry. <i>Journal of Chromatography A</i> , 2017, 1488, 17-25.	1.8	27
54	Recycling polymer residues to synthesize magnetic nanocomposites for dispersive micro-solid phase extraction. <i>Talanta</i> , 2017, 170, 451-456.	2.9	19

#	ARTICLE	IF	CITATIONS
55	Paper supported polystyrene membranes for thin film microextraction. <i>Microchemical Journal</i> , 2017, 133, 90-95.	2.3	60
56	Synthesis of magnetic polymeric ionic liquid nanocomposites by the Radziszewski reaction. <i>RSC Advances</i> , 2017, 7, 42979-42985.	1.7	23
57	Determination of the Three Main Components of the Grapevine Moth Pest Pheromone in Grape-Related Samples by Headspace-Gas Chromatography-Mass Spectrometry. <i>Separations</i> , 2017, 4, 31.	1.1	3
58	Ionic Liquids in Sample Preparation. <i>Comprehensive Analytical Chemistry</i> , 2017, , 203-224.	0.7	6
59	Recent Advances in Extraction and Stirring Integrated Techniques. <i>Separations</i> , 2017, 4, 6.	1.1	42
60	Magnetic nanoparticles coated with ionic liquid for the extraction of endocrine disrupting compounds from waters. <i>Microchemical Journal</i> , 2016, 128, 347-353.	2.3	60
61	Electrospun nanofibers as sorptive phases in microextraction. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 84, 3-11.	5.8	39
62	Determination of propranolol and carvedilol in urine samples using a magnetic polyamide composite and LC-MS/MS. <i>Bioanalysis</i> , 2016, 8, 2115-2123.	0.6	11
63	In-syringe dispersive micro-solid phase extraction using carbon fibres for the determination of chlorophenols in human urine by gas chromatography/mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1464, 42-49.	1.8	37
64	Selective extraction of <i>Bactrocera oleae</i> sexual pheromone from olive oil by dispersive magnetic microsolid phase extraction using a molecularly imprinted nanocomposite. <i>Journal of Chromatography A</i> , 2016, 1455, 57-64.	1.8	26
65	Dispersive micro-solid phase extraction of bisphenol A from milk using magnetic nylon 6 composite and its final determination by HPLC-UV. <i>Microchemical Journal</i> , 2016, 124, 751-756.	2.3	75
66	Use of switchable hydrophilicity solvents for the homogeneous liquid-liquid microextraction of triazine herbicides from environmental water samples. <i>Journal of Separation Science</i> , 2015, 38, 990-995.	1.3	79
67	Octadecyl functionalized core-shell magnetic silica nanoparticle as a powerful nanocomposite sorbent to extract urinary volatile organic metabolites. <i>Journal of Chromatography A</i> , 2015, 1393, 18-25.	1.8	23
68	Green detection of the olive fruit fly pest by the direct determination of its sexual pheromone. <i>Analytical Methods</i> , 2015, 7, 7228-7233.	1.3	4
69	Polymer nanoparticles composites in bioanalytical sample preparation. <i>Bioanalysis</i> , 2015, 7, 1723-1730.	0.6	28
70	Determination of urinary 5-hydroxyindoleacetic acid by combining D <sub>11</sub> -SPE using carbon coated TiO <sub>2</sub> nanotubes and LC-MS/MS. <i>Bioanalysis</i> , 2015, 7, 2857-2867.	0.6	4
71	Stir fabric phase sorptive extraction for the determination of triazine herbicides in environmental waters by liquid chromatography. <i>Journal of Chromatography A</i> , 2015, 1376, 35-45.	1.8	81
72	Use of switchable solvents in the microextraction context. <i>Talanta</i> , 2015, 131, 645-649.	2.9	114

#	ARTICLE	IF	CITATIONS
73	Determination of Tuta absoluta pheromones in water and tomato samples by headspace-gas chromatography-mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 795-802.	1.9	3
74	Making biosamples compatible with instrumental analysis. <i>Journal of Applied Bioanalysis</i> , 2015, 1, 72-75.	0.2	7
75	Carbon coated titanium dioxide nanotubes: Synthesis, characterization and potential application as sorbents in dispersive micro solid phase extraction. <i>Journal of Chromatography A</i> , 2014, 1343, 26-32.	1.8	35
76	Effervescence assisted dispersive liquid-liquid microextraction with extractant removal by magnetic nanoparticles. <i>Analytica Chimica Acta</i> , 2014, 807, 61-66.	2.6	95
77	Magnetic nanoparticles-nylon 6 composite for the dispersive micro solid phase extraction of selected polycyclic aromatic hydrocarbons from water samples. <i>Journal of Chromatography A</i> , 2014, 1345, 43-49.	1.8	66
78	A quantitative model to assess Social Responsibility in Environmental Science and Technology. <i>Science of the Total Environment</i> , 2014, 466-467, 40-46.	3.9	5
79	Microextraction techniques. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 1999-2000.	1.9	14
80	UV-polymerized butyl methacrylate monoliths with embedded carboxylic single-walled carbon nanotubes for CEC applications. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 6329-6336.	1.9	19
81	Titanium-dioxide nanotubes as sorbents in (micro)extraction techniques. <i>TrAC - Trends in Analytical Chemistry</i> , 2014, 62, 37-45.	5.8	39
82	Micro-solid phase extraction based on oxidized single-walled carbon nanohorns immobilized on a stir borosilicate disk: Application to the preconcentration of the endocrine disruptor benzophenone-3. <i>Microchemical Journal</i> , 2014, 115, 87-94.	2.3	33
83	Stir-membrane solid-liquid-liquid microextraction for the determination of parabens in human breast milk samples by ultra high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2014, 1354, 26-33.	1.8	39
84	Stir octadecyl-modified borosilicate disk for the liquid phase microextraction of triazine herbicides from environmental waters. <i>Journal of Chromatography A</i> , 2013, 1307, 58-65.	1.8	23
85	Synergistic relationships between Analytical Chemistry and written standards. <i>Analytica Chimica Acta</i> , 2013, 788, 1-7.	2.6	10
86	Effervescence-assisted carbon nanotubes dispersion for the micro-solid-phase extraction of triazine herbicides from environmental waters. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 3269-3277.	1.9	66
87	Determination of parabens in waters by magnetically confined hydrophobic nanoparticle microextraction coupled to gas chromatography/mass spectrometry. <i>Microchemical Journal</i> , 2013, 110, 643-648.	2.3	43
88	Hybridization of commercial polymeric microparticles and magnetic nanoparticles for the dispersive micro-solid phase extraction of nitroaromatic hydrocarbons from water. <i>Journal of Chromatography A</i> , 2013, 1271, 50-55.	1.8	48
89	Teaching Social Responsibility in Analytical Chemistry. <i>Analytical Chemistry</i> , 2013, 85, 6152-6161.	3.2	14
90	Ionic liquid coated magnetic nanoparticles for the gas chromatography/mass spectrometric determination of polycyclic aromatic hydrocarbons in waters. <i>Journal of Chromatography A</i> , 2013, 1300, 134-140.	1.8	80

#	ARTICLE	IF	CITATIONS
91	Magnetically confined hydrophobic nanoparticles for the microextraction of endocrine-disrupting phenols from environmental waters. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 2729-2734.	1.9	13
92	Dispersive micro-solid phase extraction with ionic liquid-modified silica for the determination of organophosphate pesticides in water by ultra performance liquid chromatography. <i>Microchemical Journal</i> , 2013, 106, 311-317.	2.3	91
93	Stir-membrane liquid microextraction for the determination of paracetamol in human saliva samples. <i>Bioanalysis</i> , 2013, 5, 307-315.	0.6	16
94	Stir frit microextraction: An approach for the determination of volatile compounds in water by headspace-gas chromatography/mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1251, 10-15.	1.8	10
95	Extraction and stirring integrated techniques: examples and recent advances. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 2213-2223.	1.9	67
96	Determination of non-steroidal anti-inflammatory drugs in urine by the combination of stir membrane liquid-liquid microextraction and liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 2583-2589.	1.9	35
97	Ionic liquid based in situ solvent formation microextraction coupled to thermal desorption for chlorophenols determination in waters by gas chromatography/mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1229, 48-54.	1.8	53
98	Direct coupling of dispersive micro-solid phase extraction and thermal desorption for sensitive gas chromatographic analysis. <i>Analytical Methods</i> , 2011, 3, 991.	1.3	21
99	Nanoparticle-based microextraction techniques in bioanalysis. <i>Bioanalysis</i> , 2011, 3, 2533-2548.	0.6	32
100	Sample treatments based on dispersive (micro)extraction. <i>Analytical Methods</i> , 2011, 3, 1719.	1.3	75
101	Sample Treatments Based on Ionic Liquids. , 2011, , .		0
102	Effervescence-assisted dispersive micro-solid phase extraction. <i>Journal of Chromatography A</i> , 2011, 1218, 9128-9134.	1.8	68
103	Stir membrane liquid-liquid microextraction. <i>Journal of Chromatography A</i> , 2011, 1218, 869-874.	1.8	45
104	Potential of nanoparticles in sample preparation. <i>Journal of Chromatography A</i> , 2011, 1218, 620-637.	1.8	199
105	Determination of phenols in waters by stir membrane liquid-liquid microextraction coupled to liquid chromatography with ultraviolet detection. <i>Journal of Chromatography A</i> , 2011, 1218, 2176-2181.	1.8	76
106	Sensitive determination of polycyclic aromatic hydrocarbons in water samples using monolithic capillary solid-phase extraction and on-line thermal desorption prior to gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2011, 1218, 1802-1807.	1.8	24
107	Highly selective and non-conventional sorbents for the determination of biomarkers in urine by liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 1029-1038.	1.9	11
108	Sensitive in-surface infrared monitoring coupled to stir membrane extraction for the selective determination of total hydrocarbon index in waters. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 1427-1433.	1.9	20

#	ARTICLE	IF	CITATIONS
109	The roles of ionic liquids in sorptive microextraction techniques. <i>TrAC - Trends in Analytical Chemistry</i> , 2010, 29, 602-616.	5.8	159
110	Surfactant-coated carbon nanotubes for the liquid-liquid extraction of phthalates and other migrants in virgin olive oils. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 395, 737-746.	1.9	26
111	Sorptive microextraction for liquid-chromatographic determination of drugs in urine. <i>TrAC - Trends in Analytical Chemistry</i> , 2009, 28, 1164-1173.	5.8	43
112	Determination of phenothiazine derivatives in human urine by using ionic liquid-based dynamic liquid-phase microextraction coupled with liquid chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 37-42.	1.2	62
113	Ionic liquid-based single drop microextraction and room-temperature gas chromatography for on-site ion mobility spectrometric analysis. <i>Journal of Chromatography A</i> , 2009, 1216, 5580-5587.	1.8	67
114	One-step in-syringe ionic liquid-based dispersive liquid-liquid microextraction. <i>Journal of Chromatography A</i> , 2009, 1216, 6459-6465.	1.8	147
115	Stir Membrane Extraction: A Useful Approach for Liquid Sample Pretreatment. <i>Analytical Chemistry</i> , 2009, 81, 8957-8961.	3.2	66
116	Liquid-phase microextraction in bioanalytical sample preparation. <i>Bioanalysis</i> , 2009, 1, 135-149.	0.6	53
117	Dispersive Solid Phase Extraction for In-Sorbent Surface Attenuated Total Reflection Infrared Detection. <i>Analytical Chemistry</i> , 2009, 81, 1184-1190.	3.2	36
118	Combined use of carbon nanotubes and ionic liquid to improve the determination of antidepressants in urine samples by liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 1139-1145.	1.9	69
119	Determination of trihalomethanes in waters by ionic liquid-based single drop microextraction/gas chromatographic/mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1209, 76-82.	1.8	71
120	Carbon nanostructures as sorbent materials in analytical processes. <i>TrAC - Trends in Analytical Chemistry</i> , 2008, 27, 34-43.	5.8	287
121	Ionic liquid-based single-drop microextraction/gas chromatographic/mass spectrometric determination of benzene, toluene, ethylbenzene and xylene isomers in waters. <i>Journal of Chromatography A</i> , 2008, 1201, 106-111.	1.8	125
122	Ionic liquid-based dynamic liquid-phase microextraction: Application to the determination of anti-inflammatory drugs in urine samples. <i>Journal of Chromatography A</i> , 2008, 1202, 1-7.	1.8	71
123	Direct Coupling of Ionic Liquid Based Single-Drop Microextraction and GC/MS. <i>Analytical Chemistry</i> , 2008, 80, 793-800.	3.2	144
124	Characterization of an Attenuated Total Reflection-Based Sensor for Integrated Solid-Phase Extraction and Infrared Detection. <i>Analytical Chemistry</i> , 2008, 80, 1146-1151.	3.2	21
125	Surfactant-coated carbon nanotubes as pseudophases in liquid-liquid extraction. <i>Analyst, The</i> , 2007, 132, 551-559.	1.7	45
126	Continuous flow configuration for total hydrocarbons index determination in soils by evaporative light scattering detection. <i>Journal of Chromatography A</i> , 2007, 1141, 302-307.	1.8	7



#	ARTICLE	IF	CITATIONS
127	Liquid-liquid extraction/headspace/gas chromatographic/mass spectrometric determination of benzene, toluene, ethylbenzene, (o-, m- and p-)xylene and styrene in olive oil using surfactant-coated carbon nanotubes as extractant. <i>Journal of Chromatography A</i> , 2007, 1171, 1-7.	1.8	46
128	Fast urinary screening for imipramine and desipramine using on-line solid-phase extraction and selective derivatization. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 857, 275-280.	1.2	12
129	Evaporative light scattering detection: trends in its analytical uses. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 388, 1663-1672.	1.9	54
130	ATR-FTIR membrane-based sensor for the simultaneous determination of surfactant and oil total indices in industrial degreasing baths. <i>Analyst</i> , 2006, 131, 415-421.	1.7	17
131	Continuous flow configuration for total grease and surfactant determination in industrial degreasing baths. <i>Analytica Chimica Acta</i> , 2006, 561, 78-82.	2.6	6
132	Statistical intervals to validate an autoanalyzer for monitoring the exhaustion of alkaline degreasing baths. <i>Analytica Chimica Acta</i> , 2006, 569, 260-266.	2.6	2
133	Continuous autoanalyzer for the evaluation of the exhaustion of industrial degreasing baths based on the determination of total grease and surfactant contents. <i>Journal of Chromatography A</i> , 2006, 1104, 18-22.	1.8	7
134	Robustness in qualitative analysis: a practical approach. <i>TrAC - Trends in Analytical Chemistry</i> , 2006, 25, 621-627.	5.8	20
135	Continuous flow autoanalyzer for the sequential determination of total sugars, colorant and caffeine contents in soft drinks. <i>Analytica Chimica Acta</i> , 2005, 530, 283-289.	2.6	20
136	Autoanalyzer for continuous fractionation and quantitation of the polyphenols content in wines. <i>Journal of Chromatography A</i> , 2005, 1081, 127-131.	1.8	10
137	ATR-FT-IR Membrane-Based Sensor for Integrated Microliquid-Liquid Extraction and Detection. <i>Analytical Chemistry</i> , 2005, 77, 7472-7477.	3.2	10
138	Multipurpose chamber for the implementation of gas diffusion, dialysis, solid-phase extraction and precipitation/dissolution in continuous flow analyzers. <i>Analytica Chimica Acta</i> , 2004, 509, 47-54.	2.6	5
139	Autoanalyzer for Milk Quality Control Based on the Lactose, Fat, and Total Protein Contents. <i>Analytical Chemistry</i> , 2003, 75, 1425-1429.	3.2	19
140	Solid Phase (Micro)extraction Tools Based on Carbon Nanotubes and Related Nanostructures. , 0, , .		1
141	Flow Processing Devices Coupled to Discrete Sample Introduction Instruments. , 0, , 265-290.		0